arXiv:1208.2879v2 [astro-ph.SR] 15 Aug 2012

Neutron Thermal Cross Sections, Westcott Factors, Resonance Integrals, Maxwellian Averaged Cross Sections and Astrophysical Reaction Rates Calculated from the ENDF/B-VII.1, JEFF-3.1.2, JENDL-4.0, ROSFOND-2010, CENDL-3.1 and EAF-2010 Evaluated Data Libraries

B. Pritychenko,* S.F. Mughabghab
National Nuclear Data Center, Brookhaven National Laboratory, Upton, NY 11973-5000, USA

We present calculations of neutron thermal cross sections, Westcott factors, resonance integrals, Maxwellian-averaged cross sections and astrophysical reaction rates for 843 ENDF materials using data from the major evaluated nuclear libraries and European activation file. Extensive analysis of newly-evaluated neutron reaction cross sections, neutron covariances, and improvements in data processing techniques motivated us to calculate nuclear industry and neutron physics quantities, produce *s*-process Maxwellian-averaged cross sections and astrophysical reaction rates, systematically calculate uncertainties, and provide additional insights on currently available neutron-induced reaction data. Nuclear reaction calculations are discussed and new results are presented.

0.4pt0.4pt 0pt0.4pt

Contents

I. INTRODUCTION 2

II. EVALUATED NUCLEAR REACTION DATA LIBRARIES 2
A. Evaluated Neutron Cross Section Data 3

III. CALCULATION OF NEUTRON THERMAL CROSS SECTIONS, WESTCOTT FACTORS, RESONANCE INTEGRALS, MAXWELLIAN-AVERAGED CROSS SECTIONS AND ASTROPHYSICAL REACTION RATES 3
A. Calculation of ENDF Integral Values 4
B. Calculation of Cross Section Uncertainties 4

IV. RESULTS AND DISCUSSION 5
A. Neutron Thermal Cross Sections 5
B. Westcott Factors 7
C. Resonance Integrals 7
  1. Neutron Capture Resonance Integrals 8
  2. Fission Resonance Integrals 9
D. Maxwellian-averaged Cross Sections 9
  1. kT=30 keV 9
  2. kT=1420 keV 10
E. Astrophysical Reaction Rates 11
F. Low-Fidelity Project Uncertainties for ENDF/B-VII.1 Library 11
G. Major Improvements of Present Work with Previous Evaluations 11

V. CONCLUSION AND OUTLOOK 12

Acknowledgments 12

References 12

Appendix 15

Thermal Elastic Cross Sections 15

Thermal Fission Cross Sections 36

Thermal Capture Cross Sections 37

Westcott Elastic Factors 48

Westcott Fission Factors 59

Westcott Capture Factors 60

Elastic Resonance Integrals 71

Fission Resonance Integrals 82

Capture Resonance Integrals 84

Maxwellian-averaged 30-keV Capture Cross Sections 95

Maxwellian-averaged 30-keV Fission Cross Sections 106

Maxwellian-averaged 1420-keV Fission Cross Sections 108

Maxwellian-averaged 1420-keV Capture Cross Sections 109

Fission Reaction Rates 120

Capture Reaction Rates 122

ENDF/B-VII.1 Neutron Elastic Scattering Values and Low-Fidelity Project Uncertainties 132

---

*Electronic address: pritychenko@bnl.gov

ENDF/B-VII.1 Neutron Fission Values and Low-Fidelity Project Uncertainties 138

ENDF/B-VII.1 Neutron Capture Values and Low-Fidelity Project Uncertainties 139

I. INTRODUCTION

Knowledge of neutron physics quantities plays an important role in development of nuclear energy, national security and nuclear astrophysics applications [1–5]. Their numerical values could be extracted from the international collection of Evaluated Nuclear Data File (ENDF) reaction libraries: ENDF/B-VII.1, JEFF-3.1.2, JENDL-4.0, ROSFOND-2010, CENDL-3.1 [1, 6–9] and EAF-2010 activation file [10]. To provide user access to the latest neutron physics data, we have processed the data files, calculated the values and analyzed the results.

In the present work, we consider neutron elastic scattering (n,n), fission (n,f) and capture (n,γ) reactions and several parameters that are important for nuclear science and technology applications. Numerical values of thermal neutron cross sections (σ^{2200}), Westcott factors (g_w), resonance integrals (RI), Maxwellian-averaged cross sections (MACS or σ^{Maxw}) and astrophysical reaction rates ($R(T_9)$) were produced in a systematic approach for Z=1-100 nuclei (materials) using the nuclear reaction data, Doppler broadened at multiple temperatures.

We analyzed the results using the *Atlas of Neutron Resonances* reference book [2], *Neutron Cross Section Standards* [11] and KADoNiS database [16] as benchmarks. This analysis includes over 843 isotopic and elemental neutron evaluations of importance to the wide range of applications. The present paper uses ENDF/B-VII.1 [1, 12–15] and Low-Fidelity neutron cross section covariance data [17, 18], to provide uncertainty estimates. An extensive discussion on neutron parameter calculations, potential implications and further recommendations are presented. Since, the current calculations were completed by March 2012, only nuclear data libraries available prior to this date were considered.

Due to a large volume of calculations and size of the nuclear data tables produced in this work, the Nuclear Data Sheets article contains only the general formalism, discussion of the results and an example of Maxwellian-averaged cross sections table. The extended version of this paper with the complete set of nuclear data tables is published in a present report and uploaded to http://arxiv.org/abs/1208.2879 for downloads. The majority of examples and figures in NDS paper are given for the recently-released ENDF/B-VII.1 library [1] while the complete sets of data for all libraries are published in the Brookhaven report. Finally, we applied Low-Fidelity covariances to ENDF/B-VII.1 neutron physics quantities. The present project organizational chart is shown in Table I.

TABLE I: Project organizational chart. Due to space limitations only MACS at kT=30 keV are published in the paper, the complete sets of extracted and calculated data are published in the present report.

Present Paper	**BNL Report**		
(n,γ)	(n,γ)	(n,f)	(n,el)
	σ^{2200}(293.6)	σ^{2200}(293.6)	σ^{2200}(293.6)
	σ^{2200}(0)		
	g_w	g_w	g_w
	RI	RI	RI
MACS30		MACS30	MACS30
		R(T_9)	R(T_9)
		MACS1420	MACS1420
	LowFi	LowFi	LowFi

II. EVALUATED NUCLEAR REACTION DATA LIBRARIES

Increasing energy demand, concerns over climate change and dependence on overseas supplies of fossil fuels are coinciding to make the strong case for increasing use of nuclear power and provide a strong drive for the nuclear renaissance. Presently, ∼20% of U.S. electrical power is generated by 104 nuclear power plants [19]. These plants provide ∼75% of non-emission generated electricity in the country. Ongoing construction and design of the new power units, 55 worldwide and 6 in the USA, require constant improvements of evaluated nuclear reaction data that are absolutely essential for reactor operations.

Most evaluated nuclear reaction data files are stored in the databases or libraries using the internationally adopted ENDF-6 format [20]. This format, maintained by the Cross Section Evaluation Working Group (CSEWG) [21], provides foundation for the ENDF libraries. ENDF is a core nuclear reaction library containing evaluated (recommended) cross sections, neutron spectra, angular distributions, fission product yields, thermal neutron scattering, photo-atomic and other data, with emphasis on neutron-induced reactions.

Evaluation and dissemination of nuclear reaction data are coordinated by the CSEWG and the U.S. Nuclear Data Program (USNDP) [21–23] in the USA and by the Working Party on International Nuclear Data Evaluation Co-operation (WPEC) [24] worldwide.

Broad international effort led to the development of a variety of ENDF-6 formatted libraries: ENDF/B in the USA [25, 26], JEFF in Europe [6], JENDL in Japan [27], ROSFOND and BROND in Russia [8, 28] and CENDL in China [9]. USA, European Union, Japan, China and Russia are continuing to heavily invest into evaluated nuclear reaction libraries research and development. This effort produced successful releases of ENDF/B-VII.1 and ENDF/B-VII.0 (U.S. 2011 and 2006), JEFF-3.1.2 (Europe 2012), JENDL-4.0 (Japan 2010), ROSFOND (Russia 2008-2010), CENDL-3.1 (China 2009) libraries and EAF-2010 (Europe 2010) activation file. Most of these libraries are based on the original ENDF evaluations, while ROSFOND (*ROSsijsky File Otsenennykh Neutronnykh Dannykh*, in Russian) is completely based on pre-selected and often adjusted evaluations from ENDF/B-VII.0, ENDF/B-VII.beta2, ENDF/B-VI.8, JEFF-3.1, JENDL-3.3, CENDL, BROND-3, FOND-2.2 and European Activation File (EAF2003) [6, 8, 25–29]. The ROSFOND library selection process has produced a unique blend of 686 high-quality nuclear industry evaluations that spans over ∼98% of *s*-process nucleosynthesis nuclei.

A. Evaluated Neutron Cross Section Data

Frequently, ENDF cross sections are represented in groupwise (averaged over broad energy interval) and pointwise (energy-dependent or "continuous") formats [30, 31]. The first representation is often used in reactor physics calculations, while the second one is better suited for nuclear physics applications. In this paper, we will consider several uses of evaluated data for slow and fast neutrons and compare obtained values with EXFOR database [32], *Atlas of Neutron Resonances* reference book [2] and other commonly-used standards and benchmarks [11, 16]. ENDF library evaluations do not contain a complete set of cross sections in a single file. Codes such as PREPRO [33] and NJOY [30] are used for processing the files to produce Doppler broadened neutron cross sections within the ENDF range of energies from 10^{-5} eV to 20 MeV.

In the present work, ENDF data were preprocessed with 0.1% precision within T=0 - 1000° K temperature range using code PREPRO [33]. Zero degree temperature is of interest to *neutron cross section standards* [11], of space exploration and cryogenic detector development [36]. Many neutron cross section values were measured at thermal energies, defined as 0.0253 eV for 2200 m/s neutrons. The famous plasma physics ratio 1 eV = 11605° K leads to the second processing temperature of 293.6° K. To satisfy the needs of nuclear reactor operators, data were also processed at 575° K [34, 35].

Data analysis for several processing temperatures provided an additional quality assurance for present calculations. Elastic neutron scattering cross sections strongly depend on the temperature. ENDF/B-VII.1 reaction cross sections for ^{1}H(n,n) at T=0 and 293.6° K are shown in the Fig.1 and their values are listed in Table II. Temperature selection affects thermal neutron cross sections, Westcott factors and to a lesser extent resonance integrals. Resonance integral values are influenced by temperatures > 5000° K or in rare case of strong resonances near thermal energy, i.e $^{237}Np(n,\gamma)$ [2]. Maxwellian-averaged cross sections for *s*-process nucleosynthesis and ^{252}Cf spectra are almost identical within the processing temperature range. Due to space limitations neutron elastic thermal cross sections are given only at T=0 and 293.6°, the rest of the quantities are listed at T=293.6°.



FIG. 1: ENDF/B-VII.1 evaluated elastic neutron cross sections for ^{1}H at 0 and 293.6 K are shown in black and red, respectively.

III. CALCULATION OF NEUTRON THERMAL CROSS SECTIONS, WESTCOTT FACTORS, RESONANCE INTEGRALS, MAXWELLIAN-AVERAGED CROSS SECTIONS AND ASTROPHYSICAL REACTION RATES

We performed calculations of neutron thermal cross sections, Westcott factors, resonance integrals, Maxwellian-averaged cross sections and reaction rates using the evaluated neutron library data [1, 6–10]. The definitions of neutron physics quantities are presented below.

Since neutron thermal cross sections in the lab reference system are tabulated in Doppler-broadened ENDF evaluations, we simply extracted these values from the evaluations.

Westcott g-factor, g_w, is the ratio of Maxwellian-averaged cross section to the 2200 m/s (thermal) cross section [37]

$$g_w = \frac{\sigma^{Maxw}}{\sigma^{2200}}. \qquad (1)$$

The g_w-factor is temperature dependent [37–40] and its value is close to 1 for most nuclei where $\sigma(n,\gamma) \sim \frac{1}{v}$.

The epicadmium dilute resonance integral (RI) [2] for a particular reaction $\sigma_R(E)$ in $1/E$ spectrum is expressed by

$$RI = \int_{E_c}^{\infty} \sigma_R(E) \frac{dE}{E}, \qquad (2)$$

where E_c is determined by cadmium cutoff energy (E_c=0.5 eV). The cutoff energy depends on the Cd shield thickness, its values are approximately 0.5 and 0.55 eV for ∼1 and ∼1.5 mm cadmium shields in case of beam geometry [41], respectively. The absorbing nuclide is assumed to be present in such small or diluted quantities that there is no perturbation of the neutron slowing down spectrum [42]. This is why, the resonance integral is called infinitely dilute RI.

Average cross sections for Maxwellian spectrum are defined as

$$\sigma^{Maxw}(kT) = \frac{\langle \sigma \upsilon \rangle}{\upsilon_T}, \tag{3}$$

where υ is the relative velocity of neutrons and a target nuclide and υ_T is the mean thermal velocity given by

$$\upsilon_T = \sqrt{\frac{2kT}{\mu}}, \tag{4}$$

where μ is the reduced mass.

Maxwellian-averaged cross sections (MACS) can be expressed as [5]

$$\sigma^{Maxw}(kT) = \frac{2}{\sqrt{\pi}} \frac{a^2}{(kT)^2} \int_0^\infty \sigma(E_n^L) E_n^L e^{-\frac{aE_n^L}{kT}} dE_n^L, \tag{5}$$

where $a = m_2/(m_1 + m_2)$, k and T are the Boltzmann constant and temperature of the system, respectively. E_n^L is neutron energy in the laboratory system and m_1 and m_2 are masses of the neutron and the target nucleus, respectively.

The astrophysical reaction rate, R, is defined as $R = N_A \langle \sigma \upsilon \rangle$, where N_A is the Avogadro number. To express reaction rates in [cm^3/mole s] units, an additional factor of 10^{-24} is introduced; υ_T is in units of [cm/s] and temperature, kT, in units of energy (*e.g.* MeV) is related to that in Kelvin (*e.g.* 10^9 K) as T_9=11.6045kT.

$$R(T_9) = 10^{-24} N_A \sigma^{Maxw}(kT) \upsilon_T. \tag{6}$$

These equations were used to calculate integral values using the original evaluated neutron data from the ENDF libraries within the typical range of energies.

A. Calculation of ENDF Integral Values

Previously published computations of Maxwellian-averaged cross sections and astrophysical reaction rates [5] were based on the Simpson integration method for the linearized ENDF cross sections (MF=3). This method provided quality integral values. However, the degree of precision was within $\sim$ 1% [4, 5]. This limitation can be overcome in the linearized ENDF files because cross section value is linearly-dependent on energy within a particular bin [43]

$$\sigma(E) = \sigma_1 + (E - E_1)\frac{\sigma(E_2) - \sigma(E_1)}{E_2 - E_1}, \tag{7}$$

where $\sigma(E_1)$, E_1 and $\sigma(E_2)$, E_2 are pointwise cross section and energy values for the energy bin.



FIG. 2: Calculated ENDF/B-VII.0 library MACS ratios for neutron-induced fission and capture reactions using the present and previous [5] methods. Horizontal scale is relative.

In the present work, we calculate definite integrals applying the Wolfram Mathematica online integrator [44]. Summing definite integrals for all energy bins and sufficiently dense grid produces an exact integral value for parameter of interest.

To validate this approach ENDF/B-VII.0 Maxwellian-averaged cross sections were re-calculated and compared with our previously published Simpson integration values [5]. Fig. 2 shows a good agreement between two calculations with the exception of ^{79}Se where, due to lack of experimental data, ENDF/B-VII.0 evaluated capture cross sections have problem with merging of low- and high-energy data.

B. Calculation of Cross Section Uncertainties

Major evaluated neutron libraries contain limited sets of covariance files. In this work, we will consider 190 ENDF/B-VII.1 covariance files mostly coming from structural, fission and actinide materials and 387 covariance files from the Low-Fidelity project [1, 17, 18]. The Low-Fidelity covariance data practically cover the whole ENDF/B-VII.0 range of nuclei. This project was not an official part of ENDF/B-VII.0 release. However, the selection of evaluations was motivated by ENDF/B-VII.0 material list. An example of the ^{56}Fe(n,γ) groupwise cross section uncertainties for ENDF/B-VII.1 library and the Low-Fidelity projects is shown in Fig. 3. This Figure shows general consistency between two cross section uncertainties within the ENDF range of energies.

As in the ENDF/B-VII.1 reference paper [1] we calculated Maxwellian-averaged cross section and reaction rate uncertainties. For comparative purposes, the Low-Fidelity covariances were used to produce uncertainties



FIG. 3: ENDF/B-VII.1 and Low-Fidelity groupwise cross section uncertainties for ^{56}Fe(n,γ) reaction are shown in green and red colors, respectively.

for ENDF/B-VII.1 integral values, as shown in the Report Tables XVII-XIX.

IV. RESULTS AND DISCUSSION

In this section we present computations of neutron physics quantities and discuss their implications. Neutron thermal cross sections were extracted from the ENDF libraries while Westcott factors, resonance integrals, Maxwellian-averaged cross sections and reaction rates for the ENDF/B-VII.1, JEFF-3.1.2, JENDL-4.0, ROSFOND-2010, CENDL-3.1 libraries and EAF-2010 activation file have been calculated. Present values are in agreement with our earlier results for the Sigma Web Interface [46, 47] at T=0 and 300° K. An extensive analysis of the ENDF astrophysical data has been performed in our previous work [5]. In this work, we will extend the analysis to neutron thermal cross sections, Westcott factors and resonance integrals.

A. Neutron Thermal Cross Sections

Neutron thermal cross section values for elastic scattering, fission and capture are shown in the current report. These values are compared with *Atlas of Neutron Resonances* and *Neutron Cross Section Standards* evaluations [2, 11].

ENDF/B-VII.1 thermal cross section ratios for neutron capture and fission are shown in Figs. 4, 5 and Tables III-IV of the report. Using visual inspection we notice deviations for light and medium nuclei and minor actinides evaluations. These differences, in the low- and medium-Z region, are attributed to the lack or insufficient experimental data for ^{17}O, ^{43}Ca, ^{86}Kr, ^{110}Pd, and the recent re-evaluation of ^{90,91}Zr. In the minor actinide region, deviations are actually in the JENDL-4.0 evaluations [7], since these were adopted by ENDF/B-VII.1 library.



FIG. 4: Ratio of thermal neutron capture cross sections for *Atlas of Neutron Resonances* to ENDF/B-VII.1.



FIG. 5: Ratio of thermal neutron fission cross sections for ENDF/B-VII.0 to ENDF/B-VII.1. Where discrepancies are evident, VII.1 values are thought to be more accurate.

In this subsection, we briefly discuss the discrepancies observed between the ENDF/B-VII.1 and the *Atlas of Neutron Resonances* [2] regarding the thermal cross sections.

- ^{17}O

  The ENDF/B-VII.1 thermal capture cross section, 3.8 mb, for ^{17}O is attributed to a misquoted direct capture cross section calculated by Mughabghab [48]. The actual correct value is 0.38 mb. The *Atlas* value is based on measurements reporting a value of 0.538±0.065 mb. Since the thermal cross section contributes about half of its value to the capture resonance integral, a similar discrepancy would result also in this quantity as shown in Fig. 9.

- ^{43}Ca

  The ENDF/B-VII.1 file for ^{43}Ca is taken from the Petten evaluation. In its documentation, it is stated that the thermal capture cross section, σ(n,γ)= 6.2 b, is adopted from [48]. In order to reproduce this value, a negative resonance was added in the Petten evaluation. However, the calculation of the thermal cross section from the resonance parameters yields 11.66 b. Note that, according to the *Atlas*, the bound level contributes only 1.61 b to the thermal capture cross section.

- ^{86}Kr

  The ENDF/B-VII.1 file for ^{86}Kr is a product of the WPEC international cooperation. In its documentation, it is stated "a negative resonance was added at -20 keV so as to reproduce the thermal capture cross section of 3 mb given by [48]." This evaluated file does not contain a negative energy resonance and the table of thermal cross sections in the documentation reports a calculated thermal capture cross section of 0.877 mb in agreement with the *Atlas* calculation. Note that since the recommended thermal capture cross section in the *Atlas* is 3±2 mb, there is no need to invoke a negative energy resonance.

- ^{90,91}Zr

  For ^{90}Zr, the ENDF/B-VII.0 thermal capture cross section, 0.077 b, was adopted from the *Atlas* recommendations. This value was derived using the subtraction method by considering a thermal capture cross section of 0.830±0.082 b for ^{91}Zr [49]. However, a more recent measurement reported a low limit of 1.30±0.04 b for the ^{91}Zr thermal capture cross section [50] showing that the previously-derived value for ^{90}Zr was overestimated. On this account, the parameters of the bound level for ^{90}Zr in ENDF/B-VII.1 evaluation were deleted. With this change, the calculated 2200 m/sec thermal capture cross section for ^{90}Zr becomes 9.97 mb, which is now in good agreement with Lone's measurement, 14^{+8}_{-4} mb [49].

- ^{110}Pd

  The ENDF/B-VII.1 evaluated file for ^{110}Pd gives a thermal capture cross section of 0.229 b, whereas the *Atlas* evaluation reports a corresponding capture cross section more than twice this value, i.e. 0.73±0.17 b. The *Atlas* value is based on two isomeric ratio measurements by Namboodiri *et al.* [51] and Dzantiev *et al.* [52] which are in excellent agreement, while the ENDF/B-VII.1 value is based on an older evaluation [48].

- ^{238}U

  There is a disagreement between *Atlas of Neutron Resonances* [2] and ENDF/B-VII.1 thermal fission cross sections for ^{238}U. In this case, fission threshold is well above thermal energy, but sub-threshold thermal neutron fission takes place. Experimental measurement of D'Hondt *et al.* [53] indicates lower than ENDF/B-VII.1 library calculated value and explains the disagreement.

- ^{239}Np

  The ENDF/B-VII.1 file for ^{239}Np is adopted from the JENDL-4.0 evaluation, which adopted a thermal capture cross section of 45.02 b. This cross section is attributed to Stoughton and Halperin [54], who reported a thermal reactor value for this nuclide of 80±20 b. To convert this value to a thermal cross section, the ratio of the epithermal flux to the thermal flux, as well as the capture resonance integral, must be known. Since neither of these quantities are determined, nonetheless, these authors made some estimates and arrived at a thermal capture cross section of 45±15 b. On the other hand, Mughabghab [2] arrived at a thermal reactor capture cross section of 68±10 b, based on activation measurements. Even though the two reported capture cross sections are consistent within their uncertainty limits, nevertheless it is interesting to explore the comparative method [55] to determine its applicability in this mass region for other nuclei, such as illustrated below for ^{250}Bk. Adopting a 2200 m/s capture cross section of 175.9±2.9 b for ^{237}Np and a nuclear level density parameter of a_{ld}=26 MeV^{-1} for ^{239}Np [2], 63 b is readily calculated for the 2200 m/s capture cross section for ^{239}Np. This value is in agreement with the *Atlas* evaluation.

- ^{250}Bk

  The ENDF/B-VII.1 file for ^{250}Bk is also adopted from the JENDL-4.0 evaluation, which estimated a thermal capture cross section of 780.5 b based on a computer code calculation [56]. The corresponding value in the *Atlas*, ∼350 b, is based on a rough estimate reported in [57]. A reasonable estimate was made by one of the authors (SFM) using the comparative method by adopting a thermal capture cross section for ^{249}Bk as 746±40 b and a nuclear level density parameter a_{ld}=29 MeV^{-1} for ^{250}Bk [2]. The result for the 2200 m/s capture cross section is 666±70 b which is consistent, within 17% uncertainty, with the JENDL-4.0 estimate but not that of Bol'shov *et al.* [57].



FIG. 6: Ratio of thermal neutron capture Westcott factors for ENDF/B-VII.0 to ENDF/B-VII.1 libraries.

B. Westcott Factors

Calculated Westcott factors are given in the Tables V-VII of this report. Fig. 6 shows the ratio of capture Westcott factors between ENDF/B-VII.1 and ENDF/B-VII.0 libraries, and indicates large changes for ^{239}U and ^{176}Lu in neutron capture cross section evaluations. These deviations reflect the recent improvements of ENDF/B-VII library evaluations [1], where Westcott factors evolved from 3.997 to 0.989 and from 1.002 to 1.713 for ^{239}U and ^{176}Lu, respectively. The last number agrees well with the recommended value of 1.75 [2]. Smaller deviations as in unstable ^{123}Xe nucleus are due to adoption of new evaluations in ENDF/B-VII.1 library and lack of experimental data for this material. *Atlas of Neutron Resonances* references book [2] includes compilation of experimental fission g_w factors. Fig. 7 shows a ratio between the Atlas and calculated ENDF/B-VII.1 fission Westcott factors.

Complete calculation of capture and fission g_w factors reveals that most of them are close to 1 with an exception of non-$1/\upsilon$ $\sigma(n,\gamma)$ nuclei: ^{113}Cd, ^{135}Xe, ^{149}Sm, ^{151}Eu, ^{176}Lu, ^{182}Ta, ^{239}Pu, ^{249}Bk [2]. Strong resonances in the thermal energy region, such as 0.29562 eV resonance in ^{239}Pu [2], are often responsible for Westcott factor temperature variations. Current calculation provides a very powerful tool for finding the deficiencies in evaluated neutron libraries. There are notable Westcott factor issues for unstable isotopes of ^{151}Gd, ^{155,157,158}Tb, ^{169,172}Lu, ^{182}Re and ^{232}Pa in ROSFOND 2010 library evaluations where neutron capture cross section values suddenly increase at $\sim$ 0.1 eV due to step function problems.

The analysis of elastic scattering g_w factors is more difficult due to lack of experimental data. The majority of shown in Fig. 8 calculated ENDF/B-VII.1 factors are close to 1.1. This value is consistent with the previous calculation by the JEFF team [58]. Further analysis for elastic scattering Westcott factors indicates 29 ENDF/B-VII.1 values for mostly unstable materials, where factors are within 2-8 range. In cases of ^{113}Cd, ^{148m}Pm and ^{149}Sm evaluations, where the Westcott factor is within 2-3 range, the deviations from unity could be explained by neutron spectra shapes and resonance structures. For the rest of 26 cases (^{65}Zn,^{99}Mo,^{95}Nb,^{123}Sn,^{156}Eu,...), where Westcott factor value is within 3-8 range, the strong deviations are due to improper merging of evaluated cross section curves that results in step-function structures.



FIG. 7: Ratio of thermal neutron fission Westcott factors for Atlas to ENDF/B-VII.1 library.



FIG. 8: ENDF/B-VII.1 library thermal neutron elastic Westcott factors.

C. Resonance Integrals

The resonance integrals for scattering, fission and capture are calculated with the aid of Eq. 2 with an upper energy limit of 20 MeV.The results are summarized in Tables VIII - X of the BNL report. For capture reactions, the dominant contribution to this integral comes from the



FIG. 9: Ratio of neutron capture resonance integrals for *Atlas of Neutron Resonances* [2] to ENDF/B-VII.1.



FIG. 10: Ratio of neutron fission resonance integrals for Atlas to ENDF/B-VII.1. Where discrepancies are evident, Atlas values are thought to be more accurate.

energy region below a few keV. In contrast, for threshold reactions and subthreshold fission, this is not the case, since the major contribution comes from the energy region above the threshold energy. For scattering integrals the data analysis is hampered by lack of experimental data.

The ratio of the Atlas resonance integrals to those of ENDF/B-VII.1 for capture and fission are shown in Fig. 9 and 10, respectively. Most of the values are consistent with available measurements [2, 59, 60]. The observed discrepancies in these quantities are discussed in some detail below.

1. *Neutron Capture Resonance Integrals*

- ^{17}O

  The large discrepancy in the ENDF/B-VII.1 is previously explained in terms of the incorrect capture cross section for this nuclide.

- ^{46}Ca

  The ENDF/B-VII.1 file was taken from the JEFF-3.1 evaluation, which does not contain resonance parameters. This nuclide with a very low natural abundance of only 0.004% has a strong s-wave resonance at 28.4±1.6 keV [2]. Its contribution to capture integral is 1.16 b which is understandably at variance with the ENDF/B-VII.1 capture cross section. As a result, the capture file of this evaluation has to be updated to take into consideration the effect of this strong s-wave resonance to the capture integral as well as the 30-keV Maxwellian-averaged capture cross section.

- ^{166m}Ho

  There is a large discrepancy in the ENDF/B-VII.1 calculated capture resonance integral for this nuclide, 0.676 kb (based on the resonance parameters [61]) and the measured value [62], 10.0±2.7 kb. This is largely due to the fact that the authors [62] assumed the wrong spin statistical factor for ^{166m}Ho. The evaluated resonance parameters for this nuclide have to be modified in the future.

- ^{204}Hg

  The ENDF/B-VII.1 file is based on JENDL-3.3 evaluation, where no resonance parameter information is given; only pointwise cross section is presented. The thermal capture cross section, 0.43 b, is in agreement with the *Atlas* value [2] but not the capture resonance integral which gives a value of 2.72 b. In contrast, the *Atlas* value, 0.80±0.04 b, is based on measurements.

- ^{233}Th

  The capture resonance integral of ^{233}Th, which was adopted from JENDL-4.0, is 574 b, while the measured value in the *Atlas* is 1700±900 b. Since the ENDF/B-VII.1 2200 m/sec capture cross section is 1290.6 b, this shows that there is no contribution to the capture integral from the resonance region, which is in disagreement with the measurement, giving a reduced resonance integral of 1100±930 b [63].

- ^{251}Cf

  The resonance capture integral for the ENDF/B-VII.1 file for ^{251}Cf, adopted from JENDL-4.0 is 519 b for a Cd cutoff of 0.5 eV whereas the corresponding *Atlas* value is 1600±30 b; the latter value is based on measurements [64]. The large discrepancy can be attributed to positive energy at 0.389±0.001 eV, which is close to the cadmium cutoff energy of 0.5 eV. To illustrate the point, if the Cd thickness used in the measurements is such that it corresponds to an energy cutoff of 0.40 eV, then the calculated capture resonance integral would be 2038 b instead of 519 b.

- ^{253}Cf

  Measurements of the capture resonance integral and resonance parameters are not yet available for ^{253}Cf. Estimates of the capture cross section and capture resonance integral, σ_γ= 12.0 and I_γ=12.0 b, were made by Benjamin *et al.* [65] from multigroup cross section considerations. The ENDF/B-VII.1 value, based on the JENDL-4.0 evaluation, is 658 b and is obtained by the CCONE computer code [56]. On the other hand the *Atlas* recommendation, 13±3 b is largely based on Benjamin *et al.* estimate [65].

- ^{254g}Es

  The *Atlas* resonance integral for capture, 18.2±1.5 b, is based on the measurements of Halperin *et al.* [66] while the ENDF/B-VII.1 (JENDL-4.0) value, I_γ= 683 b, is probably based on CCONE code [56].

- ^{254m}Es

  Capture cross section measurements and resonance information are not available for this nuclide. The ENDF/B (JENDL-4.0) assumed a capture cross section of 250 b at 0.0253 eV. The ratio of fission to capture cross section was then calculated by CCONE code and the capture cross section above 1 eV was deduced. From this capture cross section and the thermal value, a capture resonance integral of 178 b was obtained. On the other hand an approximate value of 1000 b, as reported in the *Atlas*, is based on measurements.

2. *Fission Resonance Integrals*

It is important to note that for ^{234}U, ^{238}U, ^{237}Np, ^{240}U, ^{242}Pu target nuclei, where subthreshold fission was observed, the calculated fission integrals, I_f^c reported in the Atlas of Neutron Resonances [2] correspond to subthreshold fission values. Since these calculations were carried out with the recommended resonance parameters [2] and did not include contributions from the unresolved resonance and the fast energy regions. These quantities then represent subthreshold fission integrals and are a small fraction of the total fission integral. To illustrate the point, the subthreshold fission integral of ^{237}Np is 0.650 b calculated from the resonance parameters [2] while the fission integrals with upper energy limits of 10 MeV and 20 MeV are 5.43 b and 6.95 b, respectively, on the basis of the ENDF/B-VII.1 evaluation. It is of interest that the only reported measured value for this nucleus gives a value of 4.70±0.23 b [67].

The discrepancies noted in Fig. 10 for ^{234}U, ^{238}U,^{240}U, ^{242}Pu are explained in terms of the foregoing discussion. The discrepancy for ^{251}Cf capture integral is noted in the previous section. The same situation occurs for the fission integral. The Atlas value for the fission integral is based on measurements by the activation method while the ENDF/B-VII.1 is calculated with the resonance parameters of ^{251}Cf which are not well determined because of lack of highly-enriched samples for this isotope [68].

D. Maxwellian-averaged Cross Sections

Maxwellian-averaged cross sections have been calculated for two temperatures (kT) of 30 keV and 1420 keV. The first temperature is the commonly accepted value in stellar nucleosynthesis *s*-process compilations, while the second one closely reproduces a ^{252}Cf neutron fission spectrum.

The slow-neutron capture (s-process) is responsible for creation of ∼50 % of the elements beyond iron. In this region, neutron capture becomes dominant because of the increasing Coulomb barrier and decreasing binding energies. This s-process takes place in the Red Giants and Asymptotic Giant Branch (AGB) stars, where neutron temperature (kT) varies from 8 to 90 keV. The c.m. system Maxwellian-averaged cross sections (MACS) for neutron capture are shown in Table XI and the fission values are published in the Brookhaven report. Addition of EAF-2010 and ROSFOND 2010 libraries [8, 10] provides more than 99% coverage along the *s*-process path. Only three values for ^{110}Ag and ^{132,133}Ce are not available yet because of lack of experimental data. These missing cross sections will be addressed in our future work.

^{252}Cf has been often used for nuclear reactor modeling. Its fission neutron spectrum data have been compiled in the EXFOR database [32]. Analysis of calculated MACS and experimental data provides an important tool for ENDF quality assurance.

1. *kT=30 keV*

A detailed analysis of Fig. 11, Table XI and the report data demonstrates the nuclear astrophysics potential of ENDF libraries as a complementary source of evaluated cross sections and reaction rates [5]. There are noticeable differences between KADoNiS [16] and ENDF/B-VII.1 libraries for light and medium nuclei. The ^{1}H deviation is due to differences between center of mass (ENDF calculated) and lab reference system (KADoNiS) cross section values, and therefore, this is not a discrepancy. The ^{3}He ENDF/B-VII.1 value is higher than KADoNiS; it comes from an R-matrix evaluation [1]. For ^{28,30}Si, ^{31}P, ^{64}Ni and ^{196}Hg the KADoNiS values are based on a single recent measurement. In the ^{30}Si case, the evaluators used the higher value to tune the value, while the IUPAC (International Union of Pure and Applied Chemistry) constants for NAA (Neutron-Activation Analysis) support the lower value. Due to lack of experimental data, theoretical values were adopted by evaluators for ^{38}Ar, ^{82}Se, ^{115m}Cd, ^{141}Ce, ^{143}Pr and ^{148m,149}Pm. Discrepancies for ^{46,48}Ca and ^{33,36}Si occur in part because of their small isotopic abundances and in consequence the lack of measured data [32]. Figs. 11 and 9 provide an additional proof that ^{31}P and ^{46}Ca data in ENDF/B-VII.1 are not very realistic compared to available benchmarks.



FIG. 11: Ratio of Maxwellian-averaged capture cross sections at kT=30 keV of Karlsruhe Astrophysical Database of Nucleosynthesis in Stars (KADoNiS) [16] to ENDF/B-VII.1 calculation.

In s-process nucleosynthesis, the product of neutron-capture cross section (at 30 keV in mb) times solar system abundances (relative to Si = 10^6) as a function of atomic mass should be constant for equilibrium nuclei [69]:

$$\sigma_A N_{(A)} = \sigma_{A-1} N_{(A-1)} = constant. \quad (8)$$

To verify this phenomenon, the calculated $\langle\sigma_\gamma^{Maxw}(30keV)\rangle$ from the ENDF/B-VII.1 library were multiplied by solar abundances taken from Anders and Grevesse [70], and plotted in Fig. 12. Visual inspection of Fig. 12 indicates two local equilibrium and ledge-precipice break at $A \sim 138$ for the ENDF/B-VII.1 fit and relatively high value for ^{116}Sn. This phenomenon is due to the fact that ^{116}Sn solar abundance has r-process contribution [70].

The predictive power of stellar nucleosynthesis calculations depends heavily on the neutron capture cross section values and their covariances. To understand the unique isotopic signatures from the presolar grains, ∼1% cross section and decay rates uncertainties are necessary [71]. Unfortunately, present σ(n,γ) uncertainties are often much higher than 1%, as shown in Fig. 13.

An additional ENDF s-process nucleosynthesis data could be interactively calculated and downloaded from the NucRates Web application *http://www.nndc.bnl.gov/astro*. These complimentary data sets demonstrate a strong correlation between nuclear astrophysics and nuclear industry data needs, the large nuclear astrophysics potential of ENDF libraries, and a perspective beneficial relationship between both fields.



FIG. 12: ENDF/B-VII.1 library product of neutron-capture cross section (at 30 keV in mb) times solar system abundances (relative to Si = 10^6) as a function of atomic mass for nuclei produced only in the s-process.

Analysis of fission Maxwellian-averaged cross sections, Table XI of the report, indicates potential deficiency with ^{234}Th evaluation in JEFF-3.1.2 library that lacks fission cross section data below 1.5 MeV.

2. kT=1420 keV

To provide the quality assurance for the high-energy part of neutron spectrum, we calculated Maxwellian-averaged cross sections close to the ^{252}Cf spontaneous fission neutron spectrum conditions. ^{252}Cf is often used in nuclear physics as a compact, portable and intense neutron source. Its alpha and spontaneous fission decay modes, 96.91% and 3.09%, respectively, result in an overall half-life of 2.645±0.008 years [72]. Its neutron emission is about 3.757 neutrons per fission [73] and 1 mg of ^{252}Cf generates $\sim 2.3\times10^9$ neutrons/s [74]. Californium neutron energy spectrum is similar to a fission reactor, with an average energy of 2.13 MeV [75, 76]. Consequently, compact ^{252}Cf neutron sources can provide an ideal nonreactor source of neutrons for lower-flux applications. Large masses of ^{252}Cf (>100 mg) can imitate reactor capabilities for applications such as neutron radiography. In the United States, Californium User Facility for Neutron Science processes and encapsulates the national supply of ^{252}Cf, produced at the neighboring Oak Ridge High Flux Isotope Reactor (HFIR) [77].



FIG. 13: Maxwellian-averaged Neutron Capture Cross Section Uncertainties for ENDF/B-VII.1 library, Low-Fidelity project and KADONIS database [1, 16, 18].

Assuming the ^{252}Cf $\bar{E}$ of 2.13 MeV and employing the formula

$$\bar{E}_n = \frac{3}{2}kT, \tag{9}$$

then kT=1420 keV for the approximate Maxwellian temperature [78]. Obviously, current approximation has its limitations and the more advanced formalisms have been proposed [79–81]. However, this temperature data are consistent with the 13 (n,γ) and 17 (n,fission) EXFOR data sets [32]. ENDF/B-VII.1 MACS combined with the EXFOR data are shown in Fig. 14. The complete set of calculated MACS at this kT is given in the Tables XIII-XIV of the Brookhaven report.

E. Astrophysical Reaction Rates

Astrophysical reaction rates and their uncertainties for the whole range of ENDF/B-VII.1 nuclei have been calculated at kT=30 keV and presented in the Tables XV-XVI of Brookhaven report. An example of ENDF/B-VII.1 reaction rates is shown in Fig. 15. An additional calculation for 1 MK - 10 GK temperature range [82] will be available in the electronic form only. Current calculation is in good agreement with KADONIS and other values [2, 16, 83]. It practically covers the whole range of s-process nuclei and represents the most complete set of reaction rates produced from the evaluated nuclear reaction libraries.



FIG. 14: Calculated ENDF/B-VII.1 library MACS at kT=1420 keV and EXFOR data for neutron-induced fission and capture reactions are shown as solid lines and red rectangulars, respectively.

F. Low-Fidelity Project Uncertainties for ENDF/B-VII.1 Library

To gain better understanding of ENDF/B-VII.1 library physical quantities and their uncertainties, the Low-Fidelity project results [18] were applied to calculate complete set of uncertainties. Data analysis of Fig. 13 indicates that present uncertainties are well-suited for nuclear astrophysics applications and provide good coverage along s-process nucleosynthesis path. These results are shown in Tables XVII-XIX of the Brookhaven report.

G. Major Improvements of Present Work with Previous Evaluations

Current work is the most complete calculation of ENDF values up-to-date [4, 5, 46] and reflects the strong USNDP commitment to the nuclear data research and development. The list of improvements include:

- Extended list of physical quantities: neutron thermal cross sections, Westcott factors, resonance integrals, Maxwelian-averaged cross sections for kT=30, 1420 keV and astrophysical reaction rates
- Improved numerical integration for T=0, 293.6° K Doppler broadening temperatures
- Calculation of uncertainties



FIG. 15: Calculated ENDF/B-VII.1 astrophysical reaction rates at kT=30 keV and KaDONiS data for neutron-induced fission and capture reactions.

- More than 99% coverage of the *s*-process path
- Coverage of all major libraries
- The complete list of neutron materials that are present in major evaluated libraries

V. CONCLUSION AND OUTLOOK

Increasing demands for development of new nuclear energy and astrophysics applications provided a strong motivation for this work. A complete calculation of Westcott factors, resonance integrals, Maxwellian-averaged cross sections, astrophysical reaction rates and their uncertainties has been performed. Neutron thermal cross section data were extracted from the ENDF libraries. Present data were analyzed using benchmarks, where available. Data analysis indicates a substantial progress in nuclear data libraries quality and their importance for a wide variety of applications.

Acknowledgments

The authors are indebted to Dr. M.W. Herman (BNL) for the constant help and support during this project and Dr. P. Obložinský (Slovak Academy of Sciences) for useful suggestions. We acknowledge Drs. V. Zerkin (IAEA), A. Trkov (Jozef Stefan Institute, Ljubljana), R. Cyburt (JINA/MSU) and M. Pigni (ORNL) for productive discussions and help on ENDF Doppler broadening, Westcott factors, nuclear astrophysics calculations and Low-Fidelity project data, respectively. We are also grateful to M. Blennau (BNL) for a careful reading of the manuscript. This work was funded by the Office of Nuclear Physics, Office of Science of the U.S. Department of Energy, under Contract No. DE-AC02-98CH10886 with Brookhaven Science Associates, LC.

---

[1] M.B. Chadwick, M.W. Herman, P. Obložinský *et al.*, "ENDF/B-VII.1 Nuclear Data for Science and Technology: Cross Sections, Covariances, Fission Product Yields and Decay Data," Nuclear Data Sheets **112**, 2887 (2011).

[2] S.F. Mughabghab, Atlas of Neutron Resonances, Resonance Parameters and Neutron Cross Sections Z = 1-100, Elsevier (2006).

[3] Z.Y. Bao, H. Beer, F. Käppeler *et al.*, "Neutron Cross Sections for Nucleosynthesis Studies," Atomic Data and Nuclear Data Tables **76**, 70 (2000).

[4] T. Nakagawa, S. Chiba, T. Hayakawa, T. Kajino, "Maxwellian-averaged Neutron-induced Reaction Cross Sections and Astrophysical Reaction Rates for kT = 1 keV to 1 MeV Calculated from Microscopic Neutron Cross Section Library JENDL-3.3," Atomic Data and Nuclear Data Tables **91**, 77 (2005).

[5] B. Pritychenko, S.F. Mughabghab, and A.A. Sonzogni, "Calculations of Maxwellian-averaged Cross Sections and Astrophysical Reaction Rates Using the ENDF/B-VII.0, JEFF-3.1, JENDL-3.3 and ENDF/B-VI.8 Evaluated Nuclear Reaction Data Libraries," Atomic Data and Nuclear Data Tables **96**, 645 (2010).

[6] A. J. Koning, E. Bauge, C.J. Dean *et al.*, "Status of the JEFF Nuclear Data Library," J. of the Korean Physical Society **59**, No. 2, 1057 (2011).

[7] K. Shibata, T. Kawano, T. Nakagawa *et al.*, "JENDL-4.0: A New Library for Nuclear Science and Engineering," Journal of Nuclear Science and Technology **48**, 1 (2011).

[8] S.V. Zabrodskaya, A.V. Ignatyuk , V.N. Koscheev *et al.*, "ROSFOND - Rossiyskaya Natsionalnaya Biblioteka Nejtronnykh Dannykh," VANT, Nuclear Constants **1-2**, 3 (2007).

[9] Z.G. Ge, Z.X. Zhao, H.H. Xia *et al.*, "The Updated Version of Chinese Evaluated Nuclear Data Library (CENDL-3.1)," J. of the Korean Physical Society,

59, No. 2, 1052 (2011).

[10] J.-Ch. Sublet, L. W. Packer, J. Kopecky *et al.*, "The European Activation File: EAF-2010 Neutron-induced Cross Section Library," EASY DOCUMENTATION SERIES CCFE-R (10) 05, April 2010.

[11] A.D. Carlson, V.G. Pronyaev, D.L. Smith *et al.*, "International Evaluation of Neutron Cross Section Standards," NUCLEAR DATA SHEETS **110** 3215 (2009).

[12] M. Herman, S.F. Mughabghab, P. Obložinský *et al.*, "Neutron Cross Section Covariances in the Resolved Resonance Region," Brookhaven National Laboratory Report BNL-80173-2008, April 2008.

[13] P. Obložinský, C.M. Mattoon, M. Herman *et al.*, "Progress on Nuclear Data Covariances: AFCI-1.2 Covariance Library," Brookhaven National Laboratory Report BNL-90897-2009, September 28, 2009.

[14] P. Obložinský, Y.-S. Cho, C.M. Mattoon, S.F. Mughabghab, "Formalism for Neutron Cross Section Covariances in the Resonance Region Using Kernel Approximation," Brookhaven National Laboratory Report BNL-91287-2010, January 29, 2010.

[15] S. Hoblit, Y.-S. Cho, M. Herman *et al.*, "Neutron Cross Section Covariances for Structural Materials and Fission Products," NUCLEAR DATA SHEETS **112**, 3075 (2011).

[16] I. Dillmann, M. Heil, F. Käppeler *et al.*, "KADoNiS - The Karlsruhe Astrophysical Database of Nucleosynthesis in Stars ,"AIP Conf. Proc. **819**, 123 (2006). Data downloaded from ⟨http://www.kadonis.org⟩ on April 7, 2010.

[17] D.L. Smith, "Summary of the Workshop on Neutron Cross Section Covariances," NUCLEAR DATA SHEETS **109**, 2915 (2008).

[18] R.C. Little, T. Kawano, G.D. Hale *et al.*, "Low-fidelity Covariance Project," NUCLEAR DATA SHEETS **109**, 2828 (2008). Available from ⟨http://www.nndc.bnl.gov/lowfi/⟩.

[19] PHYSOR 2010, "Advances in Reactor Physics to Power Nuclear Renaissance", Pittsburgh, PA, May 9-14 (2010). Available from ⟨http://physor2010.org⟩.

[20] A. Trkov, M. Herman and D. A. Brown, ENDF-6 FORMATS MANUAL: DATA FORMATS AND PROCEDURES FOR THE EVALUATED NUCLEAR DATA FILE ENDF/B-VI AND ENDF/B-VII; Brookhaven National Laboratory Report BNL-90365-2009 Rev.2, CSEWG Document ENDF-102, December 2011.

[21] CROSS SECTION EVALUATION WORKING GROUP (CSEWG), Available from ⟨http://www.nndc.bnl.gov/csewg⟩.

[22] UNITED STATES NUCLEAR DATA PROGRAM (USNDP), Available from ⟨http://www.nndc.bnl.gov/usndp⟩.

[23] B. Pritychenko, A.A. Sonzogni, D.F. Winchell *et al.*, "Nuclear Reaction and Structure Data Services of the National Nuclear Data Center," ANN. NUCL. ENERGY **33**, 390 (2006).

[24] WORKING PARTY ON INTERNATIONAL NUCLEAR DATA EVALUATION CO-OPERATION (WPEC), Available from ⟨http://www.nea.fr/html/science/wpec/⟩.

[25] M.B. Chadwick, P. Obložinský, M.W. Herman *et al.*, "ENDF/B-VII.0: Next Generation Evaluated Nuclear Data Library for Nuclear Science and Technology," NUCLEAR DATA SHEETS **107**, 2931 (2006).

[26] CSEWG-Collaboration, "Evaluated Nuclear Data File ENDF/B-VI.8," Available from ⟨http://www.nndc.bnl.gov/endf/⟩.

[27] K. Shibata, T. Kawano, T. Nakagawa *et al.*, "Japanese Evaluated Nuclear Data Library Version 3 Revision-3: JENDL-3.3," JOURNAL OF NUCLEAR SCIENCE AND TECHNOLOGY **39**, 1125 (2002).

[28] A.I. Blokhin, B.I. Fursov, A.V. Ignatyuk *et al.*, "Current Status of Russian Evaluated Neutron Data Libraries," PROCEEDINGS OF INT. CONF. ON NUCLEAR DATA AND TECHNOLOGY, Gatlinburg, Tennessee, USA, May 9-13, 1994; **2**, 695 (1994).

[29] R.A. Forrest, J. Kopecky, J.-Ch. Sublet, "The European Activation File: EAF-2007 Neutron-induced Cross Section Library," UKAEA FUS 535A, March 2007, Available from ⟨http://www.nea.fr/dbdata/data/manual-endf/EAF-format(Based_on_UKAEA-FUS-535).pdf⟩.

[30] R.E. MacFarlane,A.C. Kahler, "Methods for Processing ENDF/B-VII with NJOY," NUCLEAR DATA SHEETS **111**, 2739 (2010).

[31] Yuan-Hao Liu, Sander Nievaart, Hong-Ming Liu *et al.*, "Monte Carlo Determined Self-shielded Groupwise Cross-sections for the Activation Foil Stack Applied in the Epithermal Neutron Spectrum Adjustment," NUCLEAR INSTRUMENTS AND METHODS IN PHYSICS RESEARCH SECTION A **602**, 557 (2009).

[32] International Network of Nuclear Reaction Data Centres (NRDC), "Compilation of Experimental Nuclear Reaction Data (EXFOR/CSISRS)", (Available from ⟨http://www-nds.iaea.org/exfor/, http://www.nndc.bnl.gov/exfor/⟩).

[33] D.E. Cullen, "The ENDF/B Pre-processing codes (PREPRO)," Available from ⟨http://www-nds.iaea.org/ndspub/endf/prepro/⟩.

[34] Don Testa (editor), "The Westinghouse Pressurized Water Reactor Nuclear Power Plant," Information Book is Provided Compliments of Westinghouse Electric Company LLC, (2006). Available from ⟨www.westinghousenuclear.com⟩.

[35] "ACR 1000, Advanced CANDU Reactor," Technical Summary, Atomic Energy of Canada Limited (AECL) (2010). Available from ⟨www.aecl.ca⟩.

[36] R. Abusaidi, D.S. Akerib, P.D. Barnes *et al.*, "Exclusion Limit on the WIMP-Nucleon Cross Section from the Cryogenic Dark Matter Search," PHYS. REV. LETT. **84**, 5699 (2000).

[37] C.H. Westcott, "The Specification of Neutron Flux and Nuclear Cross-sections in Reactor Calculations," J. NUCL. ENERGY **2**, 59 (1955).

[38] O. Ozer, COMPUTER CODE INTER; Available from ⟨http://www.nndc.bnl.gov/nndcscr/endf/endf-util⟩.

[39] N.E. Holden, "Temperature Dependence of the Westcott g-factor for Neutron Reactions in Activation Analysis," PURE APPL. CHEM. **71**, 2309 (1999).

[40] H.D. Choi, A. Trkov, "Database of Prompt Gamma Rays from Slow Neutron Capture for Elemental Analysis," IAEA, Vienna, 5 (2007).

[41] D. DeSoete, R. Gijbels, J. Hoste, "Neutron, Photon and Charged Particle Reactions for Activation Analysis," NATIONAL BUREAU OF STANDARDS SPECIAL PUB. 312 **2**, 699 (1969); J.R. DeVoe, P.D. LaFleur (editors), "Modern Trends in Activation Analysis," PROC. OF THE 1968 INTERNATIONAL CONFERENCE, Gaithersburg, Maryland, October 7-11 (1968). Available from ⟨http://books.google.com⟩.

[42] E.M. Baum, H.D. Knox, T.R. Miller, "Nuclides and Isotopes, Chart of Nuclides," Wall Chart Information Booklet, Sixteen Edition, KAPL (2002).

[43] B. Pritychenko, "Complete Calculation of Evaluated Maxwellian-averaged Cross Sections and their Uncertainties for s-process Nucleosynthesis," PROCEEDINGS OF 11^{th} SYMPOSIUM ON NUCLEI IN THE COSMOS, NIC XI, July 19-23 (2010), Heidelberg, Germany; Brookhaven National Laboratory Report BNL-93963-2010-CP.

[44] "Wolfram Mathematica Online Integrator," Available from ⟨http://integrals.wolfram.com⟩.

[45] P.R. Bevington, D.K. Robinson, *Data Reduction and Error Analysis for the Physical Sciences*, WCB/McGraw-Hill, (1992).

[46] B. Pritychenko, A.A. Sonzogni, "Sigma Web Interface for Reactor Data Applications," PROCEEDINGS OF PHYSOR 2010 - ADVANCES IN REACTOR PHYSICS TO POWER THE NUCLEAR RENAISSANCE, Pittsburgh, Pennsylvania, USA, May 9-14 (2010).

[47] B. Pritychenko, A.A. Sonzogni, "Sigma: Web Retrieval Interface for Nuclear Reaction Data," NUCLEAR DATA SHEETS, **109**, 2822 (2008), Available from ⟨http://www.nndc.bnl.gov/sigma⟩.

[48] S.F. Mughabghab, M. Divadeenam, and N. Holden, NEUTRON CROSS SECTIONS **1**, Part A, Academic Press, New York (1981).

[49] M.A. Lone, "Thermal Neutron Caption Cross Section Measurements," PROC. NEUTRON-CAPTURE GAMMA-RAY SPECTROSCOPY AND RELATED TOPICS, Grenoble, France, 7-11 September, 383 (1981).

[50] S. Nakamura, H. Harada, S. Raman, P.E. Koehler, "Thermal Neutron Capture Cross Sections of Zirconium-91 and Zirconium-93 by Prompt Gamma-ray Spectroscopy," J. NUCL. SCI. TECH. **44**, 21 (2007).

[51] M. Namboodiri, M. Rajagopalan, N. Ravindran *et al.*, "Isomeric Cross-Section Ratios in (n,γ) Reactions on ^{130}Te and ^{110}Pd ," J. INORG. NUCL. CHEM. **28**, 1 (1966).

[52] B.G. Dzantiev, V.N. Levkovskii, A.D. Malievskii *et al.*, "Isomer Pd^{111m}," DOKLADY AKAD. NAUK SSSR **113**, 773 (1957); SOVIET PHYS.DOKLADY **2**, 154 (1958).

[53] P. D'Hondt, C. Wagemans, A. Emsallem, R. Brissotem, "Measurement of the Thermal-Neutron-Induced Fission Cross-Section of ^{238}U," ANNALS OF NUCLEAR ENERGY **11**, 485 (1984).

[54] R.W. Stoughton, J. Halperin *et al.*, "Heavy Nuclide Cross Sections of Particular Interest to Thermal Reactor Operation: Conventions, Measurements and Preferred Values," NUCL. SCI. ENG. **6**, 100 (1959).

[55] S.F. Mughabghab, "Comparative Method," to be published.

[56] O. Iwamoto, "Development of a Comprehensive Code for Nuclear Data Evaluation, and Validation Using Neutron Induced Cross Sections for Uranium Isotopes, " J. NUCL SCI. TECH. **44**, 687 (2007).

[57] V.I. Bol'shov, A.A. Dubinin, V.M. Dmitriev *et al.*, "Physical Investigations of an Electronuclear Neutron-Flux-Generator Target," ATOMIC ENERGY **28**, 388 (1970).

[58] A. Koning, R. Forrest, M. Kellett *et al.*, "The JEFF-3.1 Nuclear Library, JEFF Report 21," NEA No. 6190 (2006).

[59] G. Leinweber, D.P. Barry, M.J. Trbovich *et al.*, "Neutron Capture and Total Cross-Section Measurements and Resonance Parameters of Gadolinium," NUCLEAR SCIENCE AND ENGINEERING **154**, 261 (2006).

[60] M.J. Trbovich, D.P. Barry, R.E. Slovacek *et al.*, "Hafnium Resonance Parameter Analysis Using Neutron Capture and Transmission Experiments," NUCLEAR SCIENCE AND ENGINEERING **161**, 303 (2009).

[61] S.M. Masyanov, V.A. Anufrief, and V.A. Korostylev, "Resonance Parameters of ^{166m}Ho and ^{167}Ho", ATOM. ENERG. **73**, 154 (1992).

[62] T. Katoh, S. Nakaruma, K. Furutaka, and H. Harada, "Measurement of Thermal Neutron Capture Cross Section and Resonance Integral of the ^{166m}Ho(n,γ)^{167}Ho Reaction Using a Two-step Irradiation Technique," J. NUCL. SCI. TECH. **39**, 705 (2002).

[63] H. Chatani, "Measurement of Effective Cross Section of Th-233(n,γ)Th-234 Reaction Using KUR," INTERNATIONAL CONFERENCE ON NUCLEAR DATA FOR SCIENCE AND TECHNOLOGY, Santa Fe, **1**, 664 (2004).

[64] J. Halperin *et al.*, "The Thermal Cross Sections and Resonance Integrals for Neutron Capture of ^{249}Cf, ^{250}Cf, and ^{251}Cf," Oak Ridge National Laboratory Report ORNL-4706, 47 (1971).

[65] R.W. Benjamin, V.D. VanderVelde, T.C. Correll, and J.J. McCrosson, "A Consistent Set of Transplutonium Multigroup Cross Sections," NUCLEAR CROSS SECTIONS AND TECHNOLOGY, NBS SPECIAL PUBLICATION **425**, 1, 224 (1975).

[66] J. Halperin *et al.*, "Neutron Capture and Fission in ^{254g}Es", NUCL. SCI. ENG. **90**, 298 (1985).

[67] V.V. Kozhahrin *et al.*, "The Thermal-Neutrom Fission Cross Section of ^{237}Np and the Resonant Fission Integral," ATOMIC ENERGY **60**, 419 (1986).

[68] V. Anufriev and V.I.Sivukha, "Measurement of the Total Neutron Cross Sections for $250, 251$Cf," ATOMIC ENERGY **74**, 72 (1991).

[69] C.E. Rolfs and W.S. Rodney, CAULDRONS IN THE COSMOS, The University of Chicago Press (1988).

[70] E. Anders and N. Grevesse, "Abundances of the Elements: Meteoritic and Solar," GEOCHIMICA ET COSMOCHIMICA ACTA **53**, 53 (1989).

[71] F. Käppeler, "Reaction Cross Sections for s, r, and p Process," PROGRESS IN PARTICLE AND NUCLEAR PHYSICS **66**, Issue 2, 390 (2011).

[72] N. Nica, "Nuclear Data Sheets for A = 252," NUCLEAR DATA SHEETS **106**, 813 (2005).

[73] J.W. Boldeman, M.G. Hines, "Prompt Neutron Emission Probabilities Following Spontaneous and Thermal Neutron Fission," NUCLEAR SCIENCE AND ENGINEERING **91**, 114 (1985).

[74] R.C. Martin, T.E. Byrne, L.F. Miller, "Biomedical Neutron Research at the Californium User Facility for Neutron Science," PROC. 4TH INTERNATIONAL CONFERENCE ON METHODS AND APPLICATIONS OF RADIOANALYTICAL CHEMISTRY, Kona, Hawaii, April 6-11 (1997).

[75] A. Smith, P. Guenther, G. Winkler, R. McKnight, "Prompt-Fission-Neutron Spectra of ^{233}U, ^{235}U, ^{239}Pu and ^{240}Pu Relative to that of ^{252}Cf," Argonne National Laboratory Report ANL/NDM-50, September 1979.

[76] J.W. Meadows, "^{252}Cf Fission Neutron Spectrum from 0.003 to 15 MeV," PHYS. REV. **157**, 157 (1967).

[77] "Californium User Facility for Neutron Science," (Available from ⟨http://www.ornl.gov/sci/ees/facility_cuf.shtml⟩).

[78] A.M. Trufanov, G.N. Lovchikova, G.N. Smirenko, A.V. Polyakov, V.A. Vinogradov, "Spectrum of ^{235}U(n,f) Neutrons for 5 MeV Primary Neutrons," ATOMIC ENERGY **76**, 195 (1994).

[79] A.F. Grashin, M.V. Lepeshkin, "New Formula for the Spectrum of Prompt Neutrons from Fission," ATOMNAYA ENERGIYA **58**, 59 (1985).

[80] D.G. Madland, "Theory of Neutron Emission in Fission," Los Alamos National Laboratory Report LA-UR-98-797, July 1998.

[81] P. Talou, T. Kawano, D.G. Madland, A.C. Kahler, " Uncertainty Quantification of Prompt Fission Neutron Spectrum for n(0.5 MeV) + ^{239}Pu," NUCLEAR SCIENCE AND ENGINEERING **166**, 254 (2010).

[82] C. Iliadis, "UNC Reaction Rates Library," private communication.

[83] T. Rauscher, F.-K. Thielemann, "Astrophysical Reaction Rates From Statistical Model Calculations," AT. DATA NUCLEAR DATA TABLES **75**, 1 (2000).

Appendix

Thermal Elastic Cross Sections

TABLE II: Thermal elastic cross sections for T = 0, 293.6° processing temperatures from ENDF/B-VII.1, JEFF-3.1.2, JENDL-4.0, ROSFOND-2010, CENDL-3.1, EAF-2010, Atlas of Neutron Resonances and Neutron Cross Section Standards [1, 2, 6–11].

Material	**T** (K)	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
1-H - 1	0	2.040E+1	2.050E+1	2.040E+1	2.040E+1	2.050E+1		2.050E+1±1.400E-2	20.43633±0.04087266
	293.6	3.010E+1	3.010E+1	3.000E+1	3.000E+1	3.010E+1			
1-H - 2	0	3.400E+0	3.400E+0	3.390E+0	3.390E+0	3.400E+0		3.390E+0±1.200E-2	
	293.6	4.240E+0	4.240E+0	4.230E+0	4.230E+0	4.240E+0			
1-H - 3	0	1.670E+0	1.700E+0		1.700E+0	1.700E+0		1.700E+0±3.000E-2	
	293.6	1.940E+0	1.980E+0		1.980E+0	1.980E+0			
2-He- 3	0	3.310E+0	3.310E+0	3.140E+0	3.160E+0	3.140E+0		3.100E+0±1.300E-1	
	293.6	3.860E+0	3.860E+0	3.660E+0	3.690E+0	3.660E+0			
2-He- 4	0	7.670E-1	7.590E-1	7.590E-1	7.590E-1	7.590E-1		7.900E-1±2.000E-2	
	293.6	8.640E-1	8.550E-1	8.550E-1	8.550E-1	8.550E-1			
3-Li- 6	0	7.180E-1	6.720E-1	7.350E-1	6.890E-1	7.210E-1		7.500E-1±2.000E-2	
	293.6	7.780E-1	7.280E-1	7.970E-1	7.460E-1	7.820E-1			
3-Li- 7	0	9.700E-1	9.700E-1	9.700E-1	9.700E-1	9.700E-1		9.700E-1±4.000E-2	
	293.6	1.040E+0	1.040E+0	1.040E+0	1.040E+0	1.040E+0			
4-Be- 7	0	1.910E+1							
	293.6	2.040E+1							
4-Be- 9	0	6.150E+0	6.160E+0	6.150E+0	6.120E+0	6.120E+0		6.150E+0±5.000E-3	
	293.6	6.500E+0	6.500E+0	6.500E+0	6.460E+0	6.460E+0			
4-Be- 10	0								
	293.6								
5-B - 10	0	2.180E+0	2.140E+0	2.140E+0	2.180E+0	2.180E+0		2.230E+0±6.000E-2	
	293.6	2.290E+0	2.250E+0	2.250E+0	2.280E+0	2.290E+0			
5-B - 11	0	4.840E+0	4.840E+0	5.050E+0	4.840E+0	4.840E+0		4.840E+0±4.000E-2	
	293.6	5.060E+0	5.060E+0	5.280E+0	5.060E+0	5.060E+0			
6-C-0	0	4.740E+0	4.740E+0	4.740E+0	4.740E+0			4.740E+0±5.000E-3	4.73924±0.00947848
	293.6	4.940E+0	4.940E+0	4.940E+0	4.940E+0				
6-C - 12	0					4.740E+0			
	293.6					4.940E+0			
6-C - 13	0								
	293.6								
6-C - 14	0								
	293.6								
7-N - 14	0	9.910E+0	9.910E+0	1.000E+1	9.910E+0	9.910E+0		1.000E+1±1.200E-1	
	293.6	1.030E+1	1.030E+1	1.040E+1	1.030E+1	1.030E+1			
7-N - 15	0	4.420E+0	4.420E+0	4.590E+0	4.570E+0			4.590E+0±5.000E-2	
	293.6	4.570E+0	4.570E+0	4.740E+0	4.720E+0				
8-O - 16	0	3.850E+0	3.850E+0	3.840E+0	3.850E+0	3.850E+0		3.760E+0±6.000E-3	
	293.6	3.970E+0	3.970E+0	3.960E+0	3.970E+0	3.970E+0			
8-O - 17	0	3.740E+0	3.740E+0		3.740E+0			3.610E+0±6.000E-2	
	293.6	3.850E+0	3.850E+0		3.860E+0				
8- O- 18	0				3.110E+0				
	293.6				3.200E+0				
9-F - 19	0	3.640E+0	3.640E+0	3.640E+0	3.640E+0	3.640E+0		3.640E+0±1.000E-2	
	293.6	3.740E+0	3.740E+0	3.740E+0	3.740E+0	3.740E+0			
10-Ne- 20	0							2.470E+0±3.000E-2	
	293.6								
10-Ne- 21	0							5.220E+0±3.000E-1	
	293.6								
10-Ne- 22	0							1.710E+0±9.000E-3	
	293.6								
11-Na- 22	0	7.250E+1	7.250E+1		7.250E+1				
	293.6	7.420E+1	7.420E+1		7.420E+1				
11-Na- 23	0	3.320E+0	3.020E+0	3.020E+0	3.320E+0	3.020E+0		3.040E+0±7.000E-3	
	293.6	3.390E+0	3.090E+0	3.090E+0	3.390E+0	3.090E+0			
11-Na- 24	0								
	293.6								
12-Mg- 24	0	3.750E+0	3.750E+0	3.750E+0	3.750E+0	3.750E+0		3.740E+0±4.000E-2	
	293.6	3.830E+0	3.830E+0	3.830E+0	3.830E+0	3.830E+0			
12-Mg- 25	0	2.600E+0	2.600E+0	2.600E+0	2.600E+0	2.600E+0		1.700E+0±1.300E-1	
	293.6	2.650E+0	2.650E+0	2.650E+0	2.650E+0	2.650E+0			
12-Mg- 26	0	2.830E+0	2.830E+0	2.830E+0	2.830E+0	2.830E+0		2.830E+0±1.700E-1	
	293.6	2.890E+0	2.890E+0	2.890E+0	2.890E+0	2.890E+0			

TABLE II: Thermal elastic cross sections (continued).

Material	**T** (K)	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
12-Mg- 28	0								
	293.6								
13-Al- 26	0								
	293.6								
13-Al- 27	0	1.430E+0	1.430E+0	1.410E+0	1.430E+0	1.410E+0		1.410E+0±1.000E-3	
	293.6	1.450E+0	1.450E+0	1.440E+0	1.450E+0	1.440E+0			
14-Si- 28	0	1.960E+0	1.960E+0	1.960E+0	1.960E+0	1.960E+0		1.990E+0±6.000E-3	
	293.6	1.990E+0	1.990E+0	1.990E+0	1.990E+0	1.990E+0			
14-Si- 29	0	2.580E+0	2.840E+0	2.580E+0	2.580E+0	2.580E+0		2.620E+0±1.300E-1	
	293.6	2.630E+0	2.890E+0	2.630E+0	2.630E+0	2.630E+0			
14-Si- 30	0	2.460E+0	2.490E+0	2.460E+0	2.460E+0	2.460E+0		2.490E+0±4.000E-2	
	293.6	2.500E+0	2.530E+0	2.500E+0	2.500E+0	2.500E+0			
14-Si- 31	0								
	293.6								
14-Si- 32	0								
	293.6								
15-P - 31	0	4.100E+0	3.130E+0	3.130E+0	3.260E+0	3.130E+0		3.130E+0±1.000E-2	
	293.6	4.170E+0	3.190E+0	3.190E+0	3.320E+0	3.180E+0			
15-P - 32	0								
	293.6								
15-P - 33	0								
	293.6								
16-S - 0	0					9.960E-1		9.790E-1±5.000E-2	
	293.6					1.010E+0			
16-S - 32	0	9.640E-1	9.640E-1	9.640E-1	9.640E-1			9.430E-1±2.100E-3	
	293.6	9.790E-1	9.790E-1	9.790E-1	9.790E-1				
16-S - 33	0	2.840E+0	2.840E+0	2.840E+0	2.840E+0			2.730E+0±2.500E-1	
	293.6	2.890E+0	2.890E+0	2.890E+0	2.890E+0				
16-S - 34	0	2.080E+0	2.080E+0	2.080E+0	2.080E+0			1.460E+0±3.000E-2	
	293.6	2.110E+0	2.110E+0	2.110E+0	2.110E+0				
16-S - 35	0								
	293.6								
16-S - 36	0	2.190E+0	2.190E+0	2.190E+0	2.190E+0				
	293.6	2.220E+0	2.220E+0	2.220E+0	2.220E+0				
17-Cl- 0	0					1.650E+1		1.580E+1±2.000E-1	
	293.6					1.630E+1			
17-Cl- 35	0	2.070E+1	2.070E+1	2.060E+1	2.070E+1			2.060E+1±3.000E-1	
	293.6	2.100E+1	2.100E+1	2.090E+1	2.100E+1				
17-Cl- 36	0								
	293.6								
17-Cl- 37	0	1.140E+0	1.150E+0	1.150E+0	1.150E+0			1.150E+0±5.000E-2	
	293.6	1.150E+0	1.160E+0	1.170E+0	1.160E+0				
18-Ar- 36	0	7.360E+1	7.360E+1		7.360E+1			7.370E+1±4.000E-1	
	293.6	7.460E+1	7.460E+1		7.460E+1				
18-Ar- 37	0								
	293.6								
18-Ar- 38	0	8.820E+0	8.820E+0		8.820E+0			1.500E+0±1.500E+0	
	293.6	8.940E+0	8.940E+0		8.940E+0				
18-Ar- 39	0								
	293.6								
18-Ar- 40	0	6.470E-1	6.470E-1	6.470E-1	6.470E-1			4.130E-1±4.000E-3	
	293.6	6.550E-1	6.550E-1	6.550E-1	6.550E-1				
18-Ar- 41	0								
	293.6								
18-Ar- 42	0								
	293.6								
19-K - 0	0					2.240E+0		2.040E+0±1.000E-1	
	293.6					2.230E+0			
19-K - 39	0	2.060E+0	2.060E+0	2.060E+0	2.060E+0			1.990E+0±1.700E-1	
	293.6	2.090E+0	2.090E+0	2.090E+0	2.090E+0				
19-K - 40	0	2.750E+0	2.750E+0	2.750E+0	2.750E+0				
	293.6	2.790E+0	2.790E+0	2.790E+0	2.790E+0				
19-K - 41	0	2.570E+0	2.570E+0	2.570E+0	2.570E+0			9.200E-1±2.000E-1	
	293.6	2.600E+0	2.600E+0	2.600E+0	2.600E+0				
19-K - 42	0								
	293.6								
19-K - 43	0								
	293.6								
20-Ca- 0	0					2.990E+0		2.930E+0±4.000E-2	
	293.6					2.950E+0			
20-Ca- 40	0	3.020E+0	3.020E+0	3.020E+0	3.020E+0			2.930E+0±4.000E-2	
	293.6	3.060E+0	3.060E+0	3.060E+0	3.060E+0				
20-Ca- 41	0								
	293.6								
20-Ca- 42	0	1.220E+0	1.220E+0	1.220E+0	1.220E+0			1.380E+0±8.000E-2	
	293.6	1.240E+0	1.240E+0	1.240E+0	1.240E+0				
20-Ca- 43	0	4.160E+0	4.160E+0	5.070E+0	4.160E+0				
	293.6	4.210E+0	4.210E+0	5.130E+0	4.210E+0				
20-Ca- 44	0	3.320E+0	3.320E+0	3.320E+0	3.320E+0				
	293.6	3.360E+0	3.360E+0	3.360E+0	3.360E+0				
20-Ca- 45	0								

TABLE II: Thermal elastic cross sections (continued).

Material	**T** (K)	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
	293.6								
20-Ca- 46	0	2.930E+0	2.900E+0	2.900E+0					
	293.6	2.970E+0	2.930E+0	2.930E+0					
20-Ca- 47	0								
	293.6								
20-Ca- 48	0	3.720E+0	3.720E+0	3.720E+0	3.720E+0				
	293.6	3.760E+0	3.760E+0	3.760E+0	3.760E+0				
21-Sc- 44	0								
	293.6								
21-Sc- 44m	0								
	293.6								
21-Sc- 45	0	2.220E+1	2.250E+1	2.250E+1	2.250E+1			2.240E+1±4.000E-1	
	293.6	2.240E+1	2.270E+1	2.270E+1	2.270E+1				
21-Sc- 46	0								
	293.6								
21-Sc- 47	0								
	293.6								
21-Sc- 48	0								
	293.6								
22-Ti- 44	0								
	293.6								
22-Ti- 45	0								
	293.6								
22-Ti- 46	0	2.700E+0	4.420E+0	2.700E+0	3.680E+0	3.680E+0		2.720E+0±6.000E-2	
	293.6	2.730E+0	4.460E+0	2.730E+0	3.720E+0	3.720E+0			
22-Ti- 47	0	3.230E+0	4.420E+0	3.230E+0	3.100E+0	3.100E+0		3.100E+0±2.000E-1	
	293.6	3.270E+0	4.460E+0	3.270E+0	3.130E+0	3.130E+0			
22-Ti- 48	0	4.000E+0	4.420E+0	4.010E+0	4.320E+0	4.320E+0		4.100E+0±2.000E-1	
	293.6	4.040E+0	4.450E+0	4.050E+0	4.370E+0	4.370E+0			
22-Ti- 49	0	5.410E-1	4.420E+0	5.410E-1	6.890E-1	6.890E-1		7.000E-1±3.000E-1	
	293.6	5.460E-1	4.460E+0	5.460E-1	6.960E-1	6.960E-1			
22-Ti- 50	0	3.720E+0	4.420E+0	3.720E+0	3.740E+0	3.740E+0		3.700E+0±3.000E-1	
	293.6	3.760E+0	4.460E+0	3.760E+0	3.780E+0	3.780E+0			
23-V-0	0		5.160E+0		4.910E+0	5.160E+0		4.950E+0±4.000E-2	
	293.6		5.210E+0		4.960E+0	5.210E+0			
23-V - 48	0								
	293.6								
23-V - 49	0								
	293.6								
23-V - 50	0	7.620E+0		7.620E+0				7.600E+0±6.000E-1	
	293.6	7.700E+0		7.700E+0					
23-V - 51	0	4.920E+0		4.920E+0	4.910E+0				
	293.6	4.970E+0		4.970E+0	4.950E+0				
24-Cr- 48	0								
	293.6								
24-Cr- 50	0	2.400E+0	2.350E+0	2.380E+0	2.350E+0	2.320E+0			
	293.6	2.420E+0	2.370E+0	2.410E+0	2.370E+0	2.340E+0			
24-Cr- 51	0								
	293.6								
24-Cr- 52	0	3.050E+0	2.930E+0	3.050E+0	2.930E+0	2.960E+0		2.960E+0±2.000E-2	
	293.6	3.080E+0	2.950E+0	3.080E+0	2.950E+0	2.990E+0			
24-Cr- 53	0	7.820E+0	7.850E+0	7.820E+0	7.850E+0	7.780E+0		7.780E+0±2.000E-1	
	293.6	7.900E+0	7.920E+0	7.900E+0	7.920E+0	7.850E+0			
24-Cr- 54	0	2.520E+0	2.540E+0	2.540E+0	2.720E+0	2.540E+0		2.540E+0±1.000E-1	
	293.6	2.540E+0	2.560E+0	2.560E+0	2.740E+0	2.570E+0			
25-Mn- 52	0								
	293.6								
25-Mn- 53	0								
	293.6								
25-Mn- 54	0								
	293.6								
25-Mn- 55	0	2.100E+0	2.170E+0	2.100E+0	2.170E+0	2.170E+0		2.060E+0±3.000E-2	
	293.6	2.120E+0	2.190E+0	2.120E+0	2.190E+0	2.190E+0			
26-Fe- 52	0								
	293.6								
26-Fe- 54	0	2.180E+0	2.180E+0	2.180E+0	2.180E+0	4.930E-1		2.170E+0±1.000E-1	
	293.6	2.200E+0	2.200E+0	2.200E+0	2.200E+0	4.980E-1			
26-Fe- 55	0								
	293.6								
26-Fe- 56	0	1.210E+1	1.210E+1	1.210E+1	1.210E+1	1.210E+1		1.260E+1±4.900E-1	
	293.6	1.220E+1	1.220E+1	1.220E+1	1.220E+1	1.220E+1			
26-Fe- 57	0	2.600E+0	2.020E-1	2.020E-1	2.600E+0	2.020E-1		6.800E-1±6.000E-2	
	293.6	2.620E+0	2.040E-1	2.040E-1	2.620E+0	2.100E-1			
26-Fe- 58	0	3.100E+0	7.480E+0	6.470E+0	3.100E+0	4.430E+0			
	293.6	3.130E+0	7.540E+0	6.530E+0	3.130E+0	4.470E+0			
26-Fe- 59	0			6.510E+0					
	293.6								
26-Fe- 60	0								
	293.6								
27-Co- 55	0								
	293.6								

TABLE II: Thermal elastic cross sections (continued).

Material	**T** (K)	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
27-Co- 56	0								
	293.6								
27-Co- 57	0								
	293.6								
27-Co- 58	0	7.150E+1	7.300E+1						
	293.6	7.210E+1	7.360E+1						
27-Co- 58m	0	6.990E+3	6.990E+3						
	293.6	7.060E+3	7.060E+3						
27-Co- 59	0	5.980E+0	5.980E+0	6.020E+0	6.020E+0	6.020E+0		6.000E+0±7.000E-2	
	293.6	6.030E+0	6.030E+0	6.070E+0	6.070E+0	6.070E+0			
27-Co- 60	0								
	293.6								
28-Ni- 56	0								
	293.6								
28-Ni- 57	0								
	293.6								
28-Ni- 58	0	2.480E+1	2.480E+1	2.480E+1	2.480E+1	2.480E+1		2.530E+1±4.000E-1	
	293.6	2.500E+1	2.500E+1	2.500E+1	2.500E+1	2.500E+1			
28-Ni- 59	0	2.330E+0	2.330E+0	2.290E+0	2.330E+0				
	293.6	2.350E+0	2.350E+0	2.300E+0	2.350E+0				
28-Ni- 60	0	1.090E+0	9.770E-1	1.420E+0	9.770E-1	9.770E-1		9.800E-1±7.000E-2	
	293.6	1.100E+0	9.850E-1	1.430E+0	9.850E-1	9.850E-1			
28-Ni- 61	0	8.730E+0	7.890E+0	8.730E+0	7.890E+0	7.890E+0		9.000E+0±1.000E+0	
	293.6	8.800E+0	7.960E+0	8.800E+0	7.960E+0	7.960E+0			
28-Ni- 62	0	9.640E+0	9.890E+0	9.500E+0	9.890E+0	9.890E+0		9.100E+0±4.000E-1	
	293.6	9.720E+0	9.970E+0	9.580E+0	9.970E+0	9.970E+0			
28-Ni- 63	0								
	293.6								
28-Ni- 64	0	2.810E-1	1.620E-2	3.460E-2	1.620E-2	1.620E-2		1.400E-2±5.000E-3	
	293.6	2.830E-1	1.640E-2	3.490E-2	1.640E-2	1.640E-2			
28-Ni- 66	0								
	293.6								
29-Cu- 0	0					7.780E+0			
	293.6					7.840E+0			
29-Cu- 63	0	5.100E+0	5.100E+0	5.100E+0	5.100E+0	5.100E+0		5.100E+0±2.000E-1	
	293.6	5.140E+0	5.140E+0	5.140E+0	5.140E+0	5.140E+0			
29-Cu- 64	0								
	293.6								
29-Cu- 65	0	1.380E+1	1.380E+1	1.410E+1	1.380E+1	1.380E+1		1.410E+1±5.000E-1	
	293.6	1.390E+1	1.390E+1	1.420E+1	1.390E+1	1.390E+1			
29-Cu- 67	0								
	293.6								
30-Zn- 0	0		4.190E+0		4.190E+0	4.160E+0		4.080E+0±3.000E-2	
	293.6		4.230E+0		4.230E+0	4.190E+0			
30-Zn- 62	0								
	293.6								
30-Zn- 64	0	3.900E+0		3.900E+0				3.900E+0±3.000E-1	
	293.6	3.930E+0		3.930E+0					
30-Zn- 65	0	6.120E+0		6.120E+0					
	293.6								
30-Zn- 66	0	4.900E+0		4.900E+0					
	293.6	4.940E+0		4.940E+0					
30-Zn- 67	0	2.100E+0		2.100E+0					
	293.6	2.110E+0		2.110E+0					
30-Zn- 68	0	4.520E+0		4.520E+0				4.520E+0±5.000E-2	
	293.6	4.550E+0		4.550E+0					
30-Zn- 69m	0								
	293.6								
30-Zn- 70	0	4.310E+0		4.310E+0				4.310E+0±4.400E-1	
	293.6	4.340E+0		4.340E+0					
30-Zn- 72	0								
	293.6								
31-Ga- 0	0		7.000E+0					6.500E+0±2.000E-1	
	293.6		7.050E+0						
31-Ga- 66	0								
	293.6								
31-Ga- 67	0								
	293.6								
31-Ga- 69	0	8.070E+0		8.160E+0	8.070E+0	8.190E+0		7.750E+0±8.000E-2	
	293.6	8.130E+0		8.220E+0	8.130E+0	8.250E+0			
31-Ga- 71	0	5.240E+0		5.240E+0	5.240E+0	5.240E+0		5.160E+0±6.000E-2	
	293.6	5.280E+0		5.270E+0	5.280E+0	5.280E+0			
31-Ga- 72	0								
	293.6								
32-Ge- 0	0					6.900E+0		8.370E+0±6.000E-2	
	293.6					6.950E+0			
32-Ge- 68	0								
	293.6								
32-Ge- 69	0								
	293.6								
32-Ge- 70	0	1.380E+1	1.250E+1	1.380E+1	1.380E+1	8.800E+0		1.230E+1±2.500E-1	

TABLE II: Thermal elastic cross sections (continued).

Material	**T** (K)	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
	293.6	1.390E+1	1.260E+1	1.390E+1	1.390E+1	8.860E+0			
32-Ge- 71	0					4.050E+0			
	293.6					4.080E+0			
32-Ge- 72	0	8.870E+0	9.100E+0	8.870E+0	8.870E+0	7.500E+0		8.950E+0±2.100E-1	
	293.6	8.930E+0	9.160E+0	8.930E+0	8.930E+0	7.550E+0			
32-Ge- 73	0	4.780E+0	4.800E+0	4.780E+0	4.780E+0	4.870E+0		4.700E+0±2.000E-1	
	293.6	4.810E+0	4.830E+0	4.810E+0	4.810E+0	4.900E+0			
32-Ge- 74	0	7.170E+0	6.800E+0	7.170E+0	7.170E+0	6.100E+0		7.110E+0±1.900E-1	
	293.6	7.220E+0	6.850E+0	7.220E+0	7.220E+0	6.140E+0			
32-Ge- 75	0					6.070E+0			
	293.6					6.110E+0			
32-Ge- 76	0	8.360E+0	7.710E+0	8.360E+0	8.360E+0	5.640E+0		8.300E+0±3.000E+0	
	293.6	8.420E+0	7.760E+0	8.420E+0	8.420E+0	5.680E+0			
32-Ge- 77	0					8.430E+0			
	293.6					8.490E+0			
32-Ge- 78	0					4.900E+0			
	293.6					4.930E+0			
33-As- 71	0								
	293.6								
33-As- 72	0								
	293.6								
33-As- 73	0								
	293.6								
33-As- 74	0	5.150E+0							
	293.6	5.190E+0							
33-As- 75	0	5.430E+0	1.880E+0	5.430E+0	5.430E+0	5.430E+0		5.430E+0±3.000E-2	
	293.6	5.470E+0	1.890E+0	5.470E+0	5.470E+0	5.470E+0			
33-As- 76	0								
	293.6								
33-As- 77	0					5.430E+0			
	293.6					5.470E+0			
33-As- 79	0					5.430E+0			
	293.6					5.470E+0			
34-Se- 72	0								
	293.6								
34-Se- 73	0								
	293.6								
34-Se- 74	0	7.270E+0	1.010E-2	7.270E+0	7.270E+0			6.700E-1±2.300E-1	
	293.6	7.320E+0	1.020E-2	7.320E+0	7.320E+0				
34-Se- 75	0								
	293.6								
34-Se- 76	0	1.840E+1	1.910E+0	1.840E+1	1.840E+1			1.840E+1±3.000E-1	
	293.6	1.850E+1	1.920E+0	1.850E+1	1.850E+1				
34-Se- 77	0	8.430E+0	2.400E+0	8.400E+0	8.430E+0			8.950E+0±1.900E-1	
	293.6	8.490E+0	2.420E+0	8.460E+0	8.490E+0				
34-Se- 78	0	8.400E+0	2.540E+0	8.400E+0	8.400E+0			8.400E+0±2.000E-2	
	293.6	8.450E+0	2.550E+0	8.450E+0	8.450E+0				
34-Se- 79	0	6.300E+0	6.300E+0	6.300E+0	6.300E+0				
	293.6								
34-Se- 80	0	6.950E+0	1.060E+0	6.950E+0	6.950E+0			6.950E+0±6.000E-2	
	293.6	6.990E+0	1.070E+0	6.990E+0	6.990E+0				
34-Se- 82	0	5.000E+0	2.900E+0	5.000E+0	5.000E+0			5.000E+0±2.000E-1	
	293.6	5.030E+0	2.920E+0	5.030E+0	5.030E+0				
35-Br- 76	0								
	293.6								
35-Br- 77	0								
	293.6								
35-Br- 79	0	3.270E+0	2.430E+0	3.270E+0	3.270E+0				
	293.6	3.290E+0	2.440E+0	3.290E+0	3.290E+0				
35-Br- 81	0	5.750E+0	4.140E+0	3.620E+0	5.750E+0				
	293.6	5.790E+0	4.170E+0	3.640E+0	5.790E+0				
35-Br- 82	0								
	293.6								
36-Kr- 76	0								
	293.6								
36-Kr- 78	0	8.600E+0	8.710E+0	7.830E+0	7.720E+0				
	293.6	8.660E+0	8.770E+0	7.880E+0	7.770E+0				
36-Kr- 79	0								
	293.6								
36-Kr- 80	0	7.290E+0	8.880E+0	7.290E+0	7.290E+0				
	293.6	7.340E+0	8.940E+0	7.340E+0	7.340E+0				
36-Kr- 81	0								
	293.6								
36-Kr- 82	0	1.470E+1	9.710E+0	1.850E+1	9.710E+0				
	293.6	1.480E+1	9.770E+0	1.860E+1	9.770E+0				
36-Kr- 83	0	1.340E+1	1.340E+1	9.080E+0	9.080E+0	9.080E+0			
	293.6	1.350E+1	1.350E+1	9.130E+0	9.130E+0	9.130E+0			
36-Kr- 84	0	3.720E+0	6.710E+0	6.160E+0	3.720E+0	3.720E+0			
	293.6	3.740E+0	6.750E+0	6.200E+0	3.740E+0	3.740E+0			
36-Kr- 85	0	6.320E+0	3.530E+0	6.260E+0	6.320E+0	6.260E+0			
	293.6	6.350E+0	3.560E+0		6.350E+0				

TABLE II: Thermal elastic cross sections (continued).

Material	**T** (K)	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
36-Kr- 86	0	5.440E+0	6.010E+0	6.150E+0	6.150E+0	6.150E+0		5.450E+0±4.100E-1	
	293.6	5.470E+0	6.050E+0	6.190E+0	6.190E+0	6.190E+0			
37-Rb- 82m	0								
	293.6								
37-Rb- 83	0								
	293.6								
37-Rb- 84	0								
	293.6								
37-Rb- 85	0	6.250E+0	6.300E+0	5.850E+0	6.250E+0	5.850E+0			
	293.6	6.290E+0	6.340E+0	5.890E+0	6.290E+0	5.890E+0			
37-Rb- 86	0	4.210E+0	3.560E+0	5.330E+0	4.210E+0				
	293.6	4.240E+0	3.600E+0		4.240E+0				
37-Rb- 87	0	4.360E+0	2.340E+0	4.360E+0	4.360E+0	4.360E+0		6.700E+0±1.000E-1	
	293.6	4.380E+0	2.350E+0	4.380E+0	4.380E+0	4.380E+0			
38-Sr- 82	0								
	293.6								
38-Sr- 83	0								
	293.6								
38-Sr- 84	0	5.450E+0	3.910E+0	5.540E+0	5.120E+0			5.440E+0±8.200E-1	
	293.6	5.490E+0	3.930E+0	5.570E+0	5.150E+0				
38-Sr- 85	0								
	293.6								
38-Sr- 86	0	2.780E+0	2.230E+0	4.130E+0	4.130E+0				
	293.6	2.800E+0	2.240E+0	4.160E+0	4.160E+0				
38-Sr- 87	0	6.900E+0	3.230E+0	6.900E+0	6.900E+0				
	293.6	6.940E+0	3.250E+0	6.940E+0	6.940E+0				
38-Sr- 88	0	7.260E+0	3.620E+0	5.620E+0	7.260E+0	7.260E+0			
	293.6	7.300E+0	3.640E+0	5.650E+0	7.300E+0	7.300E+0			
38-Sr- 89	0	5.700E+0	3.640E+0	5.700E+0	5.700E+0	5.700E+0			
	293.6		3.670E+0						
38-Sr- 90	0		3.670E+0	5.800E+0	6.080E+0	5.800E+0			
	293.6		3.690E+0						
38-Sr- 91	0								
	293.6								
39-Y - 86	0								
	293.6								
39-Y - 87	0								
	293.6								
39-Y - 87m	0								
	293.6								
39-Y - 88	0								
	293.6								
39-Y - 89	0	7.690E+0	7.690E+0	7.610E+0	7.710E+0	7.720E+0		7.660E+0±3.000E-2	
	293.6	7.730E+0	7.730E+0	7.660E+0	7.760E+0	7.750E+0			
39-Y - 90	0	9.560E+0	3.670E+0	5.710E+0	3.670E+0				
	293.6	9.610E+0	3.710E+0		3.710E+0				
39-Y - 91	0	5.700E+0	3.700E+0	5.700E+0	5.700E+0	5.700E+0			
	293.6		3.720E+0						
39-Y - 93	0								
	293.6								
40-Zr- 86	0								
	293.6								
40-Zr- 88	0								
	293.6								
40-Zr- 89	0								
	293.6								
40-Zr- 90	0	5.500E+0	5.370E+0	5.250E+0	5.460E+0	5.370E+0		5.300E+0±3.000E-1	
	293.6	5.530E+0	5.400E+0	5.280E+0	5.490E+0	5.400E+0			
40-Zr- 91	0	9.860E+0	1.060E+1	1.090E+1	9.740E+0	1.060E+1		1.070E+1±6.000E-1	
	293.6	9.910E+0	1.060E+1	1.100E+1	9.790E+0	1.060E+1			
40-Zr- 92	0	7.110E+0	7.110E+0	7.110E+0	7.020E+0	7.110E+0		7.020E+0±3.900E-1	
	293.6	7.150E+0	7.150E+0	7.150E+0	7.060E+0	7.150E+0			
40-Zr- 93	0	5.770E+0	5.770E+0	5.650E+0	5.770E+0	5.650E+0			
	293.6	5.800E+0	5.800E+0	5.680E+0	5.800E+0	5.680E+0			
40-Zr- 94	0	8.610E+0	6.150E+0	6.130E+0	8.610E+0	6.150E+0		8.590E+0±4.100E-1	
	293.6	8.660E+0	6.190E+0	6.170E+0	8.660E+0	6.190E+0			
40-Zr- 95	0	5.700E+0	5.700E+0	5.700E+0	5.700E+0	5.700E+0			
	293.6								
40-Zr- 96	0	5.710E+0	6.130E+0	6.130E+0	5.710E+0	6.130E+0		6.600E+0±4.000E-1	
	293.6	5.740E+0	6.160E+0	6.160E+0	5.740E+0	6.160E+0			
40-Zr- 97	0								
	293.6								
41-Nb- 90	0								
	293.6								
41-Nb- 91m	0								
	293.6								
41-Nb- 91	0								
	293.6								
41-Nb- 92m	0								
	293.6								
41-Nb- 92	0								

TABLE II: Thermal elastic cross sections (continued).

Material	T (K)	ENDF/B (barns)	JEFF (barns)	JENDL (barns)	ROSFOND (barns)	CENDL (barns)	EAF (barns)	Atlas (barns)	Standards (barns)
	293.6								
41-Nb- 93m	0								
	293.6								
41-Nb- 93	0	6.340E+0	6.340E+0	6.320E+0	6.480E+0	6.320E+0		6.370E+0±7.000E-2	
	293.6	6.370E+0	6.370E+0	6.360E+0	6.510E+0	6.350E+0			
41-Nb- 94	0	6.450E+0	6.450E+0	6.450E+0	6.450E+0				
	293.6	6.490E+0	6.490E+0	6.490E+0	6.490E+0				
41-Nb- 95m	0								
	293.6								
41-Nb- 95	0	5.700E+0	5.700E+0	5.700E+0	5.700E+0	5.700E+0			
	293.6								
41-Nb- 96	0								
	293.6								
42-Mo- 92	0	6.010E+0	5.550E+0	5.970E+0	5.550E+0	5.550E+0		6.000E+0±1.400E-1	
	293.6	6.040E+0	5.580E+0	6.000E+0	5.580E+0	5.580E+0			
42-Mo- 93	0								
	293.6								
42-Mo- 93m	0								
	293.6								
42-Mo- 94	0	5.820E+0	6.000E+0	5.830E+0	5.820E+0	5.820E+0		5.830E+0±1.200E-1	
	293.6	5.860E+0	6.030E+0	5.860E+0	5.860E+0	5.860E+0			
42-Mo- 95	0	6.090E+0	6.380E+0	6.460E+0	6.380E+0	6.380E+0		6.490E+0±3.700E-1	
	293.6	6.130E+0	6.410E+0	6.500E+0	6.410E+0	6.410E+0			
42-Mo- 96	0	4.730E+0	4.730E+0	4.860E+0	4.730E+0	4.730E+0		4.850E+0±9.000E-2	
	293.6	4.750E+0	4.750E+0	4.880E+0	4.750E+0	4.750E+0			
42-Mo- 97	0	6.650E+0	6.650E+0	6.520E+0	6.650E+0	6.650E+0		6.610E+0±1.400E-1	
	293.6	6.690E+0	6.690E+0	6.560E+0	6.690E+0	6.690E+0			
42-Mo- 98	0	5.640E+0	5.640E+0	5.440E+0	5.640E+0	5.640E+0		5.460E+0±1.200E-1	
	293.6	5.670E+0	5.670E+0	5.460E+0	5.670E+0	5.670E+0			
42-Mo- 99	0	5.700E+0	5.700E+0	5.700E+0	1.130E+1				
	293.6				1.140E+1				
42-Mo-100	0	5.300E+0	5.300E+0	5.980E+0	5.300E+0	5.300E+0		6.620E+0±1.400E-1	
	293.6	5.330E+0	5.330E+0	6.010E+0	5.330E+0	5.330E+0			
43-Tc- 95	0								
	293.6								
43-Tc- 95m	0								
	293.6								
43-Tc- 96	0								
	293.6								
43-Tc- 97m	0								
	293.6								
43-Tc- 97	0								
	293.6								
43-Tc- 98	0								
	293.6								
43-Tc- 99	0	5.720E+0	5.470E+0	4.630E+0	5.470E+0	3.420E+0		5.790E+0±5.100E-1	
	293.6	5.750E+0	5.490E+0	4.660E+0	5.500E+0	3.440E+0			
43-Tc- 99m	0								
	293.6								
44-Ru- 96	0	5.100E+0	6.010E+0	5.000E+0	5.100E+0				
	293.6		6.080E+0						
44-Ru- 97	0								
	293.6								
44-Ru- 98	0	5.100E+0	6.030E+0	5.000E+0	5.100E+0				
	293.6		6.210E+0						
44-Ru- 99	0	3.690E+0	4.950E+0	3.690E+0	3.690E+0	3.660E+0			
	293.6	3.700E+0	4.970E+0	3.700E+0	3.700E+0	3.680E+0			
44-Ru-100	0	9.420E+0	9.420E+0	6.470E+0	6.470E+0	6.470E+0			
	293.6	9.470E+0	9.470E+0	6.500E+0	6.500E+0	6.500E+0			
44-Ru-101	0	5.580E+0	5.050E+0	5.970E+0	3.740E+0	3.220E+0		6.000E+0±5.000E-1	
	293.6	5.610E+0	5.080E+0	6.000E+0	3.760E+0	3.230E+0			
44-Ru-102	0	8.510E+0	8.510E+0	8.890E+0	8.510E+0	8.510E+0		9.100E+0±6.000E-1	
	293.6	8.550E+0	8.550E+0	8.930E+0	8.550E+0	8.550E+0			
44-Ru-103	0	5.030E+0	5.030E+0	5.060E+0	5.030E+0	5.030E+0			
	293.6	5.060E+0	5.060E+0	5.080E+0	5.060E+0	5.060E+0			
44-Ru-104	0	5.240E+0	5.240E+0	6.430E+0	5.240E+0	5.240E+0			
	293.6	5.260E+0	5.260E+0	6.460E+0	5.260E+0	5.260E+0			
44-Ru-105	0	4.070E+0	4.070E+0	5.310E+0		4.070E+0			
	293.6	4.090E+0	4.090E+0			4.090E+0			
44-Ru-106	0	3.340E+0	4.100E+0	5.310E+0	3.340E+0				
	293.6		4.120E+0						
45-Rh- 99	0								
	293.6								
45-Rh- 99m	0								
	293.6								
45-Rh-100	0								
	293.6								
45-Rh-101	0								
	293.6								
45-Rh-101m	0								
	293.6								

TABLE II: Thermal elastic cross sections (continued).

Material	**T** (K)	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
45-Rh-102	0								
	293.6								
45-Rh-102m	0								
	293.6								
45-Rh-103	0	4.320E+0	3.870E+0	3.260E+0	4.350E+0	3.260E+0			
	293.6	4.340E+0	3.880E+0	3.280E+0	4.370E+0	3.280E+0			
45-Rh-105	0	8.990E+3	8.990E+3	8.990E+3	8.990E+3	8.990E+3			
	293.6	9.030E+3	9.030E+3	9.030E+3	9.030E+3	9.030E+3			
46-Pd-100	0								
	293.6								
46-Pd-101	0								
	293.6								
46-Pd-102	0	5.980E+0	5.680E+0	4.790E+0	5.980E+0				
	293.6	6.010E+0	5.710E+0	4.820E+0	6.010E+0				
46-Pd-103	0								
	293.6								
46-Pd-104	0	4.770E+0	4.770E+0	4.650E+0	4.770E+0				
	293.6	4.800E+0	4.800E+0	4.670E+0	4.800E+0				
46-Pd-105	0	7.330E+0	7.330E+0	5.090E+0	7.330E+0	5.130E+0		7.800E+0±6.000E-1	
	293.6	7.360E+0	7.360E+0	5.110E+0	7.360E+0	5.150E+0			
46-Pd-106	0	4.610E+0	4.610E+0	4.710E+0	4.610E+0			5.100E+0±6.000E-1	
	293.6	4.630E+0	4.630E+0	4.730E+0	4.630E+0				
46-Pd-107	0	3.320E+0	3.320E+0	3.450E+0	3.320E+0				
	293.6	3.330E+0	3.330E+0	3.460E+0	3.330E+0				
46-Pd-108	0	2.430E+0	2.430E+0	1.950E+0	2.430E+0	2.430E+0			
	293.6	2.440E+0	2.440E+0	1.960E+0	2.440E+0	2.440E+0			
46-Pd-109	0								
	293.6								
46-Pd-110	0	5.660E+0	5.050E+0	5.000E+0	5.660E+0				
	293.6	5.690E+0	5.070E+0	5.020E+0	5.690E+0				
46-Pd-112	0								
	293.6								
47-Ag- 0	0					5.180E+0		5.080E+0±3.000E-2	
	293.6					5.200E+0			
47-Ag-105	0								
	293.6								
47-Ag-106m	0								
	293.6								
47-Ag-107	0	7.340E+0	7.530E+0	7.520E+0	7.340E+0	7.690E+0		7.440E+0±9.000E-2	
	293.6	7.370E+0	7.570E+0	7.550E+0	7.370E+0	7.720E+0			
47-Ag-108m	0								
	293.6								
47-Ag-109	0	2.510E+0	2.300E+0	2.500E+0	2.110E+0	2.480E+0		2.530E+0±5.000E-2	
	293.6	2.520E+0	2.310E+0	2.510E+0	2.120E+0	2.490E+0			
47-Ag-110m	0	6.330E+0	6.470E+0	6.470E+0	6.330E+0				
	293.6	6.360E+0	6.500E+0	6.500E+0	6.360E+0				
47-Ag-111	0	5.360E+0	4.220E+0	5.470E+0	4.930E+0				
	293.6	5.380E+0	4.250E+0		4.950E+0				
48-Cd- 0	0					6.780E+0		5.600E+0±6.000E-1	
	293.6					6.840E+0			
48-Cd-106	0	4.540E+0	3.590E+0	5.030E+0	4.540E+0				
	293.6	4.560E+0	3.610E+0	5.060E+0	4.560E+0				
48-Cd-107	0								
	293.6								
48-Cd-108	0	3.330E+0	4.040E+0	4.550E+0	3.570E+0			3.570E+0±3.200E-1	
	293.6	3.350E+0	4.060E+0	4.570E+0	3.580E+0				
48-Cd-109	0								
	293.6								
48-Cd-110	0	4.240E+0	1.820E+1	5.370E+0	4.220E+0				
	293.6	4.250E+0	1.830E+1	5.390E+0	4.240E+0				
48-Cd-111	0	5.600E+0	4.630E+0	4.540E+0	5.630E+0			5.300E+0±3.000E-1	
	293.6	5.620E+0	4.650E+0	4.560E+0	5.660E+0				
48-Cd-112	0	5.080E+0	6.310E+0	6.470E+0	5.070E+0			5.060E+0±1.000E-1	
	293.6	5.100E+0	6.340E+0	6.500E+0	5.090E+0				
48-Cd-113	0	2.430E+1	2.410E+1	2.490E+1	2.680E+1	2.680E+1			
	293.6	2.470E+1	2.440E+1	2.530E+1	2.720E+1	2.720E+1			
48-Cd-113m	0								
	293.6								
48-Cd-114	0	5.690E+0	4.460E+0	3.870E+0	4.460E+0			7.040E+0±9.000E-2	
	293.6	5.710E+0	4.480E+0	3.890E+0	4.480E+0				
48-Cd-115	0								
	293.6								
48-Cd-115m	0	4.920E+0	4.320E+0		4.920E+0				
	293.6	4.940E+0	4.380E+0		4.940E+0				
48-Cd-116	0	4.940E+0	5.810E+0	5.470E+0	5.990E+0			4.950E+0±1.400E-1	
	293.6	4.960E+0	5.830E+0	5.500E+0	6.010E+0				
49-In-111	0								
	293.6								
49-In-113	0	3.670E+0	3.680E+0	3.680E+0	3.680E+0	3.680E+0		3.670E+0±8.000E-2	
	293.6	3.680E+0	3.700E+0	3.700E+0	3.700E+0	3.700E+0			

TABLE II: Thermal elastic cross sections (continued).

Material	**T** (K)	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
49-In-114m	0								
	293.6								
49-In-115	0	2.510E+0	2.530E+0	2.530E+0	2.510E+0	2.530E+0		2.520E+0±1.000E-1	
	293.6	2.520E+0	2.540E+0	2.540E+0	2.520E+0	2.540E+0			
50-Sn- 0	0					4.720E+0		4.910E+0±6.000E-3	
	293.6					4.740E+0			
50-Sn-112	0	4.430E+0	4.590E+0	4.590E+0	4.430E+0	4.590E+0		4.800E+0±5.000E-1	
	293.6	4.450E+0	4.610E+0	4.610E+0	4.450E+0	4.610E+0			
50-Sn-113	0	4.300E+0			4.390E+0				
	293.6	4.320E+0			4.410E+0				
50-Sn-114	0	4.550E+0	4.550E+0	4.550E+0	4.550E+0	4.550E+0		4.600E+0±5.000E-1	
	293.6	4.570E+0	4.570E+0	4.570E+0	4.570E+0	4.570E+0			
50-Sn-115	0	9.050E+0	8.370E+0	1.050E+1	9.050E+0	8.370E+0			
	293.6	9.090E+0	8.410E+0	1.050E+1	9.090E+0	8.410E+0			
50-Sn-116	0	4.300E+0	4.310E+0	4.500E+0	4.300E+0	4.310E+0			
	293.6	4.320E+0	4.330E+0	4.520E+0	4.320E+0	4.330E+0			
50-Sn-117	0	5.310E+0	5.100E+0	4.820E+0	5.310E+0	5.100E+0			
	293.6	5.330E+0	5.130E+0	4.840E+0	5.330E+0	5.130E+0			
50-Sn-117m	0								
	293.6								
50-Sn-118	0	4.660E+0	4.220E+0	4.210E+0	4.660E+0	4.220E+0		4.260E+0±1.500E-1	
	293.6	4.680E+0	4.240E+0	4.230E+0	4.680E+0	4.240E+0			
50-Sn-119	0	4.990E+0	4.680E+0	4.670E+0	4.990E+0	4.680E+0		5.000E+0±5.000E-2	
	293.6	5.010E+0	4.700E+0	4.690E+0	5.010E+0	4.700E+0			
50-Sn-119m	0								
	293.6								
50-Sn-120	0	5.610E+0	5.340E+0	5.220E+0	5.610E+0	5.340E+0		5.610E+0±7.000E-2	
	293.6	5.640E+0	5.360E+0	5.240E+0	5.640E+0	5.360E+0			
50-Sn-121	0								
	293.6								
50-Sn-121m	0								
	293.6								
50-Sn-122	0	4.440E+0	3.800E+0	3.700E+0	4.440E+0	3.800E+0			
	293.6	4.460E+0	3.810E+0	3.720E+0	4.460E+0	3.810E+0			
50-Sn-123	0	4.000E+0	4.520E+0	4.800E+0	4.000E+0				
	293.6		4.550E+0						
50-Sn-124	0	4.790E+0	4.400E+0	4.330E+0	4.790E+0	4.400E+0		4.780E+0±5.000E-2	
	293.6	4.810E+0	4.420E+0	4.350E+0	4.810E+0	4.420E+0			
50-Sn-125	0	4.290E+0	4.570E+0		1.280E+3				
	293.6	4.310E+0	4.590E+0		1.280E+3				
50-Sn-126	0	4.000E+0	4.600E+0	4.800E+0	4.000E+0				
	293.6		4.610E+0						
51-Sb-119	0								
	293.6								
51-Sb-120m	0								
	293.6								
51-Sb-121	0	4.030E+0	3.590E+0	3.590E+0	4.030E+0	3.590E+0		4.030E+0±9.000E-2	
	293.6	4.040E+0	3.610E+0	3.610E+0	4.040E+0	3.610E+0			
51-Sb-122	0								
	293.6								
51-Sb-123	0	3.680E+0	3.900E+0	3.900E+0	3.680E+0	3.490E+0		3.680E+0±1.000E-1	
	293.6	3.690E+0	3.920E+0	3.920E+0	3.690E+0	3.510E+0			
51-Sb-124	0	3.760E+0	4.550E+0	3.760E+0	3.760E+0				
	293.6		4.570E+0						
51-Sb-125	0	4.000E+0	4.570E+0	4.000E+0	4.000E+0	4.000E+0			
	293.6		4.590E+0			4.020E+0			
51-Sb-126	0	3.870E+0	4.600E+0	4.230E+0	3.870E+0				
	293.6	3.890E+0	4.630E+0		3.890E+0				
51-Sb-127	0								
	293.6								
51-Sb-128	0								
	293.6								
52-Te-118	0								
	293.6								
52-Te-119	0								
	293.6								
52-Te-119m	0								
	293.6								
52-Te-120	0	3.640E+0	4.800E+0	3.640E+0	3.640E+0				
	293.6		4.890E+0						
52-Te-121m	0								
	293.6								
52-Te-121	0								
	293.6								
52-Te-122	0	1.720E+0	3.060E+0	2.510E+0	2.610E+0			2.030E+0±2.000E-1	
	293.6	1.720E+0	3.070E+0	2.520E+0	2.620E+0				
52-Te-123m	0								
	293.6								
52-Te-123	0	7.220E-1	5.970E-1	5.890E-1	5.890E-1				
	293.6	7.250E-1	6.000E-1	5.920E-1	5.920E-1				
52-Te-124	0	7.150E+0	3.840E+0	3.650E+0	3.650E+0			8.000E+0±2.000E-1	

TABLE II: Thermal elastic cross sections (continued).

Material	**T** (K)	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
	293.6	7.180E+0	3.860E+0	3.670E+0	3.670E+0				
52-Te-125m	0								
	293.6								
52-Te-125	0	3.270E+0	3.980E+0	3.400E+0	3.270E+0			3.200E+0±1.500E-1	
	293.6	3.280E+0	4.000E+0	3.420E+0	3.280E+0				
52-Te-126	0	3.910E+0	4.120E+0	3.430E+0	3.540E+0			3.920E+0±1.000E-1	
	293.6	3.930E+0	4.130E+0	3.450E+0	3.550E+0				
52-Te-127	0								
	293.6								
52-Te-127m	0	3.630E+0	4.620E+0	3.630E+0	3.630E+0				
	293.6		4.640E+0						
52-Te-128	0	4.390E+0	3.860E+0	4.100E+0	4.390E+0				
	293.6	4.410E+0	3.870E+0	4.120E+0	4.410E+0				
52-Te-129	0								
	293.6								
52-Te-129m	0	3.400E+0	4.670E+0	3.400E+0	3.400E+0				
	293.6		4.690E+0						
52-Te-130	0	4.590E+0	4.630E+0	3.840E+0	4.590E+0	4.590E+0			
	293.6	4.610E+0	4.650E+0	3.850E+0	4.610E+0	4.610E+0			
52-Te-131m	0								
	293.6								
52-Te-132	0	5.330E+0	4.740E+0	5.370E+0	5.330E+0				
	293.6	5.350E+0	4.760E+0		5.350E+0				
53-I -123	0								
	293.6								
53-I -124	0								
	293.6								
53-I -125	0								
	293.6								
53-I -126	0								
	293.6								
53-I -127	0	3.720E+0	3.140E+0	3.240E+0	3.720E+0	3.540E+0			
	293.6	3.730E+0	3.150E+0	3.250E+0	3.730E+0	3.550E+0			
53-I-128	0								
	293.6								
53-I -129	0	1.020E+1	4.370E+0	4.320E+0	1.020E+1	6.470E+0			
	293.6	1.030E+1	4.390E+0	4.340E+0	1.030E+1	6.500E+0			
53-I -130	0	3.210E+0	4.690E+0	3.760E+0					
	293.6	3.220E+0	4.730E+0						
53-I -131	0	3.600E+0	3.600E+0	3.600E+0	3.600E+0				
	293.6								
53-I -133	0								
	293.6								
53-I -135	0	1.010E+1	1.010E+1	3.200E+0	1.010E+1	1.010E+1			
	293.6	1.020E+1	1.020E+1		1.020E+1	1.020E+1			
54-Xe-122	0								
	293.6								
54-Xe-123	0	1.160E+1				2.490E+1			
	293.6	1.160E+1				2.500E+1			
54-Xe-124	0	1.310E-1	4.300E+0	1.590E-1	1.310E-1	1.310E-1			
	293.6	1.310E-1	4.320E+0	1.600E-1	1.310E-1	1.310E-1			
54-Xe-125	0								
	293.6								
54-Xe-126	0	5.040E+0	4.310E+0	5.390E+0	5.040E+0				
	293.6	5.060E+0	4.330E+0	5.410E+0	5.060E+0				
54-Xe-127	0								
	293.6								
54-Xe-128	0	6.830E+0	6.830E+0	1.100E+1	6.830E+0				
	293.6	6.860E+0	6.860E+0	1.100E+1	6.860E+0				
54-Xe-129m	0								
	293.6								
54-Xe-129	0	3.550E+0	3.550E+0	5.050E+0	3.550E+0	2.100E+1			
	293.6	3.570E+0	3.570E+0	5.070E+0	3.570E+0	2.110E+1			
54-Xe-130	0	6.240E+0	6.240E+0	1.270E+1	6.240E+0				
	293.6	6.260E+0	6.260E+0	1.270E+1	6.260E+0				
54-Xe-131m	0								
	293.6								
54-Xe-131	0	1.180E+0	2.430E+1	3.170E+1	2.400E+1	1.250E+0			
	293.6	1.190E+0	2.440E+1	3.180E+1	2.410E+1	1.250E+0			
54-Xe-132	0	3.760E+0	3.760E+0	3.290E+0	3.150E+0	3.760E+0			
	293.6	3.770E+0	3.770E+0	3.300E+0	3.160E+0	3.770E+0			
54-Xe-133m	0								
	293.6								
54-Xe-133	0	3.600E+0	3.600E+0	3.600E+0	3.600E+0				
	293.6								
54-Xe-134	0	4.500E+0	4.500E+0	3.720E+0	4.500E+0	4.500E+0			
	293.6	4.520E+0	4.520E+0	3.730E+0	4.520E+0	4.520E+0			
54-Xe-135	0	2.960E+5	2.960E+5	3.280E+5	2.960E+5	2.960E+5			
	293.6	3.000E+5	3.000E+5	3.320E+5	3.000E+5	3.000E+5			
54-Xe-136	0	8.220E+0	8.220E+0	5.280E+0	8.220E+0	8.220E+0			
	293.6	8.250E+0	8.250E+0	5.300E+0	8.250E+0	8.250E+0			

TABLE II: Thermal elastic cross sections (continued).

Material	**T** (K)	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
55-Cs-127	0								
	293.6								
55-Cs-129	0								
	293.6								
55-Cs-131	0								
	293.6								
55-Cs-132	0								
	293.6								
55-Cs-133	0	3.970E+0	3.960E+0	3.970E+0	3.960E+0	3.960E+0			
	293.6	3.990E+0	3.970E+0	3.990E+0	3.970E+0	3.970E+0			
55-Cs-134	0	2.260E+1	2.230E+1	2.280E+1	2.260E+1	2.260E+1			
	293.6	2.270E+1	2.240E+1	2.290E+1	2.270E+1	2.270E+1			
55-Cs-135	0	6.350E+0	6.350E+0	4.820E+0	6.350E+0	4.850E+0			
	293.6	6.380E+0	6.380E+0	4.840E+0	6.380E+0	4.870E+0			
55-Cs-136	0	3.500E+0	3.900E+0	3.500E+0	3.500E+0				
	293.6		3.920E+0						
55-Cs-137	0	3.530E+0	3.530E+0	3.530E+0	3.530E+0	3.530E+0			
	293.6					3.540E+0			
56-Ba-128	0								
	293.6								
56-Ba-129	0								
	293.6								
56-Ba-130	0	9.900E-1	3.130E+0	3.130E+0	9.900E-1	9.900E-1			
	293.6	9.940E-1	3.140E+0	3.140E+0	9.940E-1	9.940E-1			
56-Ba-131	0								
	293.6								
56-Ba-132	0	7.830E+0	3.300E+0	3.300E+0	1.170E+1	6.840E+0		7.900E+0±6.000E-1	
	293.6	7.860E+0			1.170E+1				
56-Ba-133m	0								
	293.6								
56-Ba-133	0	2.450E+0			2.450E+0				
	293.6	2.460E+0			2.460E+0				
56-Ba-134	0	5.200E+0	5.200E+0	2.970E+0	5.200E+0	3.430E+0		5.190E+0±1.800E-1	
	293.6	5.220E+0	5.220E+0	2.980E+0	5.220E+0	3.440E+0			
56-Ba-135	0	2.740E+0	1.800E+0	1.800E+0		1.800E+0		2.750E+0±1.200E-1	
	293.6	2.750E+0	1.800E+0	1.800E+0		1.800E+0			
56-Ba-135m	0				2.740E+0				
	293.6				2.750E+0				
56-Ba-136	0	2.990E+0	2.560E+0	2.750E+0	2.990E+0	1.780E+0		3.000E+0±1.000E-1	
	293.6	3.010E+0	2.570E+0	2.760E+0	3.010E+0	1.780E+0			
56-Ba-137	0	6.210E+0	3.880E+0	3.880E+0	6.210E+0	1.830E+0		6.200E+0±2.000E-1	
	293.6	6.240E+0	3.900E+0	3.900E+0	6.240E+0	1.840E+0			
56-Ba-138	0	4.060E+0	5.550E+0	6.020E+0	4.060E+0	8.130E-1		3.880E+0±1.300E-1	
	293.6	4.080E+0	5.570E+0	6.040E+0	4.080E+0	8.160E-1			
56-Ba-139	0								
	293.6								
56-Ba-140	0	1.890E+0	1.890E+0	3.300E+0	1.890E+0				
	293.6	1.900E+0	1.900E+0		1.900E+0				
57-La-135	0								
	293.6								
57-La-137	0								
	293.6								
57-La-138	0	1.300E+1	1.300E+1	1.230E+1	1.300E+1				
	293.6	1.300E+1	1.300E+1	1.240E+1	1.300E+1				
57-La-139	0	1.020E+1	1.020E+1	1.000E+1	1.020E+1	1.020E+1		1.010E+1±2.200E-1	
	293.6	1.020E+1	1.020E+1	1.010E+1	1.020E+1	1.020E+1			
57-La-140	0	1.970E+0	4.930E+0	3.140E+0	1.970E+0				
	293.6	1.980E+0	4.950E+0		1.980E+0				
57-La-141	0								
	293.6								
58-Ce-134	0								
	293.6								
58-Ce-135	0								
	293.6								
58-Ce-136	0	4.180E+0			4.180E+0	4.180E+0		4.170E+0±1.300E-1	
	293.6	4.190E+0			4.190E+0	4.190E+0			
58-Ce-137	0								
	293.6								
58-Ce-137m	0								
	293.6								
58-Ce-138	0	2.590E+0			2.590E+0	4.390E+0			
	293.6	2.600E+0			2.600E+0	4.400E+0			
58-Ce-139	0	2.930E+1			2.930E+1				
	293.6	2.940E+1			2.940E+1				
58-Ce-140	0	3.600E+0	3.260E+0	2.880E+0	3.600E+0	2.820E+0		2.960E+0±1.100E-1	
	293.6	3.620E+0	3.280E+0	2.890E+0	3.620E+0	2.830E+0			
58-Ce-141	0	7.010E+0	7.010E+0	3.280E+0	7.010E+0	2.350E+0			
	293.6	7.030E+0	7.030E+0	3.290E+0	7.030E+0	2.360E+0			
58-Ce-142	0	2.850E+0	2.850E+0	2.840E+0	2.850E+0	6.150E-1			
	293.6	2.860E+0	2.860E+0	2.850E+0	2.860E+0	6.170E-1			
58-Ce-143	0	8.070E+0	5.000E+0	4.500E+0	8.070E+0				

TABLE II: Thermal elastic cross sections (continued).

Material	**T** (K)	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
	293.6	8.100E+0	5.030E+0		8.100E+0				
58-Ce-144	0	2.780E+0	2.780E+0	2.780E+0	2.780E+0	2.780E+0			
	293.6								
59-Pr-141	0	2.710E+0	2.710E+0	2.720E+0	2.710E+0	2.010E+0		2.710E+0±6.000E-2	
	293.6	2.720E+0	2.720E+0	2.730E+0	2.720E+0	2.010E+0			
59-Pr-142	0	3.200E+0	4.980E+0						
	293.6	3.210E+0	5.020E+0						
59-Pr-143	0	3.190E+1	3.190E+1	3.500E+0	3.190E+1				
	293.6	3.210E+1	3.210E+1	3.510E+0	3.210E+1				
60-Nd-140	0								
	293.6								
60-Nd-141	0								
	293.6								
60-Nd-142	0	7.940E+0	8.520E+0	7.690E+0	7.550E+0	7.700E+0		7.500E+0±5.000E-1	
	293.6	7.960E+0	8.550E+0	7.720E+0	7.570E+0	7.730E+0			
60-Nd-143	0	8.010E+1	8.660E+1	8.280E+1	8.010E+1	7.980E+1		7.930E+1±2.000E+0	
	293.6	8.040E+1	8.690E+1	8.310E+1	8.040E+1	8.010E+1			
60-Nd-144	0	1.450E+0	1.450E+0	8.990E-1	1.000E+0	1.000E+0		1.000E+0±2.000E-1	
	293.6	1.450E+0	1.450E+0	9.020E-1	1.000E+0	1.000E+0			
60-Nd-145	0	1.660E+1	1.830E+1	1.960E+1	1.870E+1	2.020E+1		1.650E+1±4.000E-1	
	293.6	1.670E+1	1.830E+1	1.970E+1	1.870E+1	2.030E+1			
60-Nd-146	0	1.030E+1	1.030E+1	9.760E+0	1.130E+1	9.500E+0		9.600E+0±4.000E-1	
	293.6	1.030E+1	1.030E+1	9.790E+0	1.130E+1	9.530E+0			
60-Nd-147	0	1.110E+2	1.110E+2	7.930E+1	1.080E+2	8.030E+1			
	293.6	1.120E+2	1.120E+2	7.950E+1	1.080E+2	8.060E+1			
60-Nd-148	0	4.380E+0	6.630E-1	4.260E+0	4.290E+0	4.000E+0		4.300E+0±5.000E-1	
	293.6	4.400E+0	6.650E-1	4.270E+0	4.300E+0	4.010E+0			
60-Nd-149	0								
	293.6								
60-Nd-150	0	4.620E+0	4.740E+0	4.780E+0	4.620E+0	3.500E+0		4.600E+0±4.000E-1	
	293.6	4.630E+0	4.760E+0	4.790E+0	4.630E+0	3.510E+0			
61-Pm-143	0								
	293.6								
61-Pm-144	0								
	293.6								
61-Pm-145	0								
	293.6								
61-Pm-146	0								
	293.6								
61-Pm-147	0	2.090E+1	2.090E+1	2.090E+1	8.580E+1	2.090E+1		2.100E+1±1.500E+0	
	293.6	2.100E+1	2.100E+1	2.100E+1	8.600E+1	2.100E+1			
61-Pm-148m	0	2.360E+1	2.360E+1	1.910E+1	2.360E+1	2.360E+1			
	293.6	2.390E+1	2.390E+1	1.940E+1	2.390E+1	2.390E+1			
61-Pm-148	0	3.100E+0	3.100E+0	6.200E+0	3.100E+0	3.100E+0			
	293.6								
61-Pm-149	0	3.200E+0	3.200E+0	5.800E+0	3.200E+0	3.200E+0			
	293.6								
61-Pm-150	0								
	293.6								
61-Pm-151	0	5.650E+0	5.650E+0	7.000E+0	5.190E+0				
	293.6	5.670E+0	5.670E+0		5.480E+0				
62-Sm-144	0	2.740E+0	2.740E+0	7.590E-1	7.590E-1	7.590E-1			
	293.6	2.750E+0	2.750E+0	7.620E-1	7.620E-1	7.620E-1			
62-Sm-145	0								
	293.6								
62-Sm-146	0								
	293.6								
62-Sm-147	0	7.170E+0	3.990E+1	7.200E+0	1.060E+0	1.060E+0		7.200E+0±8.000E-1	
	293.6	7.190E+0	4.000E+1	7.220E+0	1.060E+0	1.060E+0			
62-Sm-148	0	4.460E+0	4.460E+0	1.200E+0	4.460E+0	9.970E-1			
	293.6	4.470E+0	4.470E+0	1.210E+0	4.470E+0	1.000E+0			
62-Sm-149	0	1.830E+2	2.020E+2	1.760E+2	1.830E+2	1.760E+2		1.800E+2±	
	293.6	1.860E+2	2.050E+2	1.790E+2	1.860E+2	1.790E+2			
62-Sm-150	0	2.270E+1	2.120E+1	8.000E+0	2.760E+1	8.340E+0		2.250E+1±9.000E+0	
	293.6	2.280E+1	2.130E+1	8.030E+0	2.770E+1	8.370E+0			
62-Sm-151	0	6.130E+1	3.930E+1	5.040E+1	6.130E+1	5.040E+1		6.200E+1±	
	293.6	6.130E+1	3.930E+1	5.040E+1	6.130E+1	5.040E+1			
62-Sm-152	0	3.090E+0	2.940E+0	3.070E+0	3.100E+0	3.040E+0		3.000E+0±2.000E-1	
	293.6	3.110E+0	2.950E+0	3.080E+0	3.110E+0	3.050E+0			
62-Sm-153	0	4.080E+0	4.080E+0	6.700E+0	1.310E+1				
	293.6	4.090E+0	4.090E+0						
62-Sm-154	0	1.080E+1	1.080E+1	1.100E+1	1.100E+1	1.100E+1		1.100E+1±3.000E+0	
	293.6	1.080E+1	1.080E+1	1.100E+1	1.100E+1	1.100E+1			
62-Sm-156	0								
	293.6								
63-Eu-145	0								
	293.6								
63-Eu-146	0								
	293.6								
63-Eu-147	0								
	293.6								

TABLE II: Thermal elastic cross sections (continued).

Material	**T** (K)	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
63-Eu-148	0								
	293.6								
63-Eu-149	0								
	293.6								
63-Eu-150	0								
	293.6								
63-Eu-150m	0								
	293.6								
63-Eu-151	0	4.720E+0	3.400E+0	3.210E+0	2.730E+0	4.720E+0		6.300E+0±4.000E-1	
	293.6	4.710E+0	3.390E+0	3.200E+0	2.720E+0	4.710E+0			
63-Eu-152	0	2.340E+1	2.910E+1	2.910E+1	2.340E+1				
	293.6	2.340E+1	2.910E+1	2.910E+1	2.340E+1				
63-Eu-152m	0								
	293.6								
63-Eu-153	0	9.110E+0	1.030E+1	1.030E+1	8.980E+0	1.030E+1		9.700E+0±7.000E-1	
	293.6	9.140E+0	1.040E+1	1.040E+1	9.000E+0	1.040E+1			
63-Eu-154	0	5.210E+0	5.440E+0	5.650E+0	5.210E+0	5.210E+0			
	293.6	5.230E+0	5.450E+0	5.670E+0	5.230E+0	5.230E+0			
63-Eu-155	0	6.570E+0	1.760E+1	6.570E+0	6.570E+0	6.570E+0			
	293.6	6.600E+0	1.770E+1	6.600E+0	6.600E+0	6.600E+0			
63-Eu-156	0	6.600E+0	6.600E+0	9.000E+0	6.600E+0				
	293.6								
63-Eu-157	0	6.450E+0	6.450E+0	9.000E+0					
	293.6	6.470E+0	6.470E+0						
64-Gd-146	0								
	293.6								
64-Gd-147	0								
	293.6								
64-Gd-148	0								
	293.6								
64-Gd-149	0								
	293.6								
64-Gd-150	0								
	293.6								
64-Gd-151	0								
	293.6								
64-Gd-152	0	3.010E+2	1.390E+1	1.040E+1	3.010E+2	1.390E+1			
	293.6	3.020E+2	1.400E+1	1.050E+1	3.020E+2	1.400E+1			
64-Gd-153	0	1.930E+1		1.850E+1	1.750E+1				
	293.6	1.950E+1		1.860E+1	1.770E+1				
64-Gd-154	0	5.720E+0	3.570E+0	6.540E+0	5.720E+0	7.360E+0			
	293.6	5.740E+0	3.590E+0	6.560E+0	5.740E+0	7.380E+0			
64-Gd-155	0	6.040E+1	5.880E+1	5.940E+1	6.040E+1	5.880E+1		6.000E+1±	
	293.6	6.060E+1	5.900E+1	5.950E+1	6.060E+1	5.900E+1			
64-Gd-156	0	4.880E+0	5.560E+0	5.230E+0	4.880E+0	4.800E+0			
	293.6	4.900E+0	5.570E+0	5.250E+0	4.900E+0	4.820E+0			
64-Gd-157	0	9.990E+2	1.760E+3	8.030E+2	1.010E+3	1.010E+3		1.000E+3±	
	293.6	1.000E+3	1.760E+3	8.040E+2	1.010E+3	1.010E+3			
64-Gd-158	0	5.640E+0	3.500E+0	3.630E+0	5.640E+0	3.860E+0			
	293.6	5.660E+0	3.510E+0	3.640E+0	5.660E+0	3.870E+0			
64-Gd-159	0								
	293.6								
64-Gd-160	0	9.350E+0	3.720E+0	4.100E+0	9.400E+0	4.110E+0			
	293.6	9.380E+0	3.730E+0	4.120E+0	9.430E+0	4.120E+0			
65-Tb-151	0								
	293.6								
65-Tb-152	0								
	293.6								
65-Tb-153	0								
	293.6								
65-Tb-154	0								
	293.6								
65-Tb-154m	0								
	293.6								
65-Tb-154n	0								
	293.6								
65-Tb-155	0								
	293.6								
65-Tb-156m	0								
	293.6								
65-Tb-156	0								
	293.6								
65-Tb-156n	0								
	293.6								
65-Tb-157	0								
	293.6								
65-Tb-158	0								
	293.6								
65-Tb-159	0	6.930E+0	6.930E+0	6.880E+0	6.930E+0			6.920E+0±6.000E-2	
	293.6	6.950E+0	6.950E+0	6.900E+0	6.950E+0				
65-Tb-160	0	3.960E+0	5.390E+0	4.780E+0	5.440E+0				

TABLE II: Thermal elastic cross sections (continued).

Material	**T** (K)	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
	293.6	3.970E+0	5.410E+0	4.790E+0	5.460E+0				
65-Tb-161	0								
	293.6								
66-Dy-153	0								
	293.6								
66-Dy-154	0			6.720E+0					
	293.6								
66-Dy-155	0								
	293.6								
66-Dy-156	0	4.080E+0		4.990E+0	4.080E+0				
	293.6	4.090E+0		5.010E+0	4.090E+0				
66-Dy-157	0								
	293.6								
66-Dy-158	0	6.510E+0		7.640E+0	6.510E+0				
	293.6	6.530E+0		7.660E+0	6.530E+0				
66-Dy-159	0			7.250E+0					
	293.6								
66-Dy-160	0	5.700E+0	2.310E+0	5.470E+0	5.700E+0			5.600E+0±7.000E-1	
	293.6	5.720E+0	2.320E+0	5.490E+0	5.720E+0				
66-Dy-161	0	1.750E+1	1.750E+1	1.760E+1	1.750E+1			1.660E+1±1.500E+0	
	293.6	1.750E+1	1.750E+1	1.760E+1	1.750E+1				
66-Dy-162	0	1.690E-1	1.690E-1	3.530E-4	1.690E-1			2.800E-1±2.000E-1	
	293.6	1.700E-1	1.700E-1	3.560E-4	1.700E-1				
66-Dy-163	0	3.270E+0	3.270E+0	3.330E+0	3.270E+0			3.200E+0±5.000E-1	
	293.6	3.280E+0	3.280E+0	3.340E+0	3.280E+0				
66-Dy-164	0	3.280E+2	3.260E+2	3.220E+2	3.280E+2	3.260E+2		3.190E+2±1.000E+1	
	293.6	3.280E+2	3.270E+2	3.230E+2	3.280E+2	3.270E+2			
66-Dy-165	0								
	293.6								
66-Dy-166	0								
	293.6								
67-Ho-163	0								
	293.6								
67-Ho-164	0								
	293.6								
67-Ho-164m	0								
	293.6								
67-Ho-165	0	8.800E+0	8.770E+0		8.800E+0			8.650E+0±1.400E-1	
	293.6	8.830E+0	8.800E+0		8.830E+0				
67-Ho-166m	0	3.960E+0							
	293.6	3.990E+0							
67-Ho-166	0								
	293.6								
68-Er-160	0								
	293.6								
68-Er-161	0								
	293.6								
68-Er-162	0	8.000E+0	8.000E+0	8.000E+0	8.000E+0				
	293.6	8.030E+0	8.030E+0	8.030E+0	8.030E+0				
68-Er-164	0	9.100E+0	9.100E+0	9.110E+0	9.100E+0				
	293.6	9.130E+0	9.130E+0	9.140E+0	9.130E+0				
68-Er-165	0								
	293.6								
68-Er-166	0	1.420E+1	1.250E+1	1.240E+1	1.420E+1			1.420E+1±5.000E-1	
	293.6	1.430E+1	1.250E+1	1.250E+1	1.430E+1				
68-Er-167	0	2.450E+0	1.340E+0	1.330E+0	2.450E+0			1.600E+0±9.000E-1	
	293.6	2.460E+0	1.340E+0	1.330E+0	2.460E+0				
68-Er-168	0	9.630E+0	8.960E+0	8.960E+0	9.630E+0			8.300E+0±7.000E-1	
	293.6	9.660E+0	8.990E+0	8.990E+0	9.660E+0				
68-Er-169	0								
	293.6								
68-Er-170	0	1.170E+1	1.200E+1	1.280E+1	1.170E+1			1.100E+1±1.900E+0	
	293.6	1.170E+1	1.200E+1	1.280E+1	1.170E+1				
68-Er-171	0								
	293.6								
68-Er-172	0								
	293.6								
69-Tm-165	0								
	293.6								
69-Tm-166	0								
	293.6								
69-Tm-167	0								
	293.6								
69-Tm-168	0	1.930E+1							
	293.6	1.940E+1							
69-Tm-169	0	6.960E+0		6.360E+0				6.370E+0±8.000E-2	
	293.6	6.980E+0		6.380E+0					
69-Tm-170	0	5.450E+0							
	293.6	5.470E+0							
69-Tm-171	0								
	293.6								

TABLE II: Thermal elastic cross sections (continued).

Material	**T** (K)	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
69-Tm-172	0								
	293.6								
69-Tm-173	0								
	293.6								
70-Yb-166	0								
	293.6								
70-Yb-168	0			2.970E+0					
	293.6			2.980E+0					
70-Yb-169	0								
	293.6								
70-Yb-170	0			5.410E+0				5.850E+0±1.700E-1	
	293.6			5.420E+0					
70-Yb-171	0			1.650E+1				1.720E+1±7.000E-1	
	293.6			1.650E+1					
70-Yb-172	0			1.150E+1				1.130E+1±2.000E-1	
	293.6			1.150E+1					
70-Yb-173	0			1.430E+1				1.420E+1±4.000E-1	
	293.6			1.430E+1					
70-Yb-174	0			4.680E+1				4.630E+1±5.000E-1	
	293.6			4.690E+1					
70-Yb-175	0								
	293.6								
70-Yb-176	0			8.850E+0				9.660E+0±2.200E-1	
	293.6			8.870E+0					
71-Lu-169	0								
	293.6								
71-Lu-170	0								
	293.6								
71-Lu-171	0								
	293.6								
71-Lu-172	0								
	293.6								
71-Lu-173	0								
	293.6								
71-Lu-174m	0								
	293.6								
71-Lu-174	0								
	293.6								
71-Lu-175	0	6.420E+0	6.420E+0		6.420E+0			6.700E+0±4.000E-1	
	293.6	6.440E+0	6.440E+0		6.440E+0				
71-Lu-176	0	2.510E+0	2.510E+0		2.510E+0			5.600E+0±3.000E-1	
	293.6	2.520E+0	2.520E+0		2.520E+0				
71-Lu-177m	0								
	293.6								
71-Lu-177	0								
	293.6								
72-Hf-170	0								
	293.6								
72-Hf-171	0								
	293.6								
72-Hf-172	0								
	293.6								
72-Hf-173	0								
	293.6								
72-Hf-174	0	4.800E+1	1.490E+1	1.500E+1	4.800E+1	1.550E+1		1.500E+1±3.000E+0	
	293.6	4.810E+1	1.490E+1	1.500E+1	4.810E+1	1.560E+1			
72-Hf-175	0								
	293.6								
72-Hf-176	0	5.540E+0	5.290E+0	5.810E+0	5.510E+0	6.700E+0		5.600E+0±3.000E-1	
	293.6	5.560E+0	5.300E+0	5.830E+0	5.530E+0	6.720E+0			
72-Hf-177	0	2.110E-1	4.050E-2	2.160E-1	3.610E-2	2.310E-2		2.000E-1±2.000E-1	
	293.6	2.120E-1	4.060E-2	2.170E-1	3.620E-2	2.320E-2			
72-Hf-178n	0								
	293.6								
72-Hf-178	0	6.590E+0	4.540E+0	4.460E+0	6.610E+0	4.870E+0		4.500E+0±2.000E-1	
	293.6	6.610E+0	4.550E+0	4.470E+0	6.630E+0	4.890E+0			
72-Hf-179n	0								
	293.6								
72-Hf-179	0	6.760E+0	7.770E+0	6.990E+0	7.480E+0	7.080E+0		7.000E+0±3.000E-1	
	293.6	6.780E+0	7.790E+0	7.000E+0	7.500E+0	7.100E+0			
72-Hf-180	0	2.230E+1	2.550E+1	2.120E+1	2.220E+1	2.120E+1		2.200E+1±1.000E+0	
	293.6	2.240E+1	2.560E+1	2.120E+1	2.230E+1	2.120E+1			
72-Hf-180m	0								
	293.6								
72-Hf-181	0			7.760E+0					
	293.6								
72-Hf-182	0			8.080E+0					
	293.6								
73-Ta-175	0								
	293.6								
73-Ta-176	0								

TABLE II: Thermal elastic cross sections (continued).

Material	**T** (K)	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
	293.6								
73-Ta-177	0								
	293.6								
73-Ta-179	0								
	293.6								
73-Ta-180	0	8.780E+1							
	293.6	8.800E+1							
73-Ta-180m	0								
	293.6								
73-Ta-181	0	6.150E+0	5.650E+0	5.650E+0	5.650E+0	5.650E+0		6.120E+0±1.500E-1	
	293.6	6.170E+0	5.670E+0	5.670E+0	5.670E+0	5.670E+0			
73-Ta-182	0	3.100E+1	3.100E+1		3.100E+1				
	293.6	3.120E+1	3.120E+1		3.120E+1				
73-Ta-183	0								
	293.6								
73-Ta-184	0								
	293.6								
74-W - 0	0							4.770E+0±1.300E-1	
	293.6								
74-W -178	0								
	293.6								
74-W -180	0	9.960E+0		1.090E+1	8.600E+0				
	293.6	9.990E+0		1.090E+1	8.620E+0				
74-W -181	0								
	293.6								
74-W -182	0	8.840E+0	8.840E+0	8.840E+0	9.750E+0			8.840E+0±3.000E-1	
	293.6	8.870E+0	8.870E+0	8.870E+0	9.780E+0				
74-W -183	0	2.380E+0	2.380E+0	2.400E+0	2.410E+0			2.400E+0±6.000E-1	
	293.6	2.390E+0	2.390E+0	2.410E+0	2.420E+0				
74-W -184	0	7.350E+0	7.350E+0	7.350E+0	4.770E+0			7.350E+0±1.700E-1	
	293.6	7.370E+0	7.370E+0	7.370E+0	4.780E+0				
74-W -185	0								
	293.6								
74-W -186	0	8.520E-2	9.310E-1	7.400E-2	1.400E-1			7.000E-2±1.000E-2	
	293.6	8.550E-2	9.340E-1	7.420E-2	1.400E-1				
74-W -187	0								
	293.6								
74-W -188	0								
	293.6								
75-Re-181	0								
	293.6								
75-Re-182	0								
	293.6								
75-Re-182m	0								
	293.6								
75-Re-183	0								
	293.6								
75-Re-184m	0								
	293.6								
75-Re-184	0								
	293.6								
75-Re-185	0	8.870E+0	8.870E+0		8.870E+0			7.700E+0±1.000E+0	
	293.6	8.890E+0	8.890E+0		8.890E+0				
75-Re-186m	0								
	293.6								
75-Re-186	0								
	293.6								
75-Re-187	0	9.940E+0	9.940E+0		9.940E+0			1.360E+1±2.400E+0	
	293.6	9.960E+0	9.960E+0		9.960E+0				
75-Re-188	0								
	293.6								
75-Re-189	0								
	293.6								
76-Os- 0	0		1.540E+1		1.540E+1			1.500E+1±4.000E-1	
	293.6		1.550E+1		1.550E+1				
76-Os-182	0								
	293.6								
76-Os-183	0								
	293.6								
76-Os-183m	0								
	293.6								
76-Os-184	0			1.000E+1					
	293.6								
76-Os-185	0								
	293.6								
76-Os-186	0			2.000E+1				2.000E+1±4.000E+0	
	293.6			2.010E+1					
76-Os-187	0			7.800E+0				7.800E+0±3.600E+0	
	293.6			7.820E+0					
76-Os-188	0			7.710E+0				7.700E+0±6.000E-1	
	293.6			7.730E+0					

TABLE II: Thermal elastic cross sections (continued).

Material	**T** (K)	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
76-Os-189	0			1.550E+1				1.550E+1±1.000E+0	
	293.6			1.560E+1					
76-Os-190	0			1.630E+1				1.630E+1±9.000E-1	
	293.6			1.640E+1					
76-Os-191	0								
	293.6								
76-Os-191m	0								
	293.6								
76-Os-192	0			1.490E+1					
	293.6			1.490E+1					
76-Os-193	0								
	293.6								
76-Os-194	0								
	293.6								
77-Ir-185	0								
	293.6								
77-Ir-186	0								
	293.6								
77-Ir-187	0								
	293.6								
77-Ir-188	0								
	293.6								
77-Ir-189	0								
	293.6								
77-Ir-190	0								
	293.6								
77-Ir-191	0	1.430E+1	1.390E+1		1.390E+1			1.400E+1±	
	293.6	1.440E+1	1.400E+1		1.400E+1				
77-Ir-192n	0								
	293.6								
77-Ir-192	0								
	293.6								
77-Ir-193m	0								
	293.6								
77-Ir-193	0	1.310E+1	1.930E+1		1.930E+1			1.300E+1±	
	293.6	1.310E+1	1.940E+1		1.940E+1				
77-Ir-194	0								
	293.6								
77-Ir-194n	0								
	293.6								
77-Ir-194m	0								
	293.6								
77-Ir-196m	0								
	293.6								
78-Pt- 0	0		1.200E+1		1.180E+1			1.240E+1±2.000E-1	
	293.6		1.200E+1		1.180E+1				
78-Pt-188	0								
	293.6								
78-Pt-189	0								
	293.6								
78-Pt-190	0								
	293.6								
78-Pt-191	0								
	293.6								
78-Pt-192	0							1.230E+1±1.200E+0	
	293.6								
78-Pt-193m	0								
	293.6								
78-Pt-193	0								
	293.6								
78-Pt-194	0							1.400E+1±2.000E-1	
	293.6								
78-Pt-195m	0								
	293.6								
78-Pt-195	0							1.010E+1±2.000E-1	
	293.6								
78-Pt-196	0							1.230E+1±2.000E-1	
	293.6								
78-Pt-197	0								
	293.6								
78-Pt-198	0							7.700E+0±2.000E-1	
	293.6								
78-Pt-200	0								
	293.6								
78-Pt-202	0								
	293.6								
79-Au-193	0								
	293.6								
79-Au-194	0								
	293.6								
79-Au-195	0								
	293.6								

TABLE II: Thermal elastic cross sections (continued).

Material	**T** (K)	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
79-Au-196	0								
	293.6								
79-Au-196n	0								
	293.6								
79-Au-197	0	7.910E+0	6.840E+0	7.900E+0	7.910E+0	6.840E+0		7.900E+0±1.300E-1	
	293.6	7.930E+0	6.860E+0	7.920E+0	7.930E+0	6.860E+0			
79-Au-198m	0								
	293.6								
79-Au-198	0								
	293.6								
79-Au-199	0								
	293.6								
79-Au-200m	0								
	293.6								
80-Hg- 0	0					2.650E+1		2.650E+1±1.000E-1	
	293.6					2.650E+1			
80-Hg-193	0								
	293.6								
80-Hg-193m	0								
	293.6								
80-Hg-194	0								
	293.6								
80-Hg-195m	0								
	293.6								
80-Hg-195	0								
	293.6								
80-Hg-196	0	1.100E+2	1.100E+2	1.100E+2	1.100E+2				
	293.6	1.100E+2	1.100E+2	1.100E+2	1.100E+2				
80-Hg-197	0								
	293.6								
80-Hg-197m	0								
	293.6								
80-Hg-198	0	1.280E+1	1.280E+1	1.280E+1	1.280E+1				
	293.6	1.280E+1	1.280E+1	1.280E+1	1.280E+1				
80-Hg-199	0	6.650E+1	6.650E+1	6.650E+1	6.650E+1			6.570E+1±2.000E+0	
	293.6	6.670E+1	6.670E+1	6.670E+1	6.670E+1				
80-Hg-200	0	1.450E+1	1.450E+1	1.450E+1	1.450E+1				
	293.6	1.460E+1	1.460E+1	1.460E+1	1.460E+1				
80-Hg-201	0	1.380E+1	1.450E+1	1.450E+1	1.450E+1				
	293.6	1.380E+1	1.450E+1	1.450E+1	1.450E+1				
80-Hg-202	0	1.460E+1	1.460E+1	1.460E+1	1.460E+1				
	293.6	1.460E+1	1.460E+1	1.460E+1	1.460E+1				
80-Hg-203	0								
	293.6								
80-Hg-204	0	2.940E+1	2.940E+1	2.940E+1	2.940E+1				
	293.6	2.950E+1	2.950E+1	2.950E+1	2.950E+1				
81-Tl-0	0		1.000E+1		1.000E+1	8.900E+0		1.000E+1±5.000E-2	
	293.6		1.000E+1		1.000E+1	8.960E+0			
81-Tl-199	0								
	293.6								
81-Tl-200	0								
	293.6								
81-Tl-201	0								
	293.6								
81-Tl-202	0								
	293.6								
81-Tl-203	0	9.280E+0						9.380E+0±1.700E-1	
	293.6	9.300E+0							
81-Tl-204	0								
	293.6								
81-Tl-205	0	9.220E+0						1.010E+1±1.600E-1	
	293.6	9.250E+0							
82-Pb-200	0								
	293.6								
82-Pb-201	0								
	293.6								
82-Pb-202	0								
	293.6								
82-Pb-203	0								
	293.6								
82-Pb-204	0	1.120E+1	1.120E+1	1.220E+1	1.120E+1	1.120E+1			
	293.6	1.120E+1	1.120E+1	1.220E+1	1.120E+1	1.120E+1			
82-Pb-205	0								
	293.6								
82-Pb-206	0	1.120E+1	1.120E+1	1.080E+1	1.120E+1	1.120E+1		1.090E+1±1.100E-1	
	293.6	1.130E+1	1.130E+1	1.090E+1	1.130E+1	1.130E+1			
82-Pb-207	0	1.080E+1	1.080E+1	1.150E+1	1.080E+1	1.080E+1			
	293.6	1.080E+1	1.080E+1	1.150E+1	1.080E+1	1.080E+1			
82-Pb-208	0	1.140E+1	1.140E+1	1.140E+1	1.140E+1	1.140E+1		1.150E+1±1.500E-1	
	293.6	1.140E+1	1.140E+1	1.150E+1	1.140E+1	1.140E+1			
82-Pb-209	0								

TABLE II: Thermal elastic cross sections (continued).

Material	**T** (K)	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
	293.6								
82-Pb-210	0								
	293.6								
82-Pb-212	0								
	293.6								
83-Bi-203	0								
	293.6								
83-Bi-204	0								
	293.6								
83-Bi-205	0								
	293.6								
83-Bi-206	0								
	293.6								
83-Bi-207	0								
	293.6								
83-Bi-208	0								
	293.6								
83-Bi-209	0	9.300E+0	9.300E+0	9.370E+0	9.300E+0	9.300E+0		9.310E+0±4.000E-3	
	293.6	9.320E+0	9.320E+0	9.390E+0	9.320E+0	9.320E+0			
83-Bi-210	0								
	293.6								
83-Bi-210m	0								
	293.6								
84-Po-206	0								
	293.6								
84-Po-207	0								
	293.6								
84-Po-208	0								
	293.6								
84-Po-209	0								
	293.6								
84-Po-210	0								
	293.6								
85-At-210	0								
	293.6								
85-At-211	0								
	293.6								
86-Rn-211	0								
	293.6								
86-Rn-222	0								
	293.6								
88-Ra-223	0	1.240E+1	1.240E+1	1.240E+1	1.240E+1				
	293.6	1.240E+1	1.240E+1	1.240E+1	1.240E+1				
88-Ra-224	0	1.250E+1	1.250E+1	1.250E+1	1.250E+1				
	293.6	1.250E+1	1.250E+1	1.250E+1	1.250E+1				
88-Ra-225	0	1.240E+1	1.240E+1	1.240E+1	1.240E+1				
	293.6	1.240E+1	1.240E+1	1.240E+1	1.240E+1				
88-Ra-226	0	9.800E+0	9.800E+0	9.800E+0	9.800E+0			1.070E+1±1.400E+0	
	293.6	9.820E+0	9.820E+0	9.820E+0	9.820E+0				
88-Ra-228	0								
	293.6								
89-Ac-225	0	1.260E+1	1.240E+1	1.260E+1	1.240E+1				
	293.6	1.260E+1	1.240E+1	1.260E+1	1.240E+1				
89-Ac-226	0	1.260E+1	1.240E+1	1.260E+1	1.240E+1				
	293.6	1.260E+1	1.240E+1	1.260E+1	1.240E+1				
89-Ac-227	0	1.250E+1	1.240E+1	1.250E+1	1.240E+1				
	293.6	1.250E+1	1.240E+1	1.250E+1	1.240E+1				
89-Ac-228	0								
	293.6								
90-Th-227	0	1.250E+1	1.240E+1	1.250E+1	1.240E+1				
	293.6	1.250E+1	1.240E+1	1.250E+1	1.240E+1				
90-Th-228	0	3.120E+1	1.280E+1	3.120E+1	3.650E+1				
	293.6	3.130E+1	1.280E+1	3.130E+1	3.660E+1				
90-Th-229	0	1.040E+1	9.940E+0	1.040E+1	1.000E+1			9.340E+0±	
	293.6	1.040E+1	9.960E+0	1.040E+1	1.000E+1				
90-Th-230	0	1.040E+1	6.080E+0	1.040E+1	9.770E+0			1.040E+1±2.500E+0	
	293.6	1.040E+1	6.090E+0	1.040E+1	9.800E+0				
90-Th-231	0	1.200E+1		1.200E+1					
	293.6	1.200E+1		1.200E+1					
90-Th-232	0	1.300E+1	1.300E+1	1.300E+1	1.280E+1	1.270E+1		1.360E+1±8.000E-2	
	293.6	1.300E+1	1.300E+1	1.300E+1	1.280E+1	1.280E+1			
90-Th-233	0	1.200E+1	1.300E+1	1.200E+1					
	293.6	1.200E+1	1.300E+1	1.200E+1					
90-Th-234	0	1.190E+1	1.300E+1	1.190E+1	1.300E+1				
	293.6	1.190E+1	1.300E+1	1.190E+1	1.300E+1				
91-Pa-228	0								
	293.6								
91-Pa-229	0	1.180E+1		1.180E+1					
	293.6	1.180E+1		1.180E+1					
91-Pa-230	0	1.200E+1		1.200E+1					
	293.6	1.200E+1		1.200E+1					

TABLE II: Thermal elastic cross sections (continued).

Material	**T** (K)	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
91-Pa-231	0	1.120E+1	8.440E+0	1.060E+1	9.950E+0				
	293.6	1.120E+1	8.460E+0	1.060E+1	9.970E+0				
91-Pa-232	0	2.390E+1	3.270E+1	2.390E+1	3.270E+1				
	293.6	2.390E+1	3.270E+1	2.390E+1	3.270E+1				
91-Pa-233	0	1.240E+1	8.410E+0	1.410E+1	8.410E+0				
	293.6	1.240E+1	8.430E+0	1.410E+1	8.430E+0				
91-Pa-234	0								
	293.6								
92-U -230	0	1.180E+1		1.180E+1					
	293.6	1.180E+1		1.180E+1					
92-U -231	0	1.170E+1		1.170E+1					
	293.6	1.170E+1		1.170E+1					
92-U -232	0	1.080E+1	7.520E+0	1.080E+1	7.520E+0	1.080E+1		1.330E+1±2.200E+0	
	293.6	1.080E+1	7.540E+0	1.080E+1	7.540E+0	1.080E+1			
92-U -233	0	1.220E+1	1.200E+1	1.220E+1	1.220E+1	1.200E+1		1.270E+1±3.000E-1	12.11±0.663628
	293.6	1.220E+1	1.200E+1	1.220E+1	1.220E+1	1.200E+1			
92-U -234	0	1.730E+1	1.940E+1	1.780E+1	1.940E+1	1.940E+1		1.940E+1±1.000E+0	
	293.6	1.730E+1	1.950E+1	1.780E+1	1.950E+1	1.950E+1			
92-U -235	0	1.510E+1	1.510E+1	1.510E+1	1.510E+1	1.510E+1		1.400E+1±2.200E-1	14.087±0.2197572
	293.6	1.510E+1	1.510E+1	1.510E+1	1.510E+1	1.510E+1			
92-U -236	0	8.820E+0	8.340E+0	1.080E+1	8.820E+0	8.820E+0		1.080E+1±1.000E-1	
	293.6	8.840E+0	8.360E+0	1.080E+1	8.840E+0	8.840E+0			
92-U -237	0	2.440E+1	2.440E+1	2.440E+1	2.440E+1	2.440E+1			
	293.6	2.440E+1	2.440E+1	2.440E+1	2.440E+1	2.440E+1			
92-U -238	0	9.280E+0	9.420E+0	9.280E+0	9.280E+0	9.360E+0		9.080E+0±1.500E-2	
	293.6	9.300E+0	9.440E+0	9.300E+0	9.300E+0	9.380E+0			
92-U -239	0	1.090E+1				4.600E+2			
	293.6	1.090E+1				4.600E+2			
92-U -240	0	7.660E+0				8.820E+0			
	293.6	7.680E+0				8.870E+0			
92-U -241	0	9.130E+0				2.440E+1			
	293.6	9.150E+0				2.440E+1			
93-Np-234	0	1.140E+1		1.140E+1					
	293.6	1.140E+1		1.140E+1					
93-Np-235	0	1.130E+1	1.140E+1	1.130E+1	1.140E+1				
	293.6	1.130E+1	1.140E+1	1.130E+1	1.140E+1				
93-Np-236	0	9.640E+0	1.230E+1	9.640E+0	1.000E+1	1.020E+1			
	293.6	9.660E+0	1.230E+1	9.660E+0	1.010E+1	1.020E+1			
93-Np-236m	0								
	293.6								
93-Np-237	0	1.580E+1	1.470E+1	1.440E+1	1.420E+1	1.400E+1		1.470E+1±3.000E-1	
	293.6	1.590E+1	1.480E+1	1.450E+1	1.420E+1	1.410E+1			
93-Np-238	0	1.220E+1	2.080E+1	1.220E+1	1.240E+1	2.060E+1			
	293.6	1.230E+1	2.090E+1	1.230E+1	1.240E+1	2.070E+1			
93-Np-239	0	1.100E+1	1.050E+1	1.100E+1	1.050E+1	1.050E+1			
	293.6	1.100E+1	1.050E+1	1.100E+1	1.050E+1	1.050E+1			
94-Pu-234	0								
	293.6								
94-Pu-236	0	9.180E+0	9.160E+0	9.180E+0	9.160E+0	9.160E+0			
	293.6	9.200E+0	9.180E+0	9.200E+0	9.180E+0	9.180E+0			
94-Pu-237	0	1.110E+1	1.170E+1	1.110E+1	1.150E+1	1.160E+1			
	293.6	1.110E+1	1.180E+1	1.110E+1	1.150E+1	1.160E+1			
94-Pu-238	0	1.540E+2	2.850E+1	1.540E+2	2.850E+1	2.030E+1		2.200E+1±1.800E+0	
	293.6	1.550E+2	2.860E+1	1.550E+2	2.860E+1	2.040E+1			
94-Pu-239	0	7.980E+0	7.940E+0	8.800E+0	7.980E+0	8.830E+0		7.940E+0±3.600E-1	7.800±0.9594
	293.6	7.990E+0	7.950E+0	8.810E+0	7.990E+0	8.850E+0			
94-Pu-240	0	9.500E-1	2.660E+0	2.660E+0	2.660E+0	9.500E-1		1.730E+0±1.000E-1	
	293.6	9.510E-1	2.670E+0	2.670E+0	2.670E+0	9.510E-1			
94-Pu-241	0	1.120E+1	1.120E+1	1.120E+1	1.120E+1	1.130E+1		9.000E+0±1.000E+0	12.13±2.60795
	293.6	1.130E+1	1.130E+1	1.130E+1	1.130E+1	1.140E+1			
94-Pu-242	0	8.700E+0	8.320E+0	8.310E+0	7.860E+0	7.730E+0		8.440E+0±2.100E-1	
	293.6	8.720E+0	8.340E+0	8.330E+0	7.880E+0	7.750E+0			
94-Pu-243	0	1.980E+1	1.950E+1		1.980E+1	1.980E+1			
	293.6	1.980E+1	1.950E+1		1.980E+1	1.980E+1			
94-Pu-244	0	1.040E+1	9.630E+0	1.040E+1	1.040E+1	9.640E+0			
	293.6	1.040E+1	9.640E+0	1.040E+1	1.040E+1	9.660E+0			
94-Pu-245	0				1.080E+1	1.980E+1			
	293.6				1.080E+1	1.980E+1			
94-Pu-246	0	1.090E+1	1.080E+1	1.090E+1		9.640E+0			
	293.6	1.090E+1	1.080E+1	1.090E+1		9.680E+0			
94-Pu-247	0								
	293.6								
95-Am-239	0								
	293.6								
95-Am-240	0	1.130E+1		1.130E+1		9.190E+0			
	293.6	1.130E+1		1.130E+1		9.200E+0			
95-Am-241	0	1.180E+1	1.220E+1	1.180E+1	1.130E+1	1.180E+1			
	293.6	1.180E+1	1.230E+1	1.180E+1	1.130E+1	1.180E+1			
95-Am-242m	0	5.250E+0	5.250E+0	5.230E+0	5.250E+0	5.250E+0			
	293.6	5.270E+0	5.270E+0	5.240E+0	5.270E+0	5.270E+0			

TABLE II: Thermal elastic cross sections (continued).

Material	**T**	**ENDF/B**	**JEFF**	**JENDL**	**ROSFOND**	**CENDL**	**EAF**	**Atlas**	**Standards**
	(K)	(barns)	(barns)	(barns)	(barns)	(barns)	(barns)	(barns)	(barns)
95-Am-242	0	7.660E+0	7.660E+0	7.370E+0	7.660E+0	7.660E+0			
	293.6	7.680E+0	7.680E+0	7.390E+0	7.680E+0	7.680E+0			
95-Am-243	0	7.870E+0	7.460E+0	6.480E+0	7.460E+0	7.460E+0			
	293.6	7.880E+0	7.480E+0	6.490E+0	7.480E+0	7.480E+0			
95-Am-244m	0	1.160E+1	1.160E+1	1.120E+1					
	293.6	1.170E+1	1.170E+1	1.120E+1					
95-Am-244	0	1.160E+1	1.160E+1	1.120E+1	1.160E+1	7.660E+0			
	293.6	1.170E+1	1.170E+1	1.120E+1	1.170E+1	7.690E+0			
96-Cm-240	0	1.090E+1	1.310E+1	1.090E+1	1.310E+1				
	293.6	1.090E+1	1.310E+1	1.090E+1	1.310E+1				
96-Cm-241	0	1.060E+1	1.210E+1	1.060E+1	7.990E+0				
	293.6	1.060E+1	1.210E+1	1.060E+1	8.000E+0				
96-Cm-242	0	1.260E+1	1.160E+1	1.260E+1	1.170E+1				
	293.6	1.260E+1	1.160E+1	1.260E+1	1.170E+1				
96-Cm-243	0	8.840E+0	9.930E+0	8.840E+0	8.580E+0				
	293.6	8.850E+0	9.950E+0	8.850E+0	8.590E+0				
96-Cm-244	0	1.240E+1	6.980E+0	1.240E+1	1.130E+1			1.160E+1±7.000E-1	
	293.6	1.240E+1	7.000E+0	1.240E+1	1.140E+1				
96-Cm-245	0	1.020E+1	1.090E+1	1.020E+1	1.090E+1				
	293.6	1.030E+1	1.090E+1	1.030E+1	1.090E+1				
96-Cm-246	0	9.200E+0	9.210E+0	9.200E+0	9.210E+0			1.110E+1±2.000E-1	
	293.6	9.220E+0	9.230E+0		9.230E+0				
96-Cm-247	0	8.330E+0	8.780E+0	8.330E+0	7.950E+0				
	293.6	8.350E+0	8.790E+0	8.350E+0	7.970E+0				
96-Cm-248	0	6.980E+0	6.520E+0	6.980E+0	6.520E+0			7.650E+0±4.000E-1	
	293.6	6.990E+0	6.530E+0	6.990E+0	6.530E+0				
96-Cm-249	0	9.900E+0	9.180E+0	9.900E+0	9.280E+0				
	293.6	9.920E+0	9.200E+0	9.920E+0	9.300E+0				
96-Cm-250	0	1.090E+1	3.950E+1	1.090E+1	3.950E+1				
	293.6	1.090E+1	3.960E+1	1.090E+1	3.960E+1				
97-Bk-245	0	1.030E+1		1.030E+1					
	293.6	1.030E+1		1.030E+1					
97-Bk-246	0	1.020E+1		1.020E+1					
	293.6	1.020E+1		1.020E+1					
97-Bk-247	0	1.010E+1	1.230E+1	1.010E+1	1.230E+1				
	293.6	1.010E+1	1.240E+1	1.010E+1	1.240E+1				
97-Bk-248	0	1.010E+1		1.010E+1					
	293.6	1.010E+1		1.010E+1					
97-Bk-248m	0								
	293.6								
97-Bk-249	0	3.930E+0	3.930E+0	3.930E+0	7.830E+0	7.830E+0			
	293.6	3.940E+0	3.940E+0	3.940E+0	7.840E+0	7.840E+0			
97-Bk-250	0	9.700E+0	1.220E+1	9.700E+0	1.220E+1				
	293.6	9.720E+0	1.230E+1	9.720E+0	1.230E+1				
98-Cf-246	0	1.060E+1		1.060E+1					
	293.6	1.060E+1		1.060E+1					
98-Cf-248	0	1.060E+1		1.060E+1					
	293.6	1.060E+1		1.060E+1					
98-Cf-249	0	6.240E+0	6.220E+0	6.240E+0	6.220E+0	1.370E+1			
	293.6	6.250E+0	6.230E+0	6.250E+0	6.230E+0	1.380E+1			
98-Cf-250	0	2.250E+0	1.670E+2	2.250E+0	1.670E+2				
	293.6	2.250E+0	1.680E+2	2.250E+0	1.680E+2				
98-Cf-251	0	8.940E+0	1.210E+1	8.940E+0	7.600E+1				
	293.6	8.940E+0	1.210E+1	8.940E+0	7.610E+1				
98-Cf-252	0	1.100E+1	1.110E+1	1.100E+1	1.100E+1				
	293.6	1.110E+1	1.110E+1	1.110E+1	1.110E+1				
98-Cf-253	0	1.050E+1		1.050E+1	1.050E+1				
	293.6	1.050E+1		1.050E+1	1.050E+1				
98-Cf-254	0	1.070E+1	1.060E+1	1.070E+1	1.060E+1				
	293.6	1.070E+1	1.060E+1	1.070E+1	1.060E+1				
99-Es-250	0								
	293.6								
99-Es-251	0	9.900E+0		9.900E+0					
	293.6	9.920E+0		9.920E+0					
99-Es-252	0	1.030E+1		1.030E+1					
	293.6	1.030E+1		1.030E+1					
99-Es-253	0	7.120E+0	9.800E+0	7.120E+0	9.800E+0				
	293.6	7.130E+0	9.820E+0	7.130E+0	9.820E+0				
99-Es-254m	0	9.400E+0		9.400E+0					
	293.6	9.420E+0		9.420E+0					
99-Es-254	0	1.020E+1	1.060E+1	1.020E+1	1.060E+1				
	293.6	1.020E+1	1.060E+1	1.020E+1	1.060E+1				
99-Es-255	0	9.300E+0	1.060E+1	9.300E+0	1.060E+1				
	293.6	9.320E+0	1.060E+1	9.320E+0	1.060E+1				
99-Es-256m	0								
	293.6								
99-Es-257	0								
	293.6								
100-Fm-252	0								
	293.6								

TABLE II: Thermal elastic cross sections (continued).

Material	T (K)	ENDF/B (barns)	JEFF (barns)	JENDL (barns)	ROSFOND (barns)	CENDL (barns)	EAF (barns)	Atlas (barns)	Standards (barns)
100-Fm-253	0								
	293.6								
100-Fm-255	0	9.300E+0	1.060E+1	9.300E+0	1.060E+1				
	293.6	9.320E+0	1.060E+1	9.320E+0	1.060E+1				
100-Fm-257	0								
	293.6								

Thermal Fission Cross Sections

TABLE III: Thermal fission cross sections from ENDF/B-VII.1, JEFF-3.1.2, JENDL-4.0, ROSFOND-2010, CENDL-3.1, EAF-2010, Atlas of Neutron Resonances and Neutron Cross Section Standards [1, 2, 6–11].

Material	ENDF/B (barns)	JEFF (barns)	JENDL (barns)	ROSFOND (barns)	CENDL (barns)	EAF (barns)	Atlas (barns)	Standards (barns)
86-Rn-222				6.202E-6		1.000E-1		
88-Ra-223	7.003E-1	7.003E-1	7.003E-1	7.003E-1		7.000E-1		
88-Ra-224						1.800E-3		
88-Ra-225						1.000E+1		
88-Ra-226	7.002E-6	7.002E-6	7.002E-6	7.002E-6		7.000E-6		
88-Ra-228				2.001E+0		2.000E+0	<2	
89-Ac-225	5.003E-4		5.003E-4	1.801E-3		1.800E-3		
89-Ac-226	2.001E+0		2.001E+0	6.703E+2		8.000E+0		
89-Ac-227	1.000E-4	2.901E-4	1.000E-4	2.901E-4		2.904E-4	<0.00029	
89-Ac-228						1.000E-10		
90-Th-227	2.021E+2	2.021E+2	2.021E+2	2.086E+2		2.085E+2	2.020E+2±1.300E+1	
90-Th-228	1.501E-1	3.001E-1	1.501E-1	3.001E-1		3.000E-1	<0.3	
90-Th-229	3.092E+1	3.082E+1	3.092E+1	3.165E+1		3.086E+1	3.080E+1±1.500E+0	
90-Th-230	9.494E-3		9.494E-3			5.004E-4		
90-Th-231	4.001E+1		4.001E+1	1.000E+2		3.000E+0		
90-Th-232			5.371E-5		5.664E-5	5.369E-5	5.200E-5±4.000E-5	
90-Th-233	1.501E+1	1.501E+1	1.501E+1				1.500E+1±2.000E+0	
90-Th-234	5.002E-3		5.002E-3	1.000E-2		1.000E-2		
91-Pa-228						2.020E+2		
91-Pa-229	1.000E+0		1.000E+0	3.001E+0		6.000E+0		
91-Pa-230	1.500E+3		1.500E+3	1.509E+3		1.508E+3	1.500E+3±2.500E+2	
91-Pa-231	2.087E-2	1.039E-2	2.365E-2	1.965E-2		1.965E-2	2.000E-2±1.000E-3	
91-Pa-232	1.487E+3	1.517E+3	1.487E+3	1.517E+3		9.778E+2	1.502E+3±2.800E+1	
91-Pa-233			2.502E-6			1.000E-1	<0.1	
91-Pa-234						5.000E-2		
92-U -230	2.501E+1		2.501E+1	2.514E+1		2.513E+1	2.500E+1±1.000E+1	
92-U -231	2.501E+2		2.501E+2	2.607E+2		2.606E+2	4.000E+2±3.000E+2	
92-U -232	7.652E+1	7.709E+1	7.652E+1	7.709E+1	7.676E+1	7.672E+1	7.680E+1±4.800E+0	
92-U -233	5.314E+2	5.313E+2	5.313E+2	5.313E+2	5.313E+2	5.258E+2	5.291E+2±1.200E+0	531.22±1.328
92-U -234	6.710E-2	6.698E-2	6.702E-2	6.698E-2	2.986E-1	6.698E-2	6.700E-2±1.400E-2	
92-U -235	5.850E+2	5.850E+2	5.851E+2	5.851E+2	5.850E+2	5.832E+2	5.826E+2±1.100E+0	584.32585508±0.9933554
92-U -236	4.711E-2	6.131E-2	2.594E-4	4.711E-2	4.711E-2	4.685E-2	6.600E-2±1.300E-2	
92-U -237	1.702E+0	1.702E+0	1.702E+0	1.702E+0	1.702E+0	1.704E+0	<0.35	
92-U -238	1.680E-5	2.651E-5	1.680E-5	1.680E-5	1.178E-5	1.178E-5	3.000E-6	
92-U -239	1.425E+1				1.401E+1		1.400E+1±3.000E+0	
92-U -240	1.079E-3				4.648E-2	1.400E-1		
92-U -241	4.165E-1				2.472E+1	4.164E-1		
93-Np-234	2.001E+3		2.001E+3	9.052E+2		9.048E+2	9.000E+2±3.000E+2	
93-Np-235	5.302E+1	2.000E+1	5.302E+1	5.002E+0		2.000E+1		
93-Np-236	2.808E+3	2.771E+3	2.808E+3	3.011E+3	3.002E+3	3.011E+3	3.007E+3±9.000E+1	
93-Np-236m						6.305E+2		
93-Np-237	2.037E-2	1.801E-2	2.019E-2	2.147E-2	2.020E-2	1.803E-2	2.000E-2±1.000E-3	
93-Np-238	2.202E+3	2.027E+3	2.202E+3	2.071E+3	2.538E+3	2.063E+3	2.088E+3±3.000E+1	
93-Np-239	2.801E-2		2.801E-2	1.092E+0	1.000E+0	1.000E+0		
94-Pu-234						1.800E-5		
94-Pu-236	1.400E+2	1.649E+2	1.400E+2	1.649E+2	1.649E+2	1.648E+2	1.700E+2±3.500E+1	
94-Pu-237	2.296E+3	2.101E+3	2.296E+3	2.448E+3	2.358E+3	2.397E+3	2.455E+3±2.950E+2	
94-Pu-238	1.777E+1	1.789E+1	1.777E+1	1.789E+1	1.701E+1	1.728E+1	1.790E+1±4.000E-1	
94-Pu-239	7.479E+2	7.471E+2	7.474E+2	7.479E+2	7.471E+2	7.477E+2	7.481E+2±2.000E+0	750.00158246±1.800004
94-Pu-240	6.405E-2	5.917E-2	3.620E-2	5.916E-2	6.405E-2	5.915E-2	5.600E-2±3.000E-2	
94-Pu-241	1.012E+3	1.012E+3	1.012E+3	1.012E+3	1.013E+3	1.013E+3	1.011E+3±6.200E+0	1013.96±6.59074
94-Pu-242	1.382E-2	2.557E-3	2.436E-3	1.966E-3	1.043E-3	1.450E-2	<0.2	
94-Pu-243	1.814E+2	1.815E+2		1.814E+2	2.042E+2	1.814E+2	1.960E+2±1.600E+1	

TABLE III: Thermal fission cross sections (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
94-Pu-244	1.715E-3		1.715E-3	1.686E-3		1.685E-3		
94-Pu-245					2.098E+2	5.000E+0		
94-Pu-246	3.201E-3		3.201E-3		1.113E-5	3.700E-1		
94-Pu-247						8.190E+1		
95-Am-239						1.500E+1		
95-Am-240	1.500E+3		1.500E+3	2.829E+3	2.348E+3	2.500E+2		
95-Am-241	3.122E+0	3.151E+0	3.122E+0	3.139E+0	3.143E+0	3.177E+0	3.200E+0±9.000E-2	
95-Am-242m	6.400E+3	6.400E+3	6.401E+3	6.400E+3	6.400E+3	6.886E+3	6.200E+3±2.000E+2	
95-Am-242	2.095E+3	2.095E+3	2.421E+3	2.095E+3	2.095E+3	2.095E+3	2.100E+3±2.000E+2	
95-Am-243	8.134E-2	8.134E-2	8.158E-2	6.383E-2	6.442E-2	7.399E-2	1.983E-1±4.300E-3	
95-Am-244m	1.601E+3	1.601E+3	1.601E+3				1.600E+3±3.000E+2	
95-Am-244	2.301E+3	2.301E+3	2.301E+3	2.301E+3	2.302E+3	2.300E+3	2.300E+3±3.000E+2	
96-Cm-240	3.001E+1	9.754E+0	3.001E+1	9.754E+0		9.751E+0		
96-Cm-241	1.000E+3	2.601E+3	1.000E+3	5.502E+2		5.500E+2		
96-Cm-242	4.665E+0	5.065E+0	4.665E+0	5.002E+0		5.069E+0	<5	
96-Cm-243	5.873E+2	6.176E+2	5.874E+2	6.135E+2		6.134E+2	6.170E+2±2.000E+1	
96-Cm-244	1.022E+0	6.037E-1	1.022E+0	1.029E+0		1.038E+0	1.040E+0±2.000E-1	
96-Cm-245	2.054E+3	2.141E+3	2.054E+3	2.141E+3		2.001E+3	2.144E+3±5.800E+1	
96-Cm-246	4.401E-2	1.442E-1		1.442E-1		1.442E-1	1.400E-1±5.000E-2	
96-Cm-247	9.474E+1	8.178E+1	9.474E+1	1.113E+2		8.184E+1	8.190E+1±4.400E+0	
96-Cm-248	3.366E-1	3.702E-1	3.366E-1	3.717E-1		3.718E-1	3.700E-1±5.000E-2	
96-Cm-249	1.000E+1	1.023E+1	1.000E+1	1.026E+1		1.535E+1		
96-Cm-250	2.137E-2	2.089E-3	2.137E-2	2.089E-3		2.089E-3		
97-Bk-245	2.902E+0		2.902E+0	1.801E+1		8.000E-1		
97-Bk-246	1.801E+3		1.801E+3	3.086E+3		7.000E+2		
97-Bk-247	3.702E+0	9.195E+1	3.702E+0	9.195E+1		9.192E+1		
97-Bk-248	2.001E+3		2.001E+3	7.153E+2		7.150E+2		
97-Bk-248m						7.150E+2		
97-Bk-249	3.970E+0	3.970E+0	3.970E+0	3.994E+0	3.994E+0	3.975E+0		
97-Bk-250	9.805E+2	9.589E+2	9.805E+2	9.589E+2		9.590E+2	9.600E+2±1.500E+2	
98-Cf-246	1.401E+3		1.401E+3	1.901E+0		1.900E+0		
98-Cf-248	7.002E+2		7.002E+2	5.002E+1		5.006E+1		
98-Cf-249	1.673E+3	1.666E+3	1.673E+3	1.666E+3	1.634E+3	1.666E+3	1.642E+3±3.300E+1	
98-Cf-250	1.120E+2	4.091E+0	1.120E+2	4.091E+0		1.120E+2		
98-Cf-251	4.939E+3	5.323E+3	4.939E+3	4.934E+3		5.328E+3	4.895E+3±2.500E+2	
98-Cf-252	3.303E+1	3.218E+1	3.303E+1	3.303E+1		3.306E+1	3.200E+1±4.000E+0	
98-Cf-253	1.301E+3		1.301E+3	1.301E+3		1.137E+3	1.300E+3±2.400E+2	
98-Cf-254	2.001E+0	2.001E+0	2.001E+0	2.001E+0		2.001E+0		
99-Es-250						4.193E+2		
99-Es-251	4.303E+1		4.303E+1	1.000E+2		1.043E+1		
99-Es-252	2.001E+3		2.001E+3	4.802E+3		5.365E+2		
99-Es-253	2.502E+0		2.502E+0	1.856E+0		5.531E+2		
99-Es-254m	2.001E+3		2.001E+3	1.585E+3		1.584E+3	1.826E+3±8.000E+1	
99-Es-254	2.129E+3	1.967E+3	2.129E+3	2.101E+3		1.967E+3	1.970E+3±2.000E+2	
99-Es-255	5.004E-1	1.344E+1	5.004E-1	1.344E+1		1.344E+1		
99-Es-256m						6.840E+2		
99-Es-257						6.256E+2		
100-Fm-252				3.902E+1		1.742E-4		
100-Fm-253				4.002E+4		4.870E+2		
100-Fm-255	3.362E+3	3.361E+3	3.362E+3	3.361E+3		2.946E+3		
100-Fm-257				3.014E+3		3.013E+3		

Thermal Capture Cross Sections

TABLE IV: Thermal capture cross sections from ENDF/B-VII.1, JEFF-3.1.2, JENDL-4.0, ROSFOND-2010, CENDL-3.1, EAF-2010, Atlas of Neutron Resonances and Neutron Cross Section Standards [1, 2, 6–11].

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
1-H - 1	3.320E-1	3.320E-1	3.320E-1	3.320E-1	3.320E-1	3.320E-1	3.326E-1±7.000E-4	
1-H - 2	5.057E-4	5.057E-4	5.500E-4	5.190E-4	5.057E-4	5.057E-4	5.080E-4±1.500E-5	
1-H - 3							<0.000006	
2-He- 3	5.499E-5	3.100E-5	5.402E-5	2.201E-5	5.402E-5	5.402E-5	5.500E-5±3.000E-6	
2-He- 4								
3-Li- 6	3.850E-2	3.850E-2	3.849E-2	3.850E-2		3.853E-2	3.850E-2±3.000E-3	
3-Li- 7	4.540E-2	4.540E-2	4.540E-2	4.540E-2	4.540E-2	4.545E-2	4.540E-2±2.700E-3	
4-Be- 7						2.509E-2		

TABLE IV: Thermal capture cross sections (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
4-Be- 9	1.003E-2	8.774E-3	8.490E-3	8.600E-3	8.600E-3	7.524E-3	8.490E-3±3.400E-4	
4-Be- 10				1.045E-3		1.045E-3		
5-B - 10	4.999E-1	4.999E-1	5.000E-1	4.999E-1	4.999E-1	5.005E-1	3.050E-1±1.600E-2	
5-B - 11	5.500E-3	5.500E-3	5.075E-3	5.500E-3	5.500E-3	5.506E-3	5.500E-3±3.300E-3	
6-C-0	3.860E-3	3.367E-3	3.860E-3	3.367E-3			3.500E-3±7.000E-5	
6-C - 12					3.367E-3	3.437E-3	3.530E-3±7.000E-5	
6-C - 13				1.366E-3		1.370E-3	1.370E-3±4.000E-5	
6-C - 14				1.042E-6		1.000E-6	<0.000001	
7-N - 14	7.499E-2	7.499E-2	7.500E-2	7.499E-2	7.499E-2	7.506E-2	8.010E-2±6.000E-4	
7-N - 15	2.401E-5	2.401E-5	2.426E-5	2.433E-5		2.435E-5	2.400E-5±8.000E-6	
8-O - 16	1.900E-4	1.900E-4	1.899E-4	1.899E-4	1.900E-4	2.020E-4	1.900E-4±2.000E-5	
8-O - 17	3.829E-3	3.829E-3		5.378E-4		5.400E-4	5.380E-4±6.500E-5	
8- O- 18				1.542E-4		1.600E-4	1.600E-4±1.000E-5	
9-F - 19	9.578E-3	9.578E-3	9.570E-3	9.570E-3	9.578E-3	9.511E-3	9.510E-3±9.000E-5	
10-Ne- 20				3.690E-2		3.690E-2	3.700E-2±4.000E-3	
10-Ne- 21				6.661E-1		6.661E-1	6.660E-1±1.100E-1	
10-Ne- 22				4.551E-2		4.550E-2	4.550E-2±6.000E-3	
11-Na- 22	2.521E+2	2.521E+2		2.521E+2		2.524E+2		
11-Na- 23	5.280E-1	5.314E-1	5.314E-1	5.280E-1	5.314E-1	4.237E-1	5.170E-1±4.000E-3	
11-Na- 24						3.277E-2		
12-Mg- 24	5.029E-2	5.029E-2	5.029E-2	5.029E-2	5.029E-2	5.038E-2	5.380E-2±1.300E-3	
12-Mg- 25	1.904E-1	1.904E-1	1.904E-1	1.904E-1	1.904E-1	1.907E-1	1.990E-1±3.000E-3	
12-Mg- 26	3.831E-2	3.831E-2	3.831E-2	3.831E-2	3.831E-2	3.837E-2	3.840E-2±6.000E-4	
12-Mg- 28						2.291E-3		
13-Al- 26				1.559E-1		6.164E-1		
13-Al- 27	2.335E-1	2.335E-1	2.304E-1	2.335E-1	2.304E-1	2.335E-1	2.310E-1±3.000E-3	
14-Si- 28	1.691E-1	1.691E-1	1.691E-1	1.691E-1	1.691E-1	1.770E-1	1.770E-1±4.000E-3	
14-Si- 29	1.200E-1	1.015E-1	1.200E-1	1.200E-1	1.200E-1	1.016E-1	1.190E-1±3.000E-3	
14-Si- 30	1.071E-1	1.078E-1	1.071E-1	1.071E-1	1.071E-1	1.079E-1	1.070E-1±2.000E-3	
14-Si- 31						7.300E-2		
14-Si- 32				5.621E-3		1.161E-2	<0.50	
15-P - 31	1.694E-1	1.662E-1	1.662E-1	1.810E-1	1.749E-1	1.664E-1	1.650E-1±3.000E-3	
15-P - 32				2.823E-1		4.582E-1		
15-P - 33				1.500E-1		1.500E-1		
16-S - 0					5.113E-1		5.180E-1±1.400E-2	
16-S - 32	5.282E-1	5.282E-1	5.282E-1	5.282E-1		5.287E-1	5.180E-1±1.400E-2	
16-S - 33	3.501E-1	3.501E-1	3.501E-1	3.501E-1		3.504E-1	4.540E-1±2.500E-2	
16-S - 34	2.236E-1	2.236E-1	2.236E-1	2.236E-1		2.238E-1	2.560E-1±9.000E-3	
16-S - 35				1.946E-1		3.108E-1		
16-S - 36	1.505E-1	1.505E-1	1.505E-1	1.505E-1		1.505E-1	2.360E-1±6.000E-3	
17-Cl- 0					3.271E+1		3.310E+1±3.000E-1	
17-Cl- 35	4.361E+1	4.362E+1	4.360E+1	4.362E+1		4.363E+1	4.360E+1±4.000E-1	
17-Cl- 36				1.000E+1		1.000E+1	<10	
17-Cl- 37	4.331E-1	4.331E-1	4.329E-1	4.331E-1		4.333E-1	4.330E-1±6.000E-3	
18-Ar- 36	5.045E+0	5.045E+0		5.045E+0		5.046E+0	5.200E+0±5.000E-1	
18-Ar- 37				5.043E-1		4.179E-1		
18-Ar- 38	8.018E-1	8.018E-1		8.018E-1		8.024E-1	8.000E-1±2.000E-1	
18-Ar- 39				6.003E+2		6.000E+2	6.000E+2±3.000E+2	
18-Ar- 40	6.602E-1	6.602E-1	6.602E-1	6.602E-1		6.807E-1	6.600E-1±1.000E-2	
18-Ar- 41						5.000E-1		
18-Ar- 42				1.461E-1		1.461E-1		
19-K - 0					1.955E+0		2.100E+0±1.000E-1	
19-K - 39	2.127E+0	2.098E+0	2.098E+0	2.098E+0		2.101E+0	2.100E+0±1.000E-1	
19-K - 40	3.001E+1	3.001E+1	3.001E+1	3.001E+1		3.000E+1	3.000E+1±8.000E+0	
19-K - 41	1.461E+0	1.459E+0	1.459E+0	1.459E+0		1.461E+0	1.460E+0±3.000E-2	
19-K - 42						1.426E+0		
19-K - 43						1.183E+0		
20-Ca- 0					4.430E-1		4.300E-1±2.000E-2	
20-Ca- 40	4.076E-1	4.076E-1	4.076E-1	4.076E-1		4.083E-1	4.300E-1±2.000E-2	
20-Ca- 41				4.001E+0		4.000E+0	4.000E+0	
20-Ca- 42	6.831E-1	6.831E-1	6.831E-1	6.831E-1		6.840E-1	6.800E-1±7.000E-2	
20-Ca- 43	1.166E+1	1.166E+1	6.203E+0	1.166E+1		6.200E+0	6.200E+0±6.000E-1	
20-Ca- 44	8.886E-1	8.886E-1	8.886E-1	8.886E-1		8.816E-1	8.800E-1±5.000E-2	
20-Ca- 45				1.501E+1		1.500E+1	1.500E+1	
20-Ca- 46	7.404E-1	7.003E-1	7.403E-1	7.002E-1		7.000E-1	7.400E-1±7.000E-2	
20-Ca- 47				1.590E+0		7.111E-1		
20-Ca- 48	1.093E+0	1.093E+0	1.093E+0	1.093E+0		1.094E+0	1.090E+0±1.400E-1	
21-Sc- 44								
21-Sc- 44m						2.748E+0		
21-Sc- 45	2.716E+1	2.715E+1	2.715E+1	2.715E+1		2.716E+1	2.720E+1±2.000E-1	
21-Sc- 46				8.003E+0		8.000E+0	8.000E+0±1.000E+0	
21-Sc- 47				2.571E+0		2.570E+0		
21-Sc- 48				3.935E+0		3.933E+0		
22-Ti- 44				9.729E-1		9.726E-1		
22-Ti- 45						3.841E+0		
22-Ti- 46	5.897E-1	6.115E+0	5.897E-1	5.761E-1	5.761E-1	5.968E-1	5.900E-1±1.800E-1	
22-Ti- 47	1.626E+0	6.115E+0	1.626E+0	1.702E+0	1.702E+0	1.704E+0	1.630E+0±4.000E-2	
22-Ti- 48	8.318E+0	6.115E+0	8.328E+0	7.842E+0	7.842E+0	7.853E+0	8.320E+0±1.600E-1	
22-Ti- 49	1.863E+0	6.115E+0	1.863E+0	1.830E+0	1.830E+0	2.217E+0	1.870E+0±4.000E-2	
22-Ti- 50	1.795E-1	6.115E+0	1.795E-1	1.784E-1	1.784E-1	1.784E-1	1.790E-1±3.000E-3	

TABLE IV: Thermal capture cross sections (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
23-V-0		5.045E+0		5.058E+0	5.045E+0		5.040E+0±4.000E-3	
23-V - 48				4.456E+0		4.454E+0		
23-V - 49				4.066E+0		4.065E+0		
23-V - 50	4.468E+1		4.468E+1	4.001E+1		4.000E+1	4.500E+1±4.000E+0	
23-V - 51	4.919E+0		4.919E+0	5.058E+0		4.910E+0	4.940E+0±4.000E-2	
24-Cr- 48						2.154E+0		
24-Cr- 50	1.540E+1	1.593E+1	1.538E+1	1.593E+1	1.593E+1	1.597E+1	1.540E+1±2.000E-1	
24-Cr- 51				9.955E+0		9.951E+0		
24-Cr- 52	8.561E-1	7.601E-1	8.561E-1	7.601E-1	7.643E-1	7.639E-1	8.600E-1±2.000E-2	
24-Cr- 53	1.809E+1	1.807E+1	1.841E+1	1.807E+1	1.822E+1	1.824E+1	1.860E+1±6.000E-1	
24-Cr- 54	4.112E-1	3.601E-1	4.049E-1	3.427E-1	3.645E-1	3.682E-1	4.100E-1±4.000E-2	
25-Mn- 52				6.004E+1		6.001E+1		
25-Mn- 53				7.003E+1		7.000E+1	7.000E+1±1.000E+1	
25-Mn- 54				1.000E+1		1.000E+1	3.800E+1	
25-Mn- 55	1.328E+1	1.342E+1	1.328E+1	1.342E+1	1.342E+1	1.341E+1	1.336E+1±5.000E-2	
26-Fe- 52						1.745E+0		
26-Fe- 54	2.252E+0	2.252E+0	2.252E+0	2.252E+0	2.156E+0	2.254E+0	2.250E+0±1.800E-1	
26-Fe- 55				1.301E+1		1.300E+1		
26-Fe- 56	2.589E+0	2.586E+0	2.591E+0	2.591E+0	2.589E+0	2.591E+0	2.590E+0±1.400E-1	
26-Fe- 57	2.427E+0	2.463E+0	2.463E+0	2.427E+0	2.463E+0	2.429E+0	2.480E+0±3.000E-1	
26-Fe- 58	1.150E+0	1.315E+0	1.300E+0	1.150E+0	1.272E+0	1.150E+0	1.320E+0±3.000E-2	
26-Fe- 59			6.003E+0	1.301E+1		1.300E+1		
26-Fe- 60				7.362E-1		6.102E-1		
27-Co- 55						7.285E+0		
27-Co- 56				8.593E+0		8.589E+0		
27-Co- 57				5.052E+1		5.050E+1	5.100E+1±5.000E+0	
27-Co- 58	1.856E+3	1.709E+2		1.659E+2		1.651E+2	1.900E+3±2.000E+2	
27-Co- 58m	1.009E+5	1.009E+5				1.010E+5	1.400E+5±1.000E+4	
27-Co- 59	3.718E+1	3.718E+1	3.721E+1	3.721E+1	3.665E+1	3.723E+1	3.718E+1±6.000E-2	
27-Co- 60				2.001E+0		2.000E+0	2.000E+0±2.000E-1	
28-Ni- 56				5.025E+0		5.023E+0		
28-Ni- 57				7.513E+0		7.509E+0		
28-Ni- 58	4.227E+0	4.622E+0	4.621E+0	4.621E+0	4.622E+0	4.624E+0	4.370E+0±1.000E-1	
28-Ni- 59	8.077E+1	8.077E+1	7.560E+1	8.077E+1		8.082E+1	7.770E+1±4.100E+0	
28-Ni- 60	2.401E+0	2.764E+0	2.901E+0	2.764E+0	2.764E+0	2.764E+0	2.500E+0±6.000E-3	
28-Ni- 61	2.509E+0	2.499E+0	2.509E+0	2.499E+0	2.499E+0	2.501E+0	2.100E+0±4.000E-1	
28-Ni- 62	1.491E+1	1.442E+1	1.420E+1	1.442E+1	1.442E+1	1.421E+1	1.490E+1±3.000E-1	
28-Ni- 63				2.401E+1		2.400E+1	2.440E+1±3.000E+0	
28-Ni- 64	1.480E+0	1.518E+0	1.480E+0	1.518E+0	1.518E+0	1.481E+0	1.640E+0±4.000E-2	
28-Ni- 66				1.377E+0		8.714E-1		
29-Cu- 0					3.755E+0		3.780E+0±2.000E-2	
29-Cu- 63	4.470E+0	4.470E+0	4.507E+0	4.470E+0	4.470E+0	4.473E+0	4.500E+0±2.000E-2	
29-Cu- 64						2.711E+2		
29-Cu- 65	2.149E+0	2.149E+0	2.169E+0	2.149E+0	2.149E+0	2.151E+0	2.170E+0±3.000E-2	
29-Cu- 67				8.960E+0		8.956E+0		
30-Zn- 0		1.079E+0		1.079E+0	1.103E+0		1.110E+0±2.000E-2	
30-Zn- 62						2.811E+0		
30-Zn- 64	7.875E-1		7.875E-1	7.644E-1		7.642E-1	7.900E-1±2.000E-2	
30-Zn- 65	6.403E+1		6.403E+1	6.607E+1		6.604E+1		
30-Zn- 66	6.180E-1		6.180E-1	8.554E-1		8.550E-1	6.200E-1±6.000E-2	
30-Zn- 67	7.472E+0		7.472E+0	6.824E+0		6.821E+0	7.500E+0±1.000E+0	
30-Zn- 68	1.066E+0		1.066E+0	1.001E+0		1.001E+0	1.070E+0±1.000E-1	
30-Zn- 69m						4.910E+0		
30-Zn- 70	9.174E-2		9.174E-2	9.170E-2		9.166E-2	9.200E-2±5.000E-3	
30-Zn- 72				1.416E+0		1.170E+0		
31-Ga- 0		2.803E+0					2.890E+0±7.000E-2	
31-Ga- 66						1.322E+1		
31-Ga- 67				1.077E+1		1.076E+1		
31-Ga- 69	1.731E+0		2.201E+0	1.731E+0	2.208E+0	1.678E+0	1.750E+0±7.000E-2	
31-Ga- 71	4.731E+0		3.710E+0	4.731E+0	4.731E+0	4.712E+0	4.610E+0±1.500E-1	
31-Ga- 72						1.215E+1		
32-Ge- 0					2.229E+0		2.200E+0±4.000E-2	
32-Ge- 68				1.031E+0		5.158E+0	1.000E+0±5.000E-1	
32-Ge- 69				1.412E+1		1.411E+1		
32-Ge- 70	3.053E+0	2.936E+0	3.053E+0	3.053E+0	3.171E+0	3.231E+0	3.050E+0±1.300E-1	
32-Ge- 71				1.306E+1	6.803E+0	1.305E+1		
32-Ge- 72	8.859E-1	8.104E-1	8.859E-1	8.859E-1	9.505E-1	9.812E-1	8.900E-1±8.000E-2	
32-Ge- 73	1.471E+1	1.440E+1	1.471E+1	1.471E+1	1.441E+1	1.502E+1	1.470E+1±4.000E-1	
32-Ge- 74	5.190E-1	4.201E-1	5.190E-1	5.190E-1	5.303E-1	4.204E-1	5.200E-1±4.000E-2	
32-Ge- 75					2.517E+1			
32-Ge- 76	1.547E-1	1.501E-1	1.547E-1	1.547E-1	1.401E-1	1.422E-1	1.550E-1±1.000E-2	
32-Ge- 77					4.201E+1	4.611E+0		
32-Ge- 78					5.367E-2			
33-As- 71				1.417E+1		1.416E+1		
33-As- 72				2.302E+1		2.301E+1		
33-As- 73				1.475E+1		1.474E+1		
33-As- 74	1.168E+1			1.930E+1		1.929E+1		
33-As- 75	4.502E+0	4.302E+0	4.153E+0	4.502E+0	4.231E+0	4.504E+0	4.090E+0±8.000E-2	
33-As- 76				2.016E+1		2.015E+1		
33-As- 77				1.088E+1	4.229E+0	1.087E+1		

TABLE IV: Thermal capture cross sections (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
33-As- 79					4.226E+0			
34-Se- 72				7.290E+0		7.286E+0		
34-Se- 73						2.180E+1		
34-Se- 74	5.182E+1	5.168E+1	5.182E+1	5.182E+1		5.173E+1	5.220E+1±8.000E-1	
34-Se- 75				3.305E+2		3.304E+2		
34-Se- 76	8.502E+1	8.504E+1	8.502E+1	8.502E+1		8.511E+1	8.480E+1±5.200E+0	
34-Se- 77	4.201E+1	4.202E+1	4.101E+1	4.201E+1		4.205E+1	4.150E+1±4.200E+0	
34-Se- 78	4.301E-1	4.002E-1	4.301E-1	4.301E-1		4.005E-1	4.300E-1±2.000E-2	
34-Se- 79	5.002E+1	5.002E+1	5.002E+1	5.002E+1		1.095E+1		
34-Se- 80	6.102E-1	6.103E-1	6.102E-1	6.102E-1		6.108E-1	5.800E-1±4.000E-2	
34-Se- 82	4.442E-2	4.502E-2	4.421E-2	4.442E-2		4.441E-2	4.400E-2±3.000E-3	
35-Br- 76						2.620E+1		
35-Br- 77				1.966E+1		1.966E+1		
35-Br- 79	1.100E+1	1.111E+1	1.100E+1	1.100E+1		1.111E+1	1.032E+1±2.500E-1	
35-Br- 81	2.365E+0	2.776E+0	2.356E+0	2.365E+0		2.778E+0	2.360E+0±5.000E-2	
35-Br- 82				1.664E+1		1.663E+1		
36-Kr- 76						8.402E+0		
36-Kr- 78	6.356E+0	4.847E+0	4.732E+0	4.720E+0		4.851E+0	6.350E+0±9.000E-1	
36-Kr- 79				2.643E+1		2.642E+1		
36-Kr- 80	1.150E+1	1.174E+1	1.150E+1	1.150E+1		1.175E+1	1.150E+1±5.000E-1	
36-Kr- 81				2.006E+1		2.005E+1		
36-Kr- 82	1.917E+1	3.018E+1	1.908E+1	3.018E+1		2.100E+1	1.900E+1±4.000E+0	
36-Kr- 83	1.982E+2	1.982E+2	2.023E+2	1.799E+2	1.925E+2	2.078E+2	1.970E+2±1.000E+1	
36-Kr- 84	1.100E-1	8.291E-2	1.100E-1	1.100E-1	1.100E-1	8.296E-2	1.100E-1±1.500E-2	
36-Kr- 85	1.663E+0	1.661E+0	1.661E+0	1.663E+0	1.661E+0	1.662E+0	1.660E+0±2.000E-1	
36-Kr- 86	8.782E-4	6.147E-2	3.001E-3	3.001E-3	3.081E-3	8.780E-4	3.000E-3±2.000E-3	
37-Rb- 82m						3.317E+1		
37-Rb- 83				2.462E+1		2.461E+1		
37-Rb- 84				2.383E+1		2.382E+1		
37-Rb- 85	4.936E-1	4.765E-1	4.802E-1	4.936E-1	4.802E-1	4.769E-1	4.940E-1±7.000E-3	
37-Rb- 86	1.563E+0	4.902E+0	1.563E+0	1.563E+0		2.001E+1		
37-Rb- 87	1.200E-1	1.200E-1	1.200E-1	1.200E-1	1.200E-1	1.201E-1	1.160E-1±6.000E-3	
38-Sr- 82				1.507E+1		1.506E+1		
38-Sr- 83				2.942E+1		2.941E+1		
38-Sr- 84	8.222E-1	8.127E-1	8.277E-1	6.263E-1		8.132E-1	8.220E-1±1.200E-1	
38-Sr- 85				2.177E+1		2.176E+1		
38-Sr- 86	1.006E+0	2.841E+0	1.040E+0	1.040E+0		1.041E+0	1.040E+0±7.000E-2	
38-Sr- 87	1.601E+1	1.601E+1	1.704E+1	1.601E+1		1.602E+1	1.700E+1±3.000E+0	
38-Sr- 88	8.688E-3	5.803E-3	5.797E-3	8.688E-3	8.688E-3	5.806E-3	5.800E-3±4.000E-4	
38-Sr- 89	4.202E-1	4.202E-1	4.202E-1	4.202E-1	4.202E-1	4.205E-1	4.200E-1±4.000E-2	
38-Sr- 90	1.501E-2	9.004E-1	1.010E-2	1.000E-2	1.530E-2	9.701E-3	1.040E-3±1.400E-3	
38-Sr- 91						3.186E+0		
39-Y - 86						3.897E+1		
39-Y - 87				1.837E+1		1.836E+1		
39-Y - 87m						1.453E+1		
39-Y - 88				1.250E+1		1.250E+1		
39-Y - 89	1.279E+0	1.279E+0	1.284E+0	1.278E+0	1.282E+0	1.280E+0	1.280E+0±2.000E-2	
39-Y - 90	3.301E+0	3.502E+0	3.251E+0	3.502E+0		7.009E+0	<6.5	
39-Y - 91	1.401E+0	1.401E+0	1.401E+0	1.401E+0	1.408E+0	1.402E+0	1.400E+0±3.000E-1	
39-Y - 93						8.027E+0		
40-Zr- 86						1.614E+1		
40-Zr- 88				1.112E+1		1.111E+1		
40-Zr- 89				9.857E+0		9.852E+0		
40-Zr- 90	9.976E-3	1.113E-2	1.066E-2	7.712E-2	1.113E-2	1.108E-2	7.700E-2±1.600E-2	
40-Zr- 91	1.216E+0	1.203E+0	1.261E+0	8.327E-1	1.248E+0	1.165E+0	8.300E-1±8.000E-2	
40-Zr- 92	2.292E-1	2.292E-1	2.292E-1	2.599E-1	2.292E-1	2.192E-1	2.600E-1±8.000E-2	
40-Zr- 93	6.951E-1	6.951E-1	2.239E+0	6.951E-1	2.239E+0	2.239E+0	<4	
40-Zr- 94	4.988E-2	4.982E-2	5.069E-2	4.988E-2	4.982E-2	4.886E-2	4.940E-2±1.700E-3	
40-Zr- 95	1.201E+0	1.201E+0	1.201E+0	1.201E+0		2.252E-1		
40-Zr- 96	2.285E-2	2.281E-2	2.032E-2	2.285E-2	2.281E-2	2.301E-2	2.290E-2±1.000E-3	
40-Zr- 97						4.564E+0		
41-Nb- 90						1.510E+1		
41-Nb- 91m				6.451E+0		6.448E+0		
41-Nb- 91				6.451E+0		6.448E+0		
41-Nb- 92m				1.179E+1		1.179E+1		
41-Nb- 92				1.179E+1		1.179E+1		
41-Nb- 93m				1.156E+0		1.156E+0		
41-Nb- 93	1.156E+0	1.156E+0	1.142E+0	1.125E+0	1.149E+0	1.156E+0	1.150E+0±5.000E-2	
41-Nb- 94	1.577E+1	1.577E+1	1.577E+1	1.577E+1		1.362E+1	1.490E+1±1.000E+0	
41-Nb- 95m				1.771E+0		1.771E+0		
41-Nb- 95	7.003E+0	7.003E+0	7.003E+0	7.003E+0	7.209E+0	7.000E+0	<7	
41-Nb- 96				1.724E+1		1.723E+1		
42-Mo- 92	7.989E-2	2.076E-2	6.135E-2	2.076E-2	2.076E-2	2.075E-2	8.000E-2±2.000E-2	
42-Mo- 93				9.736E+0		9.731E+0		
42-Mo- 93m						8.839E+0		
42-Mo- 94	3.404E-1	1.311E-2	3.392E-1	3.404E-1	3.404E-1	1.322E-2	3.400E-1±6.000E-2	
42-Mo- 95	1.340E+1	1.357E+1	1.360E+1	1.357E+1	1.357E+1	1.401E+1	1.340E+1±3.000E-1	
42-Mo- 96	5.956E-1	5.956E-1	4.470E-1	5.956E-1	5.956E-1	5.064E-1	5.000E-1±2.000E-1	
42-Mo- 97	2.197E+0	2.197E+0	2.488E+0	2.197E+0	2.197E+0	2.143E+0	2.200E+0±2.000E-1	
42-Mo- 98	1.300E-1	1.300E-1	1.321E-1	1.300E-1	1.300E-1	1.291E-1	1.300E-1±6.000E-3	

TABLE IV: Thermal capture cross sections (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
42-Mo- 99	8.004E+0	8.004E+0	8.004E+0	8.004E+0		1.259E+1		
42-Mo-100	1.991E-1	1.991E-1	1.938E-1	1.991E-1	1.991E-1	1.987E-1	1.990E-1±3.000E-3	
43-Tc- 95						1.409E+1		
43-Tc- 95m				1.410E+1		1.409E+1		
43-Tc- 96				2.356E+1		2.354E+1		
43-Tc- 97m				1.848E+1		1.847E+1		
43-Tc- 97				1.848E+1		1.847E+1		
43-Tc- 98				9.304E-1		9.300E-1	9.300E-1±2.000E-1	
43-Tc- 99	2.001E+1	2.101E+1	2.360E+1	2.274E+1	1.965E+1	1.966E+1	2.280E+1±1.300E+0	
43-Tc- 99m						2.290E+1		
44-Ru- 96	2.901E-1	2.487E-1	2.711E-1	2.901E-1		2.489E-1	2.900E-1±2.000E-2	
44-Ru- 97				1.875E+1		1.874E+1		
44-Ru- 98	8.004E+0	7.959E+0	4.002E+0	8.004E+0		7.964E+0	<8	
44-Ru- 99	7.312E+0	7.103E+0	7.312E+0	7.312E+0	7.124E+0	7.108E+0	7.240E+0±1.000E+0	
44-Ru-100	5.792E+0	5.792E+0	5.842E+0	5.023E+0	5.023E+0	5.790E+0	5.800E+0±4.000E-1	
44-Ru-101	5.226E+0	3.415E+0	5.232E+0	3.360E+0	3.415E+0	3.417E+0	5.200E+0±3.000E-1	
44-Ru-102	1.270E+0	1.270E+0	1.475E+0	1.270E+0	1.270E+0	1.270E+0	1.270E+0±4.000E-2	
44-Ru-103	1.172E+0	1.172E+0	9.554E+0	1.172E+0	1.172E+0	1.172E+0	1.200E+0	
44-Ru-104	4.716E-1	4.716E-1	4.691E-1	4.716E-1	4.716E-1	4.715E-1	4.910E-1±1.000E-2	
44-Ru-105	3.867E-1	3.867E-1	3.902E-1		3.867E-1	2.003E-1	3.900E-1±6.000E-2	
44-Ru-106	1.461E-1	1.461E-1	1.451E-1	1.461E-1		1.462E-1	1.460E-1±4.500E-2	
45-Rh- 99				2.737E+1		2.736E+1		
45-Rh- 99m						2.736E+1		
45-Rh-100						3.950E+1		
45-Rh-101				2.942E+1		2.941E+1		
45-Rh-101m				2.942E+1		2.941E+1		
45-Rh-102				4.836E+1		4.834E+1		
45-Rh-102m				4.836E+1		4.834E+1		
45-Rh-103	1.421E+2	1.427E+2	1.332E+2	1.451E+2	1.467E+2	1.464E+2	1.435E+2±1.500E+0	
45-Rh-105	1.583E+4	1.583E+4	1.583E+4	1.583E+4	1.583E+4	1.100E+4	1.100E+4±3.000E+3	
46-Pd-100				1.546E+1		1.746E+1		
46-Pd-101						2.972E+1		
46-Pd-102	1.822E+0	3.365E+0	1.821E+0	1.822E+0		1.821E+0	1.820E+0±2.000E-1	
46-Pd-103				3.604E+1		3.602E+1		
46-Pd-104	6.488E-1	6.488E-1	6.243E-1	6.488E-1		3.154E-1	6.500E-1±3.000E-1	
46-Pd-105	2.088E+1	2.088E+1	2.044E+1	2.088E+1	2.103E+1	2.025E+1	2.100E+1±1.500E+0	
46-Pd-106	3.083E-1	3.083E-1	3.171E-1	3.083E-1		3.007E-1	3.050E-1±3.000E-2	
46-Pd-107	2.008E+0	2.008E+0	9.243E+0	2.008E+0		1.807E+0	2.540E+0±2.000E-1	
46-Pd-108	8.481E+0	8.481E+0	8.046E+0	8.481E+0	8.481E+0	7.362E+0	8.480E+0±5.000E-1	
46-Pd-109						2.099E+1		
46-Pd-110	2.291E-1	2.271E-1	2.256E-1	2.292E-1		2.273E-1	7.300E-1±1.700E-1	
46-Pd-112						6.410E+0		
47-Ag- 0					6.365E+1		6.330E+1±4.000E-1	
47-Ag-105				4.488E+1		4.486E+1		
47-Ag-106m				5.708E+1		5.705E+1		
47-Ag-107	3.761E+1	3.762E+1	3.765E+1	3.761E+1	3.863E+1	3.764E+1	3.760E+1±1.200E+0	
47-Ag-108m				5.073E+1		5.071E+1		
47-Ag-109	9.026E+1	9.074E+1	9.026E+1	9.087E+1	9.057E+1	9.064E+1	9.100E+1±1.000E+0	
47-Ag-110m	8.233E+1	8.200E+1	8.200E+1	8.233E+1		8.230E+1	8.200E+1±1.100E+1	
47-Ag-111	2.999E+0	3.001E+0	3.001E+0	2.997E+0		3.000E+0	3.000E+0±2.000E+0	
48-Cd- 0					2.519E+3			
48-Cd-106	9.859E-1	1.118E+0	9.698E-1	1.004E+0		1.004E+0	∼1	
48-Cd-107						2.512E+1		
48-Cd-108	9.060E-1	1.101E+0	7.868E-1	7.975E-1		1.088E+0	7.200E-1±1.300E-1	
48-Cd-109				1.821E+2		1.820E+2	7.000E+2±1.000E+2	
48-Cd-110	1.100E+1	1.101E+1	1.106E+1	1.105E+1		1.111E+1	1.100E+1±1.000E+0	
48-Cd-111	6.868E+0	2.403E+1	7.133E+0	6.890E+0		2.373E+1	6.900E+0±8.000E-1	
48-Cd-112	2.199E+0	2.196E+0	2.193E+0	2.197E+0		2.200E+0	2.200E+0±5.000E-1	
48-Cd-113	1.996E+4	2.072E+4	2.017E+4	2.072E+4	2.072E+4	2.074E+4	2.062E+4±4.000E+2	
48-Cd-113m				2.084E+4		2.074E+4		
48-Cd-114	3.055E-1	3.361E-1	3.405E-1	3.361E-1		3.364E-1	3.300E-1±1.800E-2	
48-Cd-115				3.103E+1		2.098E+1		
48-Cd-115m	5.002E+0	3.101E+1		5.002E+0		2.098E+1		
48-Cd-116	7.618E-2	7.500E-2	7.486E-2	7.504E-2		7.694E-2	7.500E-2±1.000E-2	
49-In-111				4.312E+1		4.310E+1		
49-In-113	1.213E+1	1.207E+1	1.209E+1	1.207E+1	1.207E+1	1.204E+1	1.200E+1±1.100E+0	
49-In-114m				3.931E+1		3.929E+1		
49-In-115	2.023E+2	2.012E+2	2.012E+2	2.023E+2	2.012E+2	2.050E+2	2.020E+2±2.000E+0	
50-Sn- 0					5.991E-1		6.030E-1±9.000E-3	
50-Sn-112	8.503E-1	1.009E+0	8.607E-1	8.503E-1	1.009E+0	7.316E-1	8.500E-1±4.000E-2	
50-Sn-113	8.869E+0			8.814E+0		9.165E+0	8.800E+0±1.200E+0	
50-Sn-114	1.253E-1	1.253E-1	1.253E-1	1.253E-1	1.253E-1	1.254E-1	1.250E-1±3.000E-2	
50-Sn-115	5.802E+1	2.986E+1	5.822E+1	5.802E+1	2.986E+1	2.985E+1	5.800E+1±8.000E+0	
50-Sn-116	1.277E-1	1.277E-1	1.251E-1	1.277E-1	1.277E-1	1.205E-1	1.300E-1±4.000E-2	
50-Sn-117	1.071E+0	2.174E+0	1.080E+0	1.071E+0	2.174E+0	1.100E+0	1.070E+0±5.000E-2	
50-Sn-117m				2.600E+0		2.601E+0		
50-Sn-118	2.198E-1	2.179E-1	2.156E-1	2.198E-1	2.179E-1	2.181E-1	2.200E-1±5.000E-2	
50-Sn-119	2.175E+0	2.177E+0	2.176E+0	2.175E+0	2.177E+0	2.174E+0	2.190E+0±6.000E-2	
50-Sn-119m				2.302E+0		2.302E+0		

TABLE IV: Thermal capture cross sections (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
50-Sn-120	1.396E-1	1.392E-1	1.430E-1	1.396E-1	1.392E-1	1.412E-1	1.400E-1±3.000E-2	
50-Sn-121				1.681E+1		1.680E+1		
50-Sn-121m				1.681E+1		1.680E+1		
50-Sn-122	1.461E-1	1.837E-1	1.396E-1	1.461E-1	1.837E-1	1.812E-1	1.460E-1±8.000E-3	
50-Sn-123	3.001E+0	3.301E-2	3.001E+0	3.001E+0		1.171E+1		
50-Sn-124	1.338E-1	1.355E-1	1.357E-1	1.338E-1	1.355E-1	1.350E-1	1.340E-1±6.000E-3	
50-Sn-125	1.503E-1	5.502E-1		2.200E+5		7.249E+0		
50-Sn-126	9.004E-2	3.001E-1	9.004E-2	9.004E-2		2.091E+0		
51-Sb-119				2.701E+1		2.700E+1		
51-Sb-120m				4.287E+1		4.285E+1		
51-Sb-121	5.773E+0	5.994E+0	5.994E+0	5.773E+0	5.994E+0	5.920E+0	5.770E+0±1.100E-1	
51-Sb-122				3.337E+1		3.335E+1		
51-Sb-123	3.875E+0	4.188E+0	4.188E+0	3.875E+0	4.198E+0	4.060E+0	3.940E+0±1.200E-1	
51-Sb-124	1.741E+1	6.503E+0	1.741E+1	1.741E+1		1.719E+1	1.740E+1±2.800E+0	
51-Sb-125	5.002E+0	1.000E+0	5.002E+0	5.002E+0	2.301E+0	1.244E+1		
51-Sb-126	1.300E+1	5.803E+0	1.741E+1	1.300E+1		1.847E+1		
51-Sb-127				1.528E+1		1.527E+1		
51-Sb-128						1.074E+1		
52-Te-118				2.098E+1		2.097E+1		
52-Te-119						4.280E+1		
52-Te-119m				4.282E+1		4.280E+1		
52-Te-120	2.341E+0	2.288E+0	2.341E+0	2.341E+0		2.250E+0	2.000E+0±3.000E-1	
52-Te-121m				3.402E+1		3.400E+1		
52-Te-121				3.402E+1		3.400E+1		
52-Te-122	3.273E+0	2.801E+0	4.009E+0	3.376E+0		3.400E+0	3.900E+0±4.000E-1	
52-Te-123m				4.103E+2		4.103E+2		
52-Te-123	4.183E+2	4.100E+2	4.184E+2	4.184E+2		4.103E+2	4.180E+2±3.000E+1	
52-Te-124	6.325E+0	6.803E+0	6.786E+0	6.786E+0		6.808E+0	6.300E+0±7.000E-1	
52-Te-125m				1.552E+0		1.552E+0		
52-Te-125	1.287E+0	1.551E+0	1.293E+0	1.548E+0		1.552E+0	1.290E+0±1.600E-1	
52-Te-126	4.423E-1	1.035E+0	4.401E-1	1.035E+0		9.200E-1	4.400E-1±6.000E-2	
52-Te-127						3.380E+3		
52-Te-127m	3.381E+3	9.404E+0	3.381E+3	3.381E+3		3.380E+3		
52-Te-128	2.000E-1	2.150E-1	1.861E-1	2.000E-1		2.152E-1	2.000E-1±8.000E-3	
52-Te-129						9.298E+0		
52-Te-129m	1.601E+3	1.100E+0	1.601E+3	1.601E+3		9.298E+0		
52-Te-130	1.952E-1	2.901E-1	1.862E-1	1.952E-1	1.952E-1	2.903E-1	1.950E-1±1.000E-2	
52-Te-131m				1.289E+1		1.288E+1		
52-Te-132	1.249E-1	2.001E-3	1.951E-1	1.249E-1		1.466E+0		
53-I -123						3.224E+1		
53-I -124				4.334E+1		4.334E+1		
53-I -125				8.944E+2		9.000E+2	8.940E+2±9.000E+1	
53-I -126				6.192E+3		6.192E+3	5.960E+3	
53-I -127	6.146E+0	5.801E+0	6.403E+0	6.146E+0	6.202E+0	6.199E+0	6.150E+0±6.000E-2	
53-I-128						2.200E+1		
53-I -129	3.041E+1	3.253E+1	3.032E+1	3.041E+1	2.701E+1	3.393E+1	3.030E+1±1.200E+0	
53-I -130	1.745E+1	1.801E+1	1.801E+1			1.800E+1	1.800E+1±3.000E+0	
53-I -131	8.003E+1	8.003E+1	8.003E+1	8.003E+1		7.000E-1	8.000E+1±5.000E+1	
53-I -133						9.688E+0		
53-I -135	8.003E+1	8.003E+1	8.004E+1	8.003E+1	8.003E+1	8.445E-1		
54-Xe-122						1.914E+1		
54-Xe-123	8.256E+1				3.010E+0			
54-Xe-124	1.502E+2	1.646E+2	1.484E+2	1.502E+2	1.502E+2	1.647E+2	1.500E+2±2.000E+1	
54-Xe-125						3.394E+1		
54-Xe-126	3.487E+0	2.201E+0	4.273E+0	3.487E+0		3.450E+0	3.500E+0±8.000E-1	
54-Xe-127				3.140E+1		3.139E+1		
54-Xe-128	5.192E+0	5.192E+0	5.204E+0	5.192E+0		5.365E+0	5.200E+0±1.300E+0	
54-Xe-129m				1.802E+1		1.802E+1		
54-Xe-129	2.101E+1	2.101E+1	2.201E+1	2.101E+1	2.101E+1	1.802E+1	2.100E+1±3.000E+0	
54-Xe-130	4.779E+0	4.779E+0	4.811E+0	4.779E+0		6.206E+0	4.800E+0±1.200E+0	
54-Xe-131m				8.505E+1		8.506E+1		
54-Xe-131	9.003E+1	8.500E+1	9.968E+1	8.505E+1	1.000E+2	8.506E+1	8.700E+1±1.000E+1	
54-Xe-132	4.507E-1	4.507E-1	4.451E-1	4.501E-1	4.507E-1	4.505E-1	4.500E-1±6.000E-2	
54-Xe-133m				1.902E+2		1.900E+2		
54-Xe-133	1.901E+2	1.901E+2	1.901E+2	1.901E+2		1.900E+2	1.900E+2±9.000E+1	
54-Xe-134	2.649E-1	2.649E-1	2.651E-1	2.649E-1	2.649E-1	2.648E-1	2.650E-1±2.000E-2	
54-Xe-135	2.665E+6	2.654E+6	2.778E+6	2.654E+6	2.665E+6	2.667E+6	2.650E+6±1.100E+5	
54-Xe-136	2.607E-1	2.607E-1	1.300E-1	2.601E-1	2.607E-1	2.602E-1	2.600E-1±2.000E-2	
55-Cs-127						4.824E+1		
55-Cs-129				3.089E+1		3.088E+1		
55-Cs-131				2.708E+1		2.707E+1		
55-Cs-132				3.705E+1		3.704E+1		
55-Cs-133	2.906E+1	2.901E+1	2.890E+1	2.901E+1	2.901E+1	2.900E+1	3.030E+1±1.100E+0	
55-Cs-134	1.397E+2	1.397E+2	1.406E+2	1.397E+2	1.397E+2	1.395E+2	1.400E+2±1.200E+1	
55-Cs-135	8.663E+0	8.663E+0	8.302E+0	8.663E+0	8.704E+0	8.660E+0	8.300E+0±3.000E-1	
55-Cs-136	1.301E+1	1.301E+0	1.301E+1	1.301E+1		1.302E+0		
55-Cs-137	2.501E-1	2.501E-1	2.701E-1	2.501E-1		1.416E-1	2.700E-1±3.000E-2	
56-Ba-128				1.616E+1		1.615E+1		
56-Ba-129						3.417E+1		
56-Ba-130	8.680E+0	1.130E+1	8.701E+0	8.680E+0	8.680E+0	1.129E+1	8.700E+0±9.000E-1	

TABLE IV: Thermal capture cross sections (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
56-Ba-131				2.601E+1		2.600E+1		
56-Ba-132	6.531E+0	7.003E+0	7.003E+0	6.531E+0	6.509E+0	1.054E+1	6.500E+0±8.000E-1	
56-Ba-133m				2.204E+1		2.203E+1		
56-Ba-133	2.814E+0			2.814E+0		4.003E+0	4.200E+0±1.500E+0	
56-Ba-134	1.504E+0	1.504E+0	1.501E+0	1.504E+0	2.003E+0	2.161E+0	1.500E+0±3.000E-1	
56-Ba-135	5.872E+0	5.798E+0	5.798E+0	5.819E+0	5.608E+0	5.814E+0	5.800E+0±9.000E-1	
56-Ba-135m				5.872E+0		5.821E+0		
56-Ba-136	6.796E-1	4.002E-1	6.805E-1	6.796E-1	6.804E-1	4.500E-1	6.800E-1±1.700E-1	
56-Ba-137	3.597E+0	5.123E+0	3.601E+0	3.597E+0	3.802E+0	5.106E+0	3.600E+0±2.000E-1	
56-Ba-138	4.035E-1	3.592E-1	4.044E-1	4.035E-1	4.103E-1	3.591E-1	4.040E-1±4.000E-2	
56-Ba-139						4.996E+0		
56-Ba-140	1.595E+0	1.595E+0	1.601E+0	1.595E+0		1.596E+0	1.600E+0±3.000E-1	
57-La-135						2.712E+1		
57-La-137				1.922E+1		1.921E+1		
57-La-138	5.710E+1	5.710E+1	5.708E+1	5.710E+1		5.720E+1	5.720E+1±5.700E+0	
57-La-139	9.042E+0	9.042E+0	8.940E+0	9.042E+0	9.042E+0	8.940E+0	9.040E+0±4.000E-2	
57-La-140	2.704E+0	2.701E+0	2.701E+0	2.704E+0		2.700E+0	2.700E+0±3.000E-1	
57-La-141						1.418E+1		
58-Ce-134				2.104E+1		2.103E+1		
58-Ce-135						4.720E+1		
58-Ce-136	7.458E+0			7.458E+0	7.458E+0	6.268E+0	7.450E+0±1.000E+0	
58-Ce-137						3.646E+1		
58-Ce-137m				2.880E+1		2.879E+1		
58-Ce-138	1.037E+0			1.037E+0	1.116E+0	1.018E+0	1.020E+0±2.400E-1	
58-Ce-139	5.001E+2			5.001E+2		5.027E+2	5.000E+2	
58-Ce-140	5.775E-1	5.746E-1	5.704E-1	5.775E-1	5.698E-1	5.750E-1	5.800E-1±2.000E-2	
58-Ce-141	2.901E+1	2.901E+1	2.902E+1	2.901E+1	2.913E+1	2.900E+1	2.900E+1±3.000E+0	
58-Ce-142	9.650E-1	9.650E-1	9.612E-1	9.650E-1	9.715E-1	1.005E+0	9.700E-1±2.000E-2	
58-Ce-143	6.003E+0	6.003E+0	6.003E+0	6.003E+0		6.100E+0	6.000E+0±7.000E-1	
58-Ce-144	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.129E+0	1.000E+0±1.000E-1	
59-Pr-141	1.151E+1	1.151E+1	1.148E+1	1.151E+1	1.151E+1	1.149E+1	1.150E+1±3.000E-1	
59-Pr-142	2.001E+1	2.001E+1				2.000E+1	2.000E+1±3.000E+0	
59-Pr-143	8.989E+1	8.989E+1	9.006E+1	8.989E+1		9.000E+1	9.000E+1±1.000E+1	
60-Nd-140				1.440E+1		1.439E+1		
60-Nd-141						1.663E+1		
60-Nd-142	1.870E+1	1.864E+1	1.871E+1	1.870E+1	1.871E+1	1.865E+1	1.870E+1±7.000E-1	
60-Nd-143	3.252E+2	3.360E+2	3.251E+2	3.252E+2	3.231E+2	3.232E+2	3.250E+2±1.000E+1	
60-Nd-144	3.595E+0	3.595E+0	3.626E+0	3.604E+0	3.604E+0	3.586E+0	3.600E+0±3.000E-1	
60-Nd-145	4.200E+1	4.186E+1	4.945E+1	4.984E+1	4.386E+1	4.189E+1	5.000E+1±1.000E+0	
60-Nd-146	1.490E+0	1.490E+0	1.490E+0	1.490E+0	1.400E+0	1.401E+0	1.490E+0±6.000E-2	
60-Nd-147	4.407E+2	4.407E+2	1.435E+2	4.400E+2	4.401E+2	4.403E+2	4.400E+2±1.500E+2	
60-Nd-148	2.585E+0	2.501E+0	2.582E+0	2.585E+0	2.582E+0	2.503E+0	2.580E+0±7.000E-2	
60-Nd-149						3.859E+1		
60-Nd-150	1.041E+0	1.187E+0	1.041E+0	1.041E+0	1.031E+0	1.188E+0	1.040E+0±4.000E-2	
61-Pm-143				1.507E+1		1.506E+1		
61-Pm-144				3.540E+1		3.538E+1		
61-Pm-145				2.916E+1		2.915E+1		
61-Pm-146				8.876E+3		8.871E+3	8.400E+3±1.680E+3	
61-Pm-147	1.677E+2	1.684E+2	1.677E+2	1.010E+2	1.677E+2	1.800E+2	1.684E+2±3.500E+0	
61-Pm-148m	1.067E+4	1.067E+4	1.065E+4	1.067E+4	1.067E+4	1.068E+4	1.060E+4±1.000E+3	
61-Pm-148	2.001E+3	2.001E+3	2.001E+3	2.001E+3		1.007E+3	2.000E+3±1.000E+3	
61-Pm-149	1.401E+3	1.401E+3	1.401E+3	1.401E+3		1.479E+3	1.400E+3±3.000E+2	
61-Pm-150						1.061E+2		
61-Pm-151	1.501E+2	1.501E+2	5.002E+2	7.003E+2		1.500E+2	<700	
62-Sm-144	1.631E+0	1.631E+0	1.641E+0	1.641E+0	1.641E+0	1.600E+0	1.640E+0±1.000E-1	
62-Sm-145				2.810E+2		2.809E+2	2.800E+2±2.100E+1	
62-Sm-146				1.469E+1		1.468E+1		
62-Sm-147	5.700E+1	5.719E+1	5.703E+1	5.001E+1	5.802E+1	5.724E+1	5.700E+1±3.000E+0	
62-Sm-148	2.401E+0	2.401E+0	2.389E+0	2.401E+0	2.414E+0	2.400E+0	2.400E+0±6.000E-1	
62-Sm-149	4.051E+4	4.172E+4	4.054E+4	4.052E+4	4.053E+4	4.048E+4	4.014E+4±6.000E+2	
62-Sm-150	1.000E+2	1.034E+2	1.009E+2	1.003E+2	1.086E+2	1.034E+2	1.000E+2±4.000E+0	
62-Sm-151	1.514E+4	1.519E+4	1.516E+4	1.514E+4	1.513E+4	1.519E+4	1.517E+4±3.000E+2	
62-Sm-152	2.060E+2	2.060E+2	2.059E+2	2.060E+2	2.067E+2	2.062E+2	2.060E+2±6.000E+0	
62-Sm-153	4.202E+2	4.202E+2	4.202E+2	4.202E+2		4.223E+2		
62-Sm-154	8.325E+0	8.325E+0	8.395E+0	8.395E+0	8.395E+0	8.408E+0	8.300E+0±5.000E-1	
62-Sm-156						1.418E+1		
63-Eu-145				2.171E+1		2.170E+1		
63-Eu-146				4.627E+1		4.625E+1		
63-Eu-147				3.874E+1		3.872E+1		
63-Eu-148				6.980E+1		6.977E+1		
63-Eu-149				5.288E+1		5.286E+1		
63-Eu-150				9.059E+1		9.055E+1		
63-Eu-150m						9.055E+1		
63-Eu-151	9.185E+3	9.167E+3	9.169E+3	9.168E+3	9.185E+3	9.176E+3	9.200E+3±1.000E+2	
63-Eu-152	1.280E+4	1.275E+4	1.275E+4	1.280E+4		1.280E+4	1.280E+4±6.000E+2	
63-Eu-152m						6.800E+4		
63-Eu-153	3.580E+2	3.127E+2	3.127E+2	3.125E+2	3.127E+2	2.999E+2	3.120E+2±7.000E+0	
63-Eu-154	1.353E+3	1.356E+3	1.353E+3	1.353E+3	1.353E+3	1.845E+3	1.340E+3±1.300E+2	
63-Eu-155	3.761E+3	3.758E+3	3.761E+3	3.761E+3	3.761E+3	3.763E+3	3.950E+3±1.250E+2	
63-Eu-156	1.000E+2	1.000E+2	5.192E+3	1.000E+2		5.275E+1		

TABLE IV: Thermal capture cross sections (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
63-Eu-157	1.108E+2	1.108E+2	4.052E+3			3.477E+1		
64-Gd-146				1.404E+1		1.403E+1		
64-Gd-147				3.967E+1		3.965E+1		
64-Gd-148				2.484E+1		1.478E+4	1.400E+4±1.400E+3	
64-Gd-149				5.344E+1		5.342E+1		
64-Gd-150				3.139E+1		3.138E+1		
64-Gd-151				7.648E+1		7.645E+1		
64-Gd-152	7.351E+2	1.056E+3	7.351E+2	7.351E+2	1.056E+3	1.057E+3	7.350E+2±2.000E+1	
64-Gd-153	2.232E+4		2.217E+4	2.233E+4		2.033E+4	2.231E+4±3.000E+2	
64-Gd-154	8.521E+1	8.504E+1	8.506E+1	8.520E+1	8.501E+1	8.511E+1	8.500E+1±1.200E+1	
64-Gd-155	6.074E+4	6.074E+4	6.074E+4	6.074E+4	6.074E+4	6.079E+4	6.090E+4±5.000E+2	
64-Gd-156	1.795E+0	1.536E+0	1.827E+0	1.795E+0	1.636E+0	1.537E+0	1.800E+0±7.000E-1	
64-Gd-157	2.529E+5	2.533E+5	2.533E+5	2.538E+5	2.537E+5	2.534E+5	2.540E+5±8.150E+2	
64-Gd-158	2.203E+0	2.501E+0	2.201E+0	2.203E+0	2.497E+0	2.503E+0	2.200E+0±2.000E-1	
64-Gd-159						3.728E+1		
64-Gd-160	1.410E+0	7.703E-1	7.855E-1	1.410E+0	7.963E-1	7.710E-1	1.400E+0±3.000E-1	
65-Tb-151						8.497E+1		
65-Tb-152						1.199E+2		
65-Tb-153				2.376E+3		1.130E+2		
65-Tb-154						1.857E+2		
65-Tb-154m						1.220E+2		
65-Tb-154n						1.221E+2		
65-Tb-155				1.092E+2		1.092E+2		
65-Tb-156m				9.466E+1		9.448E+1		
65-Tb-156				2.837E+3		1.550E+2		
65-Tb-156n						1.550E+2		
65-Tb-157				8.430E+1		8.426E+1		
65-Tb-158				1.054E+2		1.054E+2		
65-Tb-159	2.336E+1	2.336E+1	2.313E+1	2.336E+1		2.323E+1	2.340E+1±4.000E-1	
65-Tb-160	3.339E+2	5.251E+2	3.507E+2	3.340E+2		5.251E+2	3.340E+2±6.400E+1	
65-Tb-161				4.764E+1		4.762E+1		
66-Dy-153						8.013E+1		
66-Dy-154			3.602E+1	6.331E+1		6.328E+1		
66-Dy-155						1.435E+2		
66-Dy-156	3.306E+1		3.303E+1	3.306E+1		3.302E+1	3.300E+1±3.000E+0	
66-Dy-157						1.170E+2		
66-Dy-158	4.308E+1		4.295E+1	4.308E+1		4.295E+1	4.300E+1±6.000E+0	
66-Dy-159			6.003E+2	8.441E+3		8.436E+3		
66-Dy-160	5.600E+1	6.104E+1	5.665E+1	5.600E+1		6.109E+1	5.500E+1±3.000E+0	
66-Dy-161	6.002E+2	6.002E+2	6.001E+2	6.002E+2		5.856E+2	6.000E+2±2.500E+1	
66-Dy-162	1.940E+2	1.940E+2	1.939E+2	1.940E+2		1.994E+2	1.940E+2±1.000E+1	
66-Dy-163	1.234E+2	1.234E+2	1.242E+2	1.234E+2		1.345E+2	1.340E+2±7.000E+0	
66-Dy-164	2.654E+3	2.651E+3	2.651E+3	2.654E+3	2.651E+3	2.651E+3	2.650E+3±7.000E+1	
66-Dy-165				3.575E+3		3.573E+3	3.600E+3±3.000E+2	
66-Dy-166				1.142E+1		1.513E+1		
67-Ho-163				5.493E+1		5.490E+1		
67-Ho-164						2.783E+2		
67-Ho-164m						2.860E+2		
67-Ho-165	6.470E+1	6.346E+1		6.470E+1		6.110E+1	6.470E+1±1.200E+0	
67-Ho-166m	3.609E+3			3.165E+3		3.164E+3	3.600E+3±6.000E+2	
67-Ho-166				4.897E+1		4.895E+1		
68-Er-160				4.904E+1		4.897E+1		
68-Er-161						1.300E+2		
68-Er-162	1.892E+1	1.892E+1	1.892E+1	1.892E+1		1.896E+1	1.920E+1±2.000E+0	
68-Er-164	1.296E+1	1.296E+1	1.288E+1	1.296E+1		1.343E+1	1.300E+1±2.000E+0	
68-Er-165						6.390E+1		
68-Er-166	1.688E+1	1.677E+1	1.675E+1	1.688E+1		1.677E+1	1.690E+1±1.600E+0	
68-Er-167	6.498E+2	6.431E+2	6.442E+2	6.498E+2		6.714E+2	6.490E+2±8.000E+0	
68-Er-168	2.742E+0	2.730E+0	2.730E+0	2.742E+0		2.742E+0	2.740E+0±8.000E-2	
68-Er-169				3.110E+1		3.109E+1		
68-Er-170	8.853E+0	5.778E+0	8.856E+0	8.853E+0		5.853E+0	8.850E+0±3.000E-1	
68-Er-171						2.800E+2		
68-Er-172				1.354E+1		1.353E+1		
69-Tm-165				6.716E+1		6.713E+1		
69-Tm-166						9.681E+1		
69-Tm-167				5.414E+1		5.412E+1		
69-Tm-168	1.359E+2			6.976E+1		6.973E+1		
69-Tm-169	1.050E+2		1.051E+2	1.049E+2		1.049E+2	1.050E+2±2.000E+0	
69-Tm-170	1.705E+1			9.187E+1		9.184E+1	9.200E+1±4.000E+0	
69-Tm-171				1.601E+2		1.600E+2	60-190	
69-Tm-172				3.822E+1		3.820E+1		
69-Tm-173						3.421E+1		
70-Yb-166				4.835E+1		4.833E+1		
70-Yb-168			2.308E+3	2.309E+3		2.305E+3	2.300E+3±1.700E+2	
70-Yb-169				3.601E+3		3.601E+3	3.600E+3±3.000E+2	
70-Yb-170			9.915E+0	1.143E+1		1.143E+1	9.900E+0±1.800E+0	
70-Yb-171			5.831E+1	4.881E+1		4.879E+1	5.830E+1±3.800E+0	
70-Yb-172			1.313E+0	8.060E-1		8.057E-1	1.300E+0±8.000E-1	
70-Yb-173			1.550E+1	1.712E+1		1.712E+1	1.550E+1±1.500E+0	

TABLE IV: Thermal capture cross sections (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
70-Yb-174			6.321E+1	6.922E+1		6.920E+1	6.320E+1±1.500E+0	
70-Yb-175				2.830E+1		2.551E+1		
70-Yb-176			2.823E+0	2.860E+0		2.858E+0	2.850E+0±5.000E-2	
71-Lu-169				7.506E+1		7.503E+1		
71-Lu-170				8.915E+1		8.911E+1		
71-Lu-171				5.434E+1		5.432E+1		
71-Lu-172				7.087E+1		7.084E+1		
71-Lu-173				4.718E+1		4.716E+1		
71-Lu-174m				5.646E+1		5.644E+1		
71-Lu-174				5.646E+1		5.644E+1		
71-Lu-175	2.308E+1	2.308E+1		2.308E+1		2.308E+1	2.330E+1±1.100E+0	
71-Lu-176	2.097E+3	2.097E+3		2.097E+3		2.097E+3	2.020E+3±7.000E+1	
71-Lu-177m				5.544E-2		4.800E+0	3.180E+0±3.000E-1	
71-Lu-177				1.019E+3		1.018E+3	1.000E+3±3.000E+2	
72-Hf-170						4.804E+1		
72-Hf-171						8.479E+1		
72-Hf-172				3.956E+1		3.954E+1		
72-Hf-173						6.369E+1		
72-Hf-174	5.495E+2	6.515E+2	5.623E+2	5.497E+2	5.618E+2	4.038E+2	5.490E+2±7.000E+0	
72-Hf-175				5.063E+1		5.061E+1		
72-Hf-176	2.138E+1	1.685E+1	2.214E+1	2.133E+1	1.377E+1	1.407E+1	2.350E+1±3.100E+0	
72-Hf-177	3.737E+2	3.713E+2	3.720E+2	3.720E+2	3.737E+2	3.736E+2	3.750E+2±1.000E+1	
72-Hf-178n				7.847E+1		7.848E+1		
72-Hf-178	8.395E+1	8.285E+1	8.405E+1	8.397E+1	8.405E+1	7.848E+1	8.400E+1±4.000E+0	
72-Hf-179n				3.914E+1		3.915E+1		
72-Hf-179	4.280E+1	3.988E+1	4.050E+1	4.086E+1	4.360E+1	3.915E+1	4.100E+1±3.000E+0	
72-Hf-180	1.307E+1	1.306E+1	1.292E+1	1.310E+1	1.301E+1	1.308E+1	1.304E+1±7.000E-2	
72-Hf-180m						1.308E+1		
72-Hf-181			8.003E+1	3.035E+1		3.033E+1	4.000E+1±3.000E+1	
72-Hf-182			1.331E+2	1.412E+1		1.411E+1		
73-Ta-175						8.868E+1		
73-Ta-176						1.073E+2		
73-Ta-177				5.151E+1		5.149E+1		
73-Ta-179				4.567E+1		9.130E+2	9.320E+2±6.200E+1	
73-Ta-180	7.912E+2					5.624E+2		
73-Ta-180m				5.664E+2		5.661E+2	5.630E+2±6.000E+1	
73-Ta-181	2.113E+1	2.068E+1	2.068E+1	2.068E+1	2.068E+1	2.114E+1	2.050E+1±5.000E-1	
73-Ta-182	8.288E+3	8.288E+3		8.288E+3		8.296E+3	8.200E+3±6.000E+2	
73-Ta-183				2.609E+1		2.608E+1		
73-Ta-184						4.672E+1		
74-W - 0							1.840E+1±3.000E-1	
74-W -178				3.605E+1		3.603E+1		
74-W -180	2.966E+1		3.762E+1	3.232E+1		3.736E+1	4-150	
74-W -181				4.650E+1		4.648E+1		
74-W -182	2.072E+1	2.072E+1	1.987E+1	2.053E+1		2.057E+1	1.990E+1±3.000E-1	
74-W -183	1.012E+1	1.012E+1	1.041E+1	1.075E+1		1.002E+1	1.040E+1±2.000E-1	
74-W -184	1.502E+0	1.698E+0	1.698E+0	1.833E+0		1.749E+0	1.700E+0±1.000E-1	
74-W -185				3.335E+0		3.333E+0	2.100E+0±3.000E-1	
74-W -186	3.809E+1	3.946E+1	3.810E+1	3.834E+1		3.749E+1	3.810E+1±5.000E-1	
74-W -187						7.086E+1		
74-W -188				1.201E+1		1.201E+1		
75-Re-181						5.667E+1		
75-Re-182				7.933E+1		7.930E+1		
75-Re-182m						8.717E+1		
75-Re-183				4.343E+1		4.341E+1		
75-Re-184m				8.904E+3		8.900E+3		
75-Re-184				9.403E+3		9.398E+3	8.900E+3	
75-Re-185	1.122E+2	1.122E+2		1.122E+2		1.123E+2	1.120E+2±2.000E+0	
75-Re-186m				1.438E+1		1.437E+1		
75-Re-186				1.438E+1		1.437E+1		
75-Re-187	7.671E+1	7.671E+1		7.671E+1		7.486E+1	7.640E+1±1.000E+0	
75-Re-188						2.000E+0		
75-Re-189				1.806E+1		1.805E+1		
76-Os- 0		1.594E+1		1.594E+1			1.710E+1±7.000E-1	
76-Os-182						3.658E+1		
76-Os-183						6.681E+1		
76-Os-183m						7.927E+1		
76-Os-184			3.001E+3	3.256E+3		3.300E+3	3.000E+3±1.500E+2	
76-Os-185				5.549E+1		5.547E+1		
76-Os-186			8.004E+1	8.034E+1		8.025E+1	8.000E+1±1.300E+1	
76-Os-187			3.197E+2	3.199E+2		3.198E+2	3.200E+2±1.000E+1	
76-Os-188			5.503E+0	4.706E+0		4.695E+0	5.500E+0±1.100E+0	
76-Os-189			2.500E+1	2.535E+1		2.531E+1	2.500E+1±4.000E+0	
76-Os-190			1.311E+1	1.311E+1		1.311E+1	1.310E+1±3.000E-1	
76-Os-191				3.832E+2		3.830E+2	3.830E+2±5.400E+1	
76-Os-191m						1.884E+1		
76-Os-192			3.117E+0	2.001E+0		2.000E+0	3.120E+0±1.600E-1	
76-Os-193				3.802E+1		3.800E+1	3.800E+1±1.000E+1	
76-Os-194				4.527E+0		4.525E+0		
77-Ir-185						5.537E+1		

TABLE IV: Thermal capture cross sections (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
77-Ir-186						9.299E+1		
77-Ir-187						7.449E+1		
77-Ir-188				6.371E+1		6.368E+1		
77-Ir-189				3.409E+1		3.408E+1		
77-Ir-190				4.235E+1		4.233E+1		
77-Ir-191	9.545E+2	9.546E+2		9.546E+2		9.541E+2	9.540E+2±1.000E+1	
77-Ir-192n				1.424E+3		1.421E+3		
77-Ir-192				1.424E+3		1.421E+3	1.588E+3±2.000E+2	
77-Ir-193m				1.111E+2		1.110E+2		
77-Ir-193	1.112E+2	1.120E+2		1.120E+2		1.110E+2	1.110E+2±5.000E+0	
77-Ir-194						1.508E+3		
77-Ir-194n						1.760E+1		
77-Ir-194m				1.761E+1				
77-Ir-196m						1.085E+1		
78-Pt- 0		8.001E+0		1.031E+1			1.030E+1±3.000E-1	
78-Pt-188				3.578E+1		3.576E+1		
78-Pt-189						6.014E+1		
78-Pt-190				1.523E+2		1.523E+2	1.520E+2±4.000E+0	
78-Pt-191				3.978E+1		3.976E+1		
78-Pt-192				1.131E+1		1.129E+1	1.000E+1±2.500E+0	
78-Pt-193m				3.019E+1		3.018E+1		
78-Pt-193				3.019E+1		3.018E+1		
78-Pt-194				1.324E+0		1.200E+0	1.440E+0±1.900E-1	
78-Pt-195m				2.757E+1		2.756E+1		
78-Pt-195				2.757E+1		2.756E+1	2.750E+1±1.200E+0	
78-Pt-196				7.137E-1		7.370E-1	5.800E-1±3.000E-2	
78-Pt-197						9.622E+0		
78-Pt-198				3.444E+0		3.440E+0	3.610E+0±1.100E-1	
78-Pt-200						1.560E+0		
78-Pt-202						2.463E+0		
79-Au-193						3.826E+1		
79-Au-194				4.287E+1		4.286E+1		
79-Au-195				2.331E+1		2.330E+1		
79-Au-196				2.662E+1		2.661E+1		
79-Au-196n						5.946E+1		
79-Au-197	9.870E+1	9.874E+1	9.865E+1	9.870E+1	9.874E+1	9.871E+1	9.865E+1±9.000E-2	98.6593185±0.138123
79-Au-198m				2.511E+4		2.510E+4		
79-Au-198				2.841E+4		2.834E+4	2.510E+4±3.700E+2	
79-Au-199				3.018E+1		3.016E+1	3.000E+1±1.500E+1	
79-Au-200m						8.029E+0		
80-Hg- 0					3.843E+2		3.723E+2±4.000E+0	
80-Hg-193						4.952E+1		
80-Hg-193m						4.952E+1		
80-Hg-194				2.328E+1		2.327E+1		
80-Hg-195m				3.561E+1		3.559E+1		
80-Hg-195						3.559E+1		
80-Hg-196	3.079E+3	3.079E+3	3.079E+3	3.079E+3		3.078E+3	3.080E+3±1.800E+2	
80-Hg-197				1.939E+1		1.938E+1		
80-Hg-197m						1.938E+1		
80-Hg-198	1.986E+0	1.986E+0	1.986E+0	1.986E+0		2.017E+0	2.000E+0±3.000E-1	
80-Hg-199	2.150E+3	2.150E+3	2.150E+3	2.150E+3		2.150E+3	2.150E+3±4.800E+1	
80-Hg-200	1.443E+0	1.443E+0	1.443E+0	1.443E+0		1.443E+0	1.400E+0	
80-Hg-201	4.904E+0	7.785E+0	7.785E+0	7.785E+0		7.783E+0	4.900E+0±6.000E-1	
80-Hg-202	4.955E+0	4.955E+0	4.955E+0	4.955E+0		4.954E+0	4.890E+0±5.000E-2	
80-Hg-203				4.950E+0		4.948E+0		
80-Hg-204	4.316E-1	4.316E-1	4.316E-1	4.316E-1		4.000E-1	4.300E-1±1.000E-1	
81-Tl-0		3.593E+0		3.592E+0	3.398E+0		3.430E+0±6.000E-2	
81-Tl-199						3.671E+1		
81-Tl-200				1.948E+1		1.947E+1		
81-Tl-201				1.206E+1		1.205E+1		
81-Tl-202				1.141E+1		1.140E+1		
81-Tl-203	1.141E+1			1.142E+1		1.142E+1	1.140E+1±2.000E-1	
81-Tl-204				2.204E+1		2.203E+1	2.160E+1±2.000E+0	
81-Tl-205	1.305E-1			1.042E-1		1.042E-1	1.040E-1±1.700E-2	
82-Pb-200						1.450E+1		
82-Pb-201						3.208E+1		
82-Pb-202				7.906E+0		7.903E+0		
82-Pb-203				9.875E+0		9.871E+0		
82-Pb-204	6.609E-1	6.609E-1	7.032E-1	6.609E-1	6.609E-1	6.614E-1	7.030E-1±3.500E-2	
82-Pb-205				5.003E+0		5.000E+0		
82-Pb-206	2.979E-2	2.979E-2	2.656E-2	2.979E-2	2.979E-2	2.981E-2	2.660E-2±1.200E-3	
82-Pb-207	7.122E-1	7.122E-1	6.201E-1	7.122E-1	7.122E-1	7.126E-1	6.220E-1±1.400E-2	
82-Pb-208	2.321E-4	4.921E-4	2.304E-4	4.921E-4	2.499E-4	4.925E-4	2.300E-4±2.000E-5	
82-Pb-209						1.591E+0		
82-Pb-210				5.002E-1		5.000E-1	5.000E-1±5.000E-1	
82-Pb-212						2.477E-1		
83-Bi-203						1.481E+1		
83-Bi-204						4.029E+1		
83-Bi-205				9.318E+0		9.314E+0		

TABLE IV: Thermal capture cross sections (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
83-Bi-206				1.040E+1		1.040E+1		
83-Bi-207				6.135E+0		6.132E+0		
83-Bi-208				5.636E+0		5.634E+0		
83-Bi-209	3.381E-2	3.385E-2	3.421E-2	3.381E-2	3.381E-2	3.384E-2	3.420E-2±7.000E-4	
83-Bi-210				5.402E-2		5.400E-2		
83-Bi-210m				5.403E-2		5.400E-2	5.400E-2±5.000E-3	
84-Po-206				5.792E+0		5.790E+0		
84-Po-207						7.860E+0		
84-Po-208				3.953E+0		9.090E-1		
84-Po-209				3.939E+0		7.395E-1		
84-Po-210				3.001E-2		3.050E-2	<0.03	
85-At-210						2.601E+0		
85-At-211						1.082E+0		
86-Rn-211						7.450E-1		
86-Rn-222				7.203E-1		7.400E-1	7.200E-1±7.000E-2	
88-Ra-223	1.301E+2	1.301E+2	1.301E+2	1.301E+2		1.312E+2	1.300E+2±2.000E+1	
88-Ra-224	1.200E+1	1.200E+1	1.200E+1	1.200E+1		1.213E+1	1.200E+1±5.000E-1	
88-Ra-225	1.000E+2	1.000E+2	1.000E+2	1.000E+2		1.000E+2		
88-Ra-226	1.279E+1	1.279E+1	1.279E+1	1.279E+1		1.279E+1	1.280E+1±1.500E+0	
88-Ra-228				3.601E+1		3.600E+1	3.600E+1±5.000E+0	
89-Ac-225	4.002E+1	1.000E+3	4.002E+1	1.000E+3		1.000E+3		
89-Ac-226	1.000E+3	1.000E+2	1.000E+3	1.000E+2		1.000E+2		
89-Ac-227	8.003E+2	9.019E+2	8.003E+2	8.870E+2		8.866E+2	8.900E+2±3.000E+1	
89-Ac-228						2.398E+1		
90-Th-227	4.052E+2	1.536E+3	4.052E+2	1.536E+3		1.535E+3		
90-Th-228	1.229E+2	1.199E+2	1.229E+2	1.199E+2		1.199E+2	1.230E+2±1.500E+1	
90-Th-229	7.056E+1	6.338E+1	7.056E+1	6.339E+1		6.345E+1	6.280E+1±6.000E+0	
90-Th-230	2.341E+1	2.309E+1	2.341E+1	2.256E+1		2.255E+1	2.290E+1±3.000E-1	
90-Th-231	1.631E+3		1.631E+3	1.077E+1		1.520E+1		
90-Th-232	7.338E+0	7.405E+0	7.338E+0	7.418E+0	7.403E+0	7.401E+0	7.350E+0±3.000E-2	
90-Th-233	1.291E+3	1.451E+3	1.291E+3				1.330E+3±5.000E+1	
90-Th-234	1.801E+0	1.751E+0	1.801E+0	1.751E+0		1.750E+0	1.800E+0±5.000E-1	
91-Pa-228						1.019E+2		
91-Pa-229	3.999E+2		3.999E+2	1.699E+1		2.423E+1		
91-Pa-230	3.801E+2		3.801E+2	1.501E+3		2.903E+1		
91-Pa-231	2.007E+2	2.270E+2	2.017E+2	2.007E+2		2.009E+2	2.006E+2±2.300E+0	
91-Pa-232	5.890E+2	2.121E+2	5.890E+2	8.576E+2		4.607E+2	2.460E+2±3.000E+1	
91-Pa-233	4.252E+1	4.146E+1	3.942E+1	4.146E+1		4.001E+1	3.950E+1±1.200E+0	
91-Pa-234						2.155E+1		
92-U -230	2.001E+2		2.001E+2	1.170E+1		1.170E+1		
92-U -231	2.001E+1		2.001E+1	1.881E+1		1.880E+1		
92-U -232	7.539E+1	7.257E+1	7.539E+1	7.257E+1	7.520E+1	7.518E+1	7.490E+1±1.600E+0	
92-U -233	4.526E+1	4.527E+1	4.526E+1	4.526E+1	4.527E+1	4.526E+1	4.550E+1±7.000E-1	45.56±0.6834
92-U -234	1.009E+2	9.978E+1	1.003E+2	9.978E+1	9.978E+1	9.974E+1	9.980E+1±1.300E+0	
92-U -235	9.869E+1	9.869E+1	9.871E+1	9.871E+1	9.869E+1	9.895E+1	9.880E+1±8.000E-1	99.40±0.71568
92-U -236	5.134E+0	5.297E+0	5.123E+0	5.134E+0	5.134E+0	5.295E+0	5.090E+0±1.000E-1	
92-U -237	4.523E+2	4.523E+2	4.523E+2	4.523E+2	4.523E+2	4.527E+2	4.430E+2±1.670E+2	
92-U -238	2.683E+0	2.684E+0	2.683E+0	2.683E+0	2.718E+0	2.720E+0	2.680E+0±1.900E-2	2.67705834±0.0133853
92-U -239	2.233E+1				2.201E+1		2.200E+1±5.000E+0	
92-U -240	1.917E+1				5.198E+0	1.916E+1		
92-U -241	4.761E+2				5.782E+2	4.760E+2		
93-Np-234	1.101E+2		1.101E+2	2.424E+1		2.838E+1		
93-Np-235	1.551E+2	1.501E+2	1.551E+2	1.618E+2		1.618E+2	1.500E+2±2.000E+0	
93-Np-236	1.213E+2	7.012E+2	1.213E+2	1.259E+2	1.799E+2	1.420E+2		
93-Np-236m						2.878E+1		
93-Np-237	1.754E+2	1.810E+2	1.781E+2	1.761E+2	1.604E+2	1.617E+2	1.759E+2±2.900E+0	
93-Np-238	4.795E+2	2.029E+2	4.795E+2	4.503E+2	2.236E+2	8.399E+1		
93-Np-239	4.501E+1	7.703E+1	4.501E+1	3.702E+1	4.502E+1	4.975E+1	6.800E+1±1.000E+1	
94-Pu-234						1.710E+1		
94-Pu-236	2.756E+1	3.123E+1	2.756E+1	3.123E+1	3.123E+1	1.561E+1	1.590E+1	
94-Pu-237	2.001E+2	5.402E+2	2.001E+2	4.979E+2	3.469E+2	4.977E+2		
94-Pu-238	4.129E+2	5.402E+2	4.129E+2	5.402E+2	5.609E+2	5.400E+2	5.400E+2±7.000E+0	
94-Pu-239	2.707E+2	2.728E+2	2.715E+2	2.707E+2	2.704E+2	2.705E+2	2.693E+2±2.900E+0	271.50±2.14485
94-Pu-240	2.876E+2	2.859E+2	2.893E+2	2.893E+2	2.876E+2	2.892E+2	2.895E+2±1.400E+0	
94-Pu-241	3.630E+2	3.630E+2	3.631E+2	3.631E+2	3.615E+2	3.633E+2	3.621E+2±5.100E+0	361.79±4.9565
94-Pu-242	2.127E+1	1.880E+1	1.988E+1	1.904E+1	1.917E+1	1.852E+1	1.850E+1±5.000E-1	
94-Pu-243	8.813E+1	8.813E+1		8.813E+1	7.648E+1	1.000E+2	8.700E+1±1.000E+1	
94-Pu-244	1.710E+0	1.830E+0	1.710E+0	1.681E+0	1.830E+0	1.680E+0	1.700E+0±1.000E-1	
94-Pu-245				8.000E+2	7.796E+1	1.089E+1	1.500E+2±3.000E+1	
94-Pu-246	8.003E+1	8.000E+2	8.003E+1		1.872E+0	7.068E+0		
94-Pu-247								
95-Am-239						2.151E+1		
95-Am-240	2.801E+2		2.801E+2	2.097E+1	2.880E+2	2.096E+1		
95-Am-241	6.843E+2	6.472E+2	6.843E+2	6.188E+2	6.395E+2	6.394E+2	5.870E+2±1.200E+1	
95-Am-242m	1.231E+3	1.231E+3	1.141E+3	1.231E+3	1.231E+3	1.809E+3	1.290E+3±3.000E+2	
95-Am-242	2.190E+2	2.190E+2	3.303E+2	2.190E+2	2.190E+2	2.190E+2	3.300E+2±5.000E+1	
95-Am-243	8.042E+1	7.675E+1	7.926E+1	7.675E+1	7.675E+1	7.672E+1	7.510E+1±1.800E+0	
95-Am-244m	4.001E+2	4.001E+2	6.002E+2					
95-Am-244	6.002E+2	6.002E+2	1.000E+3	6.002E+2	2.199E+2	1.956E+1		
96-Cm-240	5.001E+1	1.756E+2	5.001E+1	1.756E+2		1.755E+2		

TABLE IV: Thermal capture cross sections (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)	**Standards** (barns)
96-Cm-241	2.000E+2	2.504E+2	2.000E+2	4.401E+1		1.611E+1		
96-Cm-242	1.913E+1	1.590E+1	1.913E+1	1.667E+1		1.652E+1	1.600E+1±5.000E+0	
96-Cm-243	1.314E+2	1.302E+2	1.314E+2	1.305E+2		1.305E+2	1.300E+2±1.000E+1	
96-Cm-244	1.524E+1	1.037E+1	1.524E+1	1.526E+1		1.512E+1	1.520E+1±1.200E+0	
96-Cm-245	3.470E+2	3.589E+2	3.470E+2	3.589E+2		3.588E+2	3.690E+2±1.700E+1	
96-Cm-246	1.179E+0	1.312E+0		1.312E+0		1.311E+0	1.220E+0±1.600E-1	
96-Cm-247	5.993E+1	5.721E+1	5.993E+1	5.693E+1		5.691E+1	5.700E+1±1.000E+1	
96-Cm-248	2.872E+0	2.571E+0	2.872E+0	2.571E+0		2.570E+0	2.630E+0±2.600E-1	
96-Cm-249	1.601E+0	1.759E+0	1.601E+0	1.751E+0		2.637E+0	1.600E+0±8.000E-1	
96-Cm-250	8.133E+1	8.536E+1	8.133E+1	8.536E+1		8.089E+1		
97-Bk-245	1.000E+3		1.000E+3	3.762E+1		3.760E+1	7.460E+2±4.000E+1	
97-Bk-246	7.001E+2		7.001E+2	3.762E+1		3.760E+1		
97-Bk-247	1.000E+3	1.839E+2	1.000E+3	1.839E+2		3.760E+1		
97-Bk-248	8.601E+2		8.601E+2	3.762E+1		3.760E+1		
97-Bk-248m						3.760E+1		
97-Bk-249	7.110E+2	7.110E+2	7.110E+2	7.456E+2	7.456E+2	7.114E+2		
97-Bk-250	7.805E+2	3.533E+2	7.805E+2	3.533E+2		3.533E+2	3.500E+2	
98-Cf-246	1.701E+3		1.701E+3	3.762E+1		1.292E+1		
98-Cf-248	1.700E+3		1.700E+3	3.762E+1		1.024E+1		
98-Cf-249	5.065E+2	5.044E+2	5.065E+2	5.044E+2	4.966E+2	5.042E+2	4.970E+2±2.100E+1	
98-Cf-250	2.018E+3	1.780E+3	2.018E+3	1.780E+3		1.779E+3	2.034E+3±2.000E+2	
98-Cf-251	2.864E+3	2.863E+3	2.864E+3	2.877E+3		2.864E+3	2.850E+3±1.500E+2	
98-Cf-252	2.071E+1	2.050E+1	2.071E+1	2.071E+1		2.071E+1	2.040E+1±1.500E+0	
98-Cf-253	2.000E+1		2.000E+1	2.000E+1		1.801E+1	1.760E+1±1.800E+0	
98-Cf-254	4.502E+0	4.502E+0	4.502E+0	4.502E+0		4.500E+0	4.500E+0±1.500E+0	
99-Es-250						2.248E+1		
99-Es-251	2.001E+2		2.001E+2	3.762E+1		3.760E+1	1.840E+2±1.500E+1	
99-Es-252	2.001E+2		2.001E+2	3.762E+1		3.760E+1		
99-Es-253	1.839E+2	2.012E+2	1.839E+2	2.012E+2		2.012E+2		
99-Es-254m	2.501E+2		2.501E+2	1.831E+3		1.830E+3		
99-Es-254	2.831E+1	2.818E+1	2.831E+1	2.818E+1		2.800E+1	2.830E+1±2.500E+0	
99-Es-255	5.500E+1	5.502E+1	5.500E+1	5.502E+1		5.561E+1	5.500E+1±1.000E+1	
99-Es-256m						2.251E+1		
99-Es-257								
100-Fm-252				3.762E+1		9.455E+0	7.600E+1	
100-Fm-253				4.002E+1		4.000E+1		
100-Fm-255	2.701E+2	2.601E+1	2.701E+2	2.601E+1		2.600E+1		
100-Fm-257				4.002E+1		4.000E+1	4.500E+1	

Westcott Elastic Factors

TABLE V: Westcott neutron elastic factors at T=293.6° K from ENDF/B-VII.1, JEFF-3.1.2, JENDL-4.0, ROSFOND-2010, CENDL-3.1 libaries and EAF-2010 file [1, 6–10].

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)
1-H - 1	1.085E+0	1.085E+0	1.084E+0	1.084E+0	1.085E+0	
1-H - 2	1.109E+0	1.109E+0	1.109E+0	1.109E+0	1.109E+0	
1-H - 3	1.118E+0	1.118E+0		1.117E+0	1.117E+0	
2-He- 3	1.118E+0	1.118E+0	1.118E+0	1.118E+0	1.118E+0	
2-He- 4	1.122E+0	1.122E+0	1.122E+0	1.122E+0	1.122E+0	
3-Li- 6	1.126E+0	1.126E+0	1.126E+0	1.126E+0	1.126E+0	
3-Li- 7	1.127E+0	1.127E+0	1.127E+0	1.128E+0	1.120E+0	
4-Be- 7	1.126E+0					
4-Be- 9	1.128E+0	1.128E+0	1.128E+0	1.128E+0	1.128E+0	
4-Be- 10						
5-B - 10	1.128E+0	1.128E+0	1.128E+0	1.127E+0	1.128E+0	
5-B - 11	1.128E+0	1.128E+0	1.128E+0	1.128E+0	1.128E+0	
6-C-0	1.128E+0	1.128E+0	1.128E+0	1.128E+0		
6-C - 12					1.128E+0	
6-C - 13						
6-C - 14						
7-N - 14	1.128E+0	1.128E+0	1.128E+0	1.128E+0	1.128E+0	
7-N - 15	1.127E+0	1.127E+0	1.129E+0	1.129E+0		
8-O - 16	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
8-O - 17	1.129E+0	1.129E+0		1.129E+0		
8- O- 18				1.129E+0		

TABLE V: Westcott neutron elastic factors (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)
9-F - 19	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
10-Ne- 20						
10-Ne- 21						
10-Ne- 22						
11-Na- 22	1.129E+0	1.129E+0		1.129E+0		
11-Na- 23	1.126E+0	1.129E+0	1.129E+0	1.125E+0	1.129E+0	
11-Na- 24						
12-Mg- 24	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
12-Mg- 25	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
12-Mg- 26	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
12-Mg- 28						
13-Al- 26						
13-Al- 27	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
14-Si- 28	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
14-Si- 29	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
14-Si- 30	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
14-Si- 31						
14-Si- 32						
15-P - 31	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
15-P - 32						
15-P - 33						
16-S - 0					1.129E+0	
16-S - 32	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
16-S - 33	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
16-S - 34	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
16-S - 35						
16-S - 36	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
17-Cl- 0					1.152E+0	
17-Cl- 35	1.129E+0	1.129E+0	1.129E+0	1.128E+0		
17-Cl- 36						
17-Cl- 37	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
18-Ar- 36	1.129E+0	1.129E+0		1.129E+0		
18-Ar- 37						
18-Ar- 38	1.129E+0	1.129E+0		1.129E+0		
18-Ar- 39						
18-Ar- 40	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
18-Ar- 41						
18-Ar- 42						
19-K - 0					1.134E+0	
19-K - 39	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
19-K - 40	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
19-K - 41	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
19-K - 42						
19-K - 43						
20-Ca- 0					1.119E+0	
20-Ca- 40	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
20-Ca- 41						
20-Ca- 42	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
20-Ca- 43	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
20-Ca- 44	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
20-Ca- 45						
20-Ca- 46	1.129E+0	1.129E+0	1.129E+0			
20-Ca- 47						
20-Ca- 48	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
21-Sc- 44						
21-Sc- 44m						
21-Sc- 45	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
21-Sc- 46						
21-Sc- 47						
21-Sc- 48						
22-Ti- 44						
22-Ti- 45						
22-Ti- 46	1.129E+0	1.128E+0	1.129E+0	1.129E+0	1.129E+0	
22-Ti- 47	1.129E+0	1.128E+0	1.129E+0	1.129E+0	1.129E+0	
22-Ti- 48	1.129E+0	1.127E+0	1.129E+0	1.129E+0	1.129E+0	
22-Ti- 49	1.129E+0	1.128E+0	1.129E+0	1.129E+0	1.129E+0	
22-Ti- 50	1.129E+0	1.127E+0	1.129E+0	1.129E+0	1.129E+0	
23-V-0		1.129E+0		1.129E+0	1.129E+0	
23-V - 48						
23-V - 49						
23-V - 50	1.129E+0		1.129E+0			
23-V - 51	1.129E+0		1.129E+0	1.129E+0		
24-Cr- 48						
24-Cr- 50	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
24-Cr- 51						
24-Cr- 52	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
24-Cr- 53	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
24-Cr- 54	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
25-Mn- 52						
25-Mn- 53						

TABLE V: Westcott neutron elastic factors (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)
25-Mn- 54						
25-Mn- 55	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
26-Fe- 52						
26-Fe- 54	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
26-Fe- 55						
26-Fe- 56	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
26-Fe- 57	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.123E+0	
26-Fe- 58	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
26-Fe- 59			7.413E+0			
26-Fe- 60						
27-Co- 55						
27-Co- 56						
27-Co- 57						
27-Co- 58	1.138E+0	1.140E+0				
27-Co- 58m	1.186E+0	1.186E+0				
27-Co- 59	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
27-Co- 60						
28-Ni- 56						
28-Ni- 57						
28-Ni- 58	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
28-Ni- 59	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
28-Ni- 60	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
28-Ni- 61	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
28-Ni- 62	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
28-Ni- 63						
28-Ni- 64	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
28-Ni- 66						
29-Cu- 0					1.129E+0	
29-Cu- 63	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
29-Cu- 64						
29-Cu- 65	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
29-Cu- 67						
30-Zn- 0		1.129E+0		1.129E+0	1.129E+0	
30-Zn- 62						
30-Zn- 64	1.129E+0		1.129E+0			
30-Zn- 65	6.963E+0		6.963E+0			
30-Zn- 66	1.129E+0		1.129E+0			
30-Zn- 67	1.129E+0		1.129E+0			
30-Zn- 68	1.129E+0		1.129E+0			
30-Zn- 69m						
30-Zn- 70	1.129E+0		1.129E+0			
30-Zn- 72						
31-Ga- 0		1.129E+0				
31-Ga- 66						
31-Ga- 67						
31-Ga- 69	1.129E+0		1.129E+0	1.129E+0	1.129E+0	
31-Ga- 71	1.129E+0		1.129E+0	1.129E+0	1.129E+0	
31-Ga- 72						
32-Ge- 0					1.129E+0	
32-Ge- 68						
32-Ge- 69						
32-Ge- 70	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
32-Ge- 71					1.129E+0	
32-Ge- 72	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
32-Ge- 73	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
32-Ge- 74	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
32-Ge- 75					1.129E+0	
32-Ge- 76	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
32-Ge- 77					1.129E+0	
32-Ge- 78					1.129E+0	
33-As- 71						
33-As- 72						
33-As- 73						
33-As- 74	1.129E+0					
33-As- 75	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
33-As- 76						
33-As- 77					1.129E+0	
33-As- 79					1.129E+0	
34-Se- 72						
34-Se- 73						
34-Se- 74	1.128E+0	1.107E+0	1.128E+0	1.128E+0		
34-Se- 75						
34-Se- 76	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
34-Se- 77	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
34-Se- 78	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
34-Se- 79	7.158E+0	7.158E+0	7.158E+0	7.158E+0		
34-Se- 80	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
34-Se- 82	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
35-Br- 76						
35-Br- 77						

TABLE V: Westcott neutron elastic factors (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)
35-Br- 79	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
35-Br- 81	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
35-Br- 82						
36-Kr- 76						
36-Kr- 78	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
36-Kr- 79						
36-Kr- 80	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
36-Kr- 81						
36-Kr- 82	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
36-Kr- 83	1.127E+0	1.127E+0	1.126E+0	1.126E+0	1.126E+0	
36-Kr- 84	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
36-Kr- 85	1.129E+0	1.132E+0	7.105E+0	1.129E+0	7.105E+0	
36-Kr- 86	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
37-Rb- 82m						
37-Rb- 83						
37-Rb- 84						
37-Rb- 85	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
37-Rb- 86	1.129E+0	1.132E+0	6.057E+0	1.129E+0		
37-Rb- 87	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
38-Sr- 82						
38-Sr- 83						
38-Sr- 84	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
38-Sr- 85						
38-Sr- 86	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
38-Sr- 87	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
38-Sr- 88	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
38-Sr- 89	6.472E+0	1.129E+0	6.472E+0	6.472E+0	6.472E+0	
38-Sr- 90	6.589E+0	1.133E+0	6.589E+0	6.899E+0	6.589E+0	
38-Sr- 91						
39-Y - 86						
39-Y - 87						
39-Y - 87m						
39-Y - 88						
39-Y - 89	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.111E+0	
39-Y - 90	1.129E+0	1.133E+0	6.483E+0	1.133E+0		
39-Y - 91	6.471E+0	1.132E+0	6.471E+0	6.471E+0	6.471E+0	
39-Y - 93						
40-Zr- 86						
40-Zr- 88						
40-Zr- 89						
40-Zr- 90	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
40-Zr- 91	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
40-Zr- 92	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
40-Zr- 93	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
40-Zr- 94	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
40-Zr- 95	6.474E+0	6.474E+0	6.473E+0	6.473E+0	6.474E+0	
40-Zr- 96	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
40-Zr- 97						
41-Nb- 90						
41-Nb- 91m						
41-Nb- 91						
41-Nb- 92m						
41-Nb- 92						
41-Nb- 93m						
41-Nb- 93	1.117E+0	1.117E+0	1.129E+0	1.129E+0	1.129E+0	
41-Nb- 94	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
41-Nb- 95m						
41-Nb- 95	6.470E+0	6.470E+0	6.470E+0	6.470E+0	6.470E+0	
41-Nb- 96						
42-Mo- 92	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
42-Mo- 93						
42-Mo- 93m						
42-Mo- 94	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
42-Mo- 95	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
42-Mo- 96	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
42-Mo- 97	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
42-Mo- 98	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
42-Mo- 99	6.468E+0	6.468E+0	6.468E+0	1.129E+0		
42-Mo-100	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
43-Tc- 95						
43-Tc- 95m						
43-Tc- 96						
43-Tc- 97m						
43-Tc- 97						
43-Tc- 98						
43-Tc- 99	1.128E+0	1.128E+0	1.128E+0	1.128E+0	1.128E+0	
43-Tc- 99m						
44-Ru- 96	5.788E+0	1.145E+0	5.675E+0	5.788E+0		
44-Ru- 97						
44-Ru- 98	5.788E+0	1.253E+0	5.674E+0	5.788E+0		

TABLE V: Westcott neutron elastic factors (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)
44-Ru- 99	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
44-Ru-100	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
44-Ru-101	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
44-Ru-102	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
44-Ru-103	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
44-Ru-104	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
44-Ru-105	1.129E+0	1.129E+0	6.024E+0		1.129E+0	
44-Ru-106	3.791E+0	1.129E+0	6.024E+0	3.791E+0		
45-Rh- 99						
45-Rh- 99m						
45-Rh-100						
45-Rh-101						
45-Rh-101m						
45-Rh-102						
45-Rh-102m						
45-Rh-103	1.124E+0	1.124E+0	1.123E+0	1.124E+0	1.123E+0	
45-Rh-105	1.115E+0	1.115E+0	1.115E+0	1.115E+0	1.115E+0	
46-Pd-100						
46-Pd-101						
46-Pd-102	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
46-Pd-103						
46-Pd-104	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
46-Pd-105	1.128E+0	1.128E+0	1.129E+0	1.128E+0	1.129E+0	
46-Pd-106	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
46-Pd-107	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
46-Pd-108	1.128E+0	1.128E+0	1.128E+0	1.128E+0	1.128E+0	
46-Pd-109						
46-Pd-110	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
46-Pd-112						
47-Ag- 0					1.127E+0	
47-Ag-105						
47-Ag-106m						
47-Ag-107	1.128E+0	1.128E+0	1.128E+0	1.128E+0	1.128E+0	
47-Ag-108m						
47-Ag-109	1.125E+0	1.125E+0	1.125E+0	1.125E+0	1.125E+0	
47-Ag-110m	1.127E+0	1.127E+0	1.127E+0	1.127E+0		
47-Ag-111	1.129E+0	1.130E+0	6.204E+0	1.129E+0		
48-Cd- 0					1.642E+0	
48-Cd-106	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
48-Cd-107						
48-Cd-108	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
48-Cd-109						
48-Cd-110	1.128E+0	1.129E+0	1.129E+0	1.128E+0		
48-Cd-111	1.129E+0	1.127E+0	1.128E+0	1.129E+0		
48-Cd-112	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
48-Cd-113	2.238E+0	2.331E+0	2.236E+0	2.224E+0	2.224E+0	
48-Cd-113m						
48-Cd-114	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
48-Cd-115						
48-Cd-115m	1.129E+0	1.144E+0		1.129E+0		
48-Cd-116	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
49-In-111						
49-In-113	1.128E+0	1.128E+0	1.128E+0	1.128E+0	1.128E+0	
49-In-114m						
49-In-115	1.119E+0	1.119E+0	1.119E+0	1.119E+0	1.119E+0	
50-Sn- 0					1.129E+0	
50-Sn-112	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
50-Sn-113	1.129E+0			1.129E+0		
50-Sn-114	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
50-Sn-115	1.127E+0	1.128E+0	1.127E+0	1.127E+0	1.128E+0	
50-Sn-116	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
50-Sn-117	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
50-Sn-117m						
50-Sn-118	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
50-Sn-119	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
50-Sn-119m						
50-Sn-120	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
50-Sn-121						
50-Sn-121m						
50-Sn-122	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
50-Sn-123	4.535E+0	1.133E+0	5.442E+0	4.535E+0		
50-Sn-124	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
50-Sn-125	1.129E+0	1.129E+0		7.846E-1		
50-Sn-126	4.534E+0	1.129E+0	5.441E+0	4.534E+0		
51-Sb-119						
51-Sb-120m						
51-Sb-121	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
51-Sb-122						
51-Sb-123	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	

TABLE V: Westcott neutron elastic factors (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)
51-Sb-124	4.263E+0	1.132E+0	4.262E+0	4.262E+0		
51-Sb-125	4.534E+0	1.129E+0	4.535E+0	4.535E+0	1.092E+0	
51-Sb-126	1.129E+0	1.133E+0	4.797E+0	1.129E+0		
51-Sb-127						
51-Sb-128						
52-Te-118						
52-Te-119						
52-Te-119m						
52-Te-120	4.127E+0	1.207E+0	4.127E+0	4.127E+0		
52-Te-121m						
52-Te-121						
52-Te-122	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
52-Te-123m						
52-Te-123	1.166E+0	1.164E+0	1.174E+0	1.174E+0		
52-Te-124	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
52-Te-125m						
52-Te-125	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
52-Te-126	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
52-Te-127						
52-Te-127m	4.115E+0	1.129E+0	4.114E+0	4.114E+0		
52-Te-128	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
52-Te-129						
52-Te-129m	3.853E+0	1.129E+0	3.854E+0	3.854E+0		
52-Te-130	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
52-Te-131m						
52-Te-132	1.129E+0	1.129E+0	6.089E+0	1.129E+0		
53-I -123						
53-I -124						
53-I -125						
53-I -126						
53-I -127	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
53-I-128						
53-I -129	1.128E+0	1.129E+0	1.129E+0	1.128E+0	1.127E+0	
53-I -130	1.128E+0	1.135E+0	4.257E+0			
53-I -131	4.080E+0	4.080E+0	4.080E+0	4.080E+0		
53-I -133						
53-I -135	1.096E+0	1.096E+0	3.628E+0	1.096E+0	1.096E+0	
54-Xe-122						
54-Xe-123	1.129E+0				1.020E+0	
54-Xe-124	1.084E+0	1.128E+0	1.084E+0	1.084E+0	1.084E+0	
54-Xe-125						
54-Xe-126	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
54-Xe-127						
54-Xe-128	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
54-Xe-129m						
54-Xe-129	1.128E+0	1.128E+0	1.128E+0	1.128E+0	1.128E+0	
54-Xe-130	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
54-Xe-131m						
54-Xe-131	1.126E+0	1.129E+0	1.129E+0	1.129E+0	1.125E+0	
54-Xe-132	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
54-Xe-133m						
54-Xe-133	4.080E+0	4.080E+0	4.080E+0	4.080E+0		
54-Xe-134	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
54-Xe-135	1.450E+0	1.447E+0	1.449E+0	1.446E+0	1.450E+0	
54-Xe-136	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
55-Cs-127						
55-Cs-129						
55-Cs-131						
55-Cs-132						
55-Cs-133	1.128E+0	1.128E+0	1.126E+0	1.128E+0	1.128E+0	
55-Cs-134	1.127E+0	1.126E+0	1.126E+0	1.126E+0	1.127E+0	
55-Cs-135	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
55-Cs-136	3.966E+0	1.129E+0	3.966E+0	3.966E+0		
55-Cs-137	4.000E+0	4.000E+0	4.000E+0	4.000E+0	1.129E+0	
56-Ba-128						
56-Ba-129						
56-Ba-130	1.128E+0	1.129E+0	1.129E+0	1.128E+0	1.128E+0	
56-Ba-131						
56-Ba-132	1.129E+0	3.740E+0	3.740E+0	1.129E+0	7.753E+0	
56-Ba-133m						
56-Ba-133	1.129E+0			1.129E+0		
56-Ba-134	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
56-Ba-135	1.129E+0	1.129E+0	1.129E+0		1.129E+0	
56-Ba-135m				1.129E+0		
56-Ba-136	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
56-Ba-137	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
56-Ba-138	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
56-Ba-139						
56-Ba-140	1.129E+0	1.129E+0	3.740E+0	1.129E+0		
57-La-135						

TABLE V: Westcott neutron elastic factors (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)
57-La-137						
57-La-138	1.127E+0	1.127E+0	1.127E+0	1.127E+0		
57-La-139	1.128E+0	1.128E+0	1.128E+0	1.128E+0	1.128E+0	
57-La-140	1.129E+0	1.130E+0	3.558E+0	1.129E+0		
57-La-141						
58-Ce-134						
58-Ce-135						
58-Ce-136	1.129E+0			1.129E+0	1.129E+0	
58-Ce-137						
58-Ce-137m						
58-Ce-138	1.129E+0			1.129E+0	1.120E+0	
58-Ce-139	1.117E+0			1.117E+0		
58-Ce-140	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
58-Ce-141	1.128E+0	1.128E+0	1.127E+0	1.128E+0	1.127E+0	
58-Ce-142	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
58-Ce-143	1.129E+0	1.134E+0	5.099E+0	1.129E+0		
58-Ce-144	3.150E+0	3.150E+0	3.150E+0	3.150E+0	3.150E+0	
59-Pr-141	1.128E+0	1.128E+0	1.128E+0	1.128E+0	1.129E+0	
59-Pr-142	1.128E+0	1.134E+0				
59-Pr-143	1.127E+0	1.127E+0	1.136E+0	1.127E+0		
60-Nd-140						
60-Nd-141						
60-Nd-142	1.128E+0	1.128E+0	1.129E+0	1.128E+0	1.129E+0	
60-Nd-143	1.116E+0	1.116E+0	1.116E+0	1.116E+0	1.116E+0	
60-Nd-144	1.128E+0	1.128E+0	1.128E+0	1.128E+0	1.128E+0	
60-Nd-145	1.127E+0	1.127E+0	1.127E+0	1.127E+0	1.128E+0	
60-Nd-146	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
60-Nd-147	1.115E+0	1.115E+0	1.115E+0	1.115E+0	1.116E+0	
60-Nd-148	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
60-Nd-149						
60-Nd-150	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.127E+0	
61-Pm-143						
61-Pm-144						
61-Pm-145						
61-Pm-146						
61-Pm-147	1.107E+0	1.123E+0	1.107E+0	1.078E+0	1.107E+0	
61-Pm-148m	2.321E+0	2.321E+0	2.531E+0	2.321E+0	2.321E+0	
61-Pm-148	3.512E+0	3.512E+0	7.023E+0	3.512E+0	3.512E+0	
61-Pm-149	3.625E+0	3.625E+0	6.571E+0	3.625E+0	3.625E+0	
61-Pm-150						
61-Pm-151	1.139E+0	1.139E+0	7.929E+0	1.433E+0		
62-Sm-144	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
62-Sm-145						
62-Sm-146						
62-Sm-147	1.125E+0	1.128E+0	1.125E+0	1.122E+0	1.120E+0	
62-Sm-148	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
62-Sm-149	2.294E+0	2.399E+0	2.374E+0	2.294E+0	2.375E+0	
62-Sm-150	1.125E+0	1.125E+0	1.123E+0	1.126E+0	1.122E+0	
62-Sm-151	9.302E-1	9.316E-1	9.544E-1	9.302E-1	9.544E-1	
62-Sm-152	1.149E+0	1.150E+0	1.149E+0	1.149E+0	1.150E+0	
62-Sm-153	1.112E+0	1.112E+0	7.590E+0	1.486E+1		
62-Sm-154	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
62-Sm-156						
63-Eu-145						
63-Eu-146						
63-Eu-147						
63-Eu-148						
63-Eu-149						
63-Eu-150						
63-Eu-150m						
63-Eu-151	8.959E-1	9.371E-1	9.445E-1	9.297E-1	8.959E-1	
63-Eu-152	1.011E+0	1.009E+0	1.009E+0	1.011E+0		
63-Eu-152m						
63-Eu-153	1.113E+0	1.115E+0	1.115E+0	1.114E+0	1.115E+0	
63-Eu-154	1.127E+0	1.122E+0	1.125E+0	1.127E+0	1.127E+0	
63-Eu-155	1.320E+0	1.160E+0	1.320E+0	1.320E+0	1.320E+0	
63-Eu-156	7.477E+0	7.477E+0	1.019E+1	7.477E+0		
63-Eu-157	1.121E+0	1.121E+0	1.020E+1			
64-Gd-146						
64-Gd-147						
64-Gd-148						
64-Gd-149						
64-Gd-150						
64-Gd-151						
64-Gd-152	1.116E+0	1.125E+0	1.125E+0	1.116E+0	1.125E+0	
64-Gd-153	1.058E+0		1.065E+0	1.019E+0		
64-Gd-154	1.124E+0	1.129E+0	1.125E+0	1.124E+0	1.125E+0	
64-Gd-155	9.780E-1	9.705E-1	9.307E-1	9.780E-1	9.692E-1	
64-Gd-156	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
64-Gd-157	9.296E-1	9.094E-1	9.188E-1	9.281E-1	9.144E-1	

TABLE V: Westcott neutron elastic factors (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)
64-Gd-158	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
64-Gd-159						
64-Gd-160	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
65-Tb-151						
65-Tb-152						
65-Tb-153						
65-Tb-154						
65-Tb-154m						
65-Tb-154n						
65-Tb-155						
65-Tb-156m						
65-Tb-156						
65-Tb-156n						
65-Tb-157						
65-Tb-158						
65-Tb-159	1.128E+0	1.128E+0	1.128E+0	1.128E+0		
65-Tb-160	1.118E+0	1.129E+0	1.119E+0	1.125E+0		
65-Tb-161						
66-Dy-153						
66-Dy-154			7.612E+0			
66-Dy-155						
66-Dy-156	1.127E+0		1.127E+0	1.127E+0		
66-Dy-157						
66-Dy-158	1.127E+0		1.127E+0	1.127E+0		
66-Dy-159			8.212E+0			
66-Dy-160	1.127E+0	1.125E+0	1.126E+0	1.127E+0		
66-Dy-161	1.109E+0	1.109E+0	1.111E+0	1.109E+0		
66-Dy-162	1.166E+0	1.166E+0	1.697E+0	1.166E+0		
66-Dy-163	1.124E+0	1.124E+0	1.123E+0	1.124E+0		
66-Dy-164	1.099E+0	1.099E+0	1.099E+0	1.099E+0	1.099E+0	
66-Dy-165						
66-Dy-166						
67-Ho-163						
67-Ho-164						
67-Ho-164m						
67-Ho-165	1.126E+0	1.129E+0		1.126E+0		
67-Ho-166m	1.684E+0					
67-Ho-166						
68-Er-160						
68-Er-161						
68-Er-162	1.128E+0	1.128E+0	1.128E+0	1.128E+0		
68-Er-164	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
68-Er-165						
68-Er-166	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
68-Er-167	1.078E+0	1.056E+0	1.057E+0	1.078E+0		
68-Er-168	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
68-Er-169						
68-Er-170	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
68-Er-171						
68-Er-172						
69-Tm-165						
69-Tm-166						
69-Tm-167						
69-Tm-168	1.125E+0					
69-Tm-169	1.124E+0		1.124E+0			
69-Tm-170	1.129E+0					
69-Tm-171						
69-Tm-172						
69-Tm-173						
70-Yb-166						
70-Yb-168			1.456E+0			
70-Yb-169						
70-Yb-170			1.128E+0			
70-Yb-171			1.126E+0			
70-Yb-172			1.129E+0			
70-Yb-173			1.129E+0			
70-Yb-174			1.128E+0			
70-Yb-175						
70-Yb-176			1.129E+0			
71-Lu-169						
71-Lu-170						
71-Lu-171						
71-Lu-172						
71-Lu-173						
71-Lu-174m						
71-Lu-174						
71-Lu-175	1.128E+0	1.128E+0		1.128E+0		
71-Lu-176	1.673E+0	1.673E+0		1.673E+0		
71-Lu-177m						

TABLE V: Westcott neutron elastic factors (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)
71-Lu-177						
72-Hf-170						
72-Hf-171						
72-Hf-172						
72-Hf-173						
72-Hf-174	1.113E+0	1.107E+0	1.101E+0	1.113E+0	1.102E+0	
72-Hf-175						
72-Hf-176	1.127E+0	1.127E+0	1.127E+0	1.127E+0	1.128E+0	
72-Hf-177	1.262E+0	1.277E+0	1.249E+0	1.203E+0	1.345E+0	
72-Hf-178n						
72-Hf-178	1.122E+0	1.120E+0	1.122E+0	1.122E+0	1.122E+0	
72-Hf-179n						
72-Hf-179	1.125E+0	1.126E+0	1.126E+0	1.126E+0	1.126E+0	
72-Hf-180	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
72-Hf-180m						
72-Hf-181			8.784E+0			
72-Hf-182			9.152E+0			
73-Ta-175						
73-Ta-176						
73-Ta-177						
73-Ta-179						
73-Ta-180	1.129E+0					
73-Ta-180m						
73-Ta-181	1.127E+0	1.127E+0	1.127E+0	1.127E+0	1.127E+0	
73-Ta-182	1.734E+0	1.734E+0		1.734E+0		
73-Ta-183						
73-Ta-184						
74-W - 0						
74-W -178						
74-W -180	1.128E+0		1.127E+0	1.127E+0		
74-W -181						
74-W -182	1.127E+0	1.127E+0	1.127E+0	1.127E+0		
74-W -183	1.128E+0	1.128E+0	1.128E+0	1.128E+0		
74-W -184	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
74-W -185						
74-W -186	1.162E+0	1.138E+0	1.164E+0	1.166E+0		
74-W -187						
74-W -188						
75-Re-181						
75-Re-182						
75-Re-182m						
75-Re-183						
75-Re-184m						
75-Re-184						
75-Re-185	1.120E+0	1.120E+0		1.120E+0		
75-Re-186m						
75-Re-186						
75-Re-187	1.124E+0	1.124E+0		1.124E+0		
75-Re-188						
75-Re-189						
76-Os- 0		1.129E+0		1.129E+0		
76-Os-182						
76-Os-183						
76-Os-183m						
76-Os-184			1.132E+1			
76-Os-185						
76-Os-186			1.099E+0			
76-Os-187			1.115E+0			
76-Os-188			1.114E+0			
76-Os-189			1.128E+0			
76-Os-190			1.122E+0			
76-Os-191						
76-Os-191m						
76-Os-192			1.129E+0			
76-Os-193						
76-Os-194						
77-Ir-185						
77-Ir-186						
77-Ir-187						
77-Ir-188						
77-Ir-189						
77-Ir-190						
77-Ir-191	1.082E+0	1.081E+0		1.081E+0		
77-Ir-192n						
77-Ir-192						
77-Ir-193m						
77-Ir-193	1.125E+0	1.125E+0		1.125E+0		
77-Ir-194						
77-Ir-194n						
77-Ir-194m						

TABLE V: Westcott neutron elastic factors (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)
77-Ir-196m						
78-Pt- 0		1.129E+0		1.129E+0		
78-Pt-188						
78-Pt-189						
78-Pt-190						
78-Pt-191						
78-Pt-192						
78-Pt-193m						
78-Pt-193						
78-Pt-194						
78-Pt-195m						
78-Pt-195						
78-Pt-196						
78-Pt-197						
78-Pt-198						
78-Pt-200						
78-Pt-202						
79-Au-193						
79-Au-194						
79-Au-195						
79-Au-196						
79-Au-196n						
79-Au-197	1.127E+0	1.126E+0	1.127E+0	1.127E+0	1.126E+0	
79-Au-198m						
79-Au-198						
79-Au-199						
79-Au-200m						
80-Hg- 0					1.025E+0	
80-Hg-193						
80-Hg-193m						
80-Hg-194						
80-Hg-195m						
80-Hg-195						
80-Hg-196	1.105E+0	1.105E+0	1.105E+0	1.105E+0		
80-Hg-197						
80-Hg-197m						
80-Hg-198	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
80-Hg-199	1.106E+0	1.106E+0	1.106E+0	1.106E+0		
80-Hg-200	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
80-Hg-201	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
80-Hg-202	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
80-Hg-203						
80-Hg-204	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
81-Tl-0		1.129E+0		1.129E+0	1.145E+0	
81-Tl-199						
81-Tl-200						
81-Tl-201						
81-Tl-202						
81-Tl-203	1.129E+0					
81-Tl-204						
81-Tl-205	1.129E+0					
82-Pb-200						
82-Pb-201						
82-Pb-202						
82-Pb-203						
82-Pb-204	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.133E+0	
82-Pb-205						
82-Pb-206	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
82-Pb-207	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
82-Pb-208	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
82-Pb-209						
82-Pb-210						
82-Pb-212						
83-Bi-203						
83-Bi-204						
83-Bi-205						
83-Bi-206						
83-Bi-207						
83-Bi-208						
83-Bi-209	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
83-Bi-210						
83-Bi-210m						
84-Po-206						
84-Po-207						
84-Po-208						
84-Po-209						
84-Po-210						
85-At-210						
85-At-211						

TABLE V: Westcott neutron elastic factors (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)
86-Rn-211						
86-Rn-222						
88-Ra-223	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
88-Ra-224	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
88-Ra-225	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
88-Ra-226	1.127E+0	1.127E+0	1.127E+0	1.127E+0		
88-Ra-228						
89-Ac-225	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
89-Ac-226	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
89-Ac-227	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
89-Ac-228						
90-Th-227	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
90-Th-228	1.122E+0	1.127E+0	1.122E+0	1.125E+0		
90-Th-229	1.122E+0	1.122E+0	1.122E+0	1.122E+0		
90-Th-230	1.126E+0	1.125E+0	1.126E+0	1.126E+0		
90-Th-231	1.129E+0		1.129E+0			
90-Th-232	1.128E+0	1.127E+0	1.128E+0	1.128E+0	1.129E+0	
90-Th-233	1.129E+0	1.129E+0	1.129E+0			
90-Th-234	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
91-Pa-228						
91-Pa-229	1.130E+0		1.130E+0			
91-Pa-230	1.131E+0		1.131E+0			
91-Pa-231	1.116E+0	1.112E+0	1.114E+0	1.113E+0		
91-Pa-232	1.101E+0	1.121E+0	1.101E+0	1.121E+0		
91-Pa-233	1.126E+0	1.126E+0	1.127E+0	1.126E+0		
91-Pa-234						
92-U -230	1.129E+0		1.129E+0			
92-U -231	1.130E+0		1.130E+0			
92-U -232	1.123E+0	1.123E+0	1.123E+0	1.123E+0	1.123E+0	
92-U -233	1.126E+0	1.126E+0	1.126E+0	1.126E+0	1.126E+0	
92-U -234	1.119E+0	1.119E+0	1.109E+0	1.119E+0	1.119E+0	
92-U -235	1.121E+0	1.121E+0	1.121E+0	1.121E+0	1.121E+0	
92-U -236	1.128E+0	1.128E+0	1.128E+0	1.128E+0	1.128E+0	
92-U -237	1.097E+0	1.097E+0	1.097E+0	1.097E+0	1.097E+0	
92-U -238	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
92-U -239	1.127E+0				1.001E+0	
92-U -240	1.125E+0				1.188E+0	
92-U -241	1.129E+0				1.086E+0	
93-Np-234	1.129E+0		1.129E+0			
93-Np-235	1.130E+0	1.129E+0	1.130E+0	1.129E+0		
93-Np-236	1.133E+0	1.129E+0	1.133E+0	1.131E+0	1.129E+0	
93-Np-236m						
93-Np-237	1.118E+0	1.115E+0	1.116E+0	1.115E+0	1.117E+0	
93-Np-238	1.115E+0	1.117E+0	1.115E+0	1.129E+0	1.118E+0	
93-Np-239	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
94-Pu-234						
94-Pu-236	1.127E+0	1.127E+0	1.127E+0	1.127E+0	1.127E+0	
94-Pu-237	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
94-Pu-238	1.011E+0	1.100E+0	1.011E+0	1.100E+0	1.102E+0	
94-Pu-239	1.102E+0	1.103E+0	1.104E+0	1.102E+0	1.104E+0	
94-Pu-240	1.022E+0	1.060E+0	1.060E+0	1.060E+0	1.022E+0	
94-Pu-241	1.109E+0	1.109E+0	1.109E+0	1.109E+0	1.109E+0	
94-Pu-242	1.125E+0	1.126E+0	1.126E+0	1.126E+0	1.125E+0	
94-Pu-243	1.118E+0	1.118E+0		1.118E+0	1.118E+0	
94-Pu-244	1.129E+0	1.129E+0	1.129E+0	1.129E+0	1.129E+0	
94-Pu-245				1.129E+0	1.124E+0	
94-Pu-246	1.129E+0	1.129E+0	1.129E+0		1.170E+0	
94-Pu-247						
95-Am-239						
95-Am-240	1.129E+0		1.129E+0		1.140E+0	
95-Am-241	1.074E+0	1.078E+0	1.074E+0	1.078E+0	1.077E+0	
95-Am-242m	1.251E+0	1.251E+0	1.250E+0	1.250E+0	1.251E+0	
95-Am-242	1.129E+0	1.129E+0	1.122E+0	1.129E+0	1.129E+0	
95-Am-243	1.121E+0	1.121E+0	1.121E+0	1.121E+0	1.121E+0	
95-Am-244m	1.129E+0	1.129E+0	1.129E+0			
95-Am-244	1.129E+0	1.129E+0	1.130E+0	1.130E+0	1.155E+0	
96-Cm-240	1.129E+0	1.115E+0	1.129E+0	1.115E+0		
96-Cm-241	1.129E+0	1.129E+0	1.129E+0	1.125E+0		
96-Cm-242	1.128E+0	1.128E+0	1.128E+0	1.128E+0		
96-Cm-243	1.118E+0	1.117E+0	1.118E+0	1.116E+0		
96-Cm-244	1.128E+0	1.127E+0	1.128E+0	1.128E+0		
96-Cm-245	1.117E+0	1.119E+0	1.117E+0	1.119E+0		
96-Cm-246	1.129E+0	1.129E+0		1.129E+0		
96-Cm-247	1.123E+0	1.123E+0	1.123E+0	1.121E+0		
96-Cm-248	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
96-Cm-249	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
96-Cm-250	1.116E+0	1.125E+0	1.116E+0	1.125E+0		
97-Bk-245	1.129E+0		1.129E+0			
97-Bk-246	1.129E+0		1.129E+0			
97-Bk-247	1.129E+0	1.104E+0	1.129E+0	1.104E+0		

TABLE V: Westcott neutron elastic factors (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)
97-Bk-248	1.130E+0		1.130E+0			
97-Bk-248m						
97-Bk-249	1.183E+0	1.183E+0	1.183E+0	1.116E+0	1.115E+0	
97-Bk-250	1.129E+0	1.102E+0	1.129E+0	1.103E+0		
98-Cf-246	1.129E+0		1.129E+0			
98-Cf-248	1.129E+0		1.129E+0			
98-Cf-249	1.086E+0	1.086E+0	1.086E+0	1.086E+0	1.087E+0	
98-Cf-250	8.907E-1	1.097E+0	8.907E-1	1.097E+0		
98-Cf-251	1.022E+0	1.144E+0	1.022E+0	1.040E+0		
98-Cf-252	1.127E+0	1.126E+0	1.127E+0	1.127E+0		
98-Cf-253	1.129E+0		1.129E+0	1.129E+0		
98-Cf-254	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
99-Es-250						
99-Es-251	1.129E+0		1.129E+0			
99-Es-252	1.130E+0		1.130E+0			
99-Es-253	1.113E+0	1.123E+0	1.113E+0	1.123E+0		
99-Es-254m	1.129E+0		1.129E+0			
99-Es-254	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
99-Es-255	1.130E+0	1.129E+0	1.130E+0	1.129E+0		
99-Es-256m						
99-Es-257						
100-Fm-252						
100-Fm-253						
100-Fm-255	1.129E+0	1.129E+0	1.129E+0	1.129E+0		
100-Fm-257						

Westcott Fission Factors

TABLE VI: Westcott neutron fission factors at T=293.6° K from ENDF/B-VII.1, JEFF-3.1.2, JENDL-4.0, ROSFOND-2010, CENDL-3.1 libaries, EAF-2010 file and Atlas of Neutron Resonances [1, 2, 6–10].

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)
86-Rn-222				1.001E+0		9.995E-1	
88-Ra-223	1.001E+0	1.001E+0	1.001E+0	1.001E+0		9.996E-1	
88-Ra-224						9.995E-1	
88-Ra-225						9.993E-1	
88-Ra-226	1.000E+0	1.000E+0	1.000E+0	1.000E+0		9.991E-1	
88-Ra-228				1.001E+0		9.995E-1	
89-Ac-225	1.002E+0		1.002E+0	1.001E+0		9.995E-1	
89-Ac-226	1.001E+0		1.001E+0	1.000E+0		9.993E-1	
89-Ac-227	9.987E-1	1.001E+0	9.987E-1	1.001E+0		9.988E-1	
89-Ac-228						1.127E+0	
90-Th-227	1.000E+0	1.000E+0	1.000E+0	1.029E+0		1.028E+0	
90-Th-228	1.001E+0	1.001E+0	1.001E+0	1.001E+0		9.995E-1	
90-Th-229	9.921E-1	1.018E+0	9.920E-1	1.017E+0		1.015E+0	
90-Th-230	1.001E+0		1.001E+0			9.995E-1	
90-Th-231	9.994E-1		9.994E-1	1.000E+0		9.994E-1	
90-Th-232			1.002E+0			1.001E+0	
90-Th-233	1.000E+0	1.004E+0	1.000E+0				
90-Th-234	1.001E+0		1.001E+0	1.001E+0		9.995E-1	
91-Pa-228						9.993E-1	
91-Pa-229	1.071E+0		1.071E+0	1.001E+0		9.993E-1	
91-Pa-230	1.017E+0		1.017E+0	1.003E+0		1.002E+0	
91-Pa-231	1.013E+0	1.016E+0	9.791E-1	9.752E-1		9.781E-1	
91-Pa-232	1.032E+0	1.036E+0	1.032E+0	1.036E+0		1.053E+0	
91-Pa-233			1.003E+0			9.995E-1	
91-Pa-234						9.995E-1	
92-U -230	1.000E+0		1.000E+0	1.003E+0		1.002E+0	
92-U -231	1.068E+0		1.068E+0	1.029E+0		1.028E+0	
92-U -232	9.777E-1	9.771E-1	9.777E-1	9.771E-1	9.791E-1	9.759E-1	
92-U -233	9.966E-1	9.961E-1	9.967E-1	9.967E-1	9.961E-1	9.951E-1	9.955E-1±1.500E-3
92-U -234	9.907E-1	9.906E-1	9.818E-1	9.906E-1	9.895E-1	9.894E-1	
92-U -235	9.767E-1	9.767E-1	9.765E-1	9.765E-1	9.767E-1	9.748E-1	9.771E-1±8.000E-4
92-U -236	1.004E+0	1.003E+0	1.005E+0	1.004E+0	1.004E+0	1.003E+0	
92-U -237	9.834E-1	9.834E-1	9.833E-1	9.833E-1	9.834E-1	9.814E-1	
92-U -238	1.002E+0	1.001E+0	1.002E+0	1.002E+0	1.002E+0	1.000E+0	

TABLE VI: Westcott neutron fission factors (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)
92-U -239	1.012E+0				1.000E+0		
92-U -240	1.001E+0				9.476E-1	9.995E-1	
92-U -241	9.907E-1				1.066E+0	9.895E-1	
93-Np-234	1.000E+0		1.000E+0	1.003E+0		1.002E+0	
93-Np-235	1.014E+0	9.995E-1	1.014E+0	1.001E+0		9.983E-1	
93-Np-236	1.019E+0	9.998E-1	1.019E+0	1.019E+0	1.015E+0	1.017E+0	
93-Np-236m						9.997E-1	
93-Np-237	9.762E-1	9.847E-1	9.769E-1	9.863E-1	9.762E-1	9.827E-1	9.650E-1
93-Np-238	1.011E+0	9.910E-1	1.011E+0	1.001E+0	9.920E-1	9.958E-1	
93-Np-239	1.002E+0		1.002E+0	9.866E-1	1.001E+0	9.995E-1	
94-Pu-234						1.127E+0	
94-Pu-236	9.959E-1	9.945E-1	9.959E-1	9.944E-1	9.945E-1	9.934E-1	
94-Pu-237	1.003E+0	1.000E+0	1.003E+0	9.693E-1	1.000E+0	1.028E+0	
94-Pu-238	9.381E-1	9.575E-1	9.380E-1	9.574E-1	9.573E-1	9.615E-1	9.562E-1
94-Pu-239	1.055E+0	1.050E+0	1.058E+0	1.055E+0	1.054E+0	1.054E+0	1.056E+0±1.300E-3
94-Pu-240	1.025E+0	1.033E+0	1.045E+0	1.033E+0	1.025E+0	1.032E+0	
94-Pu-241	1.047E+0	1.047E+0	1.047E+0	1.047E+0	1.046E+0	1.052E+0	1.046E+0±6.000E-3
94-Pu-242	9.977E-1	1.006E+0	1.007E+0	1.009E+0	1.001E+0	1.007E+0	
94-Pu-243	9.918E-1	9.918E-1		9.918E-1	9.915E-1	9.908E-1	
94-Pu-244	9.974E-1		9.974E-1	9.974E-1		9.963E-1	
94-Pu-245					1.082E+0	9.994E-1	
94-Pu-246	1.000E+0		1.000E+0		2.441E+0	9.996E-1	
94-Pu-247				1.128E-10		9.993E-1	
95-Am-239						9.993E-1	
95-Am-240	9.997E-1		9.997E-1	9.947E-1	1.002E+0	9.993E-1	
95-Am-241	1.022E+0	1.058E+0	1.022E+0	1.014E+0	1.025E+0	1.038E+0	9.960E-1
95-Am-242m	1.096E+0	1.096E+0	1.098E+0	1.096E+0	1.096E+0	1.095E+0	1.104E+0
95-Am-242	1.050E+0	1.050E+0	1.061E+0	1.050E+0	1.050E+0	1.049E+0	
95-Am-243	1.006E+0	1.013E+0	1.017E+0	1.016E+0	1.016E+0	1.011E+0	
95-Am-244m	1.102E+0	1.102E+0	1.001E+0				
95-Am-244	1.029E+0	1.029E+0	9.968E-1	1.029E+0	1.004E+0	1.028E+0	
96-Cm-240	1.001E+0	9.748E-1	1.001E+0	9.748E-1		9.738E-1	
96-Cm-241	9.992E-1	1.000E+0	9.992E-1	1.026E+0		1.025E+0	
96-Cm-242	9.957E-1	9.964E-1	9.957E-1	9.925E-1		9.944E-1	
96-Cm-243	1.006E+0	1.004E+0	1.006E+0	1.004E+0		1.003E+0	1.005E+0
96-Cm-244	9.972E-1	9.893E-1	9.972E-1	9.994E-1		9.844E-1	9.890E-1
96-Cm-245	9.421E-1	9.477E-1	9.421E-1	9.477E-1		9.427E-1	9.539E-1±3.300E-2
96-Cm-246	1.003E+0	1.003E+0		1.003E+0		1.002E+0	
96-Cm-247	1.004E+0	9.769E-1	1.004E+0	9.997E-1		9.751E-1	
96-Cm-248	1.000E+0	1.001E+0	1.000E+0	1.001E+0		9.996E-1	
96-Cm-249	1.000E+0	9.960E-1	1.000E+0	9.954E-1		9.948E-1	
96-Cm-250	1.001E+0	1.002E+0	1.001E+0	1.002E+0		1.000E+0	
97-Bk-245	1.002E+0		1.002E+0	1.000E+0		9.995E-1	
97-Bk-246	1.003E+0		1.003E+0	1.000E+0		9.993E-1	
97-Bk-247	1.001E+0	9.720E-1	1.001E+0	9.720E-1		9.710E-1	
97-Bk-248	1.000E+0		1.000E+0	1.000E+0		9.993E-1	
97-Bk-248m						9.993E-1	
97-Bk-249	1.502E+0	1.502E+0	1.502E+0	1.498E+0	1.498E+0	1.499E+0	
97-Bk-250	1.002E+0	9.448E-1	1.002E+0	9.448E-1		9.437E-1	
98-Cf-246	1.001E+0		1.001E+0	1.001E+0		9.995E-1	
98-Cf-248	1.000E+0		1.000E+0	1.000E+0		9.992E-1	
98-Cf-249	9.685E-1	9.686E-1	9.685E-1	9.686E-1	9.794E-1	9.672E-1	
98-Cf-250	9.372E-1	9.958E-1	9.372E-1	9.958E-1		9.945E-1	
98-Cf-251	9.911E-1	9.984E-1	9.911E-1	9.594E-1		9.964E-1	
98-Cf-252	9.976E-1	9.910E-1	9.976E-1	9.976E-1		9.958E-1	
98-Cf-253	1.002E+0		1.002E+0	1.002E+0		1.005E+0	
98-Cf-254	1.000E+0	1.001E+0	1.000E+0	1.001E+0		9.993E-1	
99-Es-250						9.993E-1	
99-Es-251	1.002E+0		1.002E+0	1.000E+0		9.989E-1	
99-Es-252	1.006E+0		1.006E+0	1.000E+0		9.987E-1	
99-Es-253	1.004E+0		1.004E+0	1.058E+0		9.988E-1	
99-Es-254m	1.000E+0		1.000E+0	1.006E+0		1.004E+0	
99-Es-254	1.002E+0	1.000E+0	1.002E+0	1.000E+0		9.947E-1	
99-Es-255	1.005E+0	1.001E+0	1.005E+0	1.001E+0		9.992E-1	
99-Es-256m						9.993E-1	
99-Es-257						9.993E-1	
100-Fm-252				1.000E+0		9.997E-1	
100-Fm-253				1.000E+0		9.988E-1	
100-Fm-255	1.001E+0	1.001E+0	1.001E+0	1.000E+0		1.023E+0	
100-Fm-257				1.003E+0		1.002E+0	

Westcott Capture Factors

TABLE VII: Westcott neutron capture factors at T=293.6° K from ENDF/B-VII.1, JEFF-3.1.2, JENDL-4.0, ROSFOND-2010, CENDL-3.1, EAF-2010 and Atlas of Neutron Resonances [1, 2, 6–10]. (*C*-calculated value).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)
1-H - 1	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.995E-1	
1-H - 2	1.000E+0	1.000E+0	1.001E+0	1.001E+0	1.000E+0	9.993E-1	
1-H - 3							
2-He- 3	1.001E+0	1.001E+0	1.001E+0	9.851E-1	1.001E+0	9.996E-1	
2-He- 4							
3-Li- 6	1.001E+0	1.001E+0	1.000E+0	1.001E+0		9.987E-1	
3-Li- 7	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.002E+0	9.988E-1	
4-Be- 7						9.995E-1	
4-Be- 9	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.995E-1	
4-Be- 10				1.001E+0		9.998E-1	
5-B - 10	1.000E+0	1.000E+0	1.001E+0	1.000E+0	1.000E+0	9.988E-1	
5-B - 11	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.988E-1	
6-C-0	1.001E+0	1.003E+0	1.001E+0	1.003E+0			
6-C - 12					1.003E+0	9.995E-1	
6-C - 13				1.001E+0		9.980E-1	
6-C - 14				1.080E+0		1.136E+0	
7-N - 14	1.000E+0	1.000E+0	1.001E+0	1.000E+0	1.000E+0	9.987E-1	
7-N - 15	1.001E+0	1.001E+0	1.001E+0	1.004E+0		9.998E-1	
8-O - 16	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.996E-1	
8-O - 17	1.000E+0	1.000E+0		1.000E+0		9.981E-1	
8- O- 18				1.001E+0		1.003E+0	
9-F - 19	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.987E-1	
10-Ne- 20				1.001E+0		9.994E-1	
10-Ne- 21				1.001E+0		9.995E-1	
10-Ne- 22				1.001E+0		9.995E-1	
11-Na- 22	1.002E+0	1.002E+0		1.002E+0		1.000E+0	
11-Na- 23	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.988E-1	
11-Na- 24						9.995E-1	
12-Mg- 24	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	
12-Mg- 25	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	
12-Mg- 26	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	
12-Mg- 28						9.995E-1	
13-Al- 26				1.001E+0		9.996E-1	
13-Al- 27	1.001E+0	1.001E+0	9.932E-1	1.001E+0	9.932E-1	9.995E-1	
14-Si- 28	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	
14-Si- 29	1.001E+0	1.002E+0	1.001E+0	1.001E+0	1.001E+0	1.003E+0	
14-Si- 30	1.001E+0	1.006E+0	1.001E+0	1.001E+0	1.001E+0	1.006E+0	
14-Si- 31						9.995E-1	
14-Si- 32				1.001E+0		9.995E-1	
15-P - 31	9.983E-1	1.001E+0	1.001E+0	1.001E+0	1.012E+0	9.987E-1	
15-P - 32				1.001E+0		9.996E-1	
15-P - 33				1.001E+0		9.995E-1	
16-S - 0					1.001E+0		
16-S - 32	1.001E+0	1.001E+0	1.001E+0	1.001E+0		9.988E-1	
16-S - 33	1.001E+0	1.001E+0	1.001E+0	1.001E+0		9.988E-1	
16-S - 34	1.001E+0	1.001E+0	1.001E+0	1.001E+0		9.988E-1	
16-S - 35				1.001E+0		9.995E-1	
16-S - 36	1.014E+0	1.014E+0	1.014E+0	1.014E+0		1.013E+0	
17-Cl- 0					1.001E+0		
17-Cl- 35	1.000E+0	1.001E+0	1.000E+0	1.001E+0		9.992E-1	
17-Cl- 36				1.001E+0		9.993E-1	
17-Cl- 37	1.001E+0	1.001E+0	1.001E+0	1.001E+0		9.988E-1	
18-Ar- 36	1.016E+0	1.016E+0		1.016E+0		1.015E+0	
18-Ar- 37				1.001E+0		9.996E-1	
18-Ar- 38	1.041E+0	1.041E+0		1.041E+0		1.039E+0	
18-Ar- 39				1.001E+0		9.994E-1	
18-Ar- 40	1.001E+0	1.001E+0	1.001E+0	1.001E+0		1.001E+0	
18-Ar- 41						9.996E-1	
18-Ar- 42				1.001E+0		9.995E-1	
19-K - 0					1.007E+0		
19-K - 39	1.001E+0	1.001E+0	1.001E+0	1.001E+0		1.001E+0	
19-K - 40	1.000E+0	1.000E+0	1.000E+0	1.000E+0		9.993E-1	
19-K - 41	1.000E+0	1.001E+0	1.001E+0	1.001E+0		1.001E+0	
19-K - 42						9.995E-1	
19-K - 43						9.995E-1	
20-Ca- 0					1.039E+0		
20-Ca- 40	1.001E+0	1.001E+0	1.001E+0	1.001E+0		1.001E+0	
20-Ca- 41				1.000E+0		9.994E-1	
20-Ca- 42	1.001E+0	1.001E+0	1.001E+0	1.001E+0		1.001E+0	
20-Ca- 43	1.000E+0	1.000E+0	1.000E+0	1.000E+0		1.000E+0	
20-Ca- 44	1.001E+0	1.001E+0	1.001E+0	1.001E+0		1.001E+0	
20-Ca- 45				1.000E+0		9.993E-1	
20-Ca- 46	1.001E+0	1.001E+0	1.001E+0	1.001E+0		9.996E-1	
20-Ca- 47				1.001E+0		9.996E-1	
20-Ca- 48	1.001E+0	1.001E+0	1.001E+0	1.001E+0		1.001E+0	
21-Sc- 44							

TABLE VII: Westcott neutron capture factors (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)
21-Sc- 44m						9.994E-1	
21-Sc- 45	1.000E+0	1.000E+0	1.000E+0	1.000E+0		9.986E-1	
21-Sc- 46				1.000E+0		9.994E-1	
21-Sc- 47				1.000E+0		9.995E-1	
21-Sc- 48				1.000E+0		9.994E-1	
22-Ti- 44				1.001E+0		9.995E-1	
22-Ti- 45						9.994E-1	
22-Ti- 46	1.001E+0	1.000E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	
22-Ti- 47	1.001E+0	1.000E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	
22-Ti- 48	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.001E+0	
22-Ti- 49	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.001E+0	
22-Ti- 50	1.001E+0	1.000E+0	1.001E+0	1.001E+0	1.001E+0	9.996E-1	
23-V-0		9.997E-1		1.000E+0	9.997E-1		
23-V - 48				1.000E+0		9.994E-1	
23-V - 49				1.000E+0		9.994E-1	
23-V - 50	1.000E+0		1.000E+0	9.990E-1		9.980E-1	
23-V - 51	1.000E+0		1.000E+0	1.000E+0		1.001E+0	
24-Cr- 48						9.995E-1	
24-Cr- 50	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.000E+0	9.985E-1	
24-Cr- 51				1.000E+0		9.993E-1	
24-Cr- 52	1.002E+0	1.001E+0	1.002E+0	1.001E+0	1.001E+0	9.987E-1	
24-Cr- 53	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.000E+0	9.986E-1	
24-Cr- 54	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.988E-1	
25-Mn- 52				1.000E+0		9.995E-1	
25-Mn- 53				1.000E+0		9.993E-1	
25-Mn- 54				1.000E+0		9.993E-1	
25-Mn- 55	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.000E+0	9.993E-1	
26-Fe- 52						9.995E-1	
26-Fe- 54	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.987E-1	
26-Fe- 55				1.000E+0		9.993E-1	
26-Fe- 56	1.000E+0	1.000E+0	1.001E+0	1.001E+0	1.000E+0	9.987E-1	
26-Fe- 57	1.000E+0	1.001E+0	1.001E+0	1.000E+0	1.001E+0	9.986E-1	
26-Fe- 58	1.002E+0	1.001E+0	1.001E+0	1.002E+0	1.001E+0	9.997E-1	
26-Fe- 59			1.000E+0	1.000E+0		9.993E-1	
26-Fe- 60				1.001E+0		9.996E-1	
27-Co- 55						9.993E-1	
27-Co- 56				1.000E+0		9.993E-1	
27-Co- 57				1.000E+0		9.993E-1	
27-Co- 58	1.003E+0	1.018E+0		1.004E+0		1.005E+0	
27-Co- 58m	1.026E+0	1.026E+0				1.024E+0	
27-Co- 59	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.000E+0	9.988E-1	
27-Co- 60				1.001E+0		9.995E-1	
28-Ni- 56				1.000E+0		9.994E-1	
28-Ni- 57				1.000E+0		9.994E-1	
28-Ni- 58	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.000E+0	9.987E-1	
28-Ni- 59	1.000E+0	1.000E+0	1.000E+0	1.000E+0		9.988E-1	
28-Ni- 60	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.000E+0	9.994E-1	
28-Ni- 61	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.000E+0	9.987E-1	
28-Ni- 62	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.000E+0	9.986E-1	
28-Ni- 63				1.000E+0		9.994E-1	
28-Ni- 64	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.988E-1	
28-Ni- 66				1.001E+0		9.995E-1	
29-Cu- 0					1.000E+0		
29-Cu- 63	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.000E+0	9.986E-1	
29-Cu- 64						1.002E+0	
29-Cu- 65	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.000E+0	9.988E-1	
29-Cu- 67				1.000E+0		9.993E-1	
30-Zn- 0		1.001E+0		1.001E+0	1.001E+0		
30-Zn- 62						9.994E-1	
30-Zn- 64	1.001E+0		1.001E+0	1.001E+0		9.998E-1	
30-Zn- 65	1.000E+0		1.000E+0	1.001E+0		9.996E-1	
30-Zn- 66	1.001E+0		1.001E+0	1.001E+0		9.995E-1	
30-Zn- 67	1.000E+0		1.000E+0	1.000E+0		9.993E-1	
30-Zn- 68	1.001E+0		1.001E+0	1.001E+0		9.995E-1	
30-Zn- 69m						9.994E-1	
30-Zn- 70	1.001E+0		1.001E+0	1.001E+0		9.995E-1	
30-Zn- 72				1.001E+0		9.995E-1	
31-Ga- 0		1.001E+0					
31-Ga- 66						9.993E-1	
31-Ga- 67				1.000E+0		9.993E-1	
31-Ga- 69	1.000E+0		1.000E+0	1.000E+0	1.000E+0	9.994E-1	
31-Ga- 71	1.001E+0		1.001E+0	1.001E+0	1.001E+0	9.994E-1	
31-Ga- 72						9.993E-1	
32-Ge- 0					1.001E+0		
32-Ge- 68				1.040E+0		9.994E-1	
32-Ge- 69				1.000E+0		9.993E-1	
32-Ge- 70	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.000E+0	9.993E-1	
32-Ge- 71				1.000E+0	1.000E+0	9.993E-1	
32-Ge- 72	1.001E+0	1.000E+0	1.001E+0	1.001E+0	1.000E+0	9.988E-1	
32-Ge- 73	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.000E+0	9.987E-1	

TABLE VII: Westcott neutron capture factors (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)
32-Ge- 74	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.989E-1	
32-Ge- 75					1.000E+0		
32-Ge- 76	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.988E-1	
32-Ge- 77					1.000E+0	9.994E-1	
32-Ge- 78					1.001E+0		
33-As- 71				1.000E+0		9.993E-1	
33-As- 72				1.000E+0		9.993E-1	
33-As- 73				1.000E+0		9.993E-1	
33-As- 74	1.002E+0			1.000E+0		9.993E-1	
33-As- 75	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.989E-1	
33-As- 76				1.000E+0		9.993E-1	
33-As- 77				1.000E+0	1.001E+0	9.993E-1	
33-As- 79					1.001E+0		
34-Se- 72				1.000E+0		9.993E-1	
34-Se- 73						9.993E-1	
34-Se- 74	1.001E+0	1.001E+0	1.001E+0	1.001E+0		9.993E-1	
34-Se- 75				1.001E+0		9.999E-1	
34-Se- 76	1.000E+0	1.000E+0	1.000E+0	1.000E+0		9.985E-1	
34-Se- 77	9.997E-1	1.000E+0	9.996E-1	9.997E-1		9.986E-1	
34-Se- 78	1.001E+0	1.001E+0	1.001E+0	1.001E+0		9.988E-1	
34-Se- 79	1.000E+0	1.000E+0	1.000E+0	1.000E+0		9.993E-1	
34-Se- 80	1.001E+0	1.001E+0	1.001E+0	1.001E+0		9.988E-1	
34-Se- 82	1.001E+0	1.001E+0	1.001E+0	1.001E+0		9.995E-1	
35-Br- 76						9.993E-1	
35-Br- 77				1.000E+0		9.993E-1	
35-Br- 79	1.000E+0	1.001E+0	1.000E+0	1.000E+0		9.990E-1	
35-Br- 81	1.001E+0	1.001E+0	1.001E+0	1.001E+0		9.989E-1	
35-Br- 82				1.000E+0		9.993E-1	
36-Kr- 76						9.993E-1	
36-Kr- 78	1.000E+0	1.000E+0	1.000E+0	1.000E+0		9.985E-1	
36-Kr- 79				1.000E+0		9.993E-1	
36-Kr- 80	1.000E+0	1.000E+0	1.000E+0	1.000E+0		9.986E-1	
36-Kr- 81				1.000E+0		9.993E-1	
36-Kr- 82	1.000E+0	1.000E+0	1.001E+0	1.000E+0		9.984E-1	
36-Kr- 83	9.979E-1	9.979E-1	9.943E-1	9.943E-1	9.943E-1	9.927E-1	
36-Kr- 84	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.988E-1	
36-Kr- 85	9.998E-1	1.001E+0	1.001E+0	9.998E-1	1.001E+0	9.988E-1	
36-Kr- 86	1.000E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.994E-1	
37-Rb- 82m						9.993E-1	
37-Rb- 83				1.000E+0		9.993E-1	
37-Rb- 84				1.000E+0		9.993E-1	
37-Rb- 85	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.988E-1	
37-Rb- 86	1.001E+0	1.000E+0	1.001E+0	1.001E+0		9.996E-1	
37-Rb- 87	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.988E-1	
38-Sr- 82				1.000E+0		9.993E-1	
38-Sr- 83				1.000E+0		9.993E-1	
38-Sr- 84	1.001E+0	1.001E+0	1.001E+0	1.001E+0		9.989E-1	
38-Sr- 85				1.000E+0		9.993E-1	
38-Sr- 86	1.001E+0	1.001E+0	1.001E+0	1.001E+0		9.989E-1	
38-Sr- 87	1.006E+0	1.006E+0	1.006E+0	1.006E+0		1.004E+0	
38-Sr- 88	1.001E+0	1.001E+0	1.000E+0	1.001E+0	1.001E+0	9.987E-1	
38-Sr- 89	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.988E-1	
38-Sr- 90	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.993E-1	9.995E-1	
38-Sr- 91						9.994E-1	
39-Y - 86						9.993E-1	
39-Y - 87				1.000E+0		9.993E-1	
39-Y - 87m						9.993E-1	
39-Y - 88				1.000E+0		9.993E-1	
39-Y - 89	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.001E+0	1.005E+0	
39-Y - 90	1.000E+0	1.000E+0	1.000E+0	1.000E+0		9.985E-1	
39-Y - 91	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.125E+0	9.988E-1	
39-Y - 93						9.993E-1	
40-Zr- 86						9.993E-1	
40-Zr- 88				1.000E+0		9.993E-1	
40-Zr- 89				1.000E+0		9.993E-1	
40-Zr- 90	1.001E+0	1.001E+0	1.000E+0	1.001E+0	1.001E+0	9.987E-1	
40-Zr- 91	1.001E+0	1.001E+0	1.000E+0	1.001E+0	1.001E+0	9.988E-1	
40-Zr- 92	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.987E-1	
40-Zr- 93	1.001E+0	1.001E+0	1.000E+0	1.001E+0	1.000E+0	9.989E-1	
40-Zr- 94	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.988E-1	
40-Zr- 95	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.531E+0	9.989E-1	
40-Zr- 96	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.991E-1	
40-Zr- 97						9.994E-1	
41-Nb- 90						9.993E-1	
41-Nb- 91m				1.000E+0		9.994E-1	
41-Nb- 91				1.000E+0		9.994E-1	
41-Nb- 92m				1.000E+0		9.993E-1	
41-Nb- 92				1.000E+0		9.993E-1	
41-Nb- 93m				1.002E+0		1.000E+0	
41-Nb- 93	1.002E+0	1.002E+0	1.000E+0	1.000E+0	1.000E+0	1.000E+0	

TABLE VII: Westcott neutron capture factors (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)
41-Nb- 94	9.992E-1	9.992E-1	9.992E-1	9.992E-1		9.993E-1	
41-Nb- 95m				1.001E+0		9.994E-1	
41-Nb- 95	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.005E+0	9.993E-1	
41-Nb- 96				1.000E+0		9.993E-1	
42-Mo- 92	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.995E-1	
42-Mo- 93				1.000E+0		9.993E-1	
42-Mo- 93m						9.993E-1	
42-Mo- 94	1.001E+0	1.001E+0	1.000E+0	1.000E+0	1.001E+0	9.988E-1	
42-Mo- 95	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.000E+0	9.972E-1	
42-Mo- 96	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.991E-1	
42-Mo- 97	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.000E+0	9.966E-1	
42-Mo- 98	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.994E-1	
42-Mo- 99	1.000E+0	1.000E+0	1.000E+0	1.000E+0		9.993E-1	
42-Mo-100	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.988E-1	
43-Tc- 95						9.993E-1	
43-Tc- 95m				1.000E+0		9.993E-1	
43-Tc- 96				1.000E+0		9.993E-1	
43-Tc- 97m				1.000E+0		9.993E-1	
43-Tc- 97				1.000E+0		9.993E-1	
43-Tc- 98				1.001E+0		9.995E-1	
43-Tc- 99	1.004E+0	1.003E+0	1.003E+0	1.003E+0	1.005E+0	1.003E+0	
43-Tc- 99m						9.993E-1	
44-Ru- 96	1.001E+0	1.002E+0	1.001E+0	1.001E+0		9.999E-1	
44-Ru- 97				1.000E+0		9.993E-1	
44-Ru- 98	1.000E+0	1.002E+0	1.000E+0	1.000E+0		1.000E+0	
44-Ru- 99	1.002E+0	1.002E+0	1.002E+0	1.002E+0	1.002E+0	1.001E+0	
44-Ru-100	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.000E+0	9.992E-1	
44-Ru-101	1.001E+0	1.002E+0	1.001E+0	1.002E+0	1.002E+0	9.999E-1	
44-Ru-102	1.001E+0	1.001E+0	1.000E+0	1.001E+0	1.001E+0	9.995E-1	
44-Ru-103	1.002E+0	1.002E+0	9.935E-1	1.002E+0	1.002E+0	1.001E+0	
44-Ru-104	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.995E-1	
44-Ru-105	9.505E-1	9.505E-1	1.001E+0		9.505E-1	9.987E-1	
44-Ru-106	1.001E+0	1.001E+0	1.001E+0	1.001E+0		9.987E-1	
45-Rh- 99				1.000E+0		9.993E-1	
45-Rh- 99m						9.993E-1	
45-Rh-100						9.993E-1	
45-Rh-101				1.000E+0		9.993E-1	
45-Rh-101m				1.000E+0		9.993E-1	
45-Rh-102				1.000E+0		9.993E-1	
45-Rh-102m				1.000E+0		9.993E-1	
45-Rh-103	1.022E+0	1.023E+0	1.023E+0	1.023E+0	1.023E+0	1.021E+0	
45-Rh-105	9.973E-1	9.973E-1	9.973E-1	9.973E-1	9.973E-1	9.993E-1	
46-Pd-100				1.000E+0		9.993E-1	
46-Pd-101						9.993E-1	
46-Pd-102	1.000E+0	9.982E-1	9.990E-1	1.000E+0		9.992E-1	
46-Pd-103				1.000E+0		9.993E-1	
46-Pd-104	1.001E+0	1.001E+0	1.001E+0	1.001E+0		9.990E-1	
46-Pd-105	9.994E-1	9.994E-1	9.993E-1	9.994E-1	9.993E-1	9.983E-1	
46-Pd-106	1.000E+0	1.000E+0	1.000E+0	1.000E+0		9.984E-1	
46-Pd-107	1.001E+0	1.001E+0	9.943E-1	1.001E+0		9.998E-1	
46-Pd-108	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.990E-1	
46-Pd-109						9.993E-1	
46-Pd-110	1.000E+0	1.001E+0	9.995E-1	1.000E+0		9.988E-1	
46-Pd-112						9.993E-1	
47-Ag- 0					1.003E+0		
47-Ag-105				1.000E+0		9.993E-1	
47-Ag-106m				1.000E+0		9.993E-1	
47-Ag-107	9.986E-1	9.983E-1	9.984E-1	9.986E-1	9.984E-1	9.966E-1	
47-Ag-108m				1.000E+0		9.993E-1	
47-Ag-109	1.005E+0	1.005E+0	1.005E+0	1.005E+0	1.005E+0	1.004E+0	
47-Ag-110m	9.872E-1	9.888E-1	9.888E-1	9.872E-1		9.862E-1	
47-Ag-111	1.001E+0	1.001E+0	1.001E+0	1.002E+0		9.994E-1	
48-Cd- 0					1.338E+0		
48-Cd-106	1.000E+0	1.000E+0	1.000E+0	1.000E+0		9.993E-1	
48-Cd-107						9.993E-1	
48-Cd-108	9.996E-1	1.001E+0	1.001E+0	9.989E-1		1.001E+0	
48-Cd-109				1.006E+0		1.005E+0	
48-Cd-110	9.979E-1	1.000E+0	9.992E-1	9.978E-1		9.986E-1	
48-Cd-111	9.996E-1	9.944E-1	9.949E-1	9.996E-1		9.933E-1	
48-Cd-112	9.985E-1	1.000E+0	1.000E+0	1.000E+0		9.986E-1	
48-Cd-113	1.336E+0	1.338E+0	1.336E+0	1.338E+0	1.338E+0	1.336E+0	1.340E+0
48-Cd-113m				1.340E+0		1.336E+0	
48-Cd-114	1.001E+0	1.001E+0	1.001E+0	1.001E+0		9.988E-1	
48-Cd-115				1.000E+0		9.993E-1	
48-Cd-115m	9.970E-1	1.000E+0		9.970E-1		9.993E-1	
48-Cd-116	1.001E+0	1.001E+0	1.001E+0	1.001E+0		9.988E-1	
49-In-111				1.000E+0		9.993E-1	
49-In-113	1.013E+0	1.013E+0	1.013E+0	1.013E+0	1.013E+0	1.011E+0	
49-In-114m				1.000E+0		9.993E-1	

TABLE VII: Westcott neutron capture factors (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)
49-In-115	1.020E+0	1.020E+0	1.019E+0	1.020E+0	1.020E+0	1.020E+0	
50-Sn- 0					9.993E-1		
50-Sn-112	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.000E+0	9.987E-1	
50-Sn-113	1.003E+0			1.003E+0		1.009E+0	
50-Sn-114	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.989E-1	
50-Sn-115	9.972E-1	9.979E-1	9.971E-1	9.972E-1	9.979E-1	9.968E-1	
50-Sn-116	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.991E-1	
50-Sn-117	1.001E+0	1.000E+0	1.000E+0	1.001E+0	1.000E+0	9.986E-1	
50-Sn-117m				1.001E+0		9.988E-1	
50-Sn-118	1.001E+0	1.001E+0	1.000E+0	1.001E+0	1.001E+0	9.986E-1	
50-Sn-119	9.956E-1	9.981E-1	9.981E-1	9.956E-1	9.981E-1	9.946E-1	
50-Sn-119m				1.001E+0		9.988E-1	
50-Sn-120	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.987E-1	
50-Sn-121				1.000E+0		9.993E-1	
50-Sn-121m				1.000E+0		9.993E-1	
50-Sn-122	1.000E+0	9.983E-1	9.984E-1	1.000E+0	9.983E-1	9.988E-1	
50-Sn-123	1.001E+0	1.001E+0	1.001E+0	1.001E+0		9.993E-1	
50-Sn-124	1.001E+0	9.998E-1	9.998E-1	1.001E+0	9.998E-1	9.991E-1	
50-Sn-125	1.001E+0	1.001E+0		7.435E-1		9.993E-1	
50-Sn-126	1.001E+0	1.001E+0	1.001E+0	1.001E+0		9.995E-1	
51-Sb-119				1.000E+0		9.993E-1	
51-Sb-120m				1.000E+0		9.993E-1	
51-Sb-121	1.004E+0	1.004E+0	1.004E+0	1.004E+0	1.004E+0	1.002E+0	
51-Sb-122				1.000E+0		9.993E-1	
51-Sb-123	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.002E+0	9.995E-1	
51-Sb-124	1.000E+0	1.000E+0	1.000E+0	1.000E+0		1.005E+0	
51-Sb-125	1.000E+0	1.001E+0	1.000E+0	1.000E+0	9.998E-1	9.993E-1	
51-Sb-126	1.002E+0	1.000E+0	1.000E+0	1.002E+0		9.993E-1	
51-Sb-127				1.000E+0		9.993E-1	
51-Sb-128						9.993E-1	
52-Te-118				1.000E+0		9.993E-1	
52-Te-119						9.993E-1	
52-Te-119m				1.000E+0		9.993E-1	
52-Te-120	1.001E+0	1.001E+0	1.001E+0	1.001E+0		9.995E-1	
52-Te-121m				1.000E+0		9.993E-1	
52-Te-121				1.000E+0		9.993E-1	
52-Te-122	1.001E+0	1.001E+0	1.001E+0	1.001E+0		9.991E-1	
52-Te-123m				1.012E+0		1.010E+0	
52-Te-123	1.012E+0	1.012E+0	1.012E+0	1.012E+0		1.010E+0	
52-Te-124	9.997E-1	1.000E+0	9.984E-1	9.984E-1		9.986E-1	
52-Te-125m				1.001E+0		9.988E-1	
52-Te-125	9.993E-1	1.001E+0	1.000E+0	9.992E-1		9.988E-1	
52-Te-126	1.001E+0	1.001E+0	1.000E+0	1.000E+0		9.988E-1	
52-Te-127						9.993E-1	
52-Te-127m	1.000E+0	1.000E+0	1.000E+0	1.000E+0		9.993E-1	
52-Te-128	1.000E+0	1.001E+0	1.001E+0	1.000E+0		9.988E-1	
52-Te-129						9.993E-1	
52-Te-129m	1.000E+0	1.001E+0	1.000E+0	1.000E+0		9.993E-1	
52-Te-130	1.001E+0	1.001E+0	1.000E+0	1.001E+0	1.001E+0	9.988E-1	
52-Te-131m				1.000E+0		9.993E-1	
52-Te-132	1.001E+0	1.001E+0	1.001E+0	1.001E+0		9.995E-1	
53-I -123						9.993E-1	
53-I -124				1.000E+0		9.993E-1	
53-I -125				1.000E+0		9.993E-1	
53-I -126				1.021E+0		1.020E+0	
53-I -127	1.001E+0	1.000E+0	1.000E+0	1.001E+0	1.000E+0	9.982E-1	
53-I-128						9.993E-1	
53-I -129	9.981E-1	1.000E+0	1.000E+0	9.981E-1	9.979E-1	9.962E-1	
53-I -130	9.964E-1	1.000E+0	1.000E+0			9.993E-1	
53-I -131	1.000E+0	1.000E+0	1.000E+0	1.000E+0		9.996E-1	
53-I -133						9.993E-1	
53-I -135	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.000E+0	9.995E-1	
54-Xe-122						9.993E-1	
54-Xe-123	9.224E-1				1.094E+0		
54-Xe-124	1.004E+0	1.004E+0	1.004E+0	1.004E+0	1.004E+0	1.002E+0	
54-Xe-125						9.993E-1	
54-Xe-126	1.002E+0	1.000E+0	1.001E+0	1.002E+0		1.001E+0	
54-Xe-127				1.000E+0		9.993E-1	
54-Xe-128	9.996E-1	9.996E-1	1.000E+0	9.996E-1		9.964E-1	
54-Xe-129m				1.001E+0		9.992E-1	
54-Xe-129	1.001E+0	1.001E+0	1.002E+0	1.001E+0	1.001E+0	9.992E-1	
54-Xe-130	9.984E-1	9.984E-1	1.000E+0	9.984E-1		9.961E-1	
54-Xe-131m				1.002E+0		1.000E+0	
54-Xe-131	1.001E+0	1.002E+0	1.001E+0	1.002E+0	1.001E+0	1.000E+0	
54-Xe-132	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.995E-1	
54-Xe-133m				1.000E+0		9.993E-1	
54-Xe-133	1.000E+0	1.000E+0	1.000E+0	1.000E+0		9.993E-1	
54-Xe-134	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.000E+0	9.993E-1	
54-Xe-135	1.159E+0	1.157E+0	1.159E+0	1.157E+0	1.159E+0	1.157E+0	1.160E+0
54-Xe-136	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.988E-1	

TABLE VII: Westcott neutron capture factors (continued).

Material	ENDF/B (barns)	JEFF (barns)	JENDL (barns)	ROSFOND (barns)	CENDL (barns)	EAF (barns)	Atlas (barns)
55-Cs-127						9.993E-1	
55-Cs-129				1.000E+0		9.993E-1	
55-Cs-131				1.000E+0		9.993E-1	
55-Cs-132				1.000E+0		9.993E-1	
55-Cs-133	1.002E+0	1.003E+0	1.003E+0	1.003E+0	1.003E+0	1.001E+0	
55-Cs-134	9.985E-1	9.985E-1	9.986E-1	9.985E-1	9.985E-1	9.968E-1	
55-Cs-135	9.977E-1	9.977E-1	1.000E+0	9.977E-1	1.000E+0	9.966E-1	
55-Cs-136	1.000E+0	1.001E+0	1.000E+0	1.000E+0		9.990E-1	
55-Cs-137	1.001E+0	1.001E+0	1.001E+0	1.001E+0	3.238E-1	9.988E-1	
56-Ba-128				1.000E+0		9.993E-1	
56-Ba-129						9.993E-1	
56-Ba-130	9.991E-1	1.000E+0	1.001E+0	9.990E-1	9.991E-1	9.994E-1	
56-Ba-131				1.000E+0		9.993E-1	
56-Ba-132	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.007E+0	9.993E-1	
56-Ba-133m				1.000E+0		9.993E-1	
56-Ba-133	1.001E+0			1.001E+0		9.998E-1	
56-Ba-134	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.000E+0	9.987E-1	
56-Ba-135	1.000E+0	1.000E+0	1.000E+0	1.001E+0	1.001E+0	9.989E-1	
56-Ba-135m				1.000E+0		9.989E-1	
56-Ba-136	1.000E+0	1.001E+0	1.000E+0	1.000E+0	1.001E+0	9.988E-1	
56-Ba-137	1.000E+0	9.995E-1	9.995E-1	1.000E+0	1.001E+0	9.986E-1	
56-Ba-138	1.000E+0	1.001E+0	1.001E+0	1.000E+0	1.001E+0	9.996E-1	
56-Ba-139						9.989E-1	
56-Ba-140	1.001E+0	1.001E+0	1.001E+0	1.001E+0		9.990E-1	
57-La-135						9.993E-1	
57-La-137				1.000E+0		9.993E-1	
57-La-138	1.002E+0	1.002E+0	1.002E+0	1.002E+0		1.002E+0	
57-La-139	1.000E+0	1.000E+0	9.998E-1	9.999E-1	1.000E+0	9.982E-1	
57-La-140	1.001E+0	1.001E+0	1.001E+0	1.001E+0		9.994E-1	
57-La-141						9.993E-1	
58-Ce-134				1.000E+0		9.993E-1	
58-Ce-135						9.993E-1	
58-Ce-136	1.000E+0			1.000E+0	1.000E+0	9.988E-1	
58-Ce-137						9.993E-1	
58-Ce-137m				1.000E+0		9.993E-1	
58-Ce-138	9.992E-1			9.992E-1	1.006E+0	9.997E-1	
58-Ce-139	9.944E-1			9.944E-1		1.002E+0	
58-Ce-140	1.001E+0	1.000E+0	1.001E+0	1.001E+0	1.000E+0	9.984E-1	
58-Ce-141	9.993E-1	9.993E-1	9.964E-1	9.993E-1	1.002E+0	1.010E+0	
58-Ce-142	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.988E-1	
58-Ce-143	9.952E-1	1.000E+0	1.000E+0	9.952E-1		9.993E-1	
58-Ce-144	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.988E-1	
59-Pr-141	9.996E-1	9.996E-1	9.996E-1	9.996E-1	1.000E+0	9.980E-1	
59-Pr-142	9.990E-1	1.000E+0				9.993E-1	
59-Pr-143	9.998E-1	9.998E-1	9.983E-1	9.998E-1		9.993E-1	
60-Nd-140				1.000E+0		9.993E-1	
60-Nd-141						9.993E-1	
60-Nd-142	9.990E-1	9.990E-1	1.000E+0	9.990E-1	1.000E+0	9.973E-1	
60-Nd-143	9.967E-1	9.966E-1	9.962E-1	9.967E-1	9.966E-1	9.948E-1	
60-Nd-144	1.001E+0	1.001E+0	1.001E+0	1.000E+0	1.000E+0	9.986E-1	
60-Nd-145	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.000E+0	9.984E-1	
60-Nd-146	1.001E+0	1.001E+0	1.000E+0	1.001E+0	1.001E+0	9.983E-1	
60-Nd-147	9.956E-1	9.956E-1	9.959E-1	9.956E-1	9.957E-1	9.939E-1	
60-Nd-148	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.988E-1	
60-Nd-149						9.993E-1	
60-Nd-150	1.001E+0	1.000E+0	9.988E-1	1.001E+0	1.000E+0	9.985E-1	
61-Pm-143				1.000E+0		9.993E-1	
61-Pm-144				1.000E+0		9.993E-1	
61-Pm-145				1.000E+0		9.993E-1	
61-Pm-146				1.030E+0		1.028E+0	
61-Pm-147	9.971E-1	1.002E+0	9.971E-1	9.839E-1	9.971E-1	9.941E-1	
61-Pm-148m	1.487E+0	1.487E+0	1.481E+0	1.487E+0	1.487E+0	1.478E+0	
61-Pm-148	1.000E+0	1.000E+0	1.000E+0	1.000E+0	2.509E+3	1.003E+0	
61-Pm-149	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.788E+3	1.028E+0	
61-Pm-150						3.145E+0	
61-Pm-151	1.007E+0	1.007E+0	1.000E+0	1.000E+0		9.993E-1	
62-Sm-144	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.000E+0	9.995E-1	
62-Sm-145				1.002E+0		1.001E+0	
62-Sm-146				1.000E+0		9.993E-1	
62-Sm-147	1.001E+0	1.001E+0	1.001E+0	9.965E-1	9.949E-1	9.995E-1	9.965E-1
62-Sm-148	9.996E-1	9.996E-1	9.987E-1	9.996E-1	9.997E-1	9.985E-1	
62-Sm-149	1.677E+0	1.717E+0	1.686E+0	1.676E+0	1.687E+0	1.716E+0	1.710E+0
62-Sm-150	9.982E-1	9.982E-1	9.943E-1	9.984E-1	9.939E-1	9.965E-1	9.985E-1
62-Sm-151	9.275E-1	9.275E-1	9.278E-1	9.274E-1	9.276E-1	9.261E-1	9.274E-1
62-Sm-152	1.004E+0	1.004E+0	1.004E+0	1.004E+0	1.003E+0	1.002E+0	
62-Sm-153	9.998E-1	9.998E-1	1.000E+0	1.000E+0		1.002E+0	
62-Sm-154	1.000E+0	1.000E+0	9.998E-1	9.998E-1	9.998E-1	9.983E-1	
62-Sm-156						9.993E-1	
63-Eu-145				1.000E+0		9.993E-1	
63-Eu-146				1.000E+0		9.993E-1	

TABLE VII: Westcott neutron capture factors (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)
63-Eu-147				1.000E+0		9.993E-1	
63-Eu-148				3.475E+0		3.413E+0	
63-Eu-149				1.000E+0		9.993E-1	
63-Eu-150				1.000E+0		9.993E-1	
63-Eu-150m						9.993E-1	
63-Eu-151	9.458E-1	9.010E-1	9.010E-1	9.010E-1	9.458E-1	8.991E-1	8.940E-1
63-Eu-152	9.256E-1	9.254E-1	9.254E-1	9.256E-1		9.243E-1	9.670E-1±5.800E-2
63-Eu-152m						8.965E-1	
63-Eu-153	9.858E-1	9.870E-1	9.870E-1	9.870E-1	9.870E-1	9.649E-1	9.860E-1
63-Eu-154	1.230E+0	1.229E+0	1.229E+0	1.229E+0	1.230E+0	1.193E+0	8.979E-1
63-Eu-155	1.022E+0	1.025E+0	1.022E+0	1.022E+0	1.022E+0	1.020E+0	
63-Eu-156	1.000E+0	1.000E+0	1.000E+0	1.000E+0		9.993E-1	
63-Eu-157	9.889E-1	9.889E-1	1.000E+0			9.993E-1	
64-Gd-146				1.000E+0		9.993E-1	
64-Gd-147				1.000E+0		9.993E-1	
64-Gd-148				1.000E+0		1.028E+0	
64-Gd-149				1.000E+0		9.993E-1	
64-Gd-150				1.000E+0		9.993E-1	
64-Gd-151				2.304E+0		2.272E+0	
64-Gd-152	9.965E-1	9.979E-1	9.983E-1	9.965E-1	9.979E-1	9.962E-1	
64-Gd-153	7.447E-1		7.418E-1	7.445E-1		1.009E+0	
64-Gd-154	9.900E-1	1.000E+0	9.930E-1	9.901E-1	9.927E-1	9.986E-1	9.967E-1
64-Gd-155	8.439E-1	8.439E-1	8.345E-1	8.439E-1	8.439E-1	8.423E-1	8.390E-1
64-Gd-156	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.993E-1	1.001E+0
64-Gd-157	8.528E-1	8.512E-1	8.494E-1	8.507E-1	8.515E-1	8.502E-1	8.472E-1
64-Gd-158	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.991E-1	
64-Gd-159						9.993E-1	
64-Gd-160	1.001E+0	1.001E+0	1.000E+0	1.001E+0	1.000E+0	9.988E-1	9.954E-1
65-Tb-151						9.993E-1	
65-Tb-152						2.310E+1	
65-Tb-153				1.094E+0		2.287E+1	
65-Tb-154						2.172E+1	
65-Tb-154m						1.862E+1	
65-Tb-154n						1.908E+1	
65-Tb-155				3.018E+0		2.970E+0	
65-Tb-156m				1.048E+0		3.296E+0	
65-Tb-156				1.094E+0		1.991E+1	
65-Tb-156n						1.991E+1	
65-Tb-157				3.420E+0		3.363E+0	
65-Tb-158				2.812E+0		2.769E+0	
65-Tb-159	1.002E+0	1.002E+0	1.002E+0	1.002E+0		9.986E-1	
65-Tb-160	1.015E+0	9.999E-1	1.015E+0	1.015E+0		9.986E-1	
65-Tb-161				1.000E+0		9.993E-1	
66-Dy-153						1.722E+0	
66-Dy-154			1.000E+0	1.000E+0		9.993E-1	
66-Dy-155						1.320E+1	
66-Dy-156	1.009E+0		1.009E+0	1.009E+0		1.007E+0	
66-Dy-157						2.082E+0	
66-Dy-158	9.894E-1		9.894E-1	9.894E-1		9.882E-1	
66-Dy-159			1.001E+0	1.030E+0		1.028E+0	
66-Dy-160	1.006E+0	1.009E+0	1.006E+0	1.006E+0		1.007E+0	1.006E+0
66-Dy-161	9.896E-1	9.896E-1	9.905E-1	9.896E-1		9.901E-1	9.896E-1
66-Dy-162	1.005E+0	1.005E+0	1.005E+0	1.005E+0		1.003E+0	1.005E+0
66-Dy-163	1.011E+0	1.011E+0	1.012E+0	1.011E+0		1.001E+0	1.012E+0
66-Dy-164	9.880E-1	9.880E-1	9.880E-1	9.880E-1	9.880E-1	9.868E-1	9.870E-1
66-Dy-165				1.012E+0		1.011E+0	
66-Dy-166				1.000E+0		9.993E-1	
67-Ho-163				1.000E+0		9.993E-1	
67-Ho-164						1.125E+0	
67-Ho-164m						1.125E+0	
67-Ho-165	9.999E-1	1.002E+0		9.999E-1		1.000E+0	
67-Ho-166m	1.198E+0			1.030E+0		1.028E+0	
67-Ho-166				1.000E+0		9.993E-1	
68-Er-160				1.039E+0		9.993E-1	
68-Er-161						1.332E+1	
68-Er-162	1.001E+0	1.001E+0	1.001E+0	1.001E+0		1.000E+0	
68-Er-164	1.000E+0	1.000E+0	9.999E-1	9.999E-1		9.989E-1	
68-Er-165						9.993E-1	
68-Er-166	1.000E+0	9.999E-1	1.000E+0	1.000E+0		9.989E-1	
68-Er-167	1.069E+0	1.070E+0	1.069E+0	1.069E+0		1.067E+0	
68-Er-168	1.001E+0	1.001E+0	1.000E+0	1.001E+0		9.993E-1	
68-Er-169				1.000E+0		9.993E-1	
68-Er-170	1.000E+0	1.001E+0	1.000E+0	1.000E+0		9.994E-1	
68-Er-171						9.993E-1	
68-Er-172				1.000E+0		9.993E-1	
69-Tm-165				1.000E+0		9.993E-1	
69-Tm-166						3.044E+0	
69-Tm-167				1.000E+0		9.993E-1	
69-Tm-168	1.003E+0			3.570E+0		3.512E+0	

TABLE VII: Westcott neutron capture factors (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)
69-Tm-169	1.005E+0		1.005E+0	1.005E+0		1.004E+0	
69-Tm-170	1.004E+0			9.991E-1		9.980E-1	
69-Tm-171				9.998E-1		9.987E-1	
69-Tm-172				1.000E+0		9.993E-1	
69-Tm-173						9.993E-1	
70-Yb-166				1.000E+0		9.993E-1	
70-Yb-168			1.057E+0	1.058E+0		1.056E+0	
70-Yb-169				9.809E-1		9.797E-1	
70-Yb-170			1.002E+0	1.001E+0		1.000E+0	
70-Yb-171			9.989E-1	9.989E-1		9.978E-1	
70-Yb-172			1.001E+0	1.001E+0		9.996E-1	
70-Yb-173			1.001E+0	1.001E+0		9.998E-1	
70-Yb-174			9.994E-1	9.995E-1		9.983E-1	
70-Yb-175				1.000E+0		9.993E-1	
70-Yb-176			1.000E+0	1.000E+0		9.993E-1	
71-Lu-169				3.327E+0		3.275E+0	
71-Lu-170				1.000E+0		9.993E-1	
71-Lu-171				1.000E+0		9.993E-1	
71-Lu-172				3.425E+0		3.372E+0	
71-Lu-173				1.000E+0		9.993E-1	
71-Lu-174m				1.000E+0		9.993E-1	
71-Lu-174				1.000E+0		9.993E-1	
71-Lu-175	1.003E+0	1.003E+0		1.003E+0		1.001E+0	9.720E-1±3.300E-2
71-Lu-176	1.713E+0	1.713E+0		1.713E+0		1.710E+0	1.758E+0
71-Lu-177m				1.001E+0		9.994E-1	
71-Lu-177				1.011E+0		1.009E+0	
72-Hf-170						9.993E-1	
72-Hf-171						2.158E+0	
72-Hf-172				1.000E+0		9.993E-1	
72-Hf-173						9.993E-1	
72-Hf-174	9.866E-1	9.827E-1	9.787E-1	9.866E-1	9.787E-1	9.846E-1	
72-Hf-175				1.000E+0		9.993E-1	
72-Hf-176	1.003E+0	1.002E+0	1.002E+0	1.003E+0	1.002E+0	1.001E+0	1.000E+0
72-Hf-177	1.020E+0	1.020E+0	1.020E+0	1.020E+0	1.020E+0	1.019E+0	1.020E+0
72-Hf-178n				1.004E+0		1.002E+0	1.003E+0
72-Hf-178	1.003E+0	1.003E+0	1.003E+0	1.003E+0	1.003E+0	1.002E+0	
72-Hf-179n				9.970E-1		9.953E-1	
72-Hf-179	9.983E-1	9.985E-1	9.979E-1	9.980E-1	9.984E-1	9.953E-1	1.003E+0
72-Hf-180	9.999E-1	1.000E+0	9.999E-1	1.000E+0	9.998E-1	9.955E-1	
72-Hf-180m						9.955E-1	
72-Hf-181			1.000E+0	1.006E+0		1.005E+0	
72-Hf-182			1.000E+0	1.000E+0		9.993E-1	
73-Ta-175						2.025E+0	
73-Ta-176						1.372E+0	
73-Ta-177				1.000E+0		9.993E-1	
73-Ta-179				1.000E+0		9.993E-1	
73-Ta-180	9.003E-1					1.358E+0	
73-Ta-180m				1.003E+0		1.002E+0	
73-Ta-181	1.004E+0	1.003E+0	1.003E+0	1.003E+0	1.003E+0	1.002E+0	1.004E+0
73-Ta-182	1.643E+0	1.643E+0		1.643E+0		1.640E+0	1.639E+0
73-Ta-183				1.000E+0		9.993E-1	
73-Ta-184						9.993E-1	
74-W - 0							
74-W -178				1.000E+0		9.993E-1	
74-W -180	9.974E-1		9.972E-1	9.972E-1		9.961E-1	
74-W -181				1.000E+0		9.993E-1	
74-W -182	1.003E+0	1.003E+0	1.003E+0	1.003E+0		1.002E+0	1.003E+0
74-W -183	1.001E+0	1.001E+0	1.001E+0	1.001E+0		9.976E-1	9.989E-1
74-W -184	1.001E+0	1.001E+0	1.001E+0	1.003E+0		9.983E-1	9.989E-1
74-W -185				1.006E+0		1.005E+0	
74-W -186	1.002E+0	1.002E+0	1.002E+0	1.007E+0		9.999E-1	1.001E+0
74-W -187						1.006E+0	
74-W -188				1.001E+0		9.996E-1	
75-Re-181						9.993E-1	
75-Re-182				4.161E+0		4.095E+0	
75-Re-182m						1.769E+0	
75-Re-183				1.000E+0		9.993E-1	
75-Re-184m				1.000E+0		9.993E-1	
75-Re-184				1.030E+0		1.028E+0	
75-Re-185	1.005E+0	1.005E+0		1.005E+0		1.003E+0	1.005E+0
75-Re-186m				1.000E+0		9.993E-1	
75-Re-186				1.000E+0		9.993E-1	
75-Re-187	9.948E-1	9.948E-1		9.948E-1		9.805E-1	9.942E-1
75-Re-188						9.995E-1	
75-Re-189				1.000E+0		9.993E-1	
76-Os- 0		9.937E-1		9.937E-1			
76-Os-182						9.993E-1	
76-Os-183						2.648E+0	
76-Os-183m						1.284E+0	
76-Os-184			1.000E+0	9.934E-1		9.993E-1	

TABLE VII: Westcott neutron capture factors (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)
76-Os-185				1.000E+0		9.993E-1	
76-Os-186			9.813E-1	9.981E-1		9.964E-1	
76-Os-187			9.847E-1	9.830E-1		9.818E-1	
76-Os-188			9.984E-1	1.001E+0		1.001E+0	
76-Os-189			1.002E+0	1.003E+0		1.003E+0	
76-Os-190			9.883E-1	9.979E-1		9.968E-1	
76-Os-191				1.000E+0		9.993E-1	
76-Os-191m						9.993E-1	
76-Os-192			1.000E+0	1.000E+0		9.991E-1	
76-Os-193				1.001E+0		9.994E-1	
76-Os-194				1.001E+0		9.994E-1	
77-Ir-185						9.993E-1	
77-Ir-186						3.263E+0	
77-Ir-187						1.001E+0	
77-Ir-188				1.000E+0		9.993E-1	
77-Ir-189				1.000E+0		9.993E-1	
77-Ir-190				1.000E+0		9.993E-1	
77-Ir-191	9.966E-1	9.968E-1		9.968E-1		9.958E-1	9.964E-1
77-Ir-192n				1.166E+0		1.164E+0	
77-Ir-192				1.166E+0		1.164E+0	
77-Ir-193m				1.017E+0		1.016E+0	
77-Ir-193	1.018E+0	1.017E+0		1.017E+0		1.016E+0	
77-Ir-194						1.002E+0	
77-Ir-194n						9.993E-1	
77-Ir-194m				1.000E+0			
77-Ir-196m						9.993E-1	
78-Pt- 0		9.973E-1		1.000E+0			
78-Pt-188				1.000E+0		9.993E-1	
78-Pt-189						9.993E-1	
78-Pt-190				9.979E-1		9.968E-1	
78-Pt-191				1.000E+0		9.993E-1	
78-Pt-192				1.000E+0		1.000E+0	
78-Pt-193m				1.000E+0		9.993E-1	
78-Pt-193				1.000E+0		9.993E-1	
78-Pt-194				1.001E+0		1.001E+0	
78-Pt-195m				1.000E+0		9.992E-1	
78-Pt-195				1.000E+0		9.992E-1	
78-Pt-196				1.001E+0		1.001E+0	
78-Pt-197						9.993E-1	
78-Pt-198				1.001E+0		1.000E+0	
78-Pt-200						9.995E-1	
78-Pt-202						9.994E-1	
79-Au-193						9.993E-1	
79-Au-194				1.000E+0		9.993E-1	
79-Au-195				1.000E+0		9.993E-1	
79-Au-196				1.000E+0		9.993E-1	
79-Au-196n						9.993E-1	
79-Au-197	1.005E+0	1.005E+0	1.005E+0	1.005E+0	1.005E+0	1.004E+0	1.005E+0
79-Au-198m				1.000E+0		9.993E-1	
79-Au-198				1.067E+0		1.067E+0	9.800E-1±5.00E-2
79-Au-199				1.003E+0		1.002E+0	
79-Au-200m						9.993E-1	
80-Hg- 0					1.047E+0		
80-Hg-193						9.993E-1	
80-Hg-193m						9.993E-1	
80-Hg-194				1.000E+0		9.993E-1	
80-Hg-195m				1.000E+0		9.993E-1	
80-Hg-195						9.993E-1	
80-Hg-196	9.881E-1	9.881E-1	9.881E-1	9.881E-1		9.869E-1	
80-Hg-197				1.000E+0		9.993E-1	
80-Hg-197m						9.993E-1	
80-Hg-198	1.001E+0	1.001E+0	1.001E+0	1.001E+0		1.000E+0	
80-Hg-199	9.892E-1	9.892E-1	9.892E-1	9.892E-1		9.881E-1	
80-Hg-200	1.001E+0	1.001E+0	1.001E+0	1.001E+0		9.994E-1	
80-Hg-201	1.000E+0	1.000E+0	1.000E+0	1.000E+0		1.000E+0	
80-Hg-202	1.000E+0	1.000E+0	1.000E+0	1.000E+0		9.992E-1	
80-Hg-203				1.001E+0		9.994E-1	
80-Hg-204	1.110E+0	1.110E+0	1.110E+0	1.110E+0		9.996E-1	
81-Tl-0		1.210E+0		1.210E+0	1.213E+0		
81-Tl-199						9.993E-1	
81-Tl-200				1.000E+0		9.993E-1	
81-Tl-201				1.000E+0		9.993E-1	
81-Tl-202				1.000E+0		9.993E-1	
81-Tl-203	1.000E+0			1.001E+0		9.994E-1	
81-Tl-204				1.002E+0		1.001E+0	
81-Tl-205	1.001E+0			1.001E+0		9.995E-1	
82-Pb-200						9.993E-1	
82-Pb-201						9.993E-1	
82-Pb-202				1.000E+0		9.993E-1	
82-Pb-203				1.000E+0		9.993E-1	

TABLE VII: Westcott neutron capture factors (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)
82-Pb-204	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	
82-Pb-205				1.001E+0		9.999E-1	
82-Pb-206	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.988E-1	
82-Pb-207	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.989E-1	
82-Pb-208	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.988E-1	
82-Pb-209						9.995E-1	
82-Pb-210				1.001E+0		9.996E-1	
82-Pb-212						9.995E-1	
83-Bi-203						9.993E-1	
83-Bi-204						9.993E-1	
83-Bi-205				1.000E+0		9.993E-1	
83-Bi-206				1.000E+0		9.993E-1	
83-Bi-207				1.000E+0		9.994E-1	
83-Bi-208				1.000E+0		9.994E-1	
83-Bi-209	1.001E+0	1.001E+0	1.001E+0	1.001E+0	1.001E+0	9.988E-1	
83-Bi-210				1.001E+0		9.995E-1	
83-Bi-210m				1.001E+0		9.995E-1	
84-Po-206				1.000E+0		9.994E-1	
84-Po-207						9.993E-1	
84-Po-208				1.001E+0		9.995E-1	
84-Po-209				1.001E+0		9.995E-1	
84-Po-210				1.001E+0		9.995E-1	
85-At-210						9.994E-1	
85-At-211						9.995E-1	
86-Rn-211						9.995E-1	
86-Rn-222				1.001E+0		9.995E-1	
88-Ra-223	1.000E+0	1.000E+0	1.000E+0	1.000E+0		1.004E+0	
88-Ra-224	1.000E+0	1.000E+0	1.000E+0	1.000E+0		1.005E+0	
88-Ra-225	1.000E+0	1.000E+0	1.000E+0	1.000E+0		9.988E-1	
88-Ra-226	1.066E+0	1.066E+0	1.066E+0	1.066E+0		1.065E+0	
88-Ra-228				1.000E+0		9.993E-1	
89-Ac-225	1.001E+0	1.000E+0	1.001E+0	1.000E+0		9.993E-1	
89-Ac-226	1.000E+0	1.001E+0	1.000E+0	1.001E+0		9.993E-1	
89-Ac-227	1.000E+0	1.142E+0	1.000E+0	1.005E+0		1.003E+0	
89-Ac-228						2.626E+0	
90-Th-227	1.000E+0	1.000E+0	1.000E+0	1.000E+0		9.993E-1	
90-Th-228	9.983E-1	1.004E+0	9.983E-1	1.002E+0		1.002E+0	
90-Th-229	1.035E+0	1.044E+0	1.035E+0	1.044E+0		1.042E+0	
90-Th-230	1.016E+0	1.006E+0	1.016E+0	1.017E+0		1.016E+0	
90-Th-231	1.001E+0		1.001E+0	1.000E+0		1.008E+0	
90-Th-232	9.947E-1	9.987E-1	9.946E-1	9.954E-1	9.980E-1	9.972E-1	9.982E-1
90-Th-233	1.001E+0	1.000E+0	1.001E+0				
90-Th-234	1.001E+0	1.001E+0	1.001E+0	1.001E+0		9.993E-1	
91-Pa-228						2.831E+0	
91-Pa-229	1.021E+0		1.021E+0	1.000E+0		2.198E+0	
91-Pa-230	1.017E+0		1.017E+0	1.000E+0		1.017E+0	
91-Pa-231	1.008E+0	9.947E-1	1.016E+0	1.009E+0		1.006E+0	
91-Pa-232	9.852E-1	1.055E+0	9.851E-1	2.250E+0		1.000E+0	
91-Pa-233	9.763E-1	9.798E-1	9.890E-1	9.797E-1		9.783E-1	9.800E-1
91-Pa-234						2.446E+0	
92-U -230	9.998E-1		9.998E-1	1.000E+0		9.993E-1	
92-U -231	1.135E+0		1.135E+0	1.000E+0		9.993E-1	
92-U -232	9.703E-1	9.723E-1	9.703E-1	9.723E-1	9.702E-1	9.691E-1	9.670E-1
92-U -233	1.032E+0	1.031E+0	1.033E+0	1.033E+0	1.031E+0	1.030E+0	
92-U -234	9.904E-1	9.901E-1	9.809E-1	9.901E-1	9.901E-1	9.891E-1	9.903E-1
92-U -235	9.913E-1	9.913E-1	9.911E-1	9.911E-1	9.913E-1	9.833E-1	9.956E-1±1.600E-3
92-U -236	1.003E+0	1.002E+0	1.003E+0	1.003E+0	1.003E+0	1.001E+0	
92-U -237	9.767E-1	9.767E-1	9.767E-1	9.767E-1	9.767E-1	9.748E-1	
92-U -238	1.002E+0	1.002E+0	1.002E+0	1.002E+0	1.003E+0	1.001E+0	1.001E+0^{C}
92-U -239	1.012E+0				1.000E+0		
92-U -240	1.010E+0				1.200E+0	1.009E+0	
92-U -241	9.893E-1				1.040E+0	9.881E-1	
93-Np-234	1.001E+0		1.001E+0	1.000E+0		1.011E+0	
93-Np-235	1.014E+0	1.001E+0	1.014E+0	1.006E+0		1.005E+0	
93-Np-236	1.065E+0	9.997E-1	1.065E+0	1.061E+0	1.036E+0	9.993E-1	
93-Np-236m						1.747E+0	
93-Np-237	9.857E-1	9.922E-1	9.832E-1	9.925E-1	9.852E-1	9.840E-1	9.820E-1
93-Np-238	9.676E-1	9.913E-1	9.675E-1	1.000E+0	9.949E-1	1.185E+0	1.000E+0
93-Np-239	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.000E+0	1.005E+0	
94-Pu-234						9.993E-1	
94-Pu-236	1.002E+0	1.000E+0	1.002E+0	1.000E+0	1.000E+0	9.994E-1	
94-Pu-237	1.000E+0	1.000E+0	1.000E+0	9.582E-1	1.000E+0	9.571E-1	
94-Pu-238	9.369E-1	9.566E-1	9.369E-1	9.566E-1	9.571E-1	9.556E-1	9.563E-1
94-Pu-239	1.146E+0	1.146E+0	1.142E+0	1.146E+0	1.146E+0	1.144E+0	1.130E+0
94-Pu-240	1.028E+0	1.027E+0	1.027E+0	1.027E+0	1.028E+0	1.026E+0	1.026E+0
94-Pu-241	1.029E+0	1.029E+0	1.029E+0	1.029E+0	1.019E+0	1.017E+0	1.038E+0
94-Pu-242	1.008E+0	1.010E+0	1.010E+0	1.010E+0	1.010E+0	1.008E+0	1.010E+0
94-Pu-243	9.918E-1	9.918E-1		9.918E-1	9.923E-1	9.993E-1	
94-Pu-244	9.974E-1	9.978E-1	9.974E-1	9.974E-1	9.978E-1	9.963E-1	

TABLE VII: Westcott neutron capture factors (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)
94-Pu-245				9.973E-1	1.011E+0	9.994E-1	
94-Pu-246	1.000E+0	9.973E-1	1.000E+0		1.210E+0	9.993E-1	
94-Pu-247							
95-Am-239						1.764E+0	
95-Am-240	1.002E+0		1.002E+0	1.000E+0	1.003E+0	9.993E-1	
95-Am-241	1.010E+0	1.016E+0	1.010E+0	1.001E+0	1.006E+0	1.005E+0	1.051E+0
95-Am-242m	1.101E+0	1.101E+0	1.103E+0	1.100E+0	1.101E+0	1.063E+0	
95-Am-242	1.047E+0	1.047E+0	1.070E+0	1.047E+0	1.047E+0	1.046E+0	
95-Am-243	1.014E+0	1.014E+0	1.020E+0	1.014E+0	1.014E+0	1.013E+0	1.014E+0
95-Am-244m	1.104E+0	1.104E+0	1.000E+0				
95-Am-244	1.023E+0	1.023E+0	9.994E-1	1.023E+0	1.048E+0	2.568E+0	
96-Cm-240	9.995E-1	9.748E-1	9.995E-1	9.748E-1		9.738E-1	
96-Cm-241	9.992E-1	1.000E+0	9.992E-1	1.026E+0		9.993E-1	
96-Cm-242	9.959E-1	9.939E-1	9.959E-1	9.927E-1		9.893E-1	
96-Cm-243	9.817E-1	9.819E-1	9.817E-1	9.819E-1		9.808E-1	1.005E+0
96-Cm-244	1.001E+0	9.998E-1	1.001E+0	1.002E+0		9.960E-1	9.990E-1
96-Cm-245	9.347E-1	9.386E-1	9.347E-1	9.387E-1		9.376E-1	9.476E-1
96-Cm-246	1.006E+0	1.006E+0		1.006E+0		1.005E+0	1.005E+0
96-Cm-247	1.000E+0	9.909E-1	1.000E+0	9.964E-1		9.952E-1	
96-Cm-248	1.002E+0	1.003E+0	1.002E+0	1.003E+0		1.002E+0	
96-Cm-249	1.001E+0	1.000E+0	1.001E+0	9.997E-1		9.992E-1	
96-Cm-250	9.982E-1	9.983E-1	9.981E-1	9.983E-1		1.005E+0	
97-Bk-245	1.000E+0		1.000E+0	1.006E+0		1.005E+0	
97-Bk-246	9.990E-1		9.990E-1	1.006E+0		1.005E+0	
97-Bk-247	1.001E+0	9.720E-1	1.001E+0	9.720E-1		1.005E+0	
97-Bk-248	9.987E-1		9.986E-1	1.006E+0		1.005E+0	
97-Bk-248m						1.005E+0	
97-Bk-249	1.503E+0	1.503E+0	1.503E+0	1.477E+0	1.477E+0	1.501E+0	1.470E+0
97-Bk-250	1.003E+0	9.448E-1	1.003E+0	9.448E-1		9.437E-1	
98-Cf-246	1.001E+0		1.001E+0	1.006E+0		9.993E-1	
98-Cf-248	9.993E-1		9.993E-1	1.006E+0		9.993E-1	
98-Cf-249	9.697E-1	9.698E-1	9.697E-1	9.698E-1	9.729E-1	9.688E-1	
98-Cf-250	9.782E-1	9.957E-1	9.781E-1	9.957E-1		9.946E-1	
98-Cf-251	9.911E-1	9.943E-1	9.911E-1	9.594E-1		9.927E-1	
98-Cf-252	9.954E-1	9.908E-1	9.954E-1	9.954E-1		9.942E-1	
98-Cf-253	9.973E-1		9.973E-1	9.973E-1		9.996E-1	
98-Cf-254	1.002E+0	1.001E+0	1.002E+0	1.001E+0		9.994E-1	
99-Es-250						9.992E-1	
99-Es-251	1.000E+0		1.000E+0	1.006E+0		1.005E+0	
99-Es-252	1.006E+0		1.006E+0	1.006E+0		1.005E+0	
99-Es-253	1.024E+0	1.052E+0	1.024E+0	1.052E+0		1.051E+0	
99-Es-254m	1.001E+0		1.001E+0	1.002E+0		1.001E+0	
99-Es-254	1.000E+0	9.557E-1	1.000E+0	9.557E-1		9.108E-1	
99-Es-255	1.008E+0	1.000E+0	1.008E+0	1.000E+0		1.005E+0	
99-Es-256m						9.581E-1	
99-Es-257							
100-Fm-252				1.006E+0		9.993E-1	
100-Fm-253				1.000E+0		9.992E-1	
100-Fm-255	1.001E+0	1.000E+0	1.001E+0	1.000E+0		9.994E-1	
100-Fm-257				1.000E+0		9.992E-1	

Elastic Resonance Integrals

TABLE VIII: Elastic Resonance Integrals from ENDF/B-VII.1, JEFF-3.1.2, JENDL-4.0, ROSFOND-2010. CENDL-3.1 libraris and EAF-2010 file [1, 6–10].

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)
1-H - 1	2.645E+2	2.647E+2	2.619E+2	2.619E+2	2.648E+2	
1-H - 2	5.342E+1	5.342E+1	5.335E+1	5.336E+1	5.346E+1	
1-H - 3	2.933E+1	2.951E+1		2.957E+1	2.951E+1	
2-He- 3	4.871E+1	4.871E+1	4.662E+1	4.758E+1	4.657E+1	
2-He- 4	2.216E+1	2.199E+1	2.199E+1	2.199E+1	2.201E+1	
3-Li- 6	1.782E+1	1.727E+1	1.790E+1	1.756E+1	1.756E+1	
3-Li- 7	2.135E+1	2.135E+1	2.092E+1	2.135E+1	2.202E+1	
4-Be- 7	2.054E+2					
4-Be- 9	8.893E+1	8.873E+1	8.892E+1	8.998E+1	8.885E+1	

TABLE VIII: Elastic Resonance Integrals (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)
4-Be- 10						
5-B - 10	3.837E+1	3.782E+1	4.214E+1	3.833E+1	3.837E+1	
5-B - 11	7.227E+1	7.227E+1	7.394E+1	7.227E+1	7.227E+1	
6-C-0	7.057E+1	7.057E+1	7.050E+1	7.051E+1		
6-C - 12					7.055E+1	
6-C - 13						
6-C - 14						
7-N - 14	1.214E+2	1.214E+2	1.182E+2	1.214E+2	1.214E+2	
7-N - 15	6.547E+1	6.547E+1	6.972E+1	6.897E+1		
8-O - 16	6.140E+1	6.138E+1	6.130E+1	6.142E+1	6.141E+1	
8-O - 17	5.236E+1	5.236E+1		5.236E+1		
8- O- 18				5.228E+1		
9-F - 19	6.716E+1	6.717E+1	6.538E+1	6.538E+1	6.717E+1	
10-Ne- 20						
10-Ne- 21						
10-Ne- 22						
11-Na- 22	9.735E+2	9.736E+2		9.735E+2		
11-Na- 23	1.313E+2	1.374E+2	1.362E+2	1.312E+2	1.352E+2	
11-Na- 24						
12-Mg- 24	7.235E+1	7.235E+1	7.235E+1	7.235E+1	7.305E+1	
12-Mg- 25	5.437E+1	5.437E+1	5.437E+1	5.437E+1	5.396E+1	
12-Mg- 26	4.885E+1	4.885E+1	4.885E+1	4.885E+1	4.855E+1	
12-Mg- 28						
13-Al- 26						
13-Al- 27	3.920E+1	3.920E+1	3.970E+1	3.920E+1	3.971E+1	
14-Si- 28	3.880E+1	3.883E+1	3.902E+1	3.883E+1	3.877E+1	
14-Si- 29	4.209E+1	4.847E+1	4.279E+1	4.286E+1	4.260E+1	
14-Si- 30	4.230E+1	4.964E+1	4.267E+1	4.303E+1	4.252E+1	
14-Si- 31						
14-Si- 32						
15-P - 31	6.348E+1	4.925E+1	4.925E+1	5.121E+1	5.142E+1	
15-P - 32						
15-P - 33						
16-S - 0					2.761E+1	
16-S - 32	2.768E+1	2.768E+1	2.768E+1	2.776E+1		
16-S - 33	4.265E+1	4.265E+1	4.265E+1	4.265E+1		
16-S - 34	3.455E+1	3.455E+1	3.455E+1	3.455E+1		
16-S - 35						
16-S - 36	3.804E+1	3.804E+1	3.804E+1	3.804E+1		
17-Cl- 0					1.046E+2	
17-Cl- 35	1.301E+2	1.301E+2	1.265E+2	1.300E+2		
17-Cl- 36						
17-Cl- 37	2.933E+1	2.953E+1	3.391E+1	2.952E+1		
18-Ar- 36	6.772E+2	6.772E+2		6.772E+2		
18-Ar- 37						
18-Ar- 38	8.953E+1	8.953E+1		8.953E+1		
18-Ar- 39						
18-Ar- 40	2.095E+1	2.095E+1	2.095E+1	2.095E+1		
18-Ar- 41						
18-Ar- 42						
19-K - 0					4.271E+1	
19-K - 39	3.211E+1	3.280E+1	3.280E+1	3.280E+1		
19-K - 40	4.434E+1	4.434E+1	4.434E+1	4.434E+1		
19-K - 41	4.798E+1	4.644E+1	4.644E+1	4.644E+1		
19-K - 42						
19-K - 43						
20-Ca- 0					4.534E+1	
20-Ca- 40	4.504E+1	4.504E+1	4.533E+1	4.503E+1		
20-Ca- 41						
20-Ca- 42	3.268E+1	3.268E+1	3.267E+1	3.267E+1		
20-Ca- 43	1.439E+2	1.439E+2	3.137E+2	1.439E+2		
20-Ca- 44	4.924E+1	4.924E+1	4.932E+1	4.924E+1		
20-Ca- 45						
20-Ca- 46	1.256E+2	1.271E+2	1.173E+2	1.051E+2		
20-Ca- 47						
20-Ca- 48	5.270E+1	5.270E+1	5.257E+1	5.270E+1		
21-Sc- 44						
21-Sc- 44m						
21-Sc- 45	2.378E+2	2.347E+2	2.357E+2	2.357E+2		
21-Sc- 46						
21-Sc- 47						
21-Sc- 48						
22-Ti- 44						
22-Ti- 45						
22-Ti- 46	5.580E+1	1.476E+2	5.589E+1	6.401E+1	6.401E+1	
22-Ti- 47	1.008E+2	1.466E+2	9.832E+1	9.893E+1	9.664E+1	
22-Ti- 48	1.744E+2	1.480E+2	1.874E+2	1.850E+2	1.858E+2	
22-Ti- 49	7.570E+1	1.481E+2	7.523E+1	7.667E+1	7.451E+1	
22-Ti- 50	5.724E+1	1.484E+2	5.732E+1	5.685E+1	5.525E+1	
23-V-0		2.802E+2		2.458E+2	2.805E+2	

TABLE VIII: Elastic Resonance Integrals (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)
23-V - 48						
23-V - 49						
23-V - 50	3.506E+2		3.507E+2			
23-V - 51	2.454E+2		2.457E+2	2.452E+2		
24-Cr- 48						
24-Cr- 50	2.490E+2	2.677E+2	2.488E+2	2.677E+2	1.745E+2	
24-Cr- 51						
24-Cr- 52	5.253E+1	5.256E+1	5.244E+1	5.256E+1	5.214E+1	
24-Cr- 53	3.056E+2	3.503E+2	3.063E+2	3.503E+2	3.004E+2	
24-Cr- 54	4.672E+1	5.842E+1	4.820E+1	4.983E+1	5.040E+1	
25-Mn- 52						
25-Mn- 53						
25-Mn- 54						
25-Mn- 55	6.218E+2	6.185E+2	6.227E+2	6.184E+2	6.185E+2	
26-Fe- 52						
26-Fe- 54	1.229E+2	1.228E+2	1.232E+2	1.228E+2	1.107E+2	
26-Fe- 55						
26-Fe- 56	1.337E+2	1.343E+2	1.340E+2	1.341E+2	1.337E+2	
26-Fe- 57	1.100E+2	9.562E+1	9.545E+1	1.100E+2	9.565E+1	
26-Fe- 58	7.409E+1	1.187E+2	1.085E+2	7.409E+1	9.632E+1	
26-Fe- 59			1.516E+2			
26-Fe- 60						
27-Co- 55						
27-Co- 56						
27-Co- 57						
27-Co- 58	6.237E+3	5.562E+3				
27-Co- 58m	5.905E+4	5.905E+4				
27-Co- 59	7.967E+2	7.967E+2	7.989E+2	7.989E+2	7.735E+2	
27-Co- 60						
28-Ni- 56						
28-Ni- 57						
28-Ni- 58	2.835E+2	2.832E+2	2.836E+2	2.832E+2	2.831E+2	
28-Ni- 59	4.241E+2	4.241E+2	3.915E+2	4.241E+2		
28-Ni- 60	9.541E+1	9.452E+1	1.013E+2	9.452E+1	9.448E+1	
28-Ni- 61	1.256E+2	1.189E+2	1.268E+2	1.189E+2	1.189E+2	
28-Ni- 62	4.683E+2	4.740E+2	4.834E+2	4.740E+2	4.739E+2	
28-Ni- 63						
28-Ni- 64	1.097E+2	1.052E+2	1.059E+2	1.052E+2	1.053E+2	
28-Ni- 66						
29-Cu- 0					1.296E+2	
29-Cu- 63	1.140E+2	1.140E+2	1.112E+2	1.140E+2	1.131E+2	
29-Cu- 64						
29-Cu- 65	1.686E+2	1.686E+2	1.713E+2	1.686E+2	1.664E+2	
29-Cu- 67						
30-Zn- 0		1.162E+2		1.162E+2	1.178E+2	
30-Zn- 62						
30-Zn- 64	1.252E+2		1.252E+2			
30-Zn- 65	1.943E+2		1.943E+2			
30-Zn- 66	9.252E+1		9.252E+1			
30-Zn- 67	2.018E+2		2.018E+2			
30-Zn- 68	2.104E+2		2.104E+2			
30-Zn- 69m						
30-Zn- 70	7.143E+1		7.143E+1			
30-Zn- 72						
31-Ga- 0		2.205E+2				
31-Ga- 66						
31-Ga- 67						
31-Ga- 69	1.372E+2		1.403E+2	1.372E+2	1.409E+2	
31-Ga- 71	3.420E+2		3.413E+2	3.420E+2	3.429E+2	
31-Ga- 72						
32-Ge- 0					1.404E+2	
32-Ge- 68						
32-Ge- 69						
32-Ge- 70	1.733E+2	1.621E+2	1.733E+2	1.733E+2	1.394E+2	
32-Ge- 71					2.967E+2	
32-Ge- 72	1.255E+2	1.254E+2	1.255E+2	1.255E+2	1.130E+2	
32-Ge- 73	4.221E+2	4.178E+2	4.222E+2	4.264E+2	4.168E+2	
32-Ge- 74	1.214E+2	1.180E+2	1.214E+2	1.214E+2	1.118E+2	
32-Ge- 75					3.093E+2	
32-Ge- 76	1.197E+2	1.206E+2	1.197E+2	1.197E+2	9.883E+1	
32-Ge- 77					4.338E+2	
32-Ge- 78					8.944E+1	
33-As- 71						
33-As- 72						
33-As- 73						
33-As- 74	1.430E+2					
33-As- 75	1.731E+2	1.425E+2	1.715E+2	1.724E+2	1.722E+2	
33-As- 76						
33-As- 77					1.729E+2	
33-As- 79					1.732E+2	

TABLE VIII: Elastic Resonance Integrals (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)
34-Se- 72						
34-Se- 73						
34-Se- 74	8.315E+2	7.696E+2	8.379E+2	8.316E+2		
34-Se- 75						
34-Se- 76	2.259E+2	1.100E+2	2.280E+2	2.259E+2		
34-Se- 77	1.734E+2	1.280E+2	1.633E+2	1.734E+2		
34-Se- 78	1.467E+2	8.539E+1	1.494E+2	1.467E+2		
34-Se- 79	1.443E+2	1.443E+2	3.538E+2	1.443E+2		
34-Se- 80	1.908E+2	1.348E+2	1.920E+2	1.908E+2		
34-Se- 82	9.769E+1	7.220E+1	1.261E+2	9.769E+1		
35-Br- 76						
35-Br- 77						
35-Br- 79	1.453E+2	1.355E+2	1.484E+2	1.453E+2		
35-Br- 81	1.742E+2	1.554E+2	1.487E+2	1.743E+2		
35-Br- 82						
36-Kr- 76						
36-Kr- 78	1.499E+2	1.663E+2	1.633E+2	1.418E+2		
36-Kr- 79						
36-Kr- 80	2.456E+2	2.679E+2	2.775E+2	2.456E+2		
36-Kr- 81						
36-Kr- 82	3.399E+2	2.262E+2	3.492E+2	2.262E+2		
36-Kr- 83	1.744E+2	1.744E+2	1.943E+2	1.494E+2	1.500E+2	
36-Kr- 84	1.135E+2	1.275E+2	1.202E+2	1.135E+2	1.140E+2	
36-Kr- 85	1.008E+2	1.026E+2	1.257E+2	1.008E+2	1.170E+2	
36-Kr- 86	9.736E+1	1.275E+2	1.012E+2	1.018E+2	1.011E+2	
37-Rb- 82m						
37-Rb- 83						
37-Rb- 84						
37-Rb- 85	1.353E+2	1.349E+2	1.287E+2	1.353E+2	1.286E+2	
37-Rb- 86	1.477E+2	1.015E+2	1.268E+2	1.477E+2		
37-Rb- 87	1.195E+2	9.482E+1	1.173E+2	1.195E+2	1.189E+2	
38-Sr- 82						
38-Sr- 83						
38-Sr- 84	1.457E+2	1.403E+2	1.570E+2	1.469E+2		
38-Sr- 85						
38-Sr- 86	1.523E+2	1.379E+2	1.683E+2	1.733E+2		
38-Sr- 87	1.254E+2	9.333E+1	1.220E+2	1.254E+2		
38-Sr- 88	1.264E+2	6.810E+1	1.009E+2	1.264E+2	1.264E+2	
38-Sr- 89	1.134E+2	9.672E+1	1.112E+2	1.134E+2	1.134E+2	
38-Sr- 90	1.078E+2	8.373E+1	1.079E+2	1.102E+2	1.080E+2	
38-Sr- 91						
39-Y - 86						
39-Y - 87						
39-Y - 87m						
39-Y - 88						
39-Y - 89	1.117E+2	1.139E+2	1.109E+2	1.162E+2	1.221E+2	
39-Y - 90	2.034E+2	1.079E+2	1.271E+2	1.079E+2		
39-Y - 91	1.173E+2	1.011E+2	1.234E+2	1.173E+2	1.234E+2	
39-Y - 93						
40-Zr- 86						
40-Zr- 88						
40-Zr- 89						
40-Zr- 90	1.084E+2	1.063E+2	1.071E+2	1.048E+2	1.050E+2	
40-Zr- 91	1.745E+2	1.739E+2	1.774E+2	1.891E+2	1.733E+2	
40-Zr- 92	1.398E+2	1.411E+2	1.411E+2	1.416E+2	1.412E+2	
40-Zr- 93	1.515E+2	1.498E+2	1.465E+2	1.478E+2	1.469E+2	
40-Zr- 94	1.435E+2	1.173E+2	1.176E+2	1.416E+2	1.183E+2	
40-Zr- 95	1.197E+2	1.252E+2	1.228E+2	1.246E+2	1.262E+2	
40-Zr- 96	1.200E+2	1.277E+2	1.288E+2	1.209E+2	1.278E+2	
40-Zr- 97						
41-Nb- 90						
41-Nb- 91m						
41-Nb- 91						
41-Nb- 92m						
41-Nb- 92						
41-Nb- 93m						
41-Nb- 93	1.131E+2	1.131E+2	1.186E+2	1.193E+2	1.165E+2	
41-Nb- 94	1.359E+2	1.359E+2	1.394E+2	1.359E+2		
41-Nb- 95m						
41-Nb- 95	1.270E+2	1.270E+2	1.366E+2	1.270E+2	1.265E+2	
41-Nb- 96						
42-Mo- 92	1.126E+2	1.082E+2	1.118E+2	1.079E+2	1.057E+2	
42-Mo- 93						
42-Mo- 93m						
42-Mo- 94	1.104E+2	1.156E+2	1.121E+2	1.094E+2	1.092E+2	
42-Mo- 95	2.601E+2	2.298E+2	2.988E+2	2.280E+2	2.275E+2	
42-Mo- 96	1.727E+2	1.727E+2	1.434E+2	1.717E+2	1.713E+2	
42-Mo- 97	1.188E+2	1.188E+2	1.199E+2	1.180E+2	1.195E+2	
42-Mo- 98	1.234E+2	1.234E+2	1.168E+2	1.220E+2	1.230E+2	
42-Mo- 99	1.252E+2	1.252E+2	1.444E+2	1.473E+2		

TABLE VIII: Elastic Resonance Integrals (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)
42-Mo-100	1.242E+2	1.246E+2	1.291E+2	1.217E+2	1.233E+2	
43-Tc- 95						
43-Tc- 95m						
43-Tc- 96						
43-Tc- 97m						
43-Tc- 97						
43-Tc- 98						
43-Tc- 99	1.245E+2	1.203E+2	1.105E+2	1.208E+2	9.793E+1	
43-Tc- 99m						
44-Ru- 96	1.099E+2	1.394E+2	1.074E+2	1.099E+2		
44-Ru- 97						
44-Ru- 98	1.134E+2	1.408E+2	1.128E+2	1.134E+2		
44-Ru- 99	1.034E+2	1.123E+2	1.034E+2	1.034E+2	1.029E+2	
44-Ru-100	1.176E+2	1.176E+2	1.132E+2	1.132E+2	1.139E+2	
44-Ru-101	1.167E+2	1.135E+2	1.109E+2	9.722E+1	9.593E+1	
44-Ru-102	1.219E+2	1.219E+2	1.210E+2	1.219E+2	1.219E+2	
44-Ru-103	9.987E+1	9.987E+1	9.677E+1	9.987E+1	9.987E+1	
44-Ru-104	1.174E+2	1.174E+2	1.268E+2	1.174E+2	1.174E+2	
44-Ru-105	8.588E+1	8.588E+1	1.495E+2		8.588E+1	
44-Ru-106	8.768E+1	8.837E+1	1.013E+2	8.768E+1		
45-Rh- 99						
45-Rh- 99m						
45-Rh-100						
45-Rh-101						
45-Rh-101m						
45-Rh-102						
45-Rh-102m						
45-Rh-103	1.081E+2	1.082E+2	1.031E+2	1.116E+2	1.025E+2	
45-Rh-105	3.984E+4	3.984E+4	3.985E+4	3.985E+4	3.984E+4	
46-Pd-100						
46-Pd-101						
46-Pd-102	1.305E+2	1.355E+2	1.310E+2	1.306E+2		
46-Pd-103						
46-Pd-104	1.204E+2	1.204E+2	1.249E+2	1.204E+2		
46-Pd-105	1.132E+2	1.132E+2	1.035E+2	1.132E+2	9.530E+1	
46-Pd-106	1.242E+2	1.242E+2	1.307E+2	1.234E+2		
46-Pd-107	1.217E+2	1.217E+2	1.225E+2	1.217E+2		
46-Pd-108	4.394E+2	4.394E+2	4.392E+2	4.399E+2	4.418E+2	
46-Pd-109						
46-Pd-110	1.004E+2	9.348E+1	1.001E+2	9.868E+1		
46-Pd-112						
47-Ag- 0					1.766E+2	
47-Ag-105						
47-Ag-106m						
47-Ag-107	1.216E+2	1.291E+2	1.134E+2	1.216E+2	1.161E+2	
47-Ag-108m						
47-Ag-109	2.413E+2	2.392E+2	2.392E+2	2.374E+2	2.418E+2	
47-Ag-110m	8.625E+1	8.653E+1	9.332E+1	8.625E+1		
47-Ag-111	1.180E+2	9.043E+1	1.405E+2	1.295E+2		
48-Cd- 0					1.268E+2	
48-Cd-106	9.841E+1	1.072E+2	1.083E+2	9.830E+1		
48-Cd-107						
48-Cd-108	1.265E+2	1.400E+2	1.120E+2	1.159E+2		
48-Cd-109						
48-Cd-110	1.502E+2	2.071E+2	1.371E+2	1.305E+2		
48-Cd-111	9.658E+1	9.457E+1	1.022E+2	9.732E+1		
48-Cd-112	1.064E+2	1.076E+2	1.105E+2	1.002E+2		
48-Cd-113	1.165E+2	1.254E+2	1.170E+2	1.119E+2	1.119E+2	
48-Cd-113m						
48-Cd-114	1.478E+2	1.301E+2	1.222E+2	1.301E+2		
48-Cd-115						
48-Cd-115m	1.047E+2	9.580E+1		1.047E+2		
48-Cd-116	9.498E+1	1.024E+2	1.001E+2	1.019E+2		
49-In-111						
49-In-113	1.081E+2	1.074E+2	1.102E+2	1.074E+2	1.087E+2	
49-In-114m						
49-In-115	2.191E+2	2.200E+2	2.212E+2	2.191E+2	2.186E+2	
50-Sn- 0					9.408E+1	
50-Sn-112	1.059E+2	1.078E+2	1.184E+2	1.059E+2	1.084E+2	
50-Sn-113	9.733E+1			1.071E+2		
50-Sn-114	1.062E+2	1.061E+2	1.140E+2	1.062E+2	1.069E+2	
50-Sn-115	9.974E+1	9.919E+1	1.170E+2	9.974E+1	9.934E+1	
50-Sn-116	1.019E+2	1.080E+2	1.041E+2	1.019E+2	1.081E+2	
50-Sn-117	9.158E+1	9.105E+1	9.439E+1	9.158E+1	9.083E+1	
50-Sn-117m						
50-Sn-118	1.031E+2	9.891E+1	9.758E+1	1.031E+2	9.877E+1	
50-Sn-119	9.187E+1	8.903E+1	9.205E+1	9.187E+1	8.823E+1	
50-Sn-119m						
50-Sn-120	9.184E+1	8.911E+1	8.953E+1	9.184E+1	8.925E+1	

TABLE VIII: Elastic Resonance Integrals (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)
50-Sn-121						
50-Sn-121m						
50-Sn-122	8.349E+1	8.186E+1	8.121E+1	8.349E+1	8.206E+1	
50-Sn-123	1.431E+2	9.380E+1	1.495E+2	1.431E+2		
50-Sn-124	8.595E+1	8.474E+1	8.320E+1	8.595E+1	8.511E+1	
50-Sn-125	1.023E+2	9.816E+1		1.555E+2		
50-Sn-126	8.795E+1	8.472E+1	9.222E+1	8.794E+1		
51-Sb-119						
51-Sb-120m						
51-Sb-121	9.517E+1	9.069E+1	9.068E+1	9.517E+1	9.101E+1	
51-Sb-122						
51-Sb-123	1.142E+2	1.197E+2	1.197E+2	1.142E+2	1.239E+2	
51-Sb-124	7.906E+1	8.165E+1	7.909E+1	7.906E+1		
51-Sb-125	9.174E+1	1.055E+2	9.176E+1	9.174E+1	8.915E+1	
51-Sb-126	8.597E+1	1.074E+2	1.262E+2	8.597E+1		
51-Sb-127						
51-Sb-128						
52-Te-118						
52-Te-119						
52-Te-119m						
52-Te-120	1.447E+2	1.225E+2	1.448E+2	1.447E+2		
52-Te-121m						
52-Te-121						
52-Te-122	1.405E+2	1.389E+2	1.550E+2	1.439E+2		
52-Te-123m						
52-Te-123	6.939E+2	6.765E+2	6.976E+2	6.976E+2		
52-Te-124	1.083E+2	9.443E+1	9.287E+1	9.287E+1		
52-Te-125m						
52-Te-125	9.413E+1	1.002E+2	9.505E+1	9.413E+1		
52-Te-126	1.039E+2	1.047E+2	9.798E+1	9.837E+1		
52-Te-127						
52-Te-127m	1.375E+2	1.189E+2	1.375E+2	1.375E+2		
52-Te-128	8.090E+1	7.822E+1	8.033E+1	8.090E+1		
52-Te-129						
52-Te-129m	1.475E+2	1.137E+2	1.476E+2	1.475E+2		
52-Te-130	7.958E+1	8.316E+1	7.336E+1	7.958E+1	7.958E+1	
52-Te-131m						
52-Te-132	9.740E+1	8.217E+1	9.912E+1	9.740E+1		
53-I -123						
53-I -124						
53-I -125						
53-I -126						
53-I -127	1.468E+2	1.267E+2	1.278E+2	1.471E+2	1.539E+2	
53-I-128						
53-I -129	1.166E+2	9.100E+1	8.896E+1	1.166E+2	8.806E+1	
53-I -130	8.216E+1	1.416E+2	1.370E+2			
53-I -131	1.694E+2	1.694E+2	1.695E+2	1.694E+2		
53-I -133						
53-I -135	1.138E+2	1.138E+2	6.669E+1	1.138E+2	1.138E+2	
54-Xe-122						
54-Xe-123	1.241E+2				7.641E+1	
54-Xe-124	8.784E+2	7.848E+2	1.212E+3	8.740E+2	8.740E+2	
54-Xe-125						
54-Xe-126	1.024E+2	1.659E+2	1.120E+2	1.024E+2		
54-Xe-127						
54-Xe-128	1.541E+2	1.541E+2	1.797E+2	1.541E+2		
54-Xe-129m						
54-Xe-129	1.381E+2	1.381E+2	1.503E+2	1.380E+2	2.090E+2	
54-Xe-130	1.301E+2	1.301E+2	2.436E+2	1.301E+2		
54-Xe-131m						
54-Xe-131	1.906E+3	2.090E+3	2.375E+3	2.062E+3	1.960E+3	
54-Xe-132	1.041E+2	1.041E+2	1.011E+2	9.632E+1	1.041E+2	
54-Xe-133m						
54-Xe-133	1.516E+2	1.516E+2	1.591E+2	1.517E+2		
54-Xe-134	8.315E+1	8.315E+1	7.580E+1	8.352E+1	8.315E+1	
54-Xe-135	5.058E+3	5.237E+3	5.580E+3	5.237E+3	5.058E+3	
54-Xe-136	1.179E+2	1.179E+2	8.590E+1	1.186E+2	1.179E+2	
55-Cs-127						
55-Cs-129						
55-Cs-131						
55-Cs-132						
55-Cs-133	1.272E+2	1.357E+2	1.358E+2	1.358E+2	1.364E+2	
55-Cs-134	1.505E+2	1.604E+2	1.419E+2	1.505E+2	1.521E+2	
55-Cs-135	1.702E+2	1.702E+2	1.192E+2	1.702E+2	1.950E+2	
55-Cs-136	2.649E+2	2.039E+2	1.547E+2	2.649E+2		
55-Cs-137	9.838E+1	9.838E+1	8.210E+1	9.837E+1	9.741E+1	
56-Ba-128						
56-Ba-129						
56-Ba-130	3.200E+2	3.293E+2	3.294E+2	3.200E+2	3.200E+2	
56-Ba-131						

TABLE VIII: Elastic Resonance Integrals (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)
56-Ba-132	1.843E+2	8.846E+1	8.847E+1	2.043E+2	1.055E+2	
56-Ba-133m						
56-Ba-133	1.893E+2			1.893E+2		
56-Ba-134	1.405E+2	1.405E+2	1.249E+2	1.405E+2	1.140E+2	
56-Ba-135	1.585E+2	1.803E+2	1.803E+2		1.790E+2	
56-Ba-135m				1.585E+2		
56-Ba-136	8.102E+1	8.169E+1	7.913E+1	8.102E+1	1.087E+2	
56-Ba-137	1.008E+2	9.233E+1	9.233E+1	1.009E+2	2.725E+2	
56-Ba-138	7.121E+1	8.501E+1	9.064E+1	7.121E+1	9.239E+1	
56-Ba-139						
56-Ba-140	4.121E+2	4.121E+2	6.781E+1	4.121E+2		
57-La-135						
57-La-137						
57-La-138	1.505E+2	1.505E+2	1.486E+2	1.505E+2		
57-La-139	1.079E+2	1.079E+2	1.064E+2	1.079E+2	1.079E+2	
57-La-140	2.976E+2	2.460E+2	1.884E+2	2.980E+2		
57-La-141						
58-Ce-134						
58-Ce-135						
58-Ce-136	2.798E+2			2.798E+2	2.801E+2	
58-Ce-137						
58-Ce-137m						
58-Ce-138	1.081E+2			1.081E+2	7.306E+1	
58-Ce-139	1.485E+2			1.485E+2		
58-Ce-140	7.289E+1	7.405E+1	7.094E+1	7.289E+1	6.906E+1	
58-Ce-141	1.432E+2	1.432E+2	2.399E+2	1.432E+2	1.756E+2	
58-Ce-142	4.816E+2	4.816E+2	2.586E+2	4.816E+2	2.471E+2	
58-Ce-143	1.935E+2	2.579E+2	3.810E+2	1.935E+2		
58-Ce-144	1.380E+2	1.380E+2	3.908E+2	1.380E+2	1.367E+2	
59-Pr-141	2.440E+2	2.440E+2	2.445E+2	2.441E+2	3.120E+2	
59-Pr-142	3.105E+2	3.778E+2				
59-Pr-143	1.598E+3	1.598E+3	1.903E+3	1.598E+3		
60-Nd-140						
60-Nd-141						
60-Nd-142	9.998E+1	1.062E+2	1.175E+2	9.867E+1	1.187E+2	
60-Nd-143	6.241E+2	6.320E+2	6.269E+2	6.244E+2	6.210E+2	
60-Nd-144	6.777E+2	6.777E+2	6.856E+2	6.756E+2	6.721E+2	
60-Nd-145	5.881E+2	5.887E+2	6.076E+2	5.869E+2	5.960E+2	
60-Nd-146	2.330E+2	2.330E+2	2.301E+2	2.319E+2	2.247E+2	
60-Nd-147	5.463E+2	5.463E+2	5.626E+2	5.433E+2	4.653E+2	
60-Nd-148	6.230E+2	5.816E+2	6.877E+2	6.214E+2	7.199E+2	
60-Nd-149						
60-Nd-150	1.730E+2	1.961E+2	1.790E+2	1.645E+2	6.356E+2	
61-Pm-143						
61-Pm-144						
61-Pm-145						
61-Pm-146						
61-Pm-147	1.148E+3	1.258E+3	1.371E+3	2.011E+3	1.147E+3	
61-Pm-148m	2.044E+2	2.044E+2	8.954E+2	2.044E+2	2.044E+2	
61-Pm-148	3.464E+2	3.464E+2	8.114E+2	3.464E+2	3.465E+2	
61-Pm-149	5.649E+2	5.649E+2	1.088E+3	5.649E+2	5.643E+2	
61-Pm-150						
61-Pm-151	1.864E+3	1.864E+3	1.139E+3	1.623E+2		
62-Sm-144	1.288E+2	1.288E+2	1.021E+2	1.081E+2	1.068E+2	
62-Sm-145						
62-Sm-146						
62-Sm-147	7.698E+2	8.703E+2	7.653E+2	7.550E+2	7.712E+2	
62-Sm-148	5.075E+2	5.075E+2	4.528E+2	4.765E+2	4.841E+2	
62-Sm-149	5.782E+2	5.625E+2	5.855E+2	5.782E+2	6.031E+2	
62-Sm-150	5.593E+2	5.253E+2	5.307E+2	5.828E+2	5.010E+2	
62-Sm-151	3.468E+2	3.176E+2	3.507E+2	3.468E+2	3.664E+2	
62-Sm-152	6.090E+3	6.096E+3	6.109E+3	6.095E+3	6.006E+3	
62-Sm-153	9.227E+2	9.227E+2	9.036E+2	4.210E+2		
62-Sm-154	2.382E+2	2.382E+2	2.779E+2	2.506E+2	2.506E+2	
62-Sm-156						
63-Eu-145						
63-Eu-146						
63-Eu-147						
63-Eu-148						
63-Eu-149						
63-Eu-150						
63-Eu-150m						
63-Eu-151	2.566E+2	2.773E+2	2.409E+2	2.551E+2	2.566E+2	
63-Eu-152	2.216E+2	5.244E+2	1.710E+2	2.216E+2		
63-Eu-152m						
63-Eu-153	2.024E+2	2.196E+2	2.267E+2	1.977E+2	2.170E+2	
63-Eu-154	1.276E+2	1.881E+2	1.667E+2	1.276E+2	1.276E+2	
63-Eu-155	9.995E+2	7.831E+2	1.053E+3	9.996E+2	9.995E+2	
63-Eu-156	5.616E+2	5.616E+2	1.346E+3	5.616E+2		
63-Eu-157	3.322E+2	3.322E+2	1.096E+3			

TABLE VIII: Elastic Resonance Integrals (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)
64-Gd-146						
64-Gd-147						
64-Gd-148						
64-Gd-149						
64-Gd-150						
64-Gd-151						
64-Gd-152	1.101E+3	6.201E+2	5.854E+2	1.082E+3	6.175E+2	
64-Gd-153	1.634E+2		1.622E+2	1.782E+2		
64-Gd-154	2.137E+2	3.130E+2	2.452E+2	2.143E+2	2.167E+2	
64-Gd-155	1.718E+2	1.852E+2	1.590E+2	1.718E+2	1.540E+2	
64-Gd-156	2.248E+2	2.329E+2	2.171E+2	2.224E+2	2.525E+2	
64-Gd-157	2.577E+2	2.046E+2	2.102E+2	2.486E+2	1.959E+2	
64-Gd-158	1.611E+2	1.576E+2	1.448E+2	1.618E+2	1.404E+2	
64-Gd-159						
64-Gd-160	1.812E+2	1.825E+2	2.114E+2	1.831E+2	2.069E+2	
65-Tb-151						
65-Tb-152						
65-Tb-153						
65-Tb-154						
65-Tb-154m						
65-Tb-154n						
65-Tb-155						
65-Tb-156m						
65-Tb-156						
65-Tb-156n						
65-Tb-157						
65-Tb-158						
65-Tb-159	1.662E+2	1.662E+2	1.825E+2	1.663E+2		
65-Tb-160	2.108E+2	2.032E+2	2.615E+2	3.014E+2		
65-Tb-161						
66-Dy-153						
66-Dy-154			8.395E+2			
66-Dy-155						
66-Dy-156	2.200E+2		3.732E+2	1.086E+3		
66-Dy-157						
66-Dy-158	2.449E+2		3.519E+2	2.949E+2		
66-Dy-159			2.270E+2			
66-Dy-160	3.688E+2	6.642E+2	3.715E+2	3.706E+2		
66-Dy-161	1.817E+2	1.817E+2	2.007E+2	1.831E+2		
66-Dy-162	7.878E+2	7.878E+2	7.906E+2	7.882E+2		
66-Dy-163	2.548E+2	2.548E+2	2.523E+2	2.550E+2		
66-Dy-164	5.716E+2	5.696E+2	5.585E+2	5.726E+2	5.695E+2	
66-Dy-165						
66-Dy-166						
67-Ho-163						
67-Ho-164						
67-Ho-164m						
67-Ho-165	2.529E+2	2.641E+2		2.529E+2		
67-Ho-166m	2.621E+2					
67-Ho-166						
68-Er-160						
68-Er-161						
68-Er-162	2.685E+2	2.685E+2	2.685E+2	2.685E+2		
68-Er-164	1.992E+2	1.992E+2	1.991E+2	1.992E+2		
68-Er-165						
68-Er-166	2.311E+2	2.788E+2	2.793E+2	2.311E+2		
68-Er-167	5.175E+2	5.084E+2	5.130E+2	5.177E+2		
68-Er-168	2.216E+2	2.242E+2	2.242E+2	2.216E+2		
68-Er-169						
68-Er-170	5.801E+2	5.948E+2	5.904E+2	5.801E+2		
68-Er-171						
68-Er-172						
69-Tm-165						
69-Tm-166						
69-Tm-167						
69-Tm-168	5.321E+2					
69-Tm-169	3.114E+2		2.992E+2			
69-Tm-170	3.304E+2					
69-Tm-171						
69-Tm-172						
69-Tm-173						
70-Yb-166						
70-Yb-168			1.025E+3			
70-Yb-169						
70-Yb-170			5.785E+2			
70-Yb-171			2.421E+2			
70-Yb-172			2.236E+2			
70-Yb-173			4.029E+2			
70-Yb-174			2.966E+2			

TABLE VIII: Elastic Resonance Integrals (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)
70-Yb-175						
70-Yb-176			2.222E+2			
71-Lu-169						
71-Lu-170						
71-Lu-171						
71-Lu-172						
71-Lu-173						
71-Lu-174m						
71-Lu-174						
71-Lu-175	2.086E+2	2.086E+2		2.086E+2		
71-Lu-176	1.777E+2	1.777E+2		1.777E+2		
71-Lu-177m						
71-Lu-177						
72-Hf-170						
72-Hf-171						
72-Hf-172						
72-Hf-173						
72-Hf-174	7.013E+2	5.397E+2	3.976E+2	7.027E+2	4.063E+2	
72-Hf-175						
72-Hf-176	4.475E+2	4.346E+2	4.526E+2	4.453E+2	3.978E+2	
72-Hf-177	8.143E+2	7.962E+2	7.823E+2	8.242E+2	8.071E+2	
72-Hf-178n						
72-Hf-178	2.084E+3	2.161E+3	1.770E+3	2.082E+3	1.773E+3	
72-Hf-179n						
72-Hf-179	2.982E+2	2.837E+2	2.614E+2	3.108E+2	2.900E+2	
72-Hf-180	2.766E+2	2.918E+2	2.681E+2	2.745E+2	2.527E+2	
72-Hf-180m						
72-Hf-181			5.566E+2			
72-Hf-182			2.463E+2			
73-Ta-175						
73-Ta-176						
73-Ta-177						
73-Ta-179						
73-Ta-180	6.889E+2					
73-Ta-180m						
73-Ta-181	2.816E+2	2.542E+2	2.543E+2	2.571E+2	2.547E+2	
73-Ta-182	3.186E+2	3.073E+2		3.073E+2		
73-Ta-183						
73-Ta-184						
74-W - 0						
74-W -178						
74-W -180	2.918E+2		3.079E+2	2.407E+2		
74-W -181						
74-W -182	4.993E+2	4.975E+2	4.995E+2	4.562E+2		
74-W -183	4.855E+2	4.872E+2	5.057E+2	4.219E+2		
74-W -184	3.187E+2	3.153E+2	3.213E+2	3.025E+2		
74-W -185						
74-W -186	3.165E+3	3.064E+3	3.102E+3	2.957E+3		
74-W -187						
74-W -188						
75-Re-181						
75-Re-182						
75-Re-182m						
75-Re-183						
75-Re-184m						
75-Re-184						
75-Re-185	3.640E+2	3.023E+2		4.118E+2		
75-Re-186m						
75-Re-186						
75-Re-187	3.123E+2	2.605E+2		2.814E+2		
75-Re-188						
75-Re-189						
76-Os- 0		3.632E+2		3.632E+2		
76-Os-182						
76-Os-183						
76-Os-183m						
76-Os-184			7.652E+2			
76-Os-185						
76-Os-186			4.421E+2			
76-Os-187			5.690E+2			
76-Os-188			5.152E+2			
76-Os-189			5.382E+2			
76-Os-190			2.937E+2			
76-Os-191						
76-Os-191m						
76-Os-192			4.446E+2			
76-Os-193						
76-Os-194						
77-Ir-185						
77-Ir-186						

TABLE VIII: Elastic Resonance Integrals (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)
77-Ir-187						
77-Ir-188						
77-Ir-189						
77-Ir-190						
77-Ir-191	3.192E+2	3.303E+2		3.303E+2		
77-Ir-192n						
77-Ir-192						
77-Ir-193m						
77-Ir-193	2.615E+2	3.248E+2		3.248E+2		
77-Ir-194						
77-Ir-194n						
77-Ir-194m						
77-Ir-196m						
78-Pt- 0		1.853E+2		1.847E+2		
78-Pt-188						
78-Pt-189						
78-Pt-190						
78-Pt-191						
78-Pt-192						
78-Pt-193m						
78-Pt-193						
78-Pt-194						
78-Pt-195m						
78-Pt-195						
78-Pt-196						
78-Pt-197						
78-Pt-198						
78-Pt-200						
78-Pt-202						
79-Au-193						
79-Au-194						
79-Au-195						
79-Au-196						
79-Au-196n						
79-Au-197	4.070E+2	4.009E+2	4.058E+2	4.070E+2	4.004E+2	
79-Au-198m						
79-Au-198						
79-Au-199						
79-Au-200m						
80-Hg- 0					2.614E+2	
80-Hg-193						
80-Hg-193m						
80-Hg-194						
80-Hg-195m						
80-Hg-195						
80-Hg-196	4.642E+2	4.642E+2	4.641E+2	4.642E+2		
80-Hg-197						
80-Hg-197m						
80-Hg-198	2.730E+2	2.730E+2	2.729E+2	2.730E+2		
80-Hg-199	3.917E+2	3.917E+2	3.917E+2	3.917E+2		
80-Hg-200	2.336E+2	2.336E+2	2.336E+2	2.336E+2		
80-Hg-201	2.453E+2	2.488E+2	2.487E+2	2.488E+2		
80-Hg-202	2.102E+2	2.102E+2	2.102E+2	2.102E+2		
80-Hg-203						
80-Hg-204	3.394E+2	3.394E+2	3.394E+2	3.394E+2		
81-Tl-0		2.287E+2		2.287E+2	2.287E+2	
81-Tl-199						
81-Tl-200						
81-Tl-201						
81-Tl-202						
81-Tl-203	3.998E+2					
81-Tl-204						
81-Tl-205	1.485E+2					
82-Pb-200						
82-Pb-201						
82-Pb-202						
82-Pb-203						
82-Pb-204	1.737E+2	1.737E+2	1.790E+2	1.737E+2	1.767E+2	
82-Pb-205						
82-Pb-206	1.560E+2	1.560E+2	1.583E+2	1.560E+2	1.563E+2	
82-Pb-207	1.613E+2	1.613E+2	1.688E+2	1.612E+2	1.615E+2	
82-Pb-208	1.697E+2	1.696E+2	1.700E+2	1.696E+2	1.697E+2	
82-Pb-209						
82-Pb-210						
82-Pb-212						
83-Bi-203						
83-Bi-204						
83-Bi-205						
83-Bi-206						

TABLE VIII: Elastic Resonance Integrals (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)
83-Bi-207						
83-Bi-208						
83-Bi-209	1.749E+2	1.740E+2	1.734E+2	1.749E+2	1.749E+2	
83-Bi-210						
83-Bi-210m						
84-Po-206						
84-Po-207						
84-Po-208						
84-Po-209						
84-Po-210						
85-At-210						
85-At-211						
86-Rn-211						
86-Rn-222						
88-Ra-223	4.623E+2	4.623E+2	4.623E+2	4.623E+2		
88-Ra-224	3.545E+2	3.545E+2	3.545E+2	3.545E+2		
88-Ra-225	4.183E+2	4.183E+2	4.183E+2	4.183E+2		
88-Ra-226	2.444E+2	2.444E+2	2.444E+2	2.444E+2		
88-Ra-228						
89-Ac-225	2.263E+2	3.005E+2	2.263E+2	3.005E+2		
89-Ac-226	1.991E+2	2.629E+2	1.991E+2	2.629E+2		
89-Ac-227	2.394E+2	3.584E+2	2.394E+2	3.584E+2		
89-Ac-228						
90-Th-227	2.031E+2	2.535E+2	2.031E+2	2.535E+2		
90-Th-228	3.501E+2	4.455E+2	3.501E+2	4.944E+2		
90-Th-229	1.881E+2	2.062E+2	1.881E+2	2.060E+2		
90-Th-230	3.492E+2	4.058E+2	3.492E+2	3.618E+2		
90-Th-231	1.948E+2		1.948E+2			
90-Th-232	2.474E+2	2.471E+2	2.465E+2	2.419E+2	2.487E+2	
90-Th-233	2.311E+2	2.378E+2	2.311E+2			
90-Th-234	2.894E+2	3.240E+2	2.894E+2	3.239E+2		
91-Pa-228						
91-Pa-229	1.757E+2		1.757E+2			
91-Pa-230	1.708E+2		1.708E+2			
91-Pa-231	1.854E+2	1.508E+2	1.819E+2	1.742E+2		
91-Pa-232	1.899E+2	2.317E+2	1.899E+2	2.317E+2		
91-Pa-233	1.913E+2	1.585E+2	2.003E+2	1.585E+2		
91-Pa-234						
92-U -230	1.904E+2		1.904E+2			
92-U -231	1.690E+2		1.690E+2			
92-U -232	1.894E+2	1.724E+2	1.894E+2	1.724E+2	1.919E+2	
92-U -233	1.696E+2	1.681E+2	1.701E+2	1.675E+2	1.689E+2	
92-U -234	2.901E+2	3.368E+2	2.679E+2	3.368E+2	3.394E+2	
92-U -235	1.701E+2	1.703E+2	1.713E+2	1.702E+2	1.704E+2	
92-U -236	2.757E+2	2.824E+2	2.884E+2	2.758E+2	2.753E+2	
92-U -237	2.283E+2	2.281E+2	2.211E+2	2.426E+2	2.329E+2	
92-U -238	3.455E+2	3.474E+2	3.455E+2	3.458E+2	3.475E+2	
92-U -239	1.729E+2				3.085E+2	
92-U -240	3.892E+2				2.344E+2	
92-U -241	2.068E+2				2.023E+2	
93-Np-234	1.641E+2		1.641E+2			
93-Np-235	1.794E+2	1.920E+2	1.794E+2	1.920E+2		
93-Np-236	1.591E+2	1.741E+2	1.591E+2	1.701E+2	1.688E+2	
93-Np-236m						
93-Np-237	1.990E+2	1.818E+2	1.977E+2	1.780E+2	1.967E+2	
93-Np-238	1.635E+2	1.719E+2	1.635E+2	1.773E+2	1.680E+2	
93-Np-239	2.070E+2	1.887E+2	2.070E+2	1.887E+2	1.881E+2	
94-Pu-234						
94-Pu-236	1.764E+2	1.807E+2	1.764E+2	1.807E+2	1.786E+2	
94-Pu-237	1.614E+2	1.653E+2	1.614E+2	1.644E+2	1.642E+2	
94-Pu-238	2.801E+2	2.691E+2	2.808E+2	2.568E+2	2.726E+2	
94-Pu-239	1.784E+2	1.807E+2	1.822E+2	1.807E+2	1.821E+2	
94-Pu-240	9.259E+2	9.944E+2	9.781E+2	9.783E+2	9.267E+2	
94-Pu-241	1.751E+2	1.819E+2	1.842E+2	1.781E+2	1.799E+2	
94-Pu-242	3.522E+2	3.522E+2	3.481E+2	3.322E+2	3.830E+2	
94-Pu-243	1.902E+2	1.891E+2		1.902E+2	1.912E+2	
94-Pu-244	2.417E+2	2.211E+2	2.417E+2	2.171E+2	2.209E+2	
94-Pu-245				1.754E+2	2.394E+2	
94-Pu-246	2.915E+2	1.754E+2	2.915E+2		2.165E+2	
94-Pu-247						
95-Am-239						
95-Am-240	1.648E+2		1.648E+2		1.606E+2	
95-Am-241	1.772E+2	1.819E+2	1.821E+2	1.785E+2	1.807E+2	
95-Am-242m	1.517E+2	1.518E+2	1.623E+2	1.519E+2	1.538E+2	
95-Am-242	1.610E+2	1.623E+2	1.720E+2	1.623E+2	1.642E+2	
95-Am-243	2.243E+2	1.885E+2	2.011E+2	1.919E+2	1.917E+2	
95-Am-244m	1.633E+2	1.633E+2	1.693E+2			
95-Am-244	1.636E+2	1.636E+2	1.682E+2	1.639E+2	1.590E+2	
96-Cm-240	2.309E+2	2.220E+2	2.309E+2	2.220E+2		
96-Cm-241	1.625E+2	1.675E+2	1.625E+2	1.539E+2		

TABLE VIII: Elastic Resonance Integrals (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)
96-Cm-242	2.108E+2	2.113E+2	2.108E+2	2.059E+2		
96-Cm-243	1.541E+2	1.732E+2	1.541E+2	1.576E+2		
96-Cm-244	3.749E+2	3.487E+2	3.749E+2	3.776E+2		
96-Cm-245	1.606E+2	1.658E+2	1.606E+2	1.658E+2		
96-Cm-246	2.019E+2	2.017E+2		2.010E+2		
96-Cm-247	1.757E+2	1.702E+2	1.757E+2	1.784E+2		
96-Cm-248	3.486E+2	3.487E+2	3.487E+2	3.451E+2		
96-Cm-249	2.130E+2	1.946E+2	2.130E+2	1.928E+2		
96-Cm-250	3.520E+3	8.376E+2	3.521E+3	8.377E+2		
97-Bk-245	1.796E+2		1.796E+2			
97-Bk-246	1.563E+2		1.563E+2			
97-Bk-247	1.941E+2	1.880E+2	1.941E+2	1.880E+2		
97-Bk-248	1.552E+2		1.552E+2			
97-Bk-248m						
97-Bk-249	2.098E+2	1.994E+2	2.098E+2	2.204E+2	2.204E+2	
97-Bk-250	1.728E+2	1.696E+2	1.728E+2	1.696E+2		
98-Cf-246	2.541E+2		2.541E+2			
98-Cf-248	3.528E+2		3.528E+2			
98-Cf-249	1.566E+2	1.591E+2	1.566E+2	1.591E+2	1.899E+2	
98-Cf-250	7.894E+2	7.817E+2	7.894E+2	7.817E+2		
98-Cf-251	2.538E+2	3.309E+2	2.538E+2	2.439E+2		
98-Cf-252	2.238E+2	1.979E+2	2.238E+2	2.210E+2		
98-Cf-253	2.636E+2		2.636E+2	2.636E+2		
98-Cf-254	3.609E+2	2.089E+2	3.609E+2	2.089E+2		
99-Es-250						
99-Es-251	2.955E+2		2.955E+2			
99-Es-252	1.539E+2		1.539E+2			
99-Es-253	2.879E+2	7.331E+2	2.879E+2	7.178E+2		
99-Es-254m	1.466E+2		1.466E+2			
99-Es-254	1.686E+2	1.796E+2	1.686E+2	1.796E+2		
99-Es-255	2.178E+2	2.273E+2	2.178E+2	2.273E+2		
99-Es-256m						
99-Es-257						
100-Fm-252						
100-Fm-253						
100-Fm-255	1.518E+2	1.999E+2	1.518E+2	1.999E+2		
100-Fm-257						

Fission Resonance Integrals

TABLE IX: Fission Resonance Integrals from ENDF/B-VII.1, JEFF-3.1.2, JENDL-4.0, ROSFOND-2010, CENDL-3.1, EAF-2010 and Atlas of Neutron Resonances [1, 2, 6–10], (*C*-calculated values).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)
86-Rn-222				8.756E-1		6.179E-1	
88-Ra-223	1.062E+0	1.062E+0	1.062E+0	1.062E+0		1.065E+0	
88-Ra-224						8.765E-1	
88-Ra-225						5.624E+0	
88-Ra-226	1.187E-2	1.187E-2	1.187E-2	1.187E-2		1.223E-2	
88-Ra-228				1.125E+0		1.125E+0	
89-Ac-225	2.159E-1		2.159E-1	8.764E-1		8.765E-1	
89-Ac-226	8.705E+0		8.705E+0	3.027E+2		5.337E+0	
89-Ac-227	1.167E-1	1.378E-1	1.167E-1	1.378E-1		1.378E-1	
89-Ac-228						4.175E-5	
90-Th-227	3.310E+2	2.097E+2	3.310E+2	8.423E+2		8.421E+2	
90-Th-228	1.833E+0	1.025E+0	1.833E+0	1.652E+0		1.652E+0	
90-Th-229	3.158E+2	4.437E+2	3.158E+2	4.929E+2		4.437E+2	4.050E+2±7.500E+1^C
90-Th-230	1.230E+0		1.230E+0	1.220E+0		1.198E+0	
90-Th-231	2.821E+2		2.821E+2	4.679E+1		3.253E+0	
90-Th-232			6.508E-1	6.180E-1	6.375E-1	6.350E-1	
90-Th-233	1.153E+2	1.109E+1	1.153E+2				
90-Th-234	3.547E-1		3.547E-1	2.715E-1		2.717E-1	
91-Pa-228						9.705E+1	
91-Pa-229	2.182E+1		2.182E+1	1.004E+1		1.140E+1	
91-Pa-230	9.357E+2		9.356E+2	4.418E+3		4.417E+3	
91-Pa-231	3.981E+0	5.107E+0	4.346E+0	4.606E+0		4.544E+0	

TABLE IX: Fission Resonance Integrals (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)
91-Pa-232	9.322E+2	8.698E+2	9.323E+2	8.698E+2		7.290E+2	1.080E+3±2.200E+1
91-Pa-233	1.361E+0		1.504E+0	2.947E+0		2.992E+0	3.000E+0^{C}
91-Pa-234						8.525E-1	
92-U -230	5.055E+2		5.055E+2	3.603E+1		3.602E+1	
92-U -231	1.055E+3		1.055E+3	1.020E+3		1.019E+3	
92-U -232	3.655E+2	4.264E+2	3.655E+2	4.265E+2	3.853E+2	3.638E+2	3.500E+2±3.000E+2
92-U -233	7.755E+2	7.727E+2	7.770E+2	7.753E+2	7.726E+2	7.617E+2	7.750E+2±1.700E+1
92-U -234	6.437E+0	6.582E+0	6.665E+0	6.582E+0	6.715E+0	6.582E+0	5.600E-1^{C}
92-U -235	2.760E+2	2.760E+2	2.757E+2	2.762E+2	2.760E+2	2.788E+2	2.750E+2±5.000E+0
92-U -236	7.829E+0	7.774E+0	3.345E+0	7.829E+0	7.794E+0	7.244E+0	4.100E+0±1.000E+0^{C}
92-U -237	4.721E+1	4.934E+1	4.678E+1	5.032E+1	4.782E+1	4.833E+1	1.400E+1^{C}
92-U -238	2.054E+0	2.059E+0	2.029E+0	2.054E+0	2.022E+0	2.024E+0	1.630E-3±1.600E-4^{C}
92-U -239	1.980E+2				9.467E+0		
92-U -240	1.547E+0				1.319E+0	1.667E+0	
92-U -241	4.474E+0				2.799E+1	4.492E+0	
93-Np-234	1.168E+3		1.168E+3	3.672E+3		3.699E+3	
93-Np-235	3.044E+2	4.663E+1	3.044E+2	1.062E+1		4.661E+1	
93-Np-236	1.174E+3	1.033E+3	1.174E+3	1.358E+3	1.273E+3	1.358E+3	1.350E+3±8.600E+1
93-Np-236m						3.080E+2	
93-Np-237	6.950E+0	6.431E+0	6.846E+0	6.926E+0	6.909E+0	6.166E+0	4.700E+0±2.300E-1
93-Np-238	1.100E+3	9.194E+2	1.100E+3	9.410E+2	1.262E+3	9.240E+2	8.830E+2±7.000E+1
93-Np-239	3.339E+0		3.339E+0	7.548E+0	8.750E+0	7.492E+0	
94-Pu-234						4.091E-1	
94-Pu-236	9.728E+2	9.598E+2	9.728E+2	9.598E+2	9.618E+2	9.672E+2	9.900E+2±3.000E+1
94-Pu-237	1.232E+3	1.085E+3	1.232E+3	8.166E+2	1.079E+3	9.308E+3	
94-Pu-238	2.925E+1	3.732E+1	2.958E+1	3.245E+1	3.050E+1	3.172E+1	3.300E+1±5.000E+0^{C}
94-Pu-239	3.027E+2	3.028E+2	3.026E+2	3.025E+2	2.990E+2	3.024E+2	3.030E+2±1.000E+1
94-Pu-240	8.957E+0	9.625E+0	9.652E+0	9.697E+0	9.011E+0	9.768E+0	3.160E+0^{C}
94-Pu-241	5.697E+2	5.699E+2	5.688E+2	5.700E+2	5.727E+2	5.798E+2	5.700E+2±1.500E+1
94-Pu-242	5.700E+0	5.745E+0	5.739E+0	5.527E+0	5.562E+0	6.300E+0	1.200E-1^{C}
94-Pu-243	5.584E+2	5.584E+2		5.584E+2	5.675E+2	5.596E+2	5.500E+2±8.000E+1
94-Pu-244	4.889E+0		4.889E+0	5.069E+0		5.068E+0	
94-Pu-245				3.944E+0	2.869E+2	3.799E+0	
94-Pu-246	2.981E+0		2.981E+0		5.361E+0	4.059E+0	
94-Pu-247				8.716E+0		4.116E+1	
95-Am-239						1.575E+1	
95-Am-240	9.984E+2		9.984E+2	1.260E+3	1.214E+3	1.297E+2	
95-Am-241	1.489E+1	1.731E+1	1.503E+1	1.467E+1	1.488E+1	1.581E+1	1.440E+1±1.000E+0
95-Am-242m	1.544E+3	1.543E+3	1.556E+3	1.544E+3	1.545E+3	1.640E+3	1.570E+3±8.000E+1
95-Am-242	9.971E+2	9.964E+2	1.057E+3	9.964E+2	9.960E+2	9.964E+2	
95-Am-243	7.353E+0	7.536E+0	7.825E+0	7.535E+0	7.577E+0	7.617E+0	8.500E+0±5.000E-1
95-Am-244m	1.259E+3	1.259E+3	6.699E+2				
95-Am-244	1.259E+3	1.259E+3	5.483E+2	1.259E+3	1.096E+3	1.259E+3	
96-Cm-240	1.898E+2	4.444E+1	1.898E+2	4.445E+1		4.448E+1	
96-Cm-241	8.554E+2	1.180E+3	8.553E+2	1.178E+3		1.178E+3	
96-Cm-242	2.124E+1	1.901E+1	2.124E+1	2.388E+1		1.993E+1	1.290E+1±7.000E-1
96-Cm-243	1.548E+3	1.566E+3	1.548E+3	1.545E+3		1.544E+3	1.570E+3±1.000E+2
96-Cm-244	1.536E+1	1.870E+1	1.536E+1	1.413E+1		1.295E+1	1.250E+1±2.500E+0
96-Cm-245	8.333E+2	8.036E+2	8.333E+2	8.037E+2		7.989E+2	8.400E+2±4.000E+1
96-Cm-246	9.504E+0	1.028E+1		1.036E+1		1.036E+1	1.020E+1±4.000E-1
96-Cm-247	9.547E+2	6.113E+2	9.548E+2	1.123E+3		6.112E+2	7.600E+2±5.000E+1
96-Cm-248	9.424E+0	1.751E+1	9.424E+0	1.362E+1		1.002E+1	1.330E+1±1.500E+0
96-Cm-249	4.391E+2	1.666E+2	4.390E+2	1.342E+2		2.317E+2	
96-Cm-250	3.765E+0	6.916E+0	3.765E+0	6.916E+0		6.916E+0	
97-Bk-245	7.111E+0		7.112E+0	1.340E+1		5.761E+0	
97-Bk-246	8.376E+2		8.375E+2	1.395E+3		3.217E+2	
97-Bk-247	6.666E+0	4.533E+2	6.666E+0	4.533E+2		4.532E+2	
97-Bk-248	9.262E+2		9.261E+2	3.298E+2		3.293E+2	
97-Bk-248m						3.293E+2	
97-Bk-249	1.178E+1	1.206E+1	1.178E+1	1.210E+1	1.210E+1	1.207E+1	
97-Bk-250	6.251E+2	5.163E+2	6.250E+2	5.163E+2		5.162E+2	
98-Cf-246	6.057E+2		6.056E+2	5.650E+0		5.649E+0	
98-Cf-248	3.137E+2		3.136E+2	3.091E+1		2.897E+1	
98-Cf-249	2.219E+3	2.218E+3	2.219E+3	2.218E+3	2.391E+3	2.108E+3	2.380E+3±8.500E+1
98-Cf-250	1.351E+2	2.783E+1	1.351E+2	2.783E+1		5.392E+2	
98-Cf-251	1.034E+3	4.897E+3	1.035E+3	2.776E+3		4.897E+3	5.900E+3±1.000E+2
98-Cf-252	1.113E+2	1.194E+2	1.113E+2	1.107E+2		1.105E+2	1.100E+2±3.000E+1
98-Cf-253	9.666E+2		9.666E+2	9.666E+2		1.295E+3	2.000E+3±4.000E+2
98-Cf-254	1.046E+2	2.435E+1	1.046E+2	2.435E+1		2.406E+1	
99-Es-250						4.788E+2	
99-Es-251	2.535E+1		2.535E+1	5.357E+1		1.338E+1	
99-Es-252	1.607E+3		1.607E+3	2.123E+3		2.675E+2	
99-Es-253	6.478E+0		6.478E+0	7.520E+1		2.745E+2	
99-Es-254m	1.427E+3		1.427E+3	1.552E+3		1.551E+3	
99-Es-254	1.123E+3	1.218E+3	1.123E+3	9.913E+2		9.045E+2	1.200E+3±2.500E+2
99-Es-255	4.379E+0	9.335E+1	4.378E+0	9.334E+1		9.301E+1	
99-Es-256m						3.421E+2	
99-Es-257						7.076E+2	

TABLE IX: Fission Resonance Integrals (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)
100-Fm-252				2.738E+1		4.027E+0	
100-Fm-253				1.762E+4		2.227E+2	
100-Fm-255	1.461E+3	1.175E+3	1.461E+3	1.175E+3		2.954E+3	
100-Fm-257				1.702E+3		1.699E+3	

Capture Resonance Integrals

TABLE X: Capture Resonance Integrals from ENDF/B-VII.1, JEFF-3.1.2, JENDL-4.0, ROSFOND-2010, CENDL-3.1, EAF-2010 and Atlas of Neutron Resonances [1, 2, 6–10], (*C*-calculated values).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)
1-H - 1	1.492E-1	1.492E-1	1.492E-1	1.492E-1	1.515E-1	1.491E-1	
1-H - 2	2.640E-4	2.640E-4	2.865E-4	2.774E-4	2.635E-4	2.642E-4	
1-H - 3							
2-He- 3	3.637E-4	1.396E-5	2.468E-4	3.577E-4	2.468E-4	2.457E-4	
2-He- 4							
3-Li- 6	1.736E-2	1.736E-2	1.749E-2	1.736E-2		1.748E-2	1.730E-2±1.400E-3^C
3-Li- 7	2.045E-2	2.045E-2	2.044E-2	2.045E-2	2.660E-2	2.045E-2	2.200E-2±2.000E-3^C
4-Be- 7						1.974E-2	
4-Be- 9	4.524E-3	4.004E-3	3.823E-3	4.875E-3	4.875E-3	3.432E-3	3.800E-3±2.000E-4^C
4-Be- 10				4.634E-4		4.634E-4	
5-B - 10	2.235E-1	2.235E-1	2.252E-1	2.235E-1	2.235E-1	2.251E-1	
5-B - 11	2.756E-3	2.756E-3	2.543E-3	2.756E-3	2.756E-3	2.754E-3	
6-C-0	1.970E-3	1.685E-3	1.970E-3	1.689E-3			
6-C - 12					1.689E-3	1.870E-3	1.830E-3±5.000E-5^C
6-C - 13				1.802E-3		1.802E-3	1.100E-3±2.000E-4^C
6-C - 14				1.608E-4		4.229E-5	
7-N - 14	3.381E-2	3.381E-2	3.387E-2	3.380E-2	3.381E-2	3.404E-2	3.600E-2^C
7-N - 15	1.161E-4	1.161E-4	1.060E-4	1.083E-4		1.060E-4	1.100E-4^C
8-O - 16	7.380E-4	8.556E-5	7.427E-4	7.427E-4	8.556E-5	8.522E-4	2.700E-4±3.000E-5^C
8-O - 17	2.620E-3	2.620E-3		1.135E-3		1.149E-3	3.900E-4^C
8- O- 18				1.755E-3		3.133E-4	8.100E-4±4.000E-5
9-F - 19	1.636E-2	1.636E-2	1.949E-2	1.949E-2	1.636E-2	2.192E-2	2.000E-2±3.000E-3
10-Ne- 20				1.698E-2		1.697E-2	1.770E-2^C
10-Ne- 21				2.971E-1		2.969E-1	2.960E-1^C
10-Ne- 22				2.093E-2		2.092E-2	2.200E-2^C
11-Na- 22	1.284E+2	1.284E+2		1.284E+2		1.284E+2	
11-Na- 23	3.166E-1	3.116E-1	3.118E-1	3.166E-1	3.116E-1	2.485E-1	3.110E-1±1.000E-2
11-Na- 24						3.208E-2	
12-Mg- 24	3.119E-2	3.119E-2	3.119E-2	3.119E-2	3.118E-2	3.153E-2	3.700E-2±4.000E-3^C
12-Mg- 25	9.869E-2	9.869E-2	9.868E-2	9.868E-2	9.894E-2	9.921E-2	1.950E-1±1.500E-2^C
12-Mg- 26	1.891E-2	1.891E-2	1.891E-2	1.891E-2	1.898E-2	1.937E-2	2.400E-2±2.000E-3
12-Mg- 28						1.154E-3	
13-Al- 26				7.369E-2		2.869E-1	
13-Al- 27	1.308E-1	1.308E-1	1.231E-1	1.308E-1	1.231E-1	1.308E-1	1.700E-1±1.000E-2
14-Si- 28	8.448E-2	8.527E-2	8.458E-2	8.527E-2	8.459E-2	8.500E-2	8.000E-2±1.500E-2^C
14-Si- 29	8.329E-2	6.602E-2	8.343E-2	8.364E-2	8.329E-2	6.650E-2	7.700E-2±1.500E-2^C
14-Si- 30	5.836E-1	7.081E-1	5.829E-1	5.829E-1	5.836E-1	7.099E-1	6.300E-1±3.000E-2
14-Si- 31						3.615E-2	
14-Si- 32				6.158E-2		5.807E-3	
15-P - 31	1.449E-1	8.080E-2	8.080E-2	8.905E-2	7.358E-2	8.181E-2	7.900E-2±2.000E-3
15-P - 32				1.278E-1		2.239E-1	
15-P - 33				6.791E-2		6.787E-2	
16-S - 0					2.418E-1		
16-S - 32	2.495E-1	2.495E-1	2.495E-1	2.496E-1		2.500E-1	2.460E-1±1.000E-2^C
16-S - 33	1.640E-1	1.640E-1	1.640E-1	1.640E-1		1.645E-1	2.290E-1±1.500E-2^C
16-S - 34	1.007E-1	1.007E-1	1.007E-1	1.007E-1		1.012E-1	1.060E-1±5.000E-3^C
16-S - 35				8.645E-1		1.499E-1	
16-S - 36	1.211E-1	1.211E-1	1.211E-1	1.211E-1		1.221E-1	1.700E-1±4.000E-3
17-Cl- 0					1.379E+1		1.370E+1±1.500E+0
17-Cl- 35	1.793E+1	1.795E+1	1.782E+1	1.795E+1		1.826E+1	1.800E+1±2.000E+0
17-Cl- 36				4.791E+0		4.789E+0	3.800E+0

TABLE X: Capture Resonance Integrals (continued).

Material	ENDF/B (barns)	JEFF (barns)	JENDL (barns)	ROSFOND (barns)	CENDL (barns)	EAF (barns)	Atlas (barns)
17-Cl- 37	2.051E-1	2.053E-1	2.036E-1	2.052E-1		2.036E-1	3.000E-1±4.000E-2
18-Ar- 36	2.275E+0	2.275E+0		2.275E+0		2.275E+0	
18-Ar- 37				2.314E-1		2.334E-1	
18-Ar- 38	3.564E-1	3.564E-1		3.564E-1		3.565E-1	
18-Ar- 39				3.144E+2		2.685E+2	
18-Ar- 40	2.941E-1	2.941E-1	2.941E-1	2.941E-1		3.234E-1	4.100E-1±3.000E-2
18-Ar- 41						2.345E-1	
18-Ar- 42				8.239E-2		8.235E-2	
19-K - 0					1.078E+0		1.000E+0±1.000E-1
19-K - 39	9.972E-1	1.081E+0	1.081E+0	1.081E+0		1.083E+0	1.100E+0±1.000E-1
19-K - 40	1.346E+1	1.346E+1	1.346E+1	1.346E+1		1.442E+1	1.300E+1±4.000E+0
19-K - 41	9.707E-1	1.581E+0	1.581E+0	1.581E+0		1.582E+0	1.420E+0±6.000E-2
19-K - 42						8.682E-1	
19-K - 43						6.784E-1	
20-Ca- 0					3.845E-1		
20-Ca- 40	2.134E-1	2.134E-1	2.131E-1	2.134E-1		2.130E-1	2.200E-1±2.000E-2^C
20-Ca- 41				1.877E+0		1.876E+0	
20-Ca- 42	3.758E-1	3.758E-1	3.773E-1	3.758E-1		3.764E-1	3.900E-1±4.000E-2^C
20-Ca- 43	5.790E+0	5.790E+0	4.312E+0	5.790E+0		3.483E+0	3.930E+0±1.500E-1^C
20-Ca- 44	4.258E-1	4.258E-1	4.248E-1	4.258E-1		4.291E-1	5.600E-1±1.000E-2
20-Ca- 45				8.716E+0		8.712E+0	
20-Ca- 46	3.395E-1	3.218E-1	3.652E-1	3.218E-1		3.469E-1	9.600E-1±1.000E-1
20-Ca- 47				8.325E-1		4.035E-1	
20-Ca- 48	4.852E-1	4.852E-1	4.847E-1	4.852E-1		4.860E-1	4.900E-1±6.000E-3^C
21-Sc- 44							
21-Sc- 44m						1.996E+0	
21-Sc- 45	1.206E+1	1.183E+1	1.184E+1	1.184E+1		1.184E+1	1.210E+1±5.000E-1
21-Sc- 46				5.805E+0		5.803E+0	
21-Sc- 47				2.113E+0		2.112E+0	
21-Sc- 48				3.775E+0		3.773E+0	
22-Ti- 44				4.493E-1		4.491E-1	
22-Ti- 45						4.128E+0	
22-Ti- 46	3.642E-1	2.457E+0	3.664E-1	3.384E-1	3.382E-1	3.527E-1	3.000E-1±9.000E-2^C
22-Ti- 47	1.355E+0	2.459E+0	1.340E+0	1.434E+0	1.430E+0	1.436E+0	1.500E+0±2.000E-1^C
22-Ti- 48	3.785E+0	2.445E+0	3.715E+0	3.683E+0	3.688E+0	3.691E+0	3.900E+0±2.000E-1^C
22-Ti- 49	9.265E-1	2.450E+0	9.299E-1	8.925E-1	8.882E-1	1.055E+0	1.200E+0±2.000E-1^C
22-Ti- 50	8.914E-2	2.438E+0	8.850E-2	8.820E-2	8.857E-2	8.838E-2	8.300E-2±6.000E-3^C
23-V-0		2.653E+0		2.702E+0	2.653E+0		2.800E+0±1.000E-1
23-V - 48				5.169E+0		5.167E+0	
23-V - 49				4.716E+0		4.714E+0	
23-V - 50	5.929E+1		5.929E+1	5.170E+1		5.168E+1	5.900E+1±1.500E+1^C
23-V - 51	2.561E+0		2.561E+0	2.702E+0		2.556E+0	2.700E+0±1.000E-1
24-Cr- 48						1.175E+0	
24-Cr- 50	7.245E+0	7.484E+0	7.229E+0	7.484E+0	7.387E+0	7.425E+0	1.170E+1±2.000E-1
24-Cr- 51				6.200E+0		8.709E+0	
24-Cr- 52	4.938E-1	4.649E-1	4.947E-1	4.649E-1	4.623E-1	4.857E-1	4.800E-1^C
24-Cr- 53	8.436E+0	8.431E+0	8.571E+0	8.431E+0	8.587E+0	8.617E+0	1.230E+1^C
24-Cr- 54	2.111E-1	2.019E-1	2.046E-1	1.784E-1	1.843E-1	1.875E-1	2.500E-1±4.000E-2^C
25-Mn- 52				1.050E+2		1.049E+2	
25-Mn- 53				3.553E+1		3.551E+1	3.000E+1±5.000E+0
25-Mn- 54				1.190E+1		1.189E+1	1.700E+1
25-Mn- 55	1.353E+1	1.177E+1	1.353E+1	1.177E+1	1.177E+1	1.176E+1	1.340E+1±5.000E-1
26-Fe- 52						9.115E-1	
26-Fe- 54	1.206E+0	1.209E+0	1.213E+0	1.209E+0	1.325E+0	1.206E+0	1.270E+0±1.000E-1^C
26-Fe- 55				6.279E+0		6.276E+0	
26-Fe- 56	1.346E+0	1.343E+0	1.349E+0	1.350E+0	1.347E+0	1.346E+0	1.360E+0±1.500E-1^C
26-Fe- 57	1.451E+0	1.428E+0	1.424E+0	1.451E+0	1.424E+0	1.449E+0	1.510E+0±1.500E-1^C
26-Fe- 58	1.495E+0	1.275E+0	1.358E+0	1.495E+0	1.567E+0	1.494E+0	1.500E+0±7.000E-2
26-Fe- 59			2.810E+0	6.154E+0		6.150E+0	
26-Fe- 60				3.381E-1		3.262E-1	
27-Co- 55						1.712E+1	
27-Co- 56				2.588E+1		2.587E+1	
27-Co- 57				2.875E+1		2.874E+1	2.00E+01±1.900E+0
27-Co- 58	6.677E+3	6.144E+2		5.870E+2		5.868E+2	7.000E+3±1.000E+3
27-Co- 58m	1.278E+5	1.278E+5				1.278E+5	
27-Co- 59	7.580E+1	7.580E+1	7.585E+1	7.585E+1	7.499E+1	7.548E+1	7.400E+1±2.000E+0
27-Co- 60				3.311E+0		3.309E+0	2.700E+0^C
28-Ni- 56				2.724E+0		2.722E+0	
28-Ni- 57				7.482E+0		7.479E+0	
28-Ni- 58	2.019E+0	2.212E+0	2.214E+0	2.212E+0	2.209E+0	2.212E+0	2.100E+0±2.000E-1^C
28-Ni- 59	1.266E+2	1.266E+2	1.198E+2	1.266E+2		1.267E+2	
28-Ni- 60	1.258E+0	1.404E+0	1.463E+0	1.404E+0	1.404E+0	1.404E+0	1.400E+0±2.000E-1^C
28-Ni- 61	2.426E+0	1.559E+0	2.435E+0	1.559E+0	1.562E+0	1.559E+0	2.100E+0±4.000E-1^C
28-Ni- 62	7.282E+0	6.006E+0	6.892E+0	6.006E+0	6.007E+0	6.892E+0	6.850E+0±3.600E-1^C
28-Ni- 63				1.880E+1		1.879E+1	

TABLE X: Capture Resonance Integrals (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)
28-Ni- 64	8.208E-1	7.738E-1	8.175E-1	7.737E-1	7.695E-1	8.180E-1	1.070E+0±1.500E-1
28-Ni- 66				6.484E-1		4.625E-1	
29-Cu- 0					4.134E+0		4.100E+0±1.000E-1
29-Cu- 63	4.988E+0	4.988E+0	5.009E+0	4.989E+0	4.989E+0	4.988E+0	4.970E+0±8.000E-2
29-Cu- 64						1.085E+3	
29-Cu- 65	2.215E+0	2.215E+0	2.220E+0	2.215E+0	2.218E+0	2.215E+0	2.190E+0±7.000E-2
29-Cu- 67				2.034E+1		2.034E+1	
30-Zn- 0		2.622E+0		2.622E+0	2.557E+0		
30-Zn- 62						1.632E+0	
30-Zn- 64	1.423E+0		1.423E+0	1.410E+0		1.410E+0	1.370E+0±6.000E-3
30-Zn- 65	3.919E+1		3.919E+1	1.414E+2		1.414E+2	
30-Zn- 66	9.620E-1		9.620E-1	1.037E+0		1.037E+0	1.100E+0^{C}
30-Zn- 67	2.436E+1		2.436E+1	2.434E+1		2.434E+1	2.400E+1±2.400E+0^{C}
30-Zn- 68	3.092E+0		3.092E+0	2.983E+0		2.983E+0	3.100E+0±5.000E-1^{C}
30-Zn- 69m						5.049E+0	
30-Zn- 70	1.067E-1		1.067E-1	1.240E-1		1.240E-1	9.000E-2^{C}
30-Zn- 72				6.656E-1		6.066E-1	
31-Ga- 0		2.379E+1					2.200E+1±2.000E+0
31-Ga- 66						6.674E+0	
31-Ga- 67				4.466E+1		4.465E+1	
31-Ga- 69	1.621E+1		1.822E+1	1.621E+1	1.829E+1	1.646E+1	1.560E+1±1.000E+0
31-Ga- 71	3.274E+1		3.218E+1	3.274E+1	3.276E+1	3.460E+1	3.110E+1±1.900E+0
31-Ga- 72						7.645E+1	
32-Ge- 0					6.023E+0		6.000E+0±1.000E+0
32-Ge- 68				1.008E+0		3.525E+0	
32-Ge- 69				4.958E+1		4.956E+1	
32-Ge- 70	2.614E+0	2.479E+0	2.614E+0	2.614E+0	2.519E+0	2.414E+0	2.220E+0±1.500E-1^{C}
32-Ge- 71				1.990E+1	4.288E+1	1.989E+1	
32-Ge- 72	9.040E-1	8.528E-1	9.040E-1	9.040E-1	8.980E-1	1.021E+0	7.200E-1±8.000E-2^{C}
32-Ge- 73	6.295E+1	6.229E+1	6.295E+1	6.349E+1	6.237E+1	6.634E+1	6.300E+1±7.000E+0^{C}
32-Ge- 74	6.465E-1	4.614E-1	6.465E-1	6.465E-1	5.041E-1	4.557E-1	1.000E+0±2.000E-1
32-Ge- 75					5.008E+1		
32-Ge- 76	1.348E+0	1.326E+0	1.349E+0	1.349E+0	3.051E+0	1.346E+0	1.280E+0±2.300E-1^{C}
32-Ge- 77					7.255E+1	6.585E+0	
32-Ge- 78					1.693E+0		
33-As- 71				1.023E+2		1.022E+2	
33-As- 72				3.874E+2		3.872E+2	
33-As- 73				8.378E+1		8.375E+1	
33-As- 74	2.470E+2			2.129E+2		2.128E+2	
33-As- 75	6.389E+1	6.017E+1	6.374E+1	6.390E+1	6.379E+1	6.390E+1	6.200E+1±2.000E+0
33-As- 76				2.116E+2		2.115E+2	
33-As- 77				4.433E+1	6.337E+1	4.431E+1	
33-As- 79					6.296E+1		
34-Se- 72				4.434E+0		4.432E+0	
34-Se- 73						1.731E+2	
34-Se- 74	5.798E+2	5.795E+2	5.803E+2	5.798E+2		5.799E+2	5.760E+2±2.200E+1
34-Se- 75				3.867E+2		3.866E+2	
34-Se- 76	4.103E+1	4.454E+1	4.132E+1	4.103E+1		4.454E+1	4.030E+1^{C}
34-Se- 77	3.205E+1	3.623E+1	3.126E+1	3.205E+1		3.659E+1	3.010E+1±2.000E+0^{C}
34-Se- 78	4.740E+0	4.597E+0	4.702E+0	4.740E+0		4.597E+0	4.450E+0±4.500E-1^{C}
34-Se- 79	6.082E+1	6.082E+1	1.087E+2	6.082E+1		2.985E+1	
34-Se- 80	9.742E-1	1.082E+0	9.600E-1	9.742E-1		9.518E-1	9.940E-1±7.100E-2
34-Se- 82	2.127E-1	9.357E-2	7.102E-1	2.127E-1		1.412E-1	1.200E-1±2.000E-2^{C}
35-Br- 76						2.677E+2	
35-Br- 77				1.664E+2		1.664E+2	
35-Br- 79	1.289E+2	1.365E+2	1.291E+2	1.289E+2		1.316E+2	1.270E+2±1.400E+1
35-Br- 81	4.635E+1	5.461E+1	4.662E+1	4.636E+1		5.445E+1	4.400E+1±5.000E+0
35-Br- 82				1.406E+2		1.406E+2	
36-Kr- 76						1.678E+1	
36-Kr- 78	2.614E+1	2.370E+1	2.636E+1	2.514E+1		2.353E+1	2.100E+1±2.000E+0^{C}
36-Kr- 79				1.099E+2		1.069E+2	
36-Kr- 80	6.018E+1	6.858E+1	6.040E+1	6.018E+1		6.825E+1	5.610E+1±5.600E+0
36-Kr- 81				7.858E+1		9.864E+1	
36-Kr- 82	1.629E+2	1.832E+2	2.243E+2	1.832E+2		1.277E+2	1.560E+2±2.000E+1
36-Kr- 83	1.884E+2	1.884E+2	1.539E+2	1.476E+2	1.499E+2	1.916E+2	1.570E+2±2.500E+1^{C}
36-Kr- 84	2.170E+0	3.488E+0	2.390E+0	2.170E+0	2.155E+0	3.886E+0	2.430E+0±2.000E-1
36-Kr- 85	2.864E+0	1.673E+0	3.511E+0	2.865E+0	1.828E+0	1.673E+0	1.800E+0±1.000E+0
36-Kr- 86	2.000E-2	1.419E-1	2.342E-2	2.322E-2	2.341E-2	1.994E-2	1.800E-2±3.000E-3^{C}
37-Rb- 82m						2.077E+2	
37-Rb- 83				4.085E+2		4.083E+2	
37-Rb- 84				3.895E+2		3.893E+2	
37-Rb- 85	7.610E+0	6.400E+0	8.753E+0	7.610E+0	8.741E+0	6.400E+0	6.830E+0±2.200E-1
37-Rb- 86	3.677E+1	2.395E+1	2.461E+1	3.677E+1		4.684E+1	
37-Rb- 87	2.713E+0	2.089E+0	2.720E+0	2.713E+0	2.714E+0	2.089E+0	2.430E+0±2.000E-1^{C}
38-Sr- 82				1.774E+1		1.773E+1	
38-Sr- 83				2.744E+2		2.743E+2	

TABLE X: Capture Resonance Integrals (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)
38-Sr- 84	1.155E+1	1.053E+1	1.143E+1	1.223E+1		1.053E+1	8.570E+0±4.200E-1
38-Sr- 85				1.666E+2		1.665E+2	
38-Sr- 86	4.873E+0	5.177E+0	4.804E+0	4.814E+0		4.814E+0	4.800E+0±2.400E-1
38-Sr- 87	1.210E+2	1.184E+2	1.214E+2	1.210E+2		1.183E+2	1.170E+2±3.000E+1^C
38-Sr- 88	3.684E-2	1.243E-2	3.137E-2	3.684E-2	3.684E-2	6.323E-2	6.500E-2
38-Sr- 89	4.138E-1	5.271E-1	7.310E-1	4.138E-1	4.138E-1	5.271E-1	
38-Sr- 90	8.987E-2	5.111E-1	8.636E-2	8.764E-2	8.665E-2	1.170E-1	1.040E-1±1.600E-2
38-Sr- 91						2.471E+0	
39-Y - 86						8.709E+2	
39-Y - 87				6.881E+1		6.879E+1	
39-Y - 87m						6.849E+1	
39-Y - 88				5.187E+1		5.185E+1	
39-Y - 89	8.668E-1	8.543E-1	8.631E-1	8.683E-1	7.494E-1	9.508E-1	9.600E-1±6.000E-2
39-Y - 90	2.612E+0	4.758E+0	6.413E+0	4.758E+0		6.257E+0	
39-Y - 91	2.843E+0	1.668E+0	3.767E+0	2.843E+0	1.099E+1	1.668E+0	
39-Y - 93						7.737E+0	
40-Zr- 86						2.671E+1	
40-Zr- 88				7.709E+0		7.706E+0	
40-Zr- 89				1.561E+1		1.560E+1	
40-Zr- 90	1.632E-1	1.688E-1	1.658E-1	1.882E-1	1.675E-1	1.670E-1	1.700E-1±2.000E-2^C
40-Zr- 91	6.061E+0	6.095E+0	5.727E+0	6.038E+0	6.938E+0	4.910E+0	5.760E+0±4.000E-1
40-Zr- 92	6.948E-1	6.994E-1	6.524E-1	7.053E-1	6.917E-1	6.622E-1	6.400E-1^C
40-Zr- 93	1.784E+1	1.783E+1	1.820E+1	1.784E+1	1.819E+1	1.822E+1	1.750E+1
40-Zr- 94	3.211E-1	3.113E-1	2.874E-1	3.082E-1	2.983E-1	3.241E-1	2.800E-1±1.000E-2
40-Zr- 95	7.730E+0	7.777E+0	7.749E+0	7.778E+0	1.272E+1	5.810E+0	
40-Zr- 96	5.169E+0	5.150E+0	4.231E+0	5.176E+0	5.857E+0	5.629E+0	5.280E+0±1.100E-1
40-Zr- 97						2.796E+0	
41-Nb- 90						8.709E+1	
41-Nb- 91m				1.134E+1		1.133E+1	
41-Nb- 91				1.134E+1		1.133E+1	
41-Nb- 92m				4.835E+1		4.833E+1	
41-Nb- 92				4.835E+1		4.833E+1	
41-Nb- 93m				9.920E+0		9.920E+0	
41-Nb- 93	9.924E+0	9.924E+0	8.983E+0	9.869E+0	9.433E+0	9.924E+0	8.300E+0±4.000E-1
41-Nb- 94	1.254E+2	1.254E+2	1.292E+2	1.254E+2		1.169E+2	1.250E+2±8.000E+0
41-Nb- 95m				6.821E+1		6.821E+1	
41-Nb- 95	4.179E+1	4.179E+1	5.868E+1	4.179E+1	4.182E+1	2.565E+2	
41-Nb- 96				1.886E+2		1.885E+2	
42-Mo- 92	9.773E-1	9.672E-1	9.780E-1	9.456E-1	9.503E-1	9.682E-1	8.300E-1^C
42-Mo- 93				1.509E+1		1.508E+1	
42-Mo- 93m						4.755E+1	
42-Mo- 94	1.461E+0	1.400E+0	1.475E+0	1.423E+0	1.435E+0	1.289E+0	1.120E+0^C
42-Mo- 95	1.047E+2	1.109E+2	1.018E+2	1.108E+2	1.109E+2	1.105E+2	1.180E+2±7.000E+0^C
42-Mo- 96	1.753E+1	1.753E+1	1.752E+1	1.750E+1	1.752E+1	1.796E+1	1.700E+1±3.000E+0^C
42-Mo- 97	1.750E+1	1.750E+1	1.660E+1	1.745E+1	1.749E+1	1.729E+1	1.440E+1±3.000E+0^C
42-Mo- 98	6.552E+0	6.552E+0	6.908E+0	6.539E+0	6.513E+0	7.089E+0	6.700E+0±3.000E-1
42-Mo- 99	4.157E+1	4.157E+1	3.687E+1	4.157E+1		2.073E+1	
42-Mo-100	3.872E+0	3.903E+0	3.956E+0	3.885E+0	3.874E+0	3.955E+0	3.760E+0±1.500E-1
43-Tc- 95						9.714E+1	
43-Tc- 95m				9.717E+1		9.714E+1	
43-Tc- 96				3.750E+2		3.748E+2	
43-Tc- 97m				1.950E+2		1.949E+2	
43-Tc- 97				1.950E+2		1.949E+2	
43-Tc- 98				4.985E+2		4.983E+2	
43-Tc- 99	3.230E+2	3.131E+2	3.238E+2	3.240E+2	3.116E+2	3.117E+2	3.580E+2±2.000E+1
43-Tc- 99m						1.580E+2	
44-Ru- 96	7.281E+0	1.289E+1	6.406E+0	7.280E+0		7.187E+0	6.36E+00±2.30E-01
44-Ru- 97				7.893E+1		7.889E+1	
44-Ru- 98	1.150E+1	1.193E+1	9.825E+0	1.150E+1		9.565E+0	
44-Ru- 99	1.709E+2	1.627E+2	1.709E+2	1.709E+2	1.708E+2	1.627E+2	1.620E+2±2.000E+1^C
44-Ru-100	1.144E+1	1.144E+1	1.151E+1	1.119E+1	1.116E+1	1.144E+1	1.120E+1±1.100E+0
44-Ru-101	1.123E+2	1.111E+2	1.009E+2	1.002E+2	1.117E+2	1.111E+2	1.020E+2±1.00E+1
44-Ru-102	5.462E+0	5.462E+0	4.407E+0	5.454E+0	5.462E+0	5.465E+0	4.900E+0±3.000E-1
44-Ru-103	4.696E+1	4.696E+1	6.198E+1	4.697E+1	4.696E+1	4.663E+1	5.000E+0^C
44-Ru-104	6.616E+0	6.616E+0	6.623E+0	6.616E+0	6.616E+0	6.620E+0	6.300E+0±2.000E-1
44-Ru-105	6.876E+0	6.876E+0	1.174E+2		6.876E+0	7.352E+0	
44-Ru-106	2.002E+0	2.093E+0	2.005E+0	2.002E+0		2.093E+0	2.000E+0±6.000E-1
45-Rh- 99				2.066E+2		2.065E+2	
45-Rh- 99m						2.065E+2	
45-Rh-100						7.909E+2	
45-Rh-101				2.713E+2		2.711E+2	
45-Rh-101m				2.713E+2		2.711E+2	
45-Rh-102				9.623E+2		9.616E+2	
45-Rh-102m				9.623E+2		9.616E+2	
45-Rh-103	9.684E+2	9.688E+2	1.045E+3	1.037E+3	1.044E+3	1.035E+3	1.012E+3±5.000E+1
45-Rh-105	1.700E+4	1.700E+4	1.700E+4	1.700E+4	1.700E+4	3.270E+3	1.700E+4±3.000E+3
46-Pd-100				1.680E+1		1.374E+1	

TABLE X: Capture Resonance Integrals (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)
46-Pd-101						2.063E+2	
46-Pd-102	1.711E+1	1.319E+1	1.506E+1	1.711E+1		1.436E+1	1.200E+1±2.000E+0^{C}
46-Pd-103				3.056E+2		3.055E+2	
46-Pd-104	2.114E+1	2.114E+1	2.033E+1	2.114E+1		1.464E+1	1.900E+1±2.000E+0^{C}
46-Pd-105	9.607E+1	9.607E+1	1.026E+2	9.607E+1	9.694E+1	9.754E+1	9.000E+1^{C}
46-Pd-106	7.756E+0	7.756E+0	7.802E+0	7.709E+0		6.184E+0	6.650E+0±2.000E-1
46-Pd-107	1.122E+2	1.122E+2	1.129E+2	1.122E+2		1.058E+2	1.050E+2±4.000E+0^{C}
46-Pd-108	2.435E+2	2.435E+2	2.432E+2	2.435E+2	2.436E+2	1.736E+2	2.440E+2±4.000E+0
46-Pd-109						1.107E+2	
46-Pd-110	3.107E+0	2.417E+0	3.286E+0	2.954E+0		2.417E+0	2.300E+0±3.000E-1
46-Pd-112						4.359E+0	
47-Ag- 0					7.627E+2		7.560E+2±2.000E+1
47-Ag-105				7.684E+2		7.680E+2	
47-Ag-106m				1.119E+3		1.118E+3	
47-Ag-107	1.108E+2	1.076E+2	1.055E+2	1.108E+2	1.039E+2	1.075E+2	1.070E+2±5.000E+0
47-Ag-108m				1.157E+3		1.156E+3	
47-Ag-109	1.468E+3	1.474E+3	1.465E+3	1.477E+3	1.472E+3	1.472E+3	1.470E+3±4.800E+1^{C}
47-Ag-110m	9.296E+1	9.390E+1	7.447E+1	9.296E+1		5.241E+1	3.100E+1±6.000E+0^{C}
47-Ag-111	9.953E+1	1.040E+2	1.048E+2	1.160E+2		7.525E+1	1.050E+2±2.000E+1
48-Cd- 0					8.066E+1		7.000E+1±1.000E+1
48-Cd-106	6.313E+0	1.457E+1	9.142E+0	6.696E+0		6.708E+0	4.100E+0^{C}
48-Cd-107						1.609E+2	
48-Cd-108	1.692E+1	1.720E+1	2.531E+1	1.263E+1		2.392E+1	1.070E+1^{C}
48-Cd-109				2.932E+3		2.931E+3	
48-Cd-110	3.338E+1	4.161E+1	3.918E+1	3.951E+1		4.221E+1	3.900E+1±4.000E+0^{C}
48-Cd-111	5.142E+1	5.031E+1	4.518E+1	4.749E+1		4.911E+1	4.170E+1±3.000E+0^{C}
48-Cd-112	1.318E+1	1.349E+1	1.318E+1	1.334E+1		1.305E+1	1.250E+1±1.000E+0^{C}
48-Cd-113	3.846E+2	3.922E+2	3.881E+2	3.929E+2	3.929E+2	4.003E+2	3.900E+2^{C}
48-Cd-113m				3.946E+2		3.935E+2	
48-Cd-114	1.252E+1	1.315E+1	1.686E+1	1.315E+1		1.644E+1	1.260E+1±1.000E+0
48-Cd-115				1.964E+2		6.965E+1	
48-Cd-115m	9.401E+0	1.963E+2		9.402E+0		7.220E+1	
48-Cd-116	1.879E+0	1.677E+0	1.669E+0	1.810E+0		2.081E+0	1.500E+0±2.000E-1
49-In-111				8.849E+2		8.843E+2	
49-In-113	3.327E+2	3.252E+2	3.254E+2	3.252E+2	3.253E+2	3.222E+2	3.20E+02±3.00E+01^{C}
49-In-114m				2.235E+3		2.234E+3	
49-In-115	3.224E+3	3.210E+3	3.209E+3	3.224E+3	3.210E+3	3.271E+3	3.300E+3±1.000E+2
50-Sn- 0					6.206E+0		4.100E+0±3.000E-1
50-Sn-112	2.995E+1	3.049E+1	3.061E+1	2.995E+1	3.046E+1	3.031E+1	2.900E+1±2.000E+0
50-Sn-113	2.278E+2			2.346E+2		1.915E+2	2.170E+2±5.000E+0^{C}
50-Sn-114	7.827E+0	6.666E+0	6.464E+0	7.827E+0	6.583E+0	6.433E+0	6.300E+0±1.500E+0^{C}
50-Sn-115	2.074E+1	1.381E+1	1.985E+1	2.074E+1	1.376E+1	1.385E+1	2.790E+1±6.000E+0^{C}
50-Sn-116	1.233E+1	1.238E+1	1.218E+1	1.233E+1	1.234E+1	1.211E+1	1.190E+1±1.000E+0^{C}
50-Sn-117	1.761E+1	1.815E+1	1.794E+1	1.761E+1	1.810E+1	1.341E+1	1.570E+1±2.500E+0^{C}
50-Sn-117m				1.855E+1		1.855E+1	
50-Sn-118	3.963E+0	5.341E+0	5.280E+0	3.963E+0	5.328E+0	5.341E+0	3.400E+0±4.000E-1^{C}
50-Sn-119	5.637E+0	5.324E+0	5.578E+0	5.638E+0	5.268E+0	5.661E+0	2.900E+0±5.000E-1^{C}
50-Sn-119m				3.927E+0		9.110E+0	
50-Sn-120	1.139E+0	1.220E+0	1.142E+0	1.139E+0	1.215E+0	1.256E+0	1.140E+0^{C}
50-Sn-121				5.675E+1		5.673E+1	
50-Sn-121m				5.675E+1		5.673E+1	
50-Sn-122	6.554E-1	9.317E-1	9.548E-1	6.554E-1	9.301E-1	7.036E-1	8.100E-1±4.000E-2
50-Sn-123	6.275E+1	2.685E+0	1.537E+1	6.275E+1		3.403E+1	
50-Sn-124	8.033E+0	7.848E+0	7.862E+0	8.034E+0	7.846E+0	7.298E+0	8.040E+0±4.000E-1^{C}
50-Sn-125	8.822E+0	1.485E+1		2.667E+2		8.867E+0	
50-Sn-126	1.498E-1	1.852E-1	9.682E-2	1.498E-1		9.793E-1	
51-Sb-119				4.389E+2		4.387E+2	
51-Sb-120m				7.807E+2		7.802E+2	
51-Sb-121	2.060E+2	2.140E+2	2.140E+2	2.060E+2	2.141E+2	2.068E+2	2.020E+2±2.000E+1
51-Sb-122				7.606E+2		7.602E+2	
51-Sb-123	1.279E+2	1.224E+2	1.224E+2	1.279E+2	1.861E+2	1.205E+2	1.260E+2±2.000E+1
51-Sb-124	1.557E+2	2.642E+1	1.557E+2	1.557E+2		5.011E+2	
51-Sb-125	5.586E+1	1.837E+1	5.586E+1	5.586E+1	5.440E+1	4.040E+1	
51-Sb-126	2.143E+2	4.573E+1	5.729E+1	2.143E+2		8.315E+1	
51-Sb-127				9.953E+1		9.949E+1	
51-Sb-128						1.596E+1	
52-Te-118				3.504E+1		3.503E+1	
52-Te-119						3.132E+2	
52-Te-119m				3.133E+2		3.132E+2	
52-Te-120	2.246E+1	1.999E+1	2.252E+1	2.246E+1		3.254E+0	
52-Te-121m				2.729E+2		2.728E+2	
52-Te-121				2.729E+2		2.728E+2	
52-Te-122	7.935E+1	7.408E+1	8.878E+1	8.016E+1		8.915E+1	8.800E+1±1.000E+1^{C}
52-Te-123m				5.545E+3		5.548E+3	

TABLE X: Capture Resonance Integrals (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)
52-Te-123	5.642E+3	5.543E+3	5.649E+3	5.649E+3		5.546E+3	5.630E+3±3.250E+2^C
52-Te-124	5.274E+0	8.393E+0	5.612E+0	5.611E+0		7.711E+0	5.300E+0±7.000E-1^C
52-Te-125m				2.318E+1		2.444E+1	
52-Te-125	2.228E+1	2.318E+1	2.186E+1	2.235E+1		2.318E+1	2.070E+1±3.000E+0^C
52-Te-126	7.621E+0	1.037E+1	7.955E+0	8.147E+0		9.119E+0	7.400E+0^C
52-Te-127						1.336E+3	
52-Te-127m	1.339E+3	4.253E+1	1.339E+3	1.339E+3		1.339E+3	
52-Te-128	1.353E+0	1.751E+0	1.295E+0	1.353E+0		1.747E+0	1.240E+0^C
52-Te-129						1.005E+1	
52-Te-129m	7.546E+2	6.056E+0	7.546E+2	7.546E+2		1.042E+1	
52-Te-130	2.647E-1	3.606E-1	2.527E-1	2.647E-1	2.647E-1	3.606E-1	4.000E-1±5.000E-2
52-Te-131m				2.499E+1		2.498E+1	
52-Te-132	2.042E-1	5.626E-3	1.690E-1	2.042E-1		6.694E-1	
53-I -123						7.324E+2	
53-I -124				7.814E+2		7.814E+2	
53-I -125				1.485E+4		6.022E+2	1.37E+04±2.00E+03
53-I -126				4.104E+4		4.104E+4	4.060E+4
53-I -127	1.596E+2	1.538E+2	1.539E+2	1.596E+2	1.482E+2	1.442E+2	1.550E+2±6.000E+0
53-I-128						2.311E+2	
53-I -129	2.880E+1	3.382E+1	3.325E+1	2.880E+1	2.938E+1	3.062E+1	3.380E+1±1.400E+0
53-I -130	8.872E+1	1.802E+2	1.186E+2			1.882E+2	
53-I -131	7.781E+1	7.781E+1	7.781E+1	7.781E+1		1.418E+1	
53-I -133						2.796E+1	
53-I -135	3.461E+1	3.461E+1	3.582E+1	3.460E+1	3.461E+1	3.894E-1	
54-Xe-122						8.399E+1	
54-Xe-123	1.374E+3				2.739E+1		
54-Xe-124	3.189E+3	3.052E+3	3.267E+3	3.190E+3	3.190E+3	3.052E+3	3.150E+3^C
54-Xe-125						1.642E+2	
54-Xe-126	6.655E+1	4.415E+1	6.558E+1	6.655E+1		6.313E+1	6.100E+1±6.000E+0
54-Xe-127				1.527E+2		1.526E+2	
54-Xe-128	1.266E+1	1.266E+1	1.111E+1	1.267E+1		1.121E+1	1.140E+1^C
54-Xe-129m				2.555E+2		2.555E+2	
54-Xe-129	2.547E+2	2.547E+2	3.054E+2	2.548E+2	2.552E+2	2.555E+2	2.520E+2±1.500E+1
54-Xe-130	4.907E+0	4.907E+0	2.879E+1	4.907E+0		4.493E+0	4.800E+0
54-Xe-131m				8.906E+2		8.905E+2	
54-Xe-131	8.825E+2	8.906E+2	9.092E+2	8.994E+2	9.031E+2	8.905E+2	8.900E+2±5.000E+1
54-Xe-132	5.265E+0	5.265E+0	2.610E+0	4.503E+0	5.265E+0	5.267E+0	5.000E+0±6.000E-1
54-Xe-133m				3.567E+2		9.138E+1	
54-Xe-133	9.010E+1	9.010E+1	8.906E+1	9.009E+1		8.920E+1	
54-Xe-134	4.707E-1	4.707E-1	5.960E-1	4.715E-1	4.707E-1	4.714E-1	3.800E-1±4.000E-2
54-Xe-135	7.599E+3	7.655E+3	7.914E+3	7.656E+3	7.599E+3	7.602E+3	7.600E+3±5.000E+2^C
54-Xe-136	1.404E-1	1.404E-1	8.580E-2	1.313E-1	1.404E-1	1.411E-1	1.400E-1±1.000E-2^C
55-Cs-127						5.020E+2	
55-Cs-129				3.306E+2		3.304E+2	
55-Cs-131				4.314E+2		4.312E+2	
55-Cs-132				7.211E+2		7.207E+2	
55-Cs-133	4.054E+2	4.210E+2	4.462E+2	4.210E+2	4.210E+2	4.373E+2	4.370E+2±2.600E+1
55-Cs-134	1.051E+2	7.896E+1	7.251E+1	1.051E+2	1.053E+2	8.612E+1	7.600E+1^C
55-Cs-135	5.079E+1	5.079E+1	5.352E+1	5.079E+1	6.250E+1	5.084E+1	3.790E+1±2.700E+0
55-Cs-136	4.844E+1	3.856E+1	4.295E+1	4.844E+1		3.599E+1	
55-Cs-137	3.565E-1	3.565E-1	3.550E-1	3.564E-1	2.178E+0	5.361E-1	
56-Ba-128				1.674E+1		1.673E+1	
56-Ba-129						1.625E+2	
56-Ba-130	1.755E+2	1.773E+2	1.763E+2	1.755E+2	1.747E+2	1.744E+2	1.700E+2±1.000E+1^C
56-Ba-131				9.849E+1		9.846E+1	
56-Ba-132	5.429E+1	3.123E+1	3.121E+1	5.429E+1	3.123E+1	2.456E+1	3.500E+1^C
56-Ba-133m				6.973E+1		6.970E+1	
56-Ba-133	1.064E+2			1.064E+2		4.902E+1	1.100E+2±3.000E+1^C
56-Ba-134	2.202E+1	2.202E+1	2.222E+1	2.202E+1	2.472E+1	2.462E+1	2.390E+1±3.800E+0
56-Ba-135	1.025E+2	1.313E+2	1.313E+2	1.005E+2	1.311E+2	1.018E+2	9.700E+1±7.000E+0^C
56-Ba-135m				1.025E+2		1.005E+2	
56-Ba-136	1.866E+0	2.057E+0	1.917E+0	1.866E+0	1.334E+1	2.163E+0	1.700E+0±3.000E-1^C
56-Ba-137	3.505E+0	4.746E+0	4.257E+0	3.506E+0	1.375E+2	5.022E+0	4.300E+0±1.000E+0^C
56-Ba-138	2.756E-1	2.646E-1	2.845E-1	2.756E-1	3.577E-1	2.628E-1	2.800E-1±4.000E-2^C
56-Ba-139						2.248E+0	
56-Ba-140	1.434E+1	1.434E+1	7.282E-1	1.434E+1		1.433E+1	1.360E+1±1.400E+0
57-La-135						4.120E+2	
57-La-137				1.834E+2		1.833E+2	
57-La-138	3.644E+2	3.644E+2	3.647E+2	3.644E+2		3.647E+2	4.090E+2±9.000E+1
57-La-139	1.145E+1	1.145E+1	1.161E+1	1.145E+1	1.145E+1	1.195E+1	1.210E+1±6.000E-1
57-La-140	6.895E+1	6.514E+1	2.044E+1	6.898E+1		3.750E+1	6.900E+1±4.000E+0
57-La-141						9.679E+1	
58-Ce-134				9.924E+1		2.729E+1	
58-Ce-135						6.344E+2	
58-Ce-136	7.719E+1			7.720E+1	7.719E+1	6.469E+1	7.700E+1±1.200E+1
58-Ce-137						5.689E+2	

TABLE X: Capture Resonance Integrals (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)
58-Ce-137m				2.360E+2		2.359E+2	
58-Ce-138	9.499E+0			9.499E+0	1.149E+0	5.903E+0	6.700E+0±3.400E+0
58-Ce-139	1.277E+2			1.276E+2		1.512E+3	
58-Ce-140	3.030E-1	3.366E-1	3.450E-1	3.030E-1	2.801E-1	2.936E-1	5.400E-1±5.000E-2
58-Ce-141	1.585E+2	1.585E+2	1.483E+2	1.585E+2	5.026E+2	1.543E+2	1.510E+2^C
58-Ce-142	8.610E-1	8.610E-1	8.925E-1	8.610E-1	9.187E-1	9.311E-1	1.150E+0±5.000E-2
58-Ce-143	3.588E+1	4.156E+1	1.592E+1	3.588E+1		6.193E+0	
58-Ce-144	2.541E+0	2.541E+0	7.633E+0	2.541E+0	2.539E+0	2.858E+0	2.600E+0±3.000E-1
59-Pr-141	1.785E+1	1.785E+1	1.837E+1	1.785E+1	1.752E+1	1.794E+1	1.740E+1±2.000E+0
59-Pr-142	8.227E+1	1.450E+2				2.476E+2	
59-Pr-143	1.315E+2	1.315E+2	1.572E+2	1.315E+2		2.417E+2	1.900E+2±2.500E+1
60-Nd-140				1.234E+1		1.234E+1	
60-Nd-141						4.489E+1	
60-Nd-142	6.197E+0	6.167E+0	8.564E+0	6.214E+0	8.589E+0	6.241E+0	8.800E+0±5.000E-1^C
60-Nd-143	1.306E+2	1.328E+2	1.285E+2	1.306E+2	1.297E+2	1.294E+2	1.290E+2±3.000E+1^C
60-Nd-144	4.450E+0	4.450E+0	6.304E+0	4.298E+0	4.299E+0	4.170E+0	4.200E+0±5.000E-1^C
60-Nd-145	2.230E+2	2.315E+2	2.227E+2	2.453E+2	2.036E+2	2.311E+2	2.300E+2±3.500E+1
60-Nd-146	2.912E+0	2.912E+0	2.699E+0	2.898E+0	2.967E+0	2.816E+0	2.570E+0±1.400E-1
60-Nd-147	5.248E+2	5.248E+2	5.739E+2	6.692E+2	6.549E+2	5.506E+2	4.300E+2^C
60-Nd-148	1.600E+1	1.990E+1	1.386E+1	1.604E+1	1.389E+1	1.989E+1	1.550E+1±1.500E+0
60-Nd-149						6.467E+2	
60-Nd-150	1.569E+1	1.580E+1	1.416E+1	1.594E+1	1.045E+1	1.584E+1	1.520E+1±8.000E-1
61-Pm-143				8.082E+1		8.079E+1	
61-Pm-144				6.726E+2		6.722E+2	
61-Pm-145				4.584E+2		4.582E+2	
61-Pm-146				6.219E+4		6.216E+4	
61-Pm-147	2.205E+3	2.108E+3	2.188E+3	1.342E+3	2.204E+3	2.126E+3	2.064E+3±1.000E+2^C
61-Pm-148m	4.791E+3	4.791E+3	4.197E+3	4.790E+3	4.791E+3	3.642E+3	3.600E+3±2.400E+3
61-Pm-148	2.517E+3	2.517E+3	1.448E+3	2.517E+3	2.884E+3	2.483E+3	
61-Pm-149	1.577E+3	1.577E+3	1.204E+3	1.577E+3	2.523E+3	1.679E+4	
61-Pm-150						2.132E+3	
61-Pm-151	2.962E+3	2.962E+3	1.261E+3	2.005E+3		1.591E+3	
62-Sm-144	1.832E+0	1.832E+0	1.856E+0	1.903E+0	1.798E+0	2.022E+0	2.380E+0±1.700E-1
62-Sm-145				5.427E+2		5.425E+2	6.000E+3±9.000E+1
62-Sm-146				1.260E+1		1.259E+1	
62-Sm-147	7.779E+2	7.947E+2	7.960E+2	7.783E+2	7.801E+2	7.947E+2	7.770E+2±3.000E+1
62-Sm-148	3.633E+1	3.633E+1	4.349E+1	3.590E+1	4.522E+1	3.637E+1	2.700E+1±1.400E+1
62-Sm-149	3.433E+3	3.487E+3	3.517E+3	3.434E+3	3.493E+3	3.486E+3	3.390E+3^C
62-Sm-150	3.332E+2	3.395E+2	3.310E+2	3.341E+2	3.247E+2	3.415E+2	3.580E+2±5.000E+1
62-Sm-151	3.439E+3	3.466E+3	3.440E+3	3.439E+3	3.408E+3	3.473E+3	3.765E+3±1.600E+2^C
62-Sm-152	2.977E+3	2.978E+3	2.978E+3	2.977E+3	2.764E+3	2.978E+3	2.970E+3±1.000E+2
62-Sm-153	4.873E+3	4.873E+3	1.425E+3	7.209E+2		1.800E+3	
62-Sm-154	3.637E+1	3.637E+1	3.649E+1	3.628E+1	3.628E+1	3.379E+1	3.600E+1±4.000E+0
62-Sm-156						1.638E+1	
63-Eu-145				2.419E+2		2.418E+2	
63-Eu-146				1.084E+3		1.083E+3	
63-Eu-147				7.830E+2		7.826E+2	
63-Eu-148				1.555E+3		1.554E+3	
63-Eu-149				1.756E+3		1.764E+3	
63-Eu-150				1.875E+3		1.884E+3	
63-Eu-150m						1.884E+3	
63-Eu-151	3.292E+3	3.354E+3	3.142E+3	3.300E+3	3.292E+3	3.354E+3	3.300E+3±3.000E+2
63-Eu-152	2.308E+3	2.170E+3	2.538E+3	2.308E+3		2.325E+3	1.580E+3^C
63-Eu-152m						9.856E+4	
63-Eu-153	1.420E+3	1.410E+3	1.413E+3	1.410E+3	1.410E+3	1.450E+3	1.420E+3±1.000E+2
63-Eu-154	1.300E+3	1.327E+3	1.354E+3	1.300E+3	1.300E+3	1.360E+3	8.020E+2^C
63-Eu-155	1.552E+4	1.528E+4	1.551E+4	1.552E+4	1.552E+4	1.552E+4	2.320E+4±3.000E+2^C
63-Eu-156	1.449E+3	1.449E+3	2.421E+3	1.449E+3		1.621E+3	
63-Eu-157	9.417E+2	9.417E+2	1.925E+3			2.187E+3	
64-Gd-146				1.070E+1		1.069E+1	
64-Gd-147				5.849E+2		5.846E+2	
64-Gd-148				5.509E+1		7.804E+4	
64-Gd-149				8.745E+2		8.787E+2	
64-Gd-150				8.897E+1		8.894E+1	
64-Gd-151				9.182E+2		9.178E+2	
64-Gd-152	5.605E+2	9.893E+2	9.351E+2	5.610E+2	9.892E+2	9.893E+2	8.800E+2^C
64-Gd-153	2.975E+2		3.519E+2	1.912E+2		2.172E+4	
64-Gd-154	2.168E+2	2.477E+2	2.880E+2	2.171E+2	2.148E+2	2.477E+2	2.450E+2±3.000E+1
64-Gd-155	1.539E+3	1.546E+3	1.561E+3	1.539E+3	1.534E+3	1.546E+3	1.537E+3±1.000E+2^C
64-Gd-156	1.077E+2	1.008E+2	1.066E+2	1.078E+2	1.002E+2	1.022E+2	1.040E+2±1.500E01
64-Gd-157	7.591E+2	7.630E+2	7.838E+2	7.533E+2	7.617E+2	7.625E+2	7.540E+2±2.000E+1^C
64-Gd-158	6.841E+1	6.307E+1	7.206E+1	6.839E+1	6.395E+1	6.307E+1	7.300E+1±7.000E+0
64-Gd-159						4.025E+2	
64-Gd-160	8.158E+0	8.553E+0	1.180E+1	8.204E+0	1.202E+1	8.147E+0	7.400E+0±1.000E+0^C
65-Tb-151						2.398E+3	
65-Tb-152						2.110E+3	

TABLE X: Capture Resonance Integrals (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)
65-Tb-153				1.971E+3		1.970E+3	
65-Tb-154						3.090E+3	
65-Tb-154m						1.257E+4	
65-Tb-154n						1.296E+4	
65-Tb-155				2.034E+3		2.033E+3	
65-Tb-156m				2.245E+2		1.262E+4	
65-Tb-156				2.367E+3		2.365E+3	
65-Tb-156n						2.365E+3	
65-Tb-157				1.847E+3		1.846E+3	
65-Tb-158				1.778E+3		1.777E+3	
65-Tb-159	4.148E+2	4.148E+2	4.091E+2	4.155E+2		4.140E+2	4.180E+2±2.000E+1
65-Tb-160	3.477E+3	1.135E+3	3.588E+3	3.651E+3		1.858E+3	2.994E+3^{C}
65-Tb-161				1.238E+3		1.237E+3	
66-Dy-153						1.236E+4	
66-Dy-154			1.444E+3	5.933E+2		5.930E+2	
66-Dy-155						1.430E+3	
66-Dy-156	9.856E+2		9.891E+2	1.026E+3		9.565E+2	8.700E+2±8.000E+1
66-Dy-157						1.224E+3	
66-Dy-158	2.118E+2		1.947E+2	1.866E+2		1.814E+2	1.200E+2±2.000E+1
66-Dy-159			3.114E+3	5.501E+4		5.499E+4	
66-Dy-160	1.107E+3	1.678E+3	1.109E+3	1.107E+3		1.590E+3	1.122E+3±9.000E+1
66-Dy-161	1.076E+3	1.076E+3	1.089E+3	1.076E+3		1.217E+3	1.075E+3±8.000E+1
66-Dy-162	2.757E+3	2.757E+3	2.747E+3	2.757E+3		2.772E+3	2.740E+3±2.700E+2
66-Dy-163	1.489E+3	1.489E+3	1.491E+3	1.489E+3		1.467E+3	1.470E+3±1.000E+2
66-Dy-164	3.431E+2	3.426E+2	3.412E+2	3.431E+2	3.426E+2	3.427E+2	3.410E+2±2.000E+1
66-Dy-165				2.020E+4		2.019E+4	2.200E+4±3.000E+3
66-Dy-166				8.364E+0		2.080E+1	
67-Ho-163				1.458E+3		1.465E+3	
67-Ho-164						2.255E+2	
67-Ho-164m						2.378E+2	
67-Ho-165	6.817E+2	6.754E+2		6.817E+2		6.771E+2	6.650E+2±2.000E+1
67-Ho-166m	6.773E+2			2.466E+4		2.464E+4	1.000E+4±2.700E+3
67-Ho-166				6.138E+2		6.136E+2	
68-Er-160				9.324E+1		4.996E+3	
68-Er-161						1.305E+3	
68-Er-162	4.519E+2	4.519E+2	4.519E+2	4.519E+2		4.614E+2	4.800E+2±5.000E+1
68-Er-164	1.686E+2	1.686E+2	1.662E+2	1.686E+2		1.420E+2	1.340E+2±1.000E+1^{C}
68-Er-165						8.881E+2	
68-Er-166	9.805E+1	1.122E+2	1.188E+2	9.806E+1		1.122E+2	9.500E+1±7.000E+0
68-Er-167	2.996E+3	2.973E+3	2.999E+3	2.997E+3		3.048E+3	2.970E+3±7.000E+1
68-Er-168	3.711E+1	3.831E+1	3.831E+1	3.711E+1		3.749E+1	3.700E+1±5.000E+0
68-Er-169				1.547E+2		1.546E+2	
68-Er-170	4.186E+1	4.522E+1	4.638E+1	4.186E+1		4.528E+1	3.540E+1±5.900E+0
68-Er-171						3.031E+2	
68-Er-172				1.131E+1		1.131E+1	
69-Tm-165				1.728E+3		1.727E+3	
69-Tm-166						1.863E+3	
69-Tm-167				1.171E+3		1.170E+3	
69-Tm-168	1.241E+3			1.614E+3		1.613E+3	
69-Tm-169	1.625E+3		1.624E+3	1.711E+3		1.711E+3	1.658E+3±5.000E+1
69-Tm-170	5.095E+2			5.586E+2		5.585E+2	4.600E+2±5.000E+1
69-Tm-171				4.496E+2		4.686E+2	3.250E+2^{C}
69-Tm-172				8.490E+2		8.486E+2	
69-Tm-173						4.457E+2	
70-Yb-166				3.274E+2		3.273E+2	
70-Yb-168			2.136E+4	2.118E+4		2.122E+4	2.130E+4±1.000E+3^{C}
70-Yb-169				2.164E+3		2.163E+3	5.200E+3±5.000E+2^{C}
70-Yb-170			3.120E+2	3.240E+2		3.240E+2	3.100E+2±3.000E+1
70-Yb-171			3.266E+2	3.235E+2		3.235E+2	3.180E+2±3.000E+1
70-Yb-172			2.716E+1	2.714E+1		2.715E+1	2.500E+1±3.000E+0
70-Yb-173			3.846E+2	3.796E+2		3.796E+2	3.800E+2±3.000E+1
70-Yb-174			2.548E+1	2.772E+1		2.771E+1	2.700E+1±3.000E+0
70-Yb-175				2.371E+2		6.242E+2	
70-Yb-176			6.977E+0	6.849E+0		6.848E+0	6.900E+0±6.000E-1
71-Lu-169				1.589E+3		1.588E+3	
71-Lu-170				1.687E+3		1.686E+3	
71-Lu-171				1.543E+3		1.550E+3	
71-Lu-172				1.558E+3		1.557E+3	
71-Lu-173				1.121E+3		1.120E+3	
71-Lu-174m				1.552E+3		1.551E+3	
71-Lu-174				1.552E+3		1.551E+3	
71-Lu-175	6.216E+2	6.216E+2		6.217E+2		6.218E+2	6.200E+2±5.000E+1
71-Lu-176	9.209E+2	9.209E+2		9.209E+2		9.211E+2	1.087E+3±4.000E+1
71-Lu-177m				1.412E+0		4.570E+2	
71-Lu-177				9.304E+3		9.300E+3	
72-Hf-170						3.336E+2	
72-Hf-171						9.388E+2	
72-Hf-172				1.828E+2		1.827E+2	

TABLE X: Capture Resonance Integrals (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)
72-Hf-173						8.678E+2	
72-Hf-174	4.457E+2	4.524E+2	3.838E+2	4.419E+2	3.553E+2	3.224E+2	3.070E+2±1.500E+1
72-Hf-175				6.800E+2		6.797E+2	
72-Hf-176	6.943E+2	6.336E+2	6.990E+2	6.940E+2	4.007E+2	6.106E+2	7.080E+2±1.500E+1
72-Hf-177	7.213E+3	7.166E+3	7.211E+3	7.212E+3	7.213E+3	7.210E+3	7.200E+3±2.000E+2
72-Hf-178n				1.923E+3		1.922E+3	
72-Hf-178	1.871E+3	1.798E+3	1.915E+3	1.871E+3	1.914E+3	1.922E+3	1.882E+3±2.000E+1
72-Hf-179n				5.438E+2		5.439E+2	
72-Hf-179	5.237E+2	5.302E+2	5.072E+2	5.166E+2	5.491E+2	5.439E+2	6.300E+2±3.000E+1
72-Hf-180	2.926E+1	3.736E+1	2.934E+1	2.944E+1	3.440E+1	3.557E+1	3.300E+1±1.000E+0
72-Hf-180m						3.604E+1	
72-Hf-181			1.321E+2	1.102E+3		1.102E+3	
72-Hf-182			6.587E+1	1.173E+1		1.172E+1	
73-Ta-175						4.351E+3	
73-Ta-176						4.146E+3	
73-Ta-177				1.207E+3		1.206E+3	
73-Ta-179				1.296E+3		1.409E+3	1.216E+3±6.900E+1
73-Ta-180	3.348E+3					1.466E+3	
73-Ta-180m				1.528E+3		1.528E+3	1.346E+3±1.000E+2^C
73-Ta-181	7.391E+2	6.600E+2	6.600E+2	6.603E+2	6.601E+2	7.397E+2	6.550E+2±2.000E+1
73-Ta-182	1.057E+3	1.043E+3		1.043E+3		1.066E+3	9.430E+2±5.000E+1^C
73-Ta-183				5.058E+2		5.056E+2	
73-Ta-184						1.816E+3	
74-W - 0							3.520E+2±2.500E+1
74-W -178				1.337E+2		1.336E+2	
74-W -180	2.503E+2		2.482E+2	2.280E+2		2.512E+2	2.140E+2±3.000E+1^C
74-W -181				6.726E+2		6.722E+2	
74-W -182	6.286E+2	6.283E+2	6.282E+2	6.247E+2		5.970E+2	6.000E+2±6.000E+1^C
74-W -183	3.392E+2	3.347E+2	3.390E+2	3.524E+2		3.553E+2	3.550E+2±3.000E+1^C
74-W -184	1.570E+1	1.622E+1	1.660E+1	1.618E+1		1.660E+1	1.470E+1±1.500E+0
74-W -185				1.702E+2		1.701E+2	1.160E+2^C
74-W -186	4.843E+2	5.286E+2	4.741E+2	5.289E+2		5.191E+2	4.800E+2±1.500E+1
74-W -187						1.653E+3	2.760E+3±5.500E+2
74-W -188				2.281E+1		2.281E+1	
75-Re-181						1.417E+3	
75-Re-182				2.215E+3		2.214E+3	
75-Re-182m						2.786E+3	
75-Re-183				9.748E+2		9.744E+2	
75-Re-184m				2.126E+3		2.117E+3	
75-Re-184				6.406E+4		6.404E+4	
75-Re-185	1.738E+3	1.730E+3		1.766E+3		1.709E+3	1.727E+3±5.000E+1
75-Re-186m				1.516E+3		1.516E+3	
75-Re-186				1.516E+3		1.516E+3	
75-Re-187	3.005E+2	2.943E+2		2.981E+2		2.874E+2	3.000E+2±2.000E+1
75-Re-188						2.052E+2	
75-Re-189				1.294E+2		1.294E+2	
76-Os- 0		1.809E+2		1.809E+2			1.800E+2±2.00E+1
76-Os-182						1.512E+2	
76-Os-183						1.007E+3	
76-Os-183m						2.488E+3	
76-Os-184			1.368E+3	6.556E+2		1.458E+3	6.010E+2±5.100E+1
76-Os-185				6.865E+2		6.862E+2	
76-Os-186			2.424E+2	2.644E+2		2.594E+2	2.540E+2±3.000E+1^C
76-Os-187			5.421E+2	5.057E+2		5.075E+2	5.070E+2±7.000E+1^C
76-Os-188			1.540E+2	1.533E+2		1.528E+2	1.520E+2±2.000E+1^C
76-Os-189			8.075E+2	8.403E+2		7.710E+2	6.600E+2±4.000E+1^C
76-Os-190			2.502E+1	2.516E+1		2.516E+1	2.210E+1±1.700E+0
76-Os-191				3.482E+2		3.481E+2	
76-Os-191m						8.469E+1	
76-Os-192			1.026E+1	6.294E+0		1.062E+1	2.800E+0^C
76-Os-193				2.394E+1		2.393E+1	
76-Os-194				2.272E+0		2.271E+0	
77-Ir-185						1.567E+3	
77-Ir-186						1.965E+3	
77-Ir-187						1.740E+3	
77-Ir-188				2.435E+3		2.445E+3	
77-Ir-189				6.421E+2		6.418E+2	
77-Ir-190				1.436E+3		1.435E+3	
77-Ir-191	3.324E+3	3.557E+3		3.557E+3		3.541E+3	3.550E+3±1.000E+2
77-Ir-192n				5.228E+3		5.244E+3	
77-Ir-192				5.228E+3		3.491E+3	3.410E+3^C
77-Ir-193m				1.372E+3		1.371E+3	
77-Ir-193	1.376E+3	1.376E+3		1.376E+3		1.371E+3	1.350E+3±1.000E+2
77-Ir-194						2.445E+3	
77-Ir-194n						6.469E+1	
77-Ir-194m				6.471E+1			
77-Ir-196m						9.034E+0	

TABLE X: Capture Resonance Integrals (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)
78-Pt- 0		1.120E+2		1.127E+2			1.400E+2±6.000E+0
78-Pt-188				1.374E+2		1.373E+2	
78-Pt-189						9.717E+2	
78-Pt-190				1.584E+2		1.584E+2	7.200E+1±1.000E+1
78-Pt-191				7.463E+2		7.459E+2	
78-Pt-192				1.631E+2		1.631E+2	1.180E+2±2.000E+1^C
78-Pt-193m				2.094E+2		2.093E+2	
78-Pt-193				2.510E+2		2.509E+2	
78-Pt-194				1.010E+1		6.658E+0	1.000E+0±1.000E-1
78-Pt-195m				3.746E+2		3.715E+2	
78-Pt-195				3.746E+2		3.701E+2	3.670E+2±2.500E+1^C
78-Pt-196				7.720E+0		6.648E+0	7.100E+0±3.000E-1
78-Pt-197						6.650E+0	
78-Pt-198				5.029E+1		5.029E+1	6.200E+1±2.000E+0
78-Pt-200						9.958E-1	
78-Pt-202						1.538E+0	
79-Au-193						6.685E+2	
79-Au-194				6.990E+2		6.987E+2	
79-Au-195				2.082E+2		2.081E+2	
79-Au-196				2.992E+2		2.991E+2	
79-Au-196n						6.931E+2	
79-Au-197	1.571E+3	1.563E+3	1.571E+3	1.571E+3	1.563E+3	1.563E+3	1.550E+3±2.800E+1
79-Au-198m				1.038E+4		1.038E+4	
79-Au-198				4.382E+4		4.374E+4	
79-Au-199				4.461E+2		4.460E+2	
79-Au-200m						8.601E+0	
80-Hg- 0					1.191E+2		7.300E+1±5.000E+0
80-Hg-193						6.271E+2	
80-Hg-193m						6.271E+2	
80-Hg-194				3.038E+1		3.037E+1	
80-Hg-195m				1.935E+2		1.934E+2	
80-Hg-195						1.934E+2	
80-Hg-196	4.202E+2	4.202E+2	4.202E+2	4.202E+2		4.429E+2	4.130E+2±1.500E+1
80-Hg-197				3.498E+1		3.497E+1	
80-Hg-197m						3.497E+1	
80-Hg-198	7.447E+1	7.447E+1	7.447E+1	7.447E+1		7.624E+1	7.200E+1±2.000E+0^C
80-Hg-199	4.387E+2	4.387E+2	4.387E+2	4.387E+2		4.369E+2	4.340E+2±2.000E+1^C
80-Hg-200	2.576E+0	2.576E+0	2.576E+0	2.577E+0		2.503E+0	1.500E+0^C
80-Hg-201	3.343E+1	3.447E+1	3.447E+1	3.447E+1		3.408E+1	3.000E+1±3.000E+0^C
80-Hg-202	3.210E+0	3.210E+0	3.210E+0	3.210E+0		3.094E+0	2.900E+0^C
80-Hg-203				3.132E+0		3.131E+0	
80-Hg-204	2.726E+0	2.726E+0	2.725E+0	2.725E+0		6.140E-1	8.500E-1±2.000E-1
81-Tl-0		1.381E+1		1.382E+1	1.380E+1		1.290E+1±8.000E-1
81-Tl-199						1.986E+2	
81-Tl-200				9.864E+1		9.861E+1	
81-Tl-201				1.473E+1		1.472E+1	
81-Tl-202				2.417E+1		2.417E+1	
81-Tl-203	3.997E+1			4.325E+1		4.324E+1	3.960E+1±2.000E+0
81-Tl-204				8.179E+1		8.176E+1	9.400E+1±1.900E+1^C
81-Tl-205	7.350E-1			6.798E-1		6.797E-1	6.600E-1±1.000E-1
82-Pb-200						1.090E+1	
82-Pb-201						2.805E+2	
82-Pb-202				4.339E+0		4.337E+0	
82-Pb-203				1.157E+1		1.156E+1	
82-Pb-204	1.844E+0	1.844E+0	2.386E+0	1.844E+0	1.851E+0	1.863E+0	2.230E+0±2.000E-1^C
82-Pb-205				4.026E+0		4.025E+0	
82-Pb-206	1.136E-1	1.136E-1	1.154E-1	1.136E-1	1.136E-1	1.196E-1	1.230E-1±1.400E-2^C
82-Pb-207	3.926E-1	3.926E-1	3.582E-1	3.926E-1	3.963E-1	3.938E-1	3.200E-1±2.000E-2^C
82-Pb-208	6.162E-3	6.222E-3	4.836E-3	6.222E-3	6.137E-3	6.107E-3	1.100E-3±2.000E-4^C
82-Pb-209						7.423E-1	
82-Pb-210				2.260E-1		2.448E-1	
82-Pb-212						1.677E-1	
83-Bi-203						7.197E+1	
83-Bi-204						4.355E+2	
83-Bi-205				1.899E+1		1.898E+1	
83-Bi-206				2.406E+1		2.405E+1	
83-Bi-207				6.509E+0		6.506E+0	
83-Bi-208				5.879E+0		5.877E+0	
83-Bi-209	2.050E-1	2.031E-1	1.719E-1	2.090E-1	2.076E-1	2.062E-1	1.400E-1±2.000E-2^C
83-Bi-210				3.376E-2		1.815E-1	
83-Bi-210m				1.307E-1		1.386E-1	2.000E-1±3.000E-2
84-Po-206				2.948E+0		2.946E+0	
84-Po-207						6.272E+0	
84-Po-208				1.917E+0		1.959E+0	
84-Po-209				1.978E+0		1.953E+0	
84-Po-210				1.472E-2		6.805E-2	
85-At-210						1.096E+2	

TABLE X: Capture Resonance Integrals (continued).

Material	**ENDF/B** (barns)	**JEFF** (barns)	**JENDL** (barns)	**ROSFOND** (barns)	**CENDL** (barns)	**EAF** (barns)	**Atlas** (barns)
85-At-211						1.114E+1	
86-Rn-211						6.289E+1	
86-Rn-222				3.330E-1		1.008E+1	
88-Ra-223	4.357E+2	4.357E+2	4.357E+2	4.357E+2		1.583E+3	
88-Ra-224	2.900E+1	2.900E+1	2.900E+1	2.900E+1		1.015E+3	
88-Ra-225	5.936E+2	5.936E+2	5.936E+2	5.936E+2		5.933E+2	
88-Ra-226	2.823E+2	2.823E+2	2.823E+2	2.823E+2		2.823E+2	2.800E+2^C
88-Ra-228				1.609E+1		6.610E+1	
89-Ac-225	1.235E+3	1.590E+3	1.235E+3	1.590E+3		1.589E+3	
89-Ac-226	1.193E+3	1.682E+3	1.193E+3	1.682E+3		1.681E+3	
89-Ac-227	1.018E+3	1.655E+3	1.018E+3	1.488E+3		1.485E+3	1.660E+3±3.000E+1
89-Ac-228						4.371E+2	
90-Th-227	6.615E+2	1.418E+3	6.614E+2	1.418E+3		1.417E+3	
90-Th-228	1.123E+3	1.169E+3	1.123E+3	1.162E+3		1.127E+3	1.014E+3^C
90-Th-229	1.313E+3	1.236E+3	1.313E+3	1.237E+3		1.236E+3	9.700E+2±1.750E+2^C
90-Th-230	1.042E+3	8.514E+2	1.042E+3	1.039E+3		1.039E+3	9.930E+2±3.000E+1
90-Th-231	7.252E+2		7.251E+2	1.614E+1		3.411E+2	
90-Th-232	8.435E+1	8.611E+1	8.429E+1	8.382E+1	8.495E+1	8.596E+1	8.330E+1±1.500E+0
90-Th-233	5.742E+2	6.434E+2	5.741E+2				1.700E+3±9.300E+2
90-Th-234	3.140E+1	9.375E+1	3.140E+1	9.374E+1		9.372E+1	
91-Pa-228						4.104E+2	
91-Pa-229	7.574E+2		7.573E+2	9.592E+1		3.269E+2	
91-Pa-230	2.353E+2		2.353E+2	6.856E+2		1.443E+1	
91-Pa-231	5.367E+2	5.975E+2	5.418E+2	5.955E+2		5.953E+2	5.250E+2±6.000E+1
91-Pa-232	1.654E+2	1.469E+2	1.654E+2	1.469E+2		2.843E+2	1.170E+2±3.000E+1
91-Pa-233	8.379E+2	8.553E+2	8.353E+2	8.554E+2		8.638E+2	8.600E+2±3.500E+1
91-Pa-234						3.958E+2	
92-U -230	1.377E+2		1.377E+2	7.738E+0		7.735E+0	
92-U -231	1.607E+2		1.607E+2	6.969E+1		6.967E+1	
92-U -232	1.729E+2	3.169E+2	1.729E+2	3.170E+2	1.825E+2	1.813E+2	2.800E+2±1.500E+1
92-U -233	1.411E+2	1.383E+2	1.394E+2	1.398E+2	1.383E+2	1.385E+2	1.380E+2±6.000E+0
92-U -234	6.317E+2	6.315E+2	6.095E+2	6.315E+2	6.311E+2	6.313E+2	6.400E+2±2.000E+1^C
92-U -235	1.404E+2	1.405E+2	1.390E+2	1.404E+2	1.404E+2	1.326E+2	1.460E+2±6.000E+0
92-U -236	3.417E+2	3.452E+2	3.534E+2	3.417E+2	3.416E+2	3.456E+2	3.450E+2±1.500E+1
92-U -237	1.083E+3	1.083E+3	1.077E+3	1.084E+3	1.083E+3	1.087E+3	1.200E+3±2.000E+2
92-U -238	2.756E+2	2.753E+2	2.756E+2	2.756E+2	2.780E+2	2.781E+2	2.770E+2±3.000E+0
92-U -239	3.113E+2				2.206E+1		
92-U -240	1.271E+3				3.147E+1	1.271E+3	
92-U -241	3.121E+2				4.847E+2	3.139E+2	
93-Np-234	6.306E+1		6.305E+1	5.171E+1		3.876E+2	
93-Np-235	8.138E+2	8.513E+2	8.137E+2	2.135E+3		2.039E+3	
93-Np-236	1.003E+2	2.596E+2	1.003E+2	1.412E+2	1.591E+2	1.547E+2	
93-Np-236m						6.882E+1	
93-Np-237	6.648E+2	6.595E+2	7.010E+2	6.493E+2	6.621E+2	6.623E+2	6.520E+2±2.400E+2
93-Np-238	2.014E+2	1.008E+2	2.014E+2	2.013E+2	2.583E+2	3.359E+2	
93-Np-239	9.319E+2	4.570E+2	9.318E+2	4.453E+2	3.937E+2	1.848E+3	
94-Pu-234						2.193E+2	
94-Pu-236	2.480E+2	2.668E+2	2.480E+2	2.668E+2	2.667E+2	1.482E+2	5.600E+1^C
94-Pu-237	1.129E+2	1.904E+2	1.129E+2	1.424E+2	1.558E+2	1.423E+2	
94-Pu-238	1.464E+2	1.500E+2	1.462E+2	1.522E+2	1.520E+2	1.523E+2	1.620E+2±1.500E+1
94-Pu-239	1.814E+2	1.815E+2	1.797E+2	1.815E+2	1.849E+2	1.846E+2	1.800E+2±2.000E+1
94-Pu-240	8.497E+3	8.484E+3	8.502E+3	8.502E+3	8.497E+3	8.502E+3	8.452E+3±2.000E+2
94-Pu-241	1.800E+2	1.807E+2	1.804E+2	1.799E+2	1.796E+2	1.616E+2	1.620E+2±8.000E+0
94-Pu-242	1.124E+3	1.130E+3	1.126E+3	1.123E+3	1.273E+3	1.116E+3	1.115E+3±4.000E+1^C
94-Pu-243	2.746E+2	2.747E+2		2.747E+2	2.738E+2	5.150E+1	2.700E+2±3.500E+1
94-Pu-244	4.783E+1	1.054E+2	4.783E+1	4.997E+1	1.055E+2	4.757E+1	4.060E+1±2.900E+0
94-Pu-245				6.964E+2	4.231E+1	3.822E+1	2.200E+2±4.000E+1
94-Pu-246	6.809E+1	6.964E+2	6.809E+1		1.390E+1	4.350E+1	
94-Pu-247							
95-Am-239						2.906E+2	
95-Am-240	1.855E+2		1.855E+2	2.022E+2	1.636E+2	2.021E+2	
95-Am-241	1.588E+3	1.526E+3	1.588E+3	1.385E+3	1.456E+3	1.455E+3	1.425E+3±1.000E+2
95-Am-242m	2.393E+2	2.394E+2	2.362E+2	2.394E+2	2.396E+2	2.654E+2	2.110E+2^C
95-Am-242	1.867E+2	1.868E+2	2.048E+2	1.868E+2	1.873E+2	1.869E+2	
95-Am-243	2.052E+3	1.788E+3	2.040E+3	1.787E+3	1.788E+3	1.788E+3	1.820E+3±7.000E+1
95-Am-244m	3.158E+2	3.158E+2	2.536E+2				
95-Am-244	3.160E+2	3.160E+2	4.219E+2	3.159E+2	1.964E+2	3.593E+2	
96-Cm-240	2.931E+2	6.655E+2	2.930E+2	6.655E+2		6.662E+2	
96-Cm-241	7.941E+1	1.124E+2	7.941E+1	9.595E+1		1.201E+2	
96-Cm-242	1.326E+2	1.082E+2	1.326E+2	1.150E+2		1.158E+2	1.100E+2±2.000E+1
96-Cm-243	2.055E+2	1.981E+2	2.055E+2	2.122E+2		2.124E+2	2.150E+2±2.000E+1
96-Cm-244	6.257E+2	5.935E+2	6.258E+2	6.426E+2		6.602E+2	6.550E+2±3.000E+1
96-Cm-245	1.079E+2	1.060E+2	1.079E+2	1.060E+2		1.062E+2	1.010E+2±8.000E+0
96-Cm-246	1.131E+2	1.145E+2		1.146E+2		1.146E+2	1.210E+2±7.000E+0
96-Cm-247	5.026E+2	5.347E+2	5.026E+2	5.736E+2		5.742E+2	5.300E+2±3.000E+1
96-Cm-248	2.667E+2	2.600E+2	2.667E+2	2.637E+2		2.670E+2	2.700E+2±1.500E+1
96-Cm-249	5.688E+1	6.230E+1	5.688E+1	5.921E+1		8.970E+1	
96-Cm-250	8.686E+2	3.039E+2	8.686E+2	3.039E+2		1.884E+3	

TABLE X: Capture Resonance Integrals (continued).

Material	ENDF/B (barns)	JEFF (barns)	JENDL (barns)	ROSFOND (barns)	CENDL (barns)	EAF (barns)	Atlas (barns)
97-Bk-245	1.077E+3		1.077E+3	1.444E+2		1.444E+2	1.100E+3±1.000E+2
97-Bk-246	3.119E+2		3.119E+2	1.064E+2		1.064E+2	
97-Bk-247	8.371E+2	8.958E+2	8.371E+2	8.959E+2		1.444E+2	
97-Bk-248	3.946E+2		3.946E+2	1.064E+2		1.064E+2	
97-Bk-248m						1.064E+2	
97-Bk-249	1.133E+3	1.124E+3	1.133E+3	1.128E+3	1.128E+3	1.124E+3	
97-Bk-250	4.919E+2	1.990E+2	4.919E+2	1.990E+2		1.992E+2	
98-Cf-246	7.221E+2		7.221E+2	1.064E+2		3.167E+1	
98-Cf-248	7.326E+2		7.326E+2	1.064E+2		6.394E+1	
98-Cf-249	6.959E+2	6.946E+2	6.959E+2	6.946E+2	5.734E+2	6.948E+2	7.650E+2±3.500E+1
98-Cf-250	1.190E+4	8.418E+3	1.190E+4	8.419E+3		8.418E+3	1.160E+4±5.000E+2
98-Cf-251	5.187E+2	1.614E+3	5.188E+2	1.604E+3		1.614E+3	1.600E+3±3.000E+1
98-Cf-252	4.462E+1	4.737E+1	4.462E+1	4.734E+1		4.736E+1	4.350E+1±3.000E+0
98-Cf-253	6.578E+2		6.577E+2	6.577E+2		1.388E+1	1.300E+1±3.000E+0
98-Cf-254	3.720E+1	6.515E+0	3.720E+1	6.515E+0		3.793E+0	
99-Es-250						1.061E+1	
99-Es-251	1.302E+3		1.301E+3	1.444E+2		1.444E+2	3.860E+3±2.000E+2
99-Es-252	1.570E+2		1.570E+2	1.064E+2		1.064E+2	
99-Es-253	3.821E+3	6.313E+3	3.821E+3	6.255E+3		6.303E+3	
99-Es-254m	1.783E+2		1.783E+2	1.061E+3		1.060E+3	1.000E+3
99-Es-254	6.828E+2	1.799E+1	6.827E+2	9.049E+0		1.966E+0	1.820E+1±1.500E+0
99-Es-255	1.386E+3	2.778E+2	1.386E+3	2.777E+2		1.841E+3	
99-Es-256m						1.954E-2	
99-Es-257							
100-Fm-252				1.064E+2		8.083E+1	
100-Fm-253				2.983E+2		2.982E+2	
100-Fm-255	1.164E+2	1.012E+2	1.163E+2	1.012E+2		1.573E+1	
100-Fm-257				2.983E+2		2.982E+2	

Maxwellian-averaged 30-keV Capture Cross Sections

TABLE XI: Maxwellian-averaged cross sections from ENDF/B-VII.1, JEFF-3.1.2, JENDL-4.0, ROSFOND-2010, CENDL-3.1, EAF-2010 and KADoNiS [1, 6–10, 16] at kT=30 keV (C-calculated from BNL-325 data [48], T-theoretical data in KADoNiS). G-ground state value, * Updated values for 40-Zr- 95, 69-Tm-169 and 69-Tm-170.

Material	ENDF/B-VII.1 (barns)	JEFF-3.1.2 (barns)	JENDL-4.0 (barns)	ROSFOND (barns)	CENDL-3.1 (barns)	EAF-2010 (barns)	KADoNiS (barns)
1-H - 1	1.525E-4±5.855E-6	1.524E-4	1.525E-4	1.525E-4	1.575E-4	1.523E-4	2.540E-4±2.000E-5
1-H - 2	1.998E-6±1.265E-7	1.998E-6	2.361E-6	1.999E-6	1.996E-6	1.999E-6	3.000E-6±2.000E-7
1-H - 3							
2-He- 3	2.126E-5	2.442E-8	1.640E-5	2.316E-5	1.640E-5	1.640E-5	7.600E-6±6.000E-7
2-He- 4							
3-Li- 6	3.276E-5±3.181E-6	3.276E-5	3.333E-5	3.275E-5		3.333E-5	
3-Li- 7	4.645E-5±2.103E-5	4.645E-5	3.902E-5	4.645E-5	5.344E-5	4.645E-5	4.200E-5±3.000E-6
4-Be- 7						2.958E-5	
4-Be- 9	9.298E-6±1.860E-6	1.269E-5	7.400E-6	1.128E-4	1.128E-4	1.088E-5	1.040E-5±1.600E-6
4-Be- 10				5.914E-6		5.915E-6	
5-B - 10	4.299E-4±1.720E-4	4.299E-4	4.380E-4	4.299E-4	4.299E-4	4.380E-4	
5-B - 11	6.575E-5±2.034E-5	6.575E-5	5.633E-5	6.575E-5	6.575E-5	6.571E-5	
6-C-0	1.623E-5±3.246E-6	1.344E-6	1.623E-5	1.344E-6			
6-C - 12					1.347E-6	1.506E-5	1.540E-5±1.000E-6
6-C - 13				2.474E-4		2.474E-4	2.100E-5±4.000E-6
6-C - 14				2.257E-5		2.915E-6	8.480E-6±5.700E-7
7-N - 14	6.683E-5	6.683E-5	6.741E-5	6.682E-5	6.683E-5	6.683E-5	4.100E-5±6.000E-5^{C}
7-N - 15	9.190E-6±4.595E-6	9.190E-6	7.261E-6	7.194E-6		7.263E-6	5.800E-6±6.000E-7
8-O - 16	3.154E-5±3.249E-6	1.695E-7	3.155E-5	3.155E-5	1.695E-7	3.585E-5	3.800E-5±4.000E-6
8-O - 17	4.708E-6	4.708E-6		8.230E-7		2.083E-6	
8- O- 18				1.714E-7		2.904E-6	8.860E-6±8.000E-7
9-F - 19	4.362E-3	4.362E-3	5.718E-3	5.718E-3	4.362E-3	6.065E-3	3.200E-3±1.000E-4
10-Ne- 20				1.903E-5		1.903E-5	1.190E-4±1.100E-5
10-Ne- 21				1.132E-4		1.132E-4	1.500E-3±9.000E-4
10-Ne- 22				3.086E-5		3.085E-5	5.800E-5±4.000E-6
11-Na- 22	8.011E-3	8.011E-3		8.011E-3		7.481E-3	
11-Na- 23	1.829E-3±2.414E-4	1.738E-3	1.738E-3	1.829E-3	1.745E-3	1.384E-3	2.100E-3±2.000E-4
11-Na- 24						9.294E-4	

TABLE XI: Maxwellian-averaged cross sections (continued).

Material	**ENDF/B-VII.1** (barns)	**JEFF-3.1.2** (barns)	**JENDL-4.0** (barns)	**ROSFOND** (barns)	**CENDL-3.1** (barns)	**EAF-2010** (barns)	**KADoNiS** (barns)
12-Mg- 24	3.793E-3±7.183E-4	3.793E-3	3.793E-3	3.793E-3	3.793E-3	3.804E-3	3.300E-3±4.000E-4
12-Mg- 25	5.279E-3±1.732E-3	5.279E-3	5.279E-3	5.279E-3	5.281E-3	5.294E-3	6.400E-3±4.000E-4
12-Mg- 26	8.645E-5±1.625E-5	8.645E-5	8.645E-5	8.645E-5	8.645E-5	8.731E-5	1.260E-4±9.000E-6
12-Mg- 28						2.068E-6	
13-Al- 26				2.346E-4		3.735E-3	3.700E-3^T
13-Al- 27	3.303E-3±5.615E-4	3.303E-3	3.334E-3	3.303E-3	3.334E-3	3.304E-3	3.740E-3±3.000E-4
14-Si- 28	3.608E-3±7.998E-4	3.608E-3	3.608E-3	3.608E-3	3.608E-3	1.688E-3	1.420E-3±1.300E-4
14-Si- 29	7.755E-3±8.328E-4	5.739E-3	7.755E-3	7.755E-3	7.755E-3	5.843E-3	6.580E-3±6.600E-4
14-Si- 30	4.432E-3±1.514E-3	5.750E-3	4.432E-3	4.432E-3	4.432E-3	5.763E-3	1.820E-3±3.300E-4
14-Si- 31						8.494E-4	
14-Si- 32				5.856E-4		1.249E-5	
15-P - 31	7.238E-3	1.628E-3	1.629E-3	1.627E-3	6.384E-3	1.628E-3	1.740E-3±9.000E-5
15-P - 32				4.616E-4	4.801E-3	6.382E-3	
15-P - 33				1.446E-4		1.445E-4	
16-S - 0							
16-S - 32	5.658E-3	5.658E-3	5.658E-3	5.658E-3		5.658E-3	4.100E-3±2.000E-4
16-S - 33	2.274E-3	2.274E-3	2.274E-3	2.274E-3		2.274E-3	7.400E-3±1.500E-3
16-S - 34	2.330E-4	2.330E-4	2.330E-4	2.330E-4		2.330E-4	2.260E-4±1.000E-5
16-S - 35				4.415E-2		3.226E-3	
16-S - 36	6.327E-4	6.327E-4	6.326E-4	6.326E-4		1.496E-4	1.710E-4±1.400E-5
17-Cl- 0					7.348E-3		
17-Cl- 35	7.529E-3	7.534E-3	8.527E-3	7.534E-3		5.936E-3	9.680E-3±2.100E-4
17-Cl- 36				1.227E-2		1.227E-2	1.200E-2±1.000E-3^T
17-Cl- 37	2.041E-3	2.057E-3	2.463E-3	2.057E-3		2.463E-3	2.120E-3±7.000E-5
18-Ar- 36	8.838E-3	8.838E-3		8.838E-3		8.837E-3	9.000E-3±1.500E-3^T
18-Ar- 37				1.696E-3		7.466E-3	
18-Ar- 38	1.369E-4	1.369E-4		1.369E-4		1.369E-4	3.000E-3±3.000E-4^T
18-Ar- 39				8.856E-3		6.970E-2	8.000E-3±2.000E-3^T
18-Ar- 40	2.249E-3	2.249E-3	2.249E-3	2.249E-3		4.178E-3	2.540E-3±1.000E-4
18-Ar- 41						2.386E-3	
18-Ar- 42				1.111E-3		1.110E-3	
19-K - 0					1.299E-2		
19-K - 39	1.056E-2	1.848E-2	1.848E-2	1.848E-2		1.849E-2	1.180E-2±4.000E-4
19-K - 40	1.939E-2	1.939E-2	1.939E-2	1.939E-2		6.882E-3	3.100E-2±7.000E-3^T
19-K - 41	2.029E-2±4.148E-3	3.136E-2	3.136E-2	3.136E-2		3.141E-2	2.200E-2±7.000E-4
19-K - 42						2.268E-2	
19-K - 43						1.845E-2	
20-Ca- 0					2.528E-2		
20-Ca- 40	5.142E-3	5.142E-3	5.142E-3	5.142E-3		5.154E-3	5.730E-3±3.400E-4
20-Ca- 41				1.504E-2		1.504E-2	3.000E-2±7.000E-3^T
20-Ca- 42	1.240E-2	1.240E-2	1.240E-2	1.240E-2		1.243E-2	1.560E-2±2.000E-3
20-Ca- 43	3.526E-2	3.526E-2	3.799E-2	3.526E-2		3.474E-2	5.100E-2±6.000E-3
20-Ca- 44	7.738E-3	7.738E-3	7.738E-3	7.738E-3		8.269E-3	9.400E-3±1.300E-3
20-Ca- 45				1.496E-2		1.496E-2	1.750E-2±3.500E-3^T
20-Ca- 46	1.859E-3	1.859E-3	2.588E-3	1.859E-3		8.017E-3	5.300E-3±5.000E-4
20-Ca- 47				9.435E-3		1.743E-2	
20-Ca- 48	1.079E-4	1.079E-4	1.079E-4	1.079E-4		1.089E-4	8.700E-4±9.000E-5
21-Sc- 44							
21-Sc- 44m						4.738E-2	
21-Sc- 45	6.834E-2	6.465E-2	6.550E-2	6.550E-2		6.549E-2	6.900E-2±5.000E-3
21-Sc- 46				5.123E-2		5.122E-2	
21-Sc- 47				4.537E-2		4.536E-2	
21-Sc- 48				7.246E-2		7.245E-2	
22-Ti- 44				4.171E-3		4.170E-3	
22-Ti- 45						6.918E-2	
22-Ti- 46	2.544E-2±3.096E-3	2.386E-2	2.544E-2	2.039E-2	2.039E-2	2.079E-2	2.680E-2±3.200E-3
22-Ti- 47	4.864E-2±7.145E-3	2.389E-2	4.185E-2	4.522E-2	4.554E-2	4.528E-2	6.440E-2±7.700E-3
22-Ti- 48	2.653E-2±1.507E-3	2.380E-2	2.783E-2	3.303E-2	3.303E-2	3.296E-2	3.180E-2±5.100E-3
22-Ti- 49	1.582E-2±2.170E-3	2.382E-2	1.581E-2	1.157E-2	1.158E-2	1.278E-2	2.210E-2±2.100E-3
22-Ti- 50	3.044E-3±4.119E-4	2.377E-2	3.044E-3	3.105E-3	3.105E-3	3.107E-3	3.600E-3±4.000E-4
23-V-0		2.569E-2		3.170E-2	2.569E-2		
23-V - 48				8.289E-2		8.287E-2	
23-V - 49				7.479E-2		7.477E-2	
23-V - 50	2.129E-2		2.129E-2	3.165E-2		3.164E-2	5.000E-2±9.000E-2^T
23-V - 51	3.202E-2		3.193E-2	3.171E-2		3.137E-2	3.800E-2±4.000E-3
24-Cr- 48						3.602E-2	
24-Cr- 50	3.825E-2±3.312E-3	3.779E-2	3.695E-2	3.779E-2	3.771E-2	2.805E-2	4.900E-2±1.300E-2
24-Cr- 51				3.761E-2		8.647E-2	8.700E-2±1.600E-2^T
24-Cr- 52	7.991E-3±3.995E-4	8.975E-3	7.991E-3	8.976E-3	8.702E-3	8.337E-3	8.800E-3±2.300E-3
24-Cr- 53	2.595E-2	3.139E-2	2.617E-2	3.139E-2	3.114E-2	3.113E-2	5.800E-2±1.000E-2
24-Cr- 54	4.780E-3	7.693E-3	4.687E-3	4.677E-3	3.713E-3	4.496E-3	6.700E-3±1.600E-3
25-Mn- 52				1.584E-1		1.583E-1	
25-Mn- 53				1.073E-1		1.073E-1	
25-Mn- 54				1.230E-1		1.230E-1	
25-Mn- 55	3.281E-2±2.664E-3	3.099E-2	3.262E-2	3.099E-2	3.099E-2	3.068E-2	3.960E-2±3.000E-3
26-Fe- 52						2.775E-2	
26-Fe- 54	2.159E-2±2.678E-3	2.159E-2	2.159E-2	2.159E-2	3.996E-2	2.159E-2	2.960E-2±1.300E-3

TABLE XI: Maxwellian-averaged cross sections (continued).

Material	**ENDF/B-VII.1** (barns)	**JEFF-3.1.2** (barns)	**JENDL-4.0** (barns)	**ROSFOND** (barns)	**CENDL-3.1** (barns)	**EAF-2010** (barns)	**KADoNiS** (barns)
26-Fe- 55				4.055E-2		4.055E-2	7.500E-2±1.200E-2^T
26-Fe- 56	1.151E-2±1.179E-3	1.148E-2	1.184E-2	1.217E-2	1.151E-2	1.151E-2	1.170E-2±5.000E-4
26-Fe- 57	2.845E-2±4.610E-3	3.024E-2	3.021E-2	2.846E-2	3.018E-2	2.845E-2	4.000E-2±4.000E-3
26-Fe- 58	1.973E-2	1.506E-2	1.404E-2	1.973E-2	2.858E-2	1.973E-2	1.350E-2±7.000E-4
26-Fe- 59			1.336E-2	1.611E-2		1.610E-2	
26-Fe- 60				2.674E-3		1.533E-2	5.150E-3±1.410E-3
27-Co- 55						1.447E-1	
27-Co- 56				1.747E-1		1.746E-1	
27-Co- 57				1.049E-1		1.049E-1	
27-Co- 58	2.020E-1	5.585E-2		5.581E-2		5.580E-2	
27-Co- 58m	6.437E-2	6.437E-2				6.438E-2	
27-Co- 59	3.442E-2	3.442E-2	3.918E-2	3.918E-2	2.806E-2	2.845E-2	3.960E-2±2.700E-3
27-Co- 60				1.264E-2		1.264E-2	
28-Ni- 56				3.959E-2		3.957E-2	
28-Ni- 57				6.439E-2		6.437E-2	
28-Ni- 58	3.385E-2±3.318E-3	4.001E-2	4.001E-2	4.001E-2	4.001E-2	4.007E-2	3.870E-2±1.500E-3
28-Ni- 59	6.957E-2	6.957E-2	4.502E-2	6.957E-2		9.685E-2	8.700E-2±1.400E-2^T
28-Ni- 60	2.674E-2±1.605E-3	2.824E-2	2.790E-2	2.824E-2	2.824E-2	2.826E-2	2.990E-2±7.000E-4
28-Ni- 61	9.025E-2	7.173E-2	9.619E-2	7.173E-2	7.208E-2	7.173E-2	8.200E-2±8.000E-3
28-Ni- 62	2.381E-2	5.143E-2	1.923E-2	5.143E-2	5.143E-2	1.923E-2	2.230E-2±1.600E-3
28-Ni- 63				2.611E-2		2.610E-2	3.100E-2±6.000E-3^T
28-Ni- 64	2.005E-2	2.199E-2	2.005E-2	2.199E-2	2.199E-2	2.005E-2	8.000E-3±7.000E-4
28-Ni- 66				7.471E-3		1.699E-2	
29-Cu- 0					6.149E-2		
29-Cu- 63	7.145E-2	7.145E-2	7.627E-2	7.145E-2	7.217E-2	7.145E-2	5.560E-2±2.200E-3
29-Cu- 64						2.111E-1	
29-Cu- 65	3.913E-2	3.913E-2	3.717E-2	3.913E-2	3.885E-2	3.913E-2	2.980E-2±1.300E-3
29-Cu- 67				1.854E-1		1.853E-1	
30-Zn- 0		5.469E-2		5.470E-2	4.675E-2		
30-Zn- 62						5.703E-2	
30-Zn- 64	6.098E-2		6.098E-2	6.233E-2		6.233E-2	5.900E-2±5.000E-3
30-Zn- 65	1.677E-1		1.677E-1	1.277E-1		1.277E-1	1.620E-1±2.700E-2^T
30-Zn- 66	3.641E-2		3.641E-2	3.288E-2		3.288E-2	3.500E-2±3.000E-3
30-Zn- 67	1.157E-1		1.157E-1	1.490E-1		1.490E-1	1.530E-1±1.500E-2
30-Zn- 68	2.075E-2		2.075E-2	1.785E-2		1.785E-2	1.920E-2±2.400E-3
30-Zn- 69m						1.109E-1	
30-Zn- 70	1.171E-2		1.171E-2	1.645E-2		1.645E-2	2.150E-2±2.000E-3^T
30-Zn- 72				7.749E-3		1.961E-2	
31-Ga- 0		1.127E-1					
31-Ga- 66						2.846E-2	
31-Ga- 67				2.293E-1		2.292E-1	
31-Ga- 69	1.184E-1		1.194E-1	1.184E-1	1.214E-1	1.440E-1	1.390E-1±6.000E-3
31-Ga- 71	1.223E-1		1.027E-1	1.223E-1	1.262E-1	1.240E-1	1.230E-1±8.000E-3
31-Ga- 72						2.676E-1	
32-Ge- 0					4.395E-2		
32-Ge- 68				4.524E-2		9.140E-2	
32-Ge- 69				1.450E-1		1.449E-1	
32-Ge- 70	8.913E-2	8.485E-2	8.913E-2	8.913E-2	5.341E-2	4.901E-2	8.800E-2±5.000E-3
32-Ge- 71				1.310E-1	3.080E-1	1.310E-1	
32-Ge- 72	5.295E-2	4.804E-2	5.295E-2	5.295E-2	3.772E-2	5.819E-2	7.300E-2±7.000E-3^T
32-Ge- 73	2.096E-1	2.043E-1	2.096E-1	2.240E-1	2.200E-1	2.806E-1	2.430E-1±4.700E-2^T
32-Ge- 74	4.540E-2	1.558E-2	4.540E-2	4.540E-2	1.353E-2	1.413E-2	3.760E-2±3.900E-3
32-Ge- 75					2.031E-1		
32-Ge- 76	1.700E-2	1.011E-2	1.700E-2	1.700E-2	8.808E-3	1.721E-2	2.150E-2±1.800E-3
32-Ge- 77					1.658E-1	1.102E-1	
32-Ge- 78					5.777E-3		
33-As- 71				3.158E-1		3.157E-1	
33-As- 72				5.512E-1		5.510E-1	
33-As- 73				3.139E-1		3.138E-1	
33-As- 74	1.361E+0			4.588E-1		4.586E-1	
33-As- 75	4.500E-1	3.977E-1	4.449E-1	4.489E-1	4.498E-1	4.489E-1	3.620E-1±1.900E-2
33-As- 76				4.697E-1		4.695E-1	
33-As- 77				2.328E-1	3.435E-1	2.327E-1	
33-As- 79					2.413E-1		
34-Se- 72				6.378E-2		6.375E-2	
34-Se- 73						2.912E-1	
34-Se- 74	2.083E-1	1.558E-1	2.785E-1	2.083E-1		2.196E-1	2.710E-1±1.500E-2
34-Se- 75				1.623E-1		1.623E-1	
34-Se- 76	9.573E-2	1.546E-1	1.683E-1	9.573E-2		1.546E-1	1.640E-1±8.000E-3
34-Se- 77	4.447E-1	4.374E-1	5.037E-1	4.447E-1		5.059E-1	4.180E-1±7.100E-2^T
34-Se- 78	9.062E-2	6.718E-2	8.346E-2	9.062E-2		6.717E-2	6.010E-2±9.600E-3
34-Se- 79	4.145E-1	4.145E-1	5.048E-1	4.145E-1		1.050E-1	2.630E-1±4.600E-2^T
34-Se- 80	3.931E-2	6.685E-2	3.810E-2	3.931E-2		4.077E-2	4.200E-2±3.000E-3
34-Se- 82	3.110E-2	1.377E-2	8.397E-3	3.110E-2		1.507E-2	9.000E-3±8.000E-2^T
35-Br- 76						6.496E-1	
35-Br- 77				4.639E-1		4.639E-1	
35-Br- 79	6.863E-1	7.280E-1	7.002E-1	6.863E-1		6.895E-1	6.220E-1±3.400E-2
35-Br- 81	2.286E-1	4.509E-1	2.851E-1	2.286E-1		4.036E-1	2.390E-1±7.000E-3

TABLE XI: Maxwellian-averaged cross sections (continued).

Material	**ENDF/B-VII.1** (barns)	**JEFF-3.1.2** (barns)	**JENDL-4.0** (barns)	**ROSFOND** (barns)	**CENDL-3.1** (barns)	**EAF-2010** (barns)	**KADoNiS** (barns)
35-Br- 82				3.905E-1		3.904E-1	
36-Kr- 76						2.665E-1	
36-Kr- 78	4.704E-1	2.960E-1	4.234E-1	3.800E-1		2.689E-1	3.210E-1±2.600E-2
36-Kr- 79				1.046E+0		3.308E-1	9.590E-1±1.620E-1^T
36-Kr- 80	2.944E-1	2.120E-1	2.823E-1	2.944E-1		1.890E-1	2.670E-1±1.400E-2
36-Kr- 81				5.881E-1		2.214E-1	6.070E-1±1.050E-1^T
36-Kr- 82	1.027E-1	9.484E-2	9.582E-2	9.484E-2		7.860E-2	9.000E-2±6.000E-3
36-Kr- 83	2.668E-1	2.668E-1	2.658E-1	2.663E-1	2.668E-1	2.740E-1	2.430E-1±1.500E-2
36-Kr- 84	2.637E-2	3.483E-2	3.872E-2	2.637E-2	2.517E-2	3.541E-2	3.800E-2±4.000E-3
36-Kr- 85	1.223E-1	4.437E-2	1.975E-1	1.223E-1	6.857E-2	4.437E-2	5.500E-2±4.500E-2^T
36-Kr- 86	5.063E-3	6.139E-3	5.112E-3	5.112E-3	5.112E-3	5.066E-3	3.400E-3±3.000E-4
37-Rb- 82m						1.101E+0	
37-Rb- 83				5.870E-1		5.868E-1	
37-Rb- 84				5.859E-1		5.857E-1	
37-Rb- 85	2.816E-1	2.615E-1	2.904E-1	2.816E-1	2.825E-1	2.615E-1	2.340E-1±7.000E-3
37-Rb- 86	3.164E-1	1.483E-1	3.629E-1	3.164E-1		1.966E-1	2.020E-1±1.630E-1^T
37-Rb- 87	2.325E-2	2.019E-2	2.553E-2	2.325E-2	2.336E-2	2.019E-2	1.570E-2±8.000E-4
38-Sr- 82				1.589E-1		1.588E-1	
38-Sr- 83				3.597E-1		3.596E-1	
38-Sr- 84	3.188E-1	2.336E-1	3.083E-1	4.189E-1		2.336E-1	3.000E-1±1.700E-2
38-Sr- 85				2.558E-1		2.557E-1	
38-Sr- 86	6.145E-2	5.705E-2	6.577E-2	6.830E-2		6.830E-2	6.400E-2±3.000E-3
38-Sr- 87	8.049E-2	1.192E-1	8.481E-2	8.049E-2		9.600E-2	9.200E-2±4.000E-3
38-Sr- 88	5.214E-3	8.542E-4	5.324E-3	5.214E-3	5.214E-3	6.346E-3	6.130E-3±1.100E-4
38-Sr- 89	1.446E-2	2.916E-2	4.063E-2	1.446E-2	1.446E-2	2.916E-2	1.900E-2±1.400E-2^T
38-Sr- 90	1.459E-2	1.961E-2	1.480E-2	1.459E-2	1.450E-2	1.273E-2	
38-Sr- 91						3.922E-2	
39-Y - 86						1.048E+0	
39-Y - 87				4.267E-1		4.266E-1	
39-Y - 87m						6.534E-1	
39-Y - 88				2.715E-1		2.714E-1	
39-Y - 89	2.135E-2±1.843E-3	1.700E-2	2.020E-2	2.062E-2	2.445E-2	2.181E-2	1.900E-2±6.000E-4
39-Y - 90	5.568E-2	1.849E-1	1.389E-1	1.849E-1		1.849E-1	
39-Y - 91	8.776E-2	4.589E-2	1.190E-1	8.776E-2	8.764E-2	4.588E-2	
39-Y - 93						1.276E-1	
40-Zr- 86						4.761E-1	
40-Zr- 88				1.083E-1		1.082E-1	
40-Zr- 89				9.191E-2		9.188E-2	
40-Zr- 90	1.891E-2±2.099E-3	2.081E-2	1.920E-2	2.080E-2	2.077E-2	2.183E-2	1.930E-2±9.000E-4
40-Zr- 91	7.361E-2±1.281E-2	6.668E-2	6.203E-2	1.122E-1	6.682E-2	6.841E-2	6.200E-2±3.400E-3
40-Zr- 92	4.543E-2±4.089E-3	4.568E-2	4.047E-2	4.785E-2	4.557E-2	4.155E-2	3.010E-2±1.700E-3
40-Zr- 93	1.008E-1±2.176E-2	1.009E-1	9.907E-2	1.022E-1	9.935E-2	1.003E-1	9.500E-2±1.000E-2
40-Zr- 94	2.900E-2±2.546E-3	3.000E-2	2.612E-2	2.831E-2	2.978E-2	3.305E-2	2.600E-2±1.000E-3
40-Zr- 95	1.284E-1±2.379E-2*	1.392E-1	1.293E-1	1.407E-1	1.392E-1	5.115E-2	7.900E-2±1.200E-2^T
40-Zr- 96	1.025E-2±2.204E-3	1.218E-2	1.212E-2	1.088E-2	1.220E-2	1.568E-2	1.070E-2±5.000E-4
40-Zr- 97						3.674E-2	
41-Nb- 90						3.353E-1	
41-Nb- 91m				1.300E-1		1.300E-1	
41-Nb- 91				1.300E-1		1.300E-1	
41-Nb- 92m				2.547E-1		2.546E-1	
41-Nb- 92				2.547E-1		2.546E-1	
41-Nb- 93m				2.661E-1		2.661E-1	
41-Nb- 93	2.661E-1	2.661E-1	2.651E-1	2.633E-1	2.645E-1	2.662E-1	2.660E-1±5.000E-3
41-Nb- 94	3.172E-1	3.172E-1	4.206E-1	3.172E-1		3.017E-1	4.820E-1±9.200E-2^T
41-Nb- 95m				3.706E-1		3.705E-1	
41-Nb- 95	4.027E-1±9.785E-2	4.027E-1	5.607E-1	4.027E-1	3.913E-1	3.763E-1	3.100E-1±6.500E-2^T
41-Nb- 96				3.730E-1		3.729E-1	
42-Mo- 92	6.914E-2±7.122E-3	6.652E-2	6.697E-2	6.599E-2	6.655E-2	6.658E-2	7.000E-2±1.000E-2
42-Mo- 93				9.090E-2		9.087E-2	
42-Mo- 93m						1.682E+0	
42-Mo- 94	1.097E-1±1.481E-2	1.145E-1	1.006E-1	1.089E-1	1.098E-1	9.852E-2	1.020E-1±2.000E-2
42-Mo- 95	3.756E-1±3.869E-2	3.746E-1	3.858E-1	3.746E-1	3.866E-1	3.651E-1	2.920E-1±1.200E-2
42-Mo- 96	1.035E-1±1.346E-2	1.035E-1	1.051E-1	1.035E-1	1.038E-1	1.046E-1	1.120E-1±8.000E-3
42-Mo- 97	3.886E-1±5.868E-2	3.886E-1	3.878E-1	3.852E-1	3.886E-1	3.593E-1	3.390E-1±1.400E-2
42-Mo- 98	9.502E-2±4.751E-3	9.502E-2	8.499E-2	9.500E-2	9.446E-2	9.916E-2	9.900E-2±7.000E-3
42-Mo- 99	4.795E-1	4.795E-1	3.537E-1	4.795E-1		2.801E-1	2.400E-1±4.000E-2^T
42-Mo-100	8.617E-2±4.920E-3	8.700E-2	8.576E-2	8.767E-2	8.641E-2	7.915E-2	1.080E-1±1.400E-2
43-Tc- 95						3.112E-1	
43-Tc- 95m				3.113E-1		3.112E-1	
43-Tc- 96				5.463E-1		5.461E-1	
43-Tc- 97m				4.274E-1		4.272E-1	
43-Tc- 97				4.274E-1		4.272E-1	
43-Tc- 98				6.664E-1		6.662E-1	
43-Tc- 99	1.069E+0±9.197E-2	8.894E-1	7.928E-1	8.894E-1	7.788E-1	7.787E-1	9.330E-1±4.700E-2
43-Tc- 99m						1.246E+0	
44-Ru- 96	2.653E-1	4.294E-1	2.654E-1	2.653E-1		2.575E-1	2.070E-1±8.000E-3
44-Ru- 97				2.060E-1		2.060E-1	
44-Ru- 98	2.367E-1	1.250E-1	2.369E-1	2.367E-1		1.245E-1	1.730E-1±3.600E-2^T

TABLE XI: Maxwellian-averaged cross sections (continued).

Material	**ENDF/B-VII.1** (barns)	**JEFF-3.1.2** (barns)	**JENDL-4.0** (barns)	**ROSFOND** (barns)	**CENDL-3.1** (barns)	**EAF-2010** (barns)	**KADoNiS** (barns)
44-Ru- 99	7.118E-1	6.538E-1	7.127E-1	7.117E-1	7.582E-1	6.537E-1	6.310E-1±9.900E-2^{T}
44-Ru-100	2.035E-1	2.035E-1	2.065E-1	2.062E-1	2.050E-1	2.047E-1	2.060E-1±1.300E-2
44-Ru-101	9.716E-1±8.744E-2	9.085E-1	9.118E-1	9.107E-1	9.461E-1	9.087E-1	9.960E-1±4.000E-2
44-Ru-102	1.903E-1±2.649E-2	1.903E-1	1.896E-1	1.899E-1	1.903E-1	1.915E-1	1.510E-1±7.000E-3
44-Ru-103	5.781E-1±1.509E-1	5.781E-1	5.762E-1	5.781E-1	5.781E-1	4.609E-1	3.430E-1±5.200E-2^{T}
44-Ru-104	1.656E-1±1.270E-2	1.656E-1	1.656E-1	1.656E-1	1.656E-1	1.666E-1	1.540E-1±6.000E-3
44-Ru-105	4.122E-1	4.122E-1	4.875E-1		4.122E-1	5.972E-1	
44-Ru-106	1.002E-1±2.277E-2	8.575E-2	1.005E-1	1.002E-1		8.575E-2	
45-Rh- 99				6.766E-1		6.764E-1	
45-Rh- 99m						6.764E-1	
45-Rh-100						9.563E-1	
45-Rh-101				7.425E-1		7.422E-1	
45-Rh-101m				7.425E-1		7.422E-1	
45-Rh-102				1.331E+0		1.330E+0	
45-Rh-102m				1.331E+0		1.330E+0	
45-Rh-103	8.005E-1±6.828E-2	8.629E-1	8.739E-1	8.026E-1	8.766E-1	8.717E-1	8.110E-1±1.400E-2
45-Rh-105	8.276E-1	8.276E-1	8.202E-1	8.215E-1	8.276E-1	1.055E+0	
46-Pd-100				1.629E-1		2.579E-1	
46-Pd-101						3.762E-1	
46-Pd-102	4.591E-1	1.973E-1	2.887E-1	4.591E-1		1.687E-1	3.690E-1±1.700E-2
46-Pd-103				4.852E-1		4.851E-1	
46-Pd-104	2.809E-1	2.809E-1	2.700E-1	2.809E-1		2.811E-1	2.890E-1±2.900E-2
46-Pd-105	1.185E+0±1.502E-1	1.185E+0	1.228E+0	1.185E+0	1.198E+0	1.201E+0	1.200E+0±6.000E-2
46-Pd-106	2.369E-1±4.999E-2	2.369E-1	2.535E-1	2.178E-1		2.169E-1	2.520E-1±2.500E-2
46-Pd-107	1.296E+0±1.835E-1	1.296E+0	1.306E+0	1.296E+0		1.362E+0	1.340E+0±6.000E-2
46-Pd-108	2.090E-1±4.619E-2	2.090E-1	2.275E-1	1.903E-1	1.970E-1	2.239E-1	2.030E-1±2.000E-2
46-Pd-109						2.363E-1	
46-Pd-110	1.567E-1	1.113E-1	1.593E-1	1.132E-1		1.113E-1	1.460E-1±2.000E-2
46-Pd-112						8.180E-2	
47-Ag- 0					8.400E-1		
47-Ag-105				1.233E+0		1.232E+0	
47-Ag-106m				1.623E+0		1.622E+0	
47-Ag-107	8.292E-1	9.071E-1	8.361E-1	8.292E-1	8.329E-1	9.070E-1	7.920E-1±3.000E-2
47-Ag-108m				1.383E+0		1.383E+0	
47-Ag-109	9.100E-1±1.432E-1	9.442E-1	7.983E-1	7.786E-1	8.478E-1	8.502E-1	7.880E-1±3.000E-2
47-Ag-110m	2.709E+0	2.709E+0	1.912E+0	2.709E+0		7.551E-1	1.172E+0±1.880E-1^{G}
47-Ag-111	5.896E-1	5.892E-1	6.557E-1	3.803E-1		7.395E-1	
48-Cd- 0					3.221E-1		
48-Cd-106	4.964E-1	5.532E-1	4.940E-1	4.945E-1		4.977E-1	3.020E-1±2.400E-2
48-Cd-107						9.841E-1	
48-Cd-108	3.998E-1	4.048E-1	3.520E-1	3.984E-1		2.246E-1	2.020E-1±9.000E-3
48-Cd-109				5.020E-1		5.018E-1	
48-Cd-110	2.349E-1	2.349E-1	2.260E-1	2.346E-1		2.167E-1	2.370E-1±2.000E-3
48-Cd-111	9.238E-1	1.015E+0	7.236E-1	9.224E-1		6.205E-1	7.540E-1±1.200E-2
48-Cd-112	2.179E-1	2.263E-1	1.813E-1	2.195E-1		1.518E-1	1.879E-1±1.700E-3
48-Cd-113	6.822E-1	6.024E-1	5.950E-1	6.265E-1	6.265E-1	7.297E-1	6.670E-1±1.100E-2
48-Cd-113m				4.189E-1		4.188E-1	
48-Cd-114	1.497E-1	1.493E-1	1.354E-1	1.493E-1		1.612E-1	1.292E-1±1.300E-3
48-Cd-115				4.140E-1		5.701E-1	2.900E-1±6.200E-2^{T}
48-Cd-115m	2.249E-1	4.139E-1		2.249E-1		5.021E-1	6.010E-1±2.000E-1^{T}
48-Cd-116	9.078E-2	9.129E-2	7.615E-2	9.022E-2		7.710E-2	7.480E-2±9.000E-4
49-In-111				1.169E+0		1.168E+0	
49-In-113	9.221E-1	9.211E-1	6.964E-1	9.211E-1	9.207E-1	7.992E-1	7.870E-1±7.000E-2
49-In-114m				2.646E+0		2.645E+0	2.595E+0±1.300E+0^{T}
49-In-115	7.715E-1	7.707E-1	7.810E-1	7.714E-1	7.723E-1	7.495E-1	7.060E-1±7.000E-2
50-Sn- 0					9.387E-2		
50-Sn-112	1.956E-1	1.956E-1	2.007E-1	1.956E-1	1.959E-1	2.040E-1	2.100E-1±1.200E-2
50-Sn-113	6.708E-1			8.596E-1		6.737E-1	
50-Sn-114	1.532E-1	1.525E-1	1.228E-1	1.532E-1	1.513E-1	1.415E-1	1.344E-1±1.800E-3
50-Sn-115	3.912E-1	3.909E-1	3.711E-1	3.912E-1	3.900E-1	3.927E-1	3.424E-1±8.700E-3
50-Sn-116	1.003E-1	1.056E-1	9.116E-2	1.003E-1	1.047E-1	9.410E-2	9.160E-2±6.000E-4
50-Sn-117	3.091E-1	3.098E-1	3.451E-1	3.091E-1	3.090E-1	3.510E-1	3.188E-1±4.800E-3
50-Sn-117m				2.612E-1		2.611E-1	
50-Sn-118	6.530E-2	6.671E-2	7.123E-2	6.530E-2	6.652E-2	6.671E-2	6.210E-2±6.000E-4
50-Sn-119	2.247E-1	2.243E-1	2.248E-1	2.247E-1	2.232E-1	2.276E-1	1.800E-1±1.000E-2
50-Sn-119m				5.815E-2		3.474E-1	
50-Sn-120	3.798E-2	4.135E-2	3.779E-2	3.798E-2	4.132E-2	3.639E-2	3.620E-2±3.000E-4
50-Sn-121				1.754E-1		1.753E-1	1.670E-1±3.000E-2^{T}
50-Sn-121m				1.754E-1		1.753E-1	
50-Sn-122	1.486E-2	2.387E-2	3.041E-2	1.486E-2	2.390E-2	1.322E-2	2.190E-2±1.500E-3
50-Sn-123	3.602E-1	1.280E-1	1.119E-1	3.602E-1		2.321E-1	
50-Sn-124	1.182E-2	1.498E-2	1.956E-2	1.182E-2	1.503E-2	1.873E-2	1.200E-2±1.800E-3
50-Sn-125	9.814E-2	9.959E-2		1.446E-1		8.931E-2	5.900E-2±9.000E-3^{T}
50-Sn-126	1.081E-2	1.046E-2	1.067E-2	1.081E-2		8.659E-3	1.000E-2±4.000E-3^{T}
51-Sb-119				6.553E-1		6.551E-1	
51-Sb-120m				1.011E+0		1.011E+0	
51-Sb-121	5.109E-1	5.212E-1	5.212E-1	5.109E-1	5.268E-1	5.662E-1	5.320E-1±1.600E-2

TABLE XI: Maxwellian-averaged cross sections (continued).

Material	**ENDF/B-VII.1** (barns)	**JEFF-3.1.2** (barns)	**JENDL-4.0** (barns)	**ROSFOND** (barns)	**CENDL-3.1** (barns)	**EAF-2010** (barns)	**KADoNiS** (barns)
51-Sb-122				7.927E-1		7.924E-1	8.940E-1±1.620E-1^T
51-Sb-123	3.210E-1	3.174E-1	3.174E-1	3.210E-1	3.265E-1	3.939E-1	3.030E-1±9.000E-3
51-Sb-124	9.688E-1	1.105E+0	9.688E-1	9.688E-1		6.084E-1	
51-Sb-125	5.257E-1	3.205E-1	5.257E-1	5.257E-1	4.581E-1	2.466E-1	2.600E-1±7.000E-2^T
51-Sb-126	7.352E-1	5.191E-1	3.763E-1	7.352E-1		3.897E-1	
51-Sb-127				3.421E-1		3.419E-1	
51-Sb-128						1.188E-1	
52-Te-118				2.386E-1		2.385E-1	
52-Te-119						5.922E-1	
52-Te-119m				5.924E-1		5.922E-1	
52-Te-120	2.912E-1	4.278E-1	2.916E-1	2.912E-1		4.095E-1	5.380E-1±2.600E-2
52-Te-121m				4.375E-1		4.373E-1	
52-Te-121				4.375E-1		4.373E-1	
52-Te-122	2.349E-1	3.559E-1	2.643E-1	2.639E-1		3.177E-1	2.950E-1±3.000E-3
52-Te-123m				5.907E-1		7.870E-1	
52-Te-123	8.063E-1	5.905E-1	8.138E-1	8.128E-1		7.071E-1	8.320E-1±8.000E-3
52-Te-124	1.351E-1	2.666E-1	1.474E-1	1.472E-1		1.542E-1	1.550E-1±2.000E-3
52-Te-125m				4.168E-1		5.065E-1	
52-Te-125	4.172E-1	4.167E-1	4.192E-1	4.172E-1		4.167E-1	4.310E-1±4.000E-3
52-Te-126	7.961E-2	1.160E-1	9.034E-2	9.026E-2		9.285E-2	8.130E-2±1.400E-3
52-Te-127						2.568E-1	
52-Te-127m	8.866E-1	4.241E-1	8.866E-1	8.866E-1		2.592E-1	
52-Te-128	3.697E-2	3.271E-2	3.991E-2	3.697E-2		3.271E-2	4.440E-2±1.300E-3
52-Te-129						9.497E-2	
52-Te-129m	7.481E-1	1.325E-1	7.481E-1	7.481E-1		9.112E-2	
52-Te-130	1.429E-2	1.572E-2	1.427E-2	1.429E-2	1.429E-2	1.572E-2	1.470E-2±2.800E-3
52-Te-131m				1.310E-1		1.309E-1	
52-Te-132	1.485E-2	7.239E-5	8.037E-3	1.485E-2		3.451E-3	
53-I -123						8.028E-1	
53-I -124				1.140E+0		1.140E+0	
53-I -125				9.001E-1		9.427E-1	
53-I -126				1.098E+0		1.098E+0	
53-I -127	7.229E-1±9.694E-2	7.060E-1	6.625E-1	7.228E-1	6.689E-1	6.886E-1	6.350E-1±3.000E-2
53-I-128						6.795E-1	
53-I -129	4.381E-1±8.500E-2	3.793E-1	4.389E-1	4.381E-1	4.386E-1	4.074E-1	4.410E-1±2.200E-2
53-I -130	6.874E-1	4.716E-1	4.919E-1			5.011E-1	
53-I -131	2.629E-1	2.629E-1	2.629E-1	2.629E-1		1.361E-1	
53-I -133						2.084E-1	
53-I -135	7.020E-3	7.020E-3	1.524E-2	7.019E-3	7.020E-3	2.102E-3	
54-Xe-122						4.781E-1	
54-Xe-123	1.796E+0				1.802E+0		
54-Xe-124	1.252E+0	4.392E-1	9.233E-1	1.150E+0	1.150E+0	4.392E-1	6.440E-1±8.300E-2
54-Xe-125						4.309E-1	
54-Xe-126	6.716E-1	2.714E-1	5.486E-1	6.716E-1		3.067E-1	3.590E-1±5.100E-2
54-Xe-127				3.907E-1		3.906E-1	
54-Xe-128	2.826E-1	2.826E-1	2.582E-1	2.826E-1		1.922E-1	2.625E-1±3.700E-3
54-Xe-129m				4.756E-1		4.755E-1	
54-Xe-129	4.198E-1	4.198E-1	5.986E-1	4.198E-1	4.324E-1	5.018E-1	6.170E-1±1.200E-2
54-Xe-130	1.518E-1	1.518E-1	1.333E-1	1.518E-1		1.515E-1	1.320E-1±2.100E-3
54-Xe-131m				2.954E-1		2.953E-1	
54-Xe-131	3.060E-1±4.161E-2	2.954E-1	4.060E-1	3.638E-1	3.632E-1	2.953E-1	3.400E-1±6.500E-2^T
54-Xe-132	4.727E-2±1.117E-2	4.727E-2	6.162E-2	5.208E-2	4.727E-2	4.759E-2	6.460E-2±5.300E-3
54-Xe-133m				8.524E-2		1.135E-1	
54-Xe-133	1.273E-1	1.273E-1	1.261E-1	1.273E-1		1.026E-1	1.270E-1±3.400E-2^T
54-Xe-134	2.256E-2±4.969E-3	2.256E-2	2.543E-2	2.241E-2	2.256E-2	2.272E-2	2.020E-2±1.700E-3
54-Xe-135	6.543E-2	5.149E-3	3.260E-2	5.148E-3	6.546E-2	6.543E-2	
54-Xe-136	1.185E-3	1.185E-3	8.751E-4	4.403E-4	1.185E-3	8.757E-4	9.100E-4±8.000E-5
55-Cs-127						1.290E+0	
55-Cs-129				7.408E-1		7.406E-1	
55-Cs-131				6.376E-1		6.374E-1	
55-Cs-132				9.446E-1		9.443E-1	
55-Cs-133	4.646E-1±5.528E-2	5.113E-1	5.407E-1	5.114E-1	5.131E-1	5.233E-1	5.090E-1±2.100E-2
55-Cs-134	1.156E+0	5.853E-1	5.427E-1	1.156E+0	1.157E+0	6.208E-1	7.240E-1±6.500E-2^T
55-Cs-135	2.009E-1±3.981E-2	2.009E-1	1.629E-1	2.009E-1	2.024E-1	2.024E-1	1.600E-1±1.000E-2
55-Cs-136	1.820E-1	2.703E-1	1.932E-1	1.820E-1		1.838E-1	
55-Cs-137	2.162E-2	2.162E-2	1.016E-2	2.162E-2	3.016E-2	5.418E-3	
56-Ba-128				1.747E-1		1.746E-1	
56-Ba-129						4.346E-1	
56-Ba-130	7.360E-1	7.377E-1	7.372E-1	7.360E-1	7.371E-1	7.359E-1	7.460E-1±3.400E-2
56-Ba-131				3.065E-1		3.064E-1	
56-Ba-132	4.559E-1	4.556E-1	4.551E-1	4.559E-1	4.826E-1	2.638E-1	3.970E-1±1.600E-2
56-Ba-133m				2.584E-1		2.583E-1	
56-Ba-133	5.688E-1			5.688E-1		2.575E-1	
56-Ba-134	2.270E-1	2.270E-1	2.301E-1	2.270E-1	2.368E-1	2.256E-1	1.760E-1±5.600E-3
56-Ba-135	4.839E-1	4.996E-1	4.991E-1	3.456E-1	4.991E-1	3.736E-1	4.550E-1±1.500E-2
56-Ba-135m				4.839E-1		3.455E-1	
56-Ba-136	7.001E-2	6.664E-2	7.071E-2	7.001E-2	6.756E-2	5.596E-2	6.120E-2±2.000E-3
56-Ba-137	5.869E-2	6.380E-2	6.371E-2	5.869E-2	6.397E-2	7.255E-2	7.630E-2±2.400E-3
56-Ba-138	3.739E-3	4.298E-3	4.300E-3	3.739E-3	7.044E-3	4.300E-3	4.000E-3±2.000E-4

TABLE XI: Maxwellian-averaged cross sections (continued).

Material	**ENDF/B-VII.1** (barns)	**JEFF-3.1.2** (barns)	**JENDL-4.0** (barns)	**ROSFOND** (barns)	**CENDL-3.1** (barns)	**EAF-2010** (barns)	**KADoNiS** (barns)
56-Ba-139						3.965E-2	
56-Ba-140	1.030E-2	1.030E-2	3.245E-3	1.030E-2		8.564E-3	
57-La-135						6.526E-1	
57-La-137				4.519E-1		4.518E-1	
57-La-138	3.132E-1	3.132E-1	3.127E-1	3.132E-1		3.149E-1	4.190E-1±5.900E-2^T
57-La-139	3.625E-2±5.677E-3	3.625E-2	3.773E-2	3.625E-2	3.625E-2	3.947E-2	3.240E-2±3.100E-3
57-La-140	1.175E-1	2.108E-1	9.862E-2	1.176E-1		1.440E-1	
57-La-141						3.181E-1	
58-Ce-134				1.012E+0		2.396E-1	9.670E-1±3.510E-1^T
58-Ce-135						1.051E+0	1.320E+0±2.600E-1^T
58-Ce-136	3.380E-1			3.380E-1	3.380E-1	5.279E-1	3.280E-1±2.100E-2
58-Ce-137						8.698E-1	9.730E-1±2.560E-1^T
58-Ce-137m				3.523E-1		3.522E-1	
58-Ce-138	2.080E-1			2.080E-1	4.706E-2	1.065E-1	1.790E-1±5.000E-3
58-Ce-139	4.074E-1			4.074E-1		1.261E-1	2.140E-1±1.200E-1^T
58-Ce-140	7.739E-3	1.848E-2	9.980E-3	7.739E-3	7.461E-3	1.005E-2	1.100E-2±4.000E-4
58-Ce-141	2.754E-1±5.527E-2	2.754E-1	1.009E-1	2.754E-1	2.722E-1	9.003E-2	7.600E-2±3.300E-2^T
58-Ce-142	1.989E-2	1.989E-2	1.982E-2	1.989E-2	2.017E-2	1.957E-2	2.800E-2±1.000E-3
58-Ce-143	1.142E-1	1.328E-1	6.915E-2	1.142E-1		7.366E-2	
58-Ce-144	2.423E-2	2.423E-2	3.639E-2	2.423E-2	2.424E-2	4.865E-2	
59-Pr-141	1.090E-1±1.096E-2	1.090E-1	1.181E-1	1.090E-1	1.129E-1	1.183E-1	1.114E-1±1.400E-3
59-Pr-142	3.612E-1	4.312E-1				3.068E-1	4.150E-1±1.780E-1^T
59-Pr-143	1.076E-1	1.076E-1	1.077E-1	1.076E-1		3.684E-1	3.500E-1±8.600E-2^T
60-Nd-140				1.532E-1		1.532E-1	
60-Nd-141						1.794E-1	
60-Nd-142	3.343E-2	4.092E-2	3.556E-2	3.697E-2	5.488E-2	5.019E-2	3.500E-2±7.000E-4
60-Nd-143	2.383E-1±3.015E-2	2.745E-1	2.316E-1	2.383E-1	2.773E-1	2.739E-1	2.450E-1±3.000E-3
60-Nd-144	7.485E-2	7.485E-2	7.432E-2	7.300E-2	7.329E-2	6.320E-2	8.130E-2±1.500E-3
60-Nd-145	4.200E-1±4.633E-2	4.879E-1	4.079E-1	4.112E-1	5.045E-1	4.346E-1	4.250E-1±5.000E-3
60-Nd-146	9.852E-2±1.133E-2	9.852E-2	9.138E-2	9.302E-2	1.287E-1	1.044E-1	9.120E-2±1.000E-3
60-Nd-147	8.336E-1	8.336E-1	9.974E-1	6.091E-1	6.091E-1	5.058E-1	5.440E-1±9.000E-2^T
60-Nd-148	1.401E-1±1.503E-2	1.346E-1	1.360E-1	1.368E-1	1.681E-1	1.346E-1	1.470E-1±2.000E-3
60-Nd-149						5.132E-1	
60-Nd-150	1.565E-1	1.699E-1	1.562E-1	1.842E-1	1.759E-1	1.562E-1	1.590E-1±1.000E-2
61-Pm-143				3.412E-1		3.411E-1	
61-Pm-144				8.761E-1		8.758E-1	
61-Pm-145				6.856E-1		6.854E-1	
61-Pm-146				1.411E+0		1.411E+0	
61-Pm-147	1.047E+0±1.980E-1	1.047E+0	7.054E-1	1.047E+0	1.045E+0	1.079E+0	7.090E-1±1.000E-1
61-Pm-148m	7.210E+0	7.210E+0	1.828E+0	7.210E+0	7.210E+0	3.898E+0	2.453E+0±1.200E+0^T
61-Pm-148	1.701E+0	1.701E+0	9.316E-1	1.701E+0	1.703E+0	1.376E+0	2.970E+0±5.000E-1^T
61-Pm-149	1.021E+0	1.021E+0	5.754E-1	1.021E+0	1.019E+0	1.014E+0	2.510E+0±7.500E-1^T
61-Pm-150						3.321E+0	
61-Pm-151	1.024E+0	1.024E+0	8.714E-1	3.671E-2		1.593E+0	
62-Sm-144	8.767E-2	8.767E-2	8.827E-2	8.806E-2	8.809E-2	9.845E-2	9.200E-2±6.000E-3
62-Sm-145				2.816E-1		2.815E-1	
62-Sm-146				1.581E-1		1.581E-1	
62-Sm-147	9.667E-1	1.161E+0	9.658E-1	9.243E-1	1.024E+0	1.161E+0	9.730E-1±1.000E-2
62-Sm-148	2.449E-1	2.449E-1	2.361E-1	2.445E-1	2.503E-1	2.444E-1	2.410E-1±2.000E-3
62-Sm-149	1.780E+0±3.937E-1	1.859E+0	1.817E+0	1.780E+0	1.823E+0	2.114E+0	1.820E+0±1.700E-2
62-Sm-150	4.227E-1	3.825E-1	4.217E-1	4.079E-1	4.165E-1	4.696E-1	4.220E-1±4.000E-3
62-Sm-151	2.874E+0±8.487E-1	3.142E+0	2.878E+0	2.874E+0	1.998E+0	2.457E+0	3.031E+0±6.800E-2
62-Sm-152	4.583E-1±5.651E-2	4.945E-1	4.672E-1	4.552E-1	4.710E-1	4.946E-1	4.730E-1±4.000E-3
62-Sm-153	9.110E-1	9.110E-1	1.049E+0	6.576E-1		1.198E+0	1.095E+0±1.750E-1^T
62-Sm-154	2.794E-1	2.794E-1	2.833E-1	2.536E-1	2.536E-1	2.551E-1	2.060E-1±9.000E-3
62-Sm-156						1.678E-1	
63-Eu-145				5.109E-1		5.107E-1	
63-Eu-146				1.242E+0		1.242E+0	
63-Eu-147				1.003E+0		1.003E+0	
63-Eu-148				2.041E+0		2.041E+0	
63-Eu-149				1.459E+0		1.458E+0	
63-Eu-150				2.554E+0		2.554E+0	
63-Eu-150m						2.554E+0	
63-Eu-151	3.568E+0	4.334E+0	3.552E+0	3.568E+0	3.568E+0	4.334E+0	3.478E+0±7.700E-2
63-Eu-152	4.560E+0	4.559E+0	4.883E+0	4.560E+0		5.315E+0	7.600E+0±1.200E+0^T
63-Eu-152m						5.357E+0	
63-Eu-153	2.663E+0±6.139E-1	2.527E+0	2.465E+0	2.464E+0	2.548E+0	2.936E+0	2.556E+0±4.600E-2
63-Eu-154	3.470E+0	3.068E+0	3.475E+0	3.470E+0	3.470E+0	3.069E+0	4.420E+0±6.700E-1
63-Eu-155	1.134E+0±2.165E-1	1.332E+0	1.264E+0	1.134E+0	1.134E+0	1.138E+0	1.320E+0±8.400E-2
63-Eu-156	5.410E-1	5.410E-1	9.631E-1	5.410E-1		1.415E+0	
63-Eu-157	1.141E+0	1.141E+0	7.145E-1			1.500E+0	
64-Gd-146				1.498E-1		1.497E-1	
64-Gd-147				5.362E-1		5.360E-1	
64-Gd-148				2.970E-1		2.970E-1	
64-Gd-149				7.957E-1		7.954E-1	
64-Gd-150				3.980E-1		3.978E-1	
64-Gd-151				1.269E+0		1.268E+0	

TABLE XI: Maxwellian-averaged cross sections (continued).

Material	**ENDF/B-VII.1** (barns)	**JEFF-3.1.2** (barns)	**JENDL-4.0** (barns)	**ROSFOND** (barns)	**CENDL-3.1** (barns)	**EAF-2010** (barns)	**KADoNiS** (barns)
64-Gd-152	9.844E-1±3.445E-2	9.970E-1	1.019E+0	1.016E+0	1.006E+0	9.970E-1	1.049E+0±1.700E-2
64-Gd-153	2.622E+0±8.573E-1		3.266E+0	8.436E-1		2.845E+0	4.550E+0±7.000E-1^T
64-Gd-154	9.511E-1±3.805E-2	8.582E-1	9.926E-1	1.010E+0	8.616E-1	7.831E-1	1.028E+0±1.200E-2
64-Gd-155	2.613E+0±1.280E-1	3.036E+0	2.732E+0	2.613E+0	2.836E+0	3.036E+0	2.648E+0±3.000E-2
64-Gd-156	5.984E-1±2.573E-2	6.023E-1	5.949E-1	6.106E-1	6.040E-1	5.769E-1	6.150E-1±5.000E-3
64-Gd-157	1.396E+0±4.941E-2	1.636E+0	1.375E+0	1.393E+0	1.271E+0	1.571E+0	1.369E+0±1.500E-2
64-Gd-158	3.069E-1±1.298E-2	2.945E-1	3.198E-1	3.087E-1	3.071E-1	2.944E-1	3.240E-1±3.000E-3
64-Gd-159						4.552E-1	
64-Gd-160	1.712E-1±1.649E-2	2.293E-1	1.865E-1	1.855E-1	1.649E-1	2.297E-1	1.540E-1±2.000E-2
65-Tb-151						2.572E+0	
65-Tb-152						3.860E+0	
65-Tb-153				3.557E+0		3.556E+0	
65-Tb-154						6.334E+0	
65-Tb-154m						1.301E+1	
65-Tb-154n						1.351E+1	
65-Tb-155				3.396E+0		3.395E+0	
65-Tb-156m				4.810E+0		6.873E+0	
65-Tb-156				5.107E+0		5.105E+0	
65-Tb-156n						5.105E+0	
65-Tb-157				2.500E+0		2.499E+0	
65-Tb-158				3.298E+0		3.297E+0	
65-Tb-159	2.075E+0	2.075E+0	1.558E+0	2.076E+0		1.795E+0	1.580E+0±1.500E-1
65-Tb-160	2.389E+0	1.291E-1	2.601E+0	2.228E+0		2.135E+0	3.240E+0±5.100E-1^T
65-Tb-161				1.243E+0		1.243E+0	
66-Dy-153						7.267E+0	
66-Dy-154			1.536E+0	1.008E+0		1.008E+0	
66-Dy-155						2.818E+0	
66-Dy-156	1.532E+0		1.481E+0	1.091E+0		1.544E+0	1.607E+0±9.200E-2
66-Dy-157						2.159E+0	
66-Dy-158	1.115E+0		9.020E-1	7.722E-1		9.123E-1	1.060E+0±4.000E-1^T
66-Dy-159			3.688E+0	1.395E+0		1.394E+0	
66-Dy-160	8.328E-1	1.565E+0	8.702E-1	8.293E-1		9.192E-1	8.900E-1±1.200E-2
66-Dy-161	1.951E+0	1.951E+0	1.981E+0	1.934E+0		1.976E+0	1.964E+0±1.900E-2
66-Dy-162	4.544E-1	4.544E-1	4.620E-1	4.538E-1		4.150E-1	4.460E-1±4.000E-3
66-Dy-163	1.085E+0	1.085E+0	1.115E+0	1.079E+0		8.238E-1	1.112E+0±1.100E-2
66-Dy-164	2.168E-1	2.028E-1	2.102E-1	2.156E-1	2.037E-1	2.031E-1	2.120E-1±3.000E-3
66-Dy-165				2.845E-1		2.844E-1	
66-Dy-166				1.171E-1		2.072E-1	
67-Ho-163				1.538E+0		1.537E+0	2.125E+0±9.500E-2
67-Ho-164						4.064E+0	
67-Ho-164m						4.717E+0	
67-Ho-165	1.329E+0	1.329E+0		1.328E+0		1.894E+0	1.280E+0±1.000E-1
67-Ho-166m	1.182E+0			1.262E+0		1.262E+0	
67-Ho-166				1.262E+0		1.262E+0	
68-Er-160				1.668E+0		2.200E+0	
68-Er-161						2.468E+0	
68-Er-162	8.679E-1	8.679E-1	8.679E-1	8.679E-1		1.435E+0	1.624E+0±1.240E-1
68-Er-164	1.924E+0	1.924E+0	1.924E+0	1.924E+0		7.193E-1	1.084E+0±5.100E-2
68-Er-165						9.513E-1	
68-Er-166	6.977E-1±7.214E-2	7.026E-1	7.023E-1	6.976E-1		7.023E-1	5.630E-1±5.600E-2
68-Er-167	1.554E+0±2.464E-1	1.560E+0	1.559E+0	1.554E+0		1.509E+0	1.425E+0±1.430E-1
68-Er-168	3.022E-1±3.430E-2	3.370E-1	3.369E-1	3.022E-1		3.523E-1	3.380E-1±4.400E-2
68-Er-169				3.621E-1		3.620E-1	6.530E-1±1.140E-1^T
68-Er-170	2.156E-1±4.279E-2	2.066E-1	2.066E-1	2.156E-1		2.167E-1	1.700E-1±7.000E-3
68-Er-171						2.978E-1	
68-Er-172				1.444E-1		1.443E-1	
69-Tm-165				1.950E+0		1.949E+0	
69-Tm-166						3.000E+0	
69-Tm-167				1.496E+0		1.495E+0	
69-Tm-168	2.060E+0			2.041E+0		2.041E+0	
69-Tm-169	1.081E+0*		1.052E+0	1.140E+0		1.140E+0	1.129E+0±5.600E-2
69-Tm-170	1.817E+0*			2.155E+0		2.154E+0	1.870E+0±3.300E-1^T
69-Tm-171				9.891E-1		8.094E-1	4.860E-1±1.440E-1^T
69-Tm-172				9.519E-1		9.516E-1	
69-Tm-173						4.844E-1	
70-Yb-166				7.007E-1		7.005E-1	
70-Yb-168			1.215E+0	9.416E-1		9.413E-1	1.214E+0±4.900E-2
70-Yb-169				7.077E-1		7.074E-1	
70-Yb-170			7.762E-1	7.414E-1		7.412E-1	7.680E-1±7.000E-3
70-Yb-171			1.255E+0	1.368E+0		1.367E+0	1.210E+0±1.200E-2
70-Yb-172			3.543E-1	3.964E-1		3.963E-1	3.410E-1±3.000E-3
70-Yb-173			7.732E-1	8.578E-1		8.576E-1	7.540E-1±7.000E-3
70-Yb-174			1.585E-1	1.703E-1		1.703E-1	1.510E-1±1.700E-3
70-Yb-175				3.451E-1		7.221E-1	5.580E-1±8.300E-2^T
70-Yb-176			1.210E-1	1.092E-1		1.091E-1	1.158E-1±2.000E-3
71-Lu-169				2.169E+0		2.168E+0	
71-Lu-170				2.712E+0		2.711E+0	
71-Lu-171				1.519E+0		1.518E+0	

TABLE XI: Maxwellian-averaged cross sections (continued).

Material	**ENDF/B-VII.1** (barns)	**JEFF-3.1.2** (barns)	**JENDL-4.0** (barns)	**ROSFOND** (barns)	**CENDL-3.1** (barns)	**EAF-2010** (barns)	**KADoNiS** (barns)
71-Lu-172				2.108E+0		2.107E+0	
71-Lu-173				1.273E+0		1.273E+0	
71-Lu-174m				1.483E+0		1.482E+0	
71-Lu-174				1.483E+0		1.482E+0	
71-Lu-175	1.315E+0	1.315E+0		1.315E+0		1.318E+0	1.219E+0±1.000E-2
71-Lu-176	1.540E+0	1.540E+0		1.540E+0		1.543E+0	1.639E+0±1.400E-2
71-Lu-177m				1.384E-3		6.953E-1	
71-Lu-177				7.950E-1		7.947E-1	
72-Hf-170						6.938E-1	
72-Hf-171						1.404E+0	
72-Hf-172				5.303E-1		5.302E-1	
72-Hf-173						9.742E-1	
72-Hf-174	9.496E-1	9.499E-1	9.800E-1	9.495E-1	6.770E-1	8.941E-1	9.830E-1±4.600E-2
72-Hf-175				7.305E-1		7.302E-1	
72-Hf-176	4.531E-1	4.548E-1	5.930E-1	4.529E-1	4.579E-1	5.014E-1	6.260E-1±1.100E-2
72-Hf-177	1.387E+0	1.322E+0	1.515E+0	1.387E+0	1.382E+0	1.394E+0	1.544E+0±1.200E-2
72-Hf-178n				3.033E-1		3.033E-1	
72-Hf-178	2.960E-1	2.970E-1	3.624E-1	2.953E-1	3.057E-1	3.033E-1	3.190E-1±3.000E-3
72-Hf-179n				9.979E-1		9.978E-1	
72-Hf-179	9.788E-1	9.254E-1	9.900E-1	9.789E-1	9.792E-1	9.978E-1	9.220E-1±8.000E-3
72-Hf-180	2.320E-1	2.332E-1	1.951E-1	1.783E-1	1.747E-1	1.585E-1	1.570E-1±2.000E-3
72-Hf-180m						2.854E-1	
72-Hf-181			2.553E-1	2.452E-1		2.452E-1	1.940E-1±3.100E-2^T
72-Hf-182			1.441E-1	1.441E-1		1.441E-1	1.410E-1±8.000E-3
73-Ta-175						4.591E+0	
73-Ta-176						4.152E+0	
73-Ta-177				1.375E+0		1.375E+0	
73-Ta-179				1.123E+0		1.123E+0	1.334E+0±4.220E-1^T
73-Ta-180	1.753E+0					1.909E+0	
73-Ta-180m				2.379E+0		2.379E+0	1.465E+0±1.000E-1
73-Ta-181	8.501E-1	7.506E-1	7.505E-1	7.530E-1	7.525E-1	7.925E-1	7.660E-1±1.500E-2
73-Ta-182	1.036E+0	1.026E+0		1.026E+0		1.178E+0	1.120E+0±1.800E-1^T
73-Ta-183				6.140E-1		6.138E-1	
73-Ta-184						1.925E+0	
74-W - 0							
74-W -178				4.709E-1		4.707E-1	
74-W -180	5.598E-1±1.220E-1		5.620E-1	5.724E-1		6.708E-1	6.600E-1±5.300E-2
74-W -181				6.604E-1		6.602E-1	
74-W -182	2.920E-1±1.139E-2	2.729E-1	2.786E-1	2.720E-1		2.958E-1	2.740E-1±8.000E-3
74-W -183	5.747E-1±2.552E-2	4.511E-1	5.727E-1	5.487E-1		5.394E-1	5.150E-1±1.500E-2
74-W -184	2.522E-1±1.689E-2	2.026E-1	2.442E-1	2.409E-1		2.251E-1	2.230E-1±5.000E-3
74-W -185				2.771E-1		2.771E-1	5.840E-1±5.300E-2
74-W -186	1.921E-1±4.860E-3	1.870E-1	1.930E-1	1.897E-1		2.228E-1	2.350E-1±9.000E-3
74-W -187						1.341E-1	
74-W -188				5.302E-2		5.300E-2	
75-Re-181						1.580E+0	
75-Re-182				2.300E+0		2.300E+0	
75-Re-182m						3.650E+0	
75-Re-183				1.143E+0		1.143E+0	
75-Re-184m				1.675E+0		1.675E+0	
75-Re-184				1.675E+0		1.675E+0	
75-Re-185	1.168E+0	1.061E+0		1.907E+0		1.070E+0	1.535E+0±6.200E-2
75-Re-186m				2.193E+0		2.193E+0	
75-Re-186				2.193E+0		2.193E+0	1.550E+0±2.500E-1^T
75-Re-187	1.015E+0	9.226E-1		9.358E-1		1.028E+0	1.160E+0±5.700E-2
75-Re-188						5.544E-1	
75-Re-189				4.184E-1		4.183E-1	
76-Os- 0		5.432E-1		5.432E-1			
76-Os-182						4.828E-1	
76-Os-183						1.059E+0	
76-Os-183m						3.576E+0	
76-Os-184			7.233E-1	5.851E-1		7.462E-1	5.900E-1±3.900E-2
76-Os-185				7.732E-1		7.731E-1	
76-Os-186			4.566E-1	4.528E-1		4.427E-1	4.100E-1±1.700E-2
76-Os-187			1.187E+0	8.803E-1		9.400E-1	9.660E-1±3.100E-2
76-Os-188			3.625E-1	4.221E-1		4.307E-1	2.930E-1±1.400E-2
76-Os-189			1.083E+0	1.523E+0		1.107E+0	1.168E+0±4.700E-2
76-Os-190			3.568E-1	4.204E-1		4.202E-1	2.740E-1±1.200E-2
76-Os-191				1.385E+0		1.385E+0	1.290E+0±2.800E-1^T
76-Os-191m						2.091E-1	
76-Os-192			2.358E-1	1.167E-1		2.139E-1	1.550E-1±7.000E-3
76-Os-193				9.560E-2		9.557E-2	
76-Os-194				3.375E-2		3.374E-2	
77-Ir-185						1.510E+0	
77-Ir-186						2.846E+0	
77-Ir-187						2.356E+0	
77-Ir-188				1.758E+0		1.758E+0	
77-Ir-189				8.529E-1		8.526E-1	
77-Ir-190				1.106E+0		1.105E+0	

TABLE XI: Maxwellian-averaged cross sections (continued).

Material	**ENDF/B-VII.1** (barns)	**JEFF-3.1.2** (barns)	**JENDL-4.0** (barns)	**ROSFOND** (barns)	**CENDL-3.1** (barns)	**EAF-2010** (barns)	**KADoNiS** (barns)
77-Ir-191	1.271E+0±1.144E-1	1.511E+0		1.511E+0		1.348E+0	1.350E+0±4.300E-2
77-Ir-192n				3.399E+0		3.398E+0	
77-Ir-192				3.399E+0		2.101E+0	2.080E+0±4.500E-1^T
77-Ir-193m				8.903E-1		8.900E-1	
77-Ir-193	1.118E+0±1.264E-1	9.477E-1		9.477E-1		8.900E-1	9.940E-1±7.000E-2
77-Ir-194						3.978E-1	
77-Ir-194n						3.998E-1	
77-Ir-194m				4.000E-1			
77-Ir-196m						2.454E-1	
78-Pt- 0		3.893E-1		3.893E-1			
78-Pt-188				4.763E-1		4.762E-1	
78-Pt-189						8.762E-1	
78-Pt-190				7.295E-1		7.295E-1	5.080E-1±4.400E-2
78-Pt-191				5.143E-1		5.141E-1	
78-Pt-192				7.584E-1		7.584E-1	5.900E-1±1.200E-1^T
78-Pt-193m				3.717E-1		3.716E-1	
78-Pt-193				1.193E+0		1.193E+0	1.123E+0±2.400E-1^T
78-Pt-194				3.483E-1		2.621E-1	3.650E-1±8.500E-2^T
78-Pt-195m				1.065E+0		7.306E-1	
78-Pt-195				1.065E+0		6.672E-1	8.600E-1±2.000E-1^T
78-Pt-196				2.978E-1		2.549E-1	1.830E-1±1.600E-2
78-Pt-197						7.970E-2	
78-Pt-198				1.754E-1		1.754E-1	9.220E-2±4.600E-3
78-Pt-200						3.327E-2	
78-Pt-202						6.797E-2	
79-Au-193						9.557E-1	
79-Au-194				1.001E+0		1.001E+0	
79-Au-195				5.552E-1		5.550E-1	
79-Au-196				6.476E-1		6.474E-1	
79-Au-196n						1.878E+0	
79-Au-197	6.127E-1±7.720E-3	6.103E-1	6.089E-1	6.126E-1	6.110E-1	6.105E-1	5.820E-1±9.000E-3
79-Au-198m				1.643E+0		1.643E+0	
79-Au-198				1.642E+0		7.262E-1	8.400E-1±1.470E-1^T
79-Au-199				3.290E-1		3.289E-1	
79-Au-200m						1.575E-1	
80-Hg- 0					1.630E-1		
80-Hg-193						6.562E-1	
80-Hg-193m						6.562E-1	
80-Hg-194				2.825E-1		2.824E-1	
80-Hg-195m				3.934E-1		3.934E-1	
80-Hg-195						3.934E-1	
80-Hg-196	3.441E-2	3.441E-2	3.440E-2	3.441E-2		6.933E-1	2.040E-1±8.000E-3
80-Hg-197				2.193E-1		2.192E-1	
80-Hg-197m						2.192E-1	
80-Hg-198	1.613E-1	1.613E-1	1.612E-1	1.613E-1		1.846E-1	1.730E-1±1.500E-2
80-Hg-199	3.911E-1	3.911E-1	3.910E-1	3.911E-1		3.234E-1	3.740E-1±2.300E-2
80-Hg-200	1.277E-1	1.277E-1	1.276E-1	1.277E-1		1.163E-1	1.150E-1±1.200E-2
80-Hg-201	2.555E-1	2.555E-1	2.554E-1	2.555E-1		2.957E-1	2.640E-1±1.400E-2
80-Hg-202	8.530E-2	8.530E-2	8.527E-2	8.530E-2		7.657E-2	6.320E-2±1.900E-3
80-Hg-203				3.826E-2		3.825E-2	9.800E-2±1.700E-2^T
80-Hg-204	4.325E-2	4.325E-2	4.323E-2	4.325E-2		3.870E-2	4.200E-2±4.000E-3
81-Tl-0		4.997E-2		5.460E-2	4.996E-2		
81-Tl-199						1.020E+0	
81-Tl-200				4.566E-1		4.564E-1	
81-Tl-201				2.724E-1		2.723E-1	
81-Tl-202				2.484E-1		2.483E-1	
81-Tl-203	1.704E-1			2.025E-1		2.025E-1	1.240E-1±8.000E-3
81-Tl-204				1.361E-1		1.361E-1	2.150E-1±3.800E-2^T
81-Tl-205	5.256E-2			3.899E-2		3.899E-2	5.400E-2±4.000E-3
82-Pb-200						1.576E-1	
82-Pb-201						1.566E+0	
82-Pb-202				7.369E-2		7.366E-2	
82-Pb-203				9.321E-2		9.317E-2	
82-Pb-204	7.242E-2±2.897E-3	7.242E-2	8.356E-2	7.242E-2	7.408E-2	7.194E-2	8.100E-2±2.300E-3
82-Pb-205				5.453E-2		5.451E-2	1.250E-1±2.200E-2^T
82-Pb-206	1.359E-2±4.349E-4	1.359E-2	1.466E-2	1.359E-2	1.359E-2	1.359E-2	1.450E-2±3.000E-4
82-Pb-207	8.259E-3±8.259E-4	8.259E-3	1.032E-2	8.259E-3	8.259E-3	8.258E-3	9.900E-3±5.000E-4
82-Pb-208	6.553E-4±3.277E-4	6.561E-4	3.752E-4	6.561E-4	6.559E-4	6.458E-4	3.600E-4±3.000E-5
82-Pb-209						3.605E-3	
82-Pb-210				4.590E-4		4.424E-3	
82-Pb-212						8.720E-3	
83-Bi-203						3.331E-1	
83-Bi-204						2.012E+0	
83-Bi-205				1.958E-1		1.958E-1	
83-Bi-206				2.168E-1		2.167E-1	
83-Bi-207				1.214E-1		1.213E-1	
83-Bi-208				1.073E-1		1.073E-1	

TABLE XI: Maxwellian-averaged cross sections (continued).

Material	**ENDF/B-VII.1** (barns)	**JEFF-3.1.2** (barns)	**JENDL-4.0** (barns)	**ROSFOND** (barns)	**CENDL-3.1** (barns)	**EAF-2010** (barns)	**KADoNiS** (barns)
83-Bi-209	3.344E-3±6.020E-4	2.850E-3	2.936E-3	3.345E-3	3.139E-3	2.960E-3	2.560E-3±3.000E-4
83-Bi-210				3.081E-3		8.530E-3	6.000E-3±5.000E-3
83-Bi-210m				2.808E-3		5.319E-3	
84-Po-206				4.910E-2		4.908E-2	
84-Po-207						6.902E-2	
84-Po-208				2.916E-2		7.646E-2	
84-Po-209				2.929E-2		5.124E-2	
84-Po-210				3.115E-5		8.413E-3	
85-At-210						3.602E-1	
85-At-211						8.918E-2	
86-Rn-211						8.598E-2	
86-Rn-222				3.118E-3		1.585E-1	
88-Ra-223	5.988E-1	5.988E-1	5.987E-1	5.987E-1		5.984E-1	
88-Ra-224	2.258E-1	2.258E-1	2.258E-1	2.258E-1		2.257E-1	
88-Ra-225	6.503E-1	6.503E-1	6.502E-1	6.502E-1		6.501E-1	
88-Ra-226	4.459E-1	4.459E-1	4.459E-1	4.459E-1		4.457E-1	
88-Ra-228				6.295E-3		3.715E-1	
89-Ac-225	1.879E+0±5.674E-1	1.551E+0	1.879E+0	1.551E+0		1.550E+0	
89-Ac-226	2.224E+0±6.739E-1	2.007E+0	2.224E+0	2.007E+0		2.007E+0	
89-Ac-227	1.361E+0±3.673E-1	8.547E-2	1.360E+0	8.530E-2		9.910E-1	
89-Ac-228						1.459E+0	
90-Th-227	1.173E+0±6.415E-1	1.388E+0	1.173E+0	1.388E+0		1.388E+0	
90-Th-228	7.476E-1±1.914E-1	4.268E-1	7.476E-1	4.267E-1		6.584E-1	
90-Th-229	1.708E+0±4.099E-1	1.397E+0	1.708E+0	1.396E+0		1.396E+0	
90-Th-230	6.989E-1±1.679E-1	2.107E-1	6.989E-1	4.312E-1		4.311E-1	
90-Th-231	1.539E+0±6.048E-1		1.539E+0	9.184E-2		1.265E+0	
90-Th-232	4.868E-1±7.545E-2	4.710E-1	4.766E-1	4.815E-1	4.542E-1	4.503E-1	
90-Th-233	5.987E-1±2.874E-1	5.707E-1	5.987E-1				
90-Th-234	1.769E-1±5.963E-2	4.301E-1	1.769E-1	4.301E-1		4.300E-1	
91-Pa-228						1.381E+0	
91-Pa-229	1.764E+0±2.162E+0		1.763E+0	3.550E-1		1.059E+0	
91-Pa-230	6.925E-1±6.046E-1		6.925E-1	3.902E-1		7.733E-2	
91-Pa-231	2.086E+0	4.466E+0	2.194E+0	2.140E+0		2.140E+0	
91-Pa-232	4.309E-1±2.668E-1	1.125E+0	4.309E-1	1.125E+0		1.214E+0	
91-Pa-233	2.245E+0	1.176E+0	2.198E+0	1.176E+0		1.827E+0	
91-Pa-234						1.768E+0	
92-U -230	4.149E-1±3.531E-1		4.149E-1	9.678E-2		9.675E-2	
92-U -231	4.898E-1±4.684E-1		4.898E-1	1.960E-1		1.960E-1	
92-U -232	6.345E-1±1.948E-1	9.422E-1	6.345E-1	9.421E-1	6.404E-1	2.775E-1	
92-U -233	4.240E-1±6.106E-2	3.212E-1	3.439E-1	4.494E-1	3.237E-1	3.214E-1	
92-U -234	5.641E-1	6.640E-1	7.091E-1	6.640E-1	5.603E-1	5.586E-1	
92-U -235	6.926E-1±2.244E-1	6.947E-1	7.048E-1	6.926E-1	6.953E-1	6.930E-1	
92-U -236	5.505E-1±2.753E-2	4.951E-1	5.655E-1	5.456E-1	5.434E-1	5.303E-1	
92-U -237	4.580E-1	6.266E-1	6.413E-1	8.268E-1	6.306E-1	7.481E-1	
92-U -238	4.004E-1±6.166E-3	3.970E-1	3.989E-1	4.004E-1	3.992E-1	4.011E-1	
92-U -239	9.204E-1				1.202E+0		
92-U -240	3.171E-1				5.345E-1	3.181E-1	
92-U -241	8.839E-1				1.818E+0	8.872E-1	
93-Np-234	2.013E-1±1.843E-1		2.013E-1	6.135E-1		1.138E+0	
93-Np-235	2.002E+0±1.485E+0	1.011E+0	2.001E+0	4.901E-1		1.511E+0	
93-Np-236	4.184E-1±3.962E-1	6.546E-1	4.184E-1	6.380E-1	6.275E-1	5.032E-1	
93-Np-236m						4.739E-1	
93-Np-237	2.114E+0±1.818E-1	2.078E+0	2.154E+0	2.057E+0	2.095E+0	2.073E+0	
93-Np-238	5.218E-1±2.348E-1	1.837E-1	5.217E-1	5.313E-1	4.575E-1	1.588E+0	
93-Np-239	1.644E+0±4.668E-1	2.549E+0	1.644E+0	2.549E+0	2.233E+0	2.549E+0	
94-Pu-234						1.493E+0	
94-Pu-236	2.492E-1±1.119E-1	3.325E-1	2.492E-1	3.325E-1	3.067E-1	3.354E-1	
94-Pu-237	3.741E-1±3.782E-1	2.438E-1	3.740E-1	3.949E-1	2.017E-1	3.948E-1	
94-Pu-238	7.687E-1±7.840E-2	6.468E-1	7.347E-1	8.508E-1	7.927E-1	8.524E-1	
94-Pu-239	5.278E-1±5.489E-2	5.519E-1	5.400E-1	5.517E-1	5.165E-1	5.651E-1	
94-Pu-240	6.912E-1±2.765E-2	6.218E-1	7.194E-1	6.926E-1	6.796E-1	7.107E-1	
94-Pu-241	5.518E-1±9.166E-2	5.754E-1	6.171E-1	5.716E-1	5.230E-1	2.407E-1	
94-Pu-242	5.320E-1±1.703E-2	6.432E-1	5.962E-1	6.137E-1	5.852E-1	6.265E-1	
94-Pu-243	4.572E-1	4.572E-1		4.572E-1	6.577E-1	3.002E-1	
94-Pu-244	3.269E-1±8.958E-2	1.956E-1	3.269E-1	4.747E-1	2.143E-1	4.496E-1	
94-Pu-245					4.674E-1	1.360E+0	
94-Pu-246	2.041E-1±7.818E-2	2.518E+0	2.041E-1	2.518E+0	4.091E-1	4.509E-1	
94-Pu-247							
95-Am-239						1.912E+0	
95-Am-240	5.794E-1±4.879E-1		5.794E-1	4.436E-1	6.215E-1	4.435E-1	
95-Am-241	2.546E+0±7.639E-2	2.517E+0	2.394E+0	2.420E+0	2.649E+0	2.504E+0	
95-Am-242m	6.526E-1±3.263E-1	6.810E-1	5.688E-1	6.805E-1	6.636E-1	1.473E+0	
95-Am-242	5.468E-1	5.770E-1	4.863E-1	5.770E-1	6.552E-1	5.503E-1	
95-Am-243	2.429E+0±2.216E-1	2.269E+0	2.146E+0	1.979E+0	2.296E+0	2.272E+0	
95-Am-244m	8.532E-1	8.532E-1	5.989E-1				
95-Am-244	8.809E-1	8.809E-1	1.178E+0	8.809E-1	1.136E+0	2.357E+0	
96-Cm-240	1.043E+0±8.151E-1	1.114E+0	1.043E+0	1.114E+0		1.116E+0	
96-Cm-241	2.292E-1±2.585E-1	2.756E-1	2.292E-1	2.545E-1		5.246E-1	
96-Cm-242	1.028E+0±2.478E-1	6.341E-1	1.028E+0	1.112E+0		6.556E-1	
96-Cm-243	4.560E-1±3.106E-1	3.680E-1	4.560E-1	7.204E-1		7.495E-1	

TABLE XI: Maxwellian-averaged cross sections (continued).

Material	**ENDF/B-VII.1** (barns)	**JEFF-3.1.2** (barns)	**JENDL-4.0** (barns)	**ROSFOND** (barns)	**CENDL-3.1** (barns)	**EAF-2010** (barns)	**KADoNiS** (barns)
96-Cm-244	7.735E-1±2.027E-1	1.196E+0	7.735E-1	1.161E+0		8.841E-1	
96-Cm-245	5.968E-1±3.177E-1	7.120E-1	5.967E-1	7.120E-1		7.135E-1	
96-Cm-246	4.631E-1±1.176E-1	6.534E-1		6.561E-1		6.564E-1	
96-Cm-247	4.295E-1±2.547E-1	7.961E-1	4.295E-1	7.462E-1		7.472E-1	
96-Cm-248	2.866E-1±7.279E-2	3.193E-1	2.866E-1	3.209E-1		3.220E-1	
96-Cm-249	1.896E-1±2.151E-1	1.675E-1	1.896E-1	1.675E-1		1.683E-1	
96-Cm-250	1.989E-1±6.829E-2	1.395E-1	1.989E-1	1.395E-1		1.381E-1	
97-Bk-245	2.614E+0±1.146E+0		2.614E+0	2.105E-1		2.104E-1	
97-Bk-246	1.076E+0±1.016E+0		1.076E+0	1.679E-1		1.678E-1	
97-Bk-247	1.921E+0±7.760E-1	1.023E+0	1.921E+0	1.023E+0		2.104E-1	
97-Bk-248	1.198E+0±1.166E+0		1.198E+0	1.679E-1		1.678E-1	
97-Bk-248m						1.678E-1	
97-Bk-249	1.572E+0±3.003E-1	1.736E+0	1.572E+0	1.786E+0	1.787E+0	1.736E+0	
97-Bk-250	1.168E+0±1.299E+0	6.798E-1	1.168E+0	6.798E-1		6.804E-1	
98-Cf-246	8.632E-1±4.526E-1		8.631E-1	1.679E-1		3.976E-1	
98-Cf-248	5.802E-1±1.870E-1		5.801E-1	1.679E-1		6.725E-1	
98-Cf-249	7.448E-1±3.292E-1	7.612E-1	7.447E-1	7.612E-1	8.554E-1	7.619E-1	
98-Cf-250	4.343E-1±9.771E-2	7.893E-1	4.343E-1	7.892E-1		7.897E-1	
98-Cf-251	5.564E-1±4.023E-1	4.211E-1	5.564E-1	4.159E-1		4.212E-1	
98-Cf-252	1.489E-1±4.946E-2	4.044E-1	1.489E-1	4.399E-1		4.401E-1	
98-Cf-253	8.886E-1±4.398E-1		8.885E-1	8.885E-1		7.308E-3	
98-Cf-254	1.568E-1±9.142E-2	9.139E-2	1.568E-1	9.138E-2		5.833E-2	
99-Es-250						1.013E-1	
99-Es-251	1.574E+0±6.069E-1		1.574E+0	2.105E-1		2.105E-1	
99-Es-252	4.542E-1±4.524E-1		4.542E-1	1.679E-1		1.678E-1	
99-Es-253	2.025E+0±1.115E+0	4.325E-2	2.024E+0	6.925E-1		6.787E-1	
99-Es-254m	5.370E-1±5.254E-1		5.370E-1	3.582E+0		3.581E+0	
99-Es-254	1.012E+0±5.978E-1	6.582E-1	1.012E+0	1.960E-1		4.241E-2	
99-Es-255	2.163E+0±1.467E+0	6.788E-1	2.163E+0	6.787E-1		6.784E-1	
99-Es-256m						1.921E-4	
99-Es-257							
100-Fm-252				1.679E-1		8.139E-1	
100-Fm-253				8.212E-1		8.209E-1	
100-Fm-255	3.130E-1±3.922E-1	3.297E-1	3.130E-1	3.296E-1		3.283E-1	
100-Fm-257				8.212E-1		8.210E-1	

Maxwellian-averaged 30-keV Fission Cross Sections

TABLE XII: Maxwellian-averaged neutron fission cross sections from ENDF/B-VII.1, JEFF-3.1.2, JENDL-4.0, ROSFOND-2010, CENDL-3.1 and EAF-2010 [1, 6–10] at kT=30 keV.

Material	**ENDF/B-VII.1** (barns)	**JEFF-3.1.2** (barns)	**JENDL-4.0** (barns)	**ROSFOND-2010** (barns)	**CENDL-3.1** (barns)	**EAF-2010** (barns)
86-Rn-222				3.500E-8		3.197E-4
88-Ra-223	6.284E-2	6.284E-2	6.284E-2	6.284E-2		6.284E-2
88-Ra-224						1.022E-5
88-Ra-225						5.677E-2
88-Ra-226	3.949E-7	3.949E-7	3.949E-7	3.949E-7		3.950E-7
88-Ra-228				1.135E-2		1.135E-2
89-Ac-225	8.471E-5±1.979E-4		8.471E-5	1.022E-5		1.022E-5
89-Ac-226	1.977E-2±4.415E-2		1.977E-2	6.220E-1		1.160E-1
89-Ac-227	6.786E-6±3.256E-6	8.677E-6	6.786E-6	8.677E-6		8.685E-6
89-Ac-228						1.128E-10
90-Th-227	6.006E-1±5.216E-1	1.000E+0	6.006E-1	1.000E+0		1.000E+0
90-Th-228	4.006E-4±2.928E-4	4.839E-6	4.006E-4	2.012E-4		2.012E-4
90-Th-229	1.060E+0±2.170E-1	1.000E+0	1.060E+0	7.536E-1		9.999E-1
90-Th-230	1.057E-4±9.502E-5		1.057E-4	4.627E-9		1.297E-4
90-Th-231	6.415E-1±5.431E-1		6.415E-1	1.070E-1		2.808E-2
90-Th-232			1.698E-6		9.000E-6	3.151E-6
90-Th-233	2.910E-1±3.257E-1	2.662E-1	2.910E-1			
90-Th-234	8.658E-9±3.214E-8		8.778E-9	9.177E-6		9.174E-6
91-Pa-228						4.635E-1
91-Pa-229	1.142E+0±2.012E+0		1.142E+0	1.801E-2		2.246E-2
91-Pa-230	2.874E+0±8.061E-1		2.874E+0	1.261E+0		1.260E+0
91-Pa-231	1.848E-3	4.632E-3	2.025E-3	1.396E-3		2.376E-3
91-Pa-232	2.636E+0±6.710E-1	1.957E+0	2.636E+0	1.956E+0		1.956E+0
91-Pa-233	2.672E-7		6.925E-7	4.794E-10		9.169E-5

TABLE XII: Maxwellian-averaged neutron fission cross sections (continued).

Material	**ENDF/B-VII.1** (barns)	**JEFF-3.1.2** (barns)	**JENDL-4.0** (barns)	**ROSFOND-2010** (barns)	**CENDL-3.1** (barns)	**EAF-2010** (barns)
91-Pa-234						3.760E-5
92-U -230	2.741E+0±1.061E+0		2.741E+0	1.588E-1		1.588E-1
92-U -231	3.310E+0±7.553E-1		3.310E+0	4.560E-1		4.559E-1
92-U -232	1.628E+0±1.560E-1	1.622E+0	1.628E+0	1.622E+0	1.900E+0	2.212E+0
92-U -233	3.001E+0±4.987E-2	2.994E+0	2.957E+0	3.044E+0	2.982E+0	3.166E+0
92-U -234	2.040E-2±8.036E-3	2.363E-2	2.332E-2	2.363E-2	2.008E-2	2.363E-2
92-U -235	2.204E+0±1.333E-2	2.213E+0	2.169E+0	2.219E+0	2.216E+0	2.213E+0
92-U -236	8.000E-3±3.555E-3	1.272E-3	5.567E-4	7.467E-3	8.068E-3	6.932E-3
92-U -237	6.201E-1	1.013E+0	6.574E-1	1.227E+0	7.659E-1	8.316E-1
92-U -238	7.988E-5±3.361E-6	7.173E-5	7.566E-5	7.989E-5	7.532E-5	1.206E-4
92-U -239	6.719E-1				1.676E-1	
92-U -240	4.313E-5				1.138E-5	1.648E-4
92-U -241	2.200E-1				1.538E-1	2.199E-1
93-Np-234	3.918E+0±7.970E-1		3.918E+0	6.927E-1		3.634E+0
93-Np-235	1.091E+0±1.643E+0	1.294E+0	1.091E+0	2.860E-2		1.294E+0
93-Np-236	3.541E+0±7.120E-1	2.871E+0	3.541E+0	2.941E+0	3.838E+0	2.940E+0
93-Np-236m						2.238E+0
93-Np-237	2.003E-2±1.522E-3	1.488E-2	1.928E-2	2.002E-2	2.033E-2	1.487E-2
93-Np-238	3.192E+0±5.968E-1	5.253E+0	3.192E+0	2.242E+0	3.296E+0	3.545E+0
93-Np-239	4.645E-5±1.715E-4		4.645E-5	3.610E-2	5.749E-2	2.601E-2
94-Pu-234						7.055E-10
94-Pu-236	4.291E+0±2.469E-1	2.833E+0	4.291E+0	2.833E+0	3.214E+0	2.858E+0
94-Pu-237	4.067E+0±1.314E+0	3.793E+0	4.066E+0	2.883E+0	3.775E+0	3.793E+0
94-Pu-238	7.760E-1±1.491E-2	9.087E-1	7.761E-1	7.898E-1	6.515E-1	8.044E-1
94-Pu-239	1.822E+0±5.729E-3	1.809E+0	1.836E+0	1.808E+0	1.843E+0	1.806E+0
94-Pu-240	9.892E-2±4.373E-4	8.878E-2	9.952E-2	1.022E-1	9.355E-2	9.446E-2
94-Pu-241	2.876E+0±5.847E-2	2.923E+0	2.880E+0	2.905E+0	2.953E+0	2.938E+0
94-Pu-242	1.597E-2±3.604E-3	1.572E-2	1.460E-2	1.273E-2	1.594E-2	1.622E-2
94-Pu-243	7.587E-1	7.587E-1		7.585E-1	2.000E+0	7.612E-1
94-Pu-244	8.725E-3±3.563E-3		8.725E-3	8.623E-3		8.624E-3
94-Pu-245				2.874E-4	1.990E+0	4.585E-3
94-Pu-246	1.384E-4±4.363E-4		1.384E-4		1.040E-1	5.071E-4
94-Pu-247				7.396E-1		7.510E-2
95-Am-239						2.958E-1
95-Am-240	3.352E+0±7.732E-1		3.352E+0	3.737E+0	4.258E+0	2.282E+0
95-Am-241	1.918E-2±3.945E-3	1.824E-2	1.925E-2	1.786E-2	1.806E-2	1.713E-2
95-Am-242m	3.632E+0±5.006E-1	3.555E+0	3.584E+0	3.583E+0	3.794E+0	3.686E+0
95-Am-242	3.532E+0	3.544E+0	3.458E+0	3.544E+0	3.447E+0	3.540E+0
95-Am-243	1.284E-2±1.529E-3	1.074E-2	1.123E-2	1.205E-2	1.180E-2	1.291E-2
95-Am-244m	3.737E+0	3.737E+0	1.966E+0			
95-Am-244	3.737E+0	3.737E+0	1.882E+0	3.737E+0	3.846E+0	3.736E+0
96-Cm-240	9.032E-1±1.167E+0	6.595E-2	9.031E-1	6.595E-2		6.606E-2
96-Cm-241	3.676E+0±2.524E+0	3.250E+0	3.676E+0	3.102E+0		3.106E+0
96-Cm-242	3.088E-1±2.160E-2	2.881E-1	3.088E-1	9.470E-1		3.087E-1
96-Cm-243	3.714E+0±2.641E-1	3.740E+0	3.714E+0	3.941E+0		3.460E+0
96-Cm-244	7.486E-2±7.397E-3	6.688E-2	7.486E-2	6.523E-2		7.093E-2
96-Cm-245	3.024E+0±3.655E-1	3.097E+0	3.024E+0	3.097E+0		3.023E+0
96-Cm-246	4.657E-2±1.408E-2	3.788E-2		4.188E-2		4.189E-2
96-Cm-247	2.801E+0±2.449E-1	2.394E+0	2.801E+0	2.904E+0		2.394E+0
96-Cm-248	4.217E-2±8.862E-3	4.107E-2	4.217E-2	4.117E-2		4.119E-2
96-Cm-249	2.306E+0±2.062E+0	2.583E+0	2.305E+0	2.583E+0		2.585E+0
96-Cm-250	3.344E-4±1.194E-3	1.280E-3	3.344E-4	1.279E-3		1.279E-3
97-Bk-245	5.595E-3±5.041E-3		5.594E-3	1.500E-3		3.562E-4
97-Bk-246	3.221E+0±1.759E+0		3.221E+0	2.830E+0		6.419E-1
97-Bk-247	4.436E-3±6.346E-3	3.359E-1	4.435E-3	3.359E-1		3.357E-1
97-Bk-248	3.104E+0±2.119E+0		3.104E+0	7.599E-1		7.598E-1
97-Bk-248m						7.598E-1
97-Bk-249	6.306E-3±3.290E-3	9.892E-3	6.306E-3	1.106E-2	1.106E-2	9.915E-3
97-Bk-250	1.927E+0±2.912E+0	2.352E+0	1.927E+0	2.352E+0		2.352E+0
98-Cf-246	8.977E-1±1.155E+0		8.977E-1	1.079E-2		1.079E-2
98-Cf-248	2.974E-1±3.722E-1		2.973E-1	6.769E-1		1.670E-1
98-Cf-249	2.995E+0±1.142E-1	2.808E+0	2.995E+0	2.808E+0	3.103E+0	2.972E+0
98-Cf-250	2.640E-2±6.285E-2	4.626E-3	2.640E-2	4.626E-3		1.246E-1
98-Cf-251	2.027E+0±1.036E+0	2.955E+0	2.026E+0	2.796E+0		2.888E+0
98-Cf-252	1.075E+0±1.815E-1	2.217E-1	1.075E+0	1.059E+0		1.059E+0
98-Cf-253	1.544E+0±1.113E+0		1.544E+0	1.544E+0		8.662E+0
98-Cf-254	5.091E-1±6.187E-1	1.016E+0	5.090E-1	1.016E+0		1.016E+0
99-Es-250						3.802E+0
99-Es-251	3.181E-2±1.035E-1		3.180E-2	5.677E-1		1.281E-1
99-Es-252	5.095E+0±2.285E+0		5.095E+0	5.869E-1		5.393E+0
99-Es-253	3.155E-3±1.140E-2		3.155E-3	8.966E-1		5.687E+0
99-Es-254m	5.227E+0±7.108E-1		5.226E+0	2.513E+0		2.513E+0
99-Es-254	4.119E+0±3.595E-1	2.513E+0	4.118E+0	4.071E+0		4.021E+0
99-Es-255	6.487E-4±2.440E-3	1.058E+0	6.487E-4	1.058E+0		1.058E+0
99-Es-256m						4.322E+0
99-Es-257						4.380E+0
100-Fm-252				6.768E-1		2.909E-6
100-Fm-253				1.292E+0		2.883E+0

TABLE XII: Maxwellian-averaged neutron fission cross sections (continued).

Material	**ENDF/B-VII.1** (barns)	**JEFF-3.1.2** (barns)	**JENDL-4.0** (barns)	**ROSFOND-2010** (barns)	**CENDL-3.1** (barns)	**EAF-2010** (barns)
100-Fm-255	4.367E+0±4.094E+0	2.677E+0	4.367E+0	2.677E+0		2.677E+0
100-Fm-257				2.702E+0		8.374E+0

Maxwellian-averaged 1420-keV Fission Cross Sections

TABLE XIII: Maxwellian-averaged fission cross sections from ENDF/B-VII.1, JEFF-3.1.2, JENDL-4.0, ROSFOND-2010, CENDL-3.1, EAF-2010 and EXFOR [1, 6–10, 32] at kT=1420 keV.

Material	**ENDF/B-VII.1** (barns)	**JEFF-3.1.2** (barns)	**JENDL-4.0** (barns)	**ROSFOND-2010** (barns)	**CENDL-3.1** (barns)	**EAF-2010** (barns)	**EXFOR** (barns)
86-Rn-222				2.080E-1		5.893E-2	
88-Ra-223	6.285E-2	6.285E-2	6.285E-2	6.285E-2		6.288E-2	
88-Ra-224						2.080E-1	
88-Ra-225						2.169E-1	
88-Ra-226	7.884E-4	7.884E-4	7.884E-4	7.884E-4		7.911E-4	
88-Ra-228				4.337E-2		4.337E-2	
89-Ac-225	5.559E-2±5.760E-2		5.559E-2	2.080E-1		2.080E-1	
89-Ac-226	4.237E-2±4.351E-2		4.237E-2	2.677E-1		2.668E-1	
89-Ac-227	2.111E-2±2.863E-3	2.191E-2	2.110E-2	2.191E-2		2.191E-2	
89-Ac-228						1.592E-7	
90-Th-227	3.864E-1±2.917E-1	5.217E-1	3.864E-1	5.217E-1		5.216E-1	
90-Th-228	5.334E-1±9.097E-2	1.609E-1	5.334E-1	3.668E-1		3.669E-1	
90-Th-229	4.216E-1±6.773E-2	5.217E-1	4.216E-1	3.185E-1		5.216E-1	
90-Th-230	2.873E-1±2.227E-2		2.873E-1	2.762E-1		2.585E-1	
90-Th-231	2.258E-1±1.805E-1		2.258E-1	3.072E-1		3.090E-1	
90-Th-232			1.303E-1	1.220E-1	1.270E-1	1.269E-1	8.470E-2±4.900E-3
90-Th-233	1.117E-1±1.004E-1	1.113E-1	1.117E-1				
90-Th-234	6.142E-2±6.591E-2		6.141E-2	6.006E-2		6.006E-2	
91-Pa-228						1.407E+0	
91-Pa-229	2.259E+0±4.490E-1		2.259E+0	2.283E+0		2.283E+0	
91-Pa-230	1.949E+0±3.496E-1		1.949E+0	1.968E+0		1.968E+0	
91-Pa-231	1.005E+0	1.275E+0	1.113E+0	1.098E+0		1.117E+0	9.700E-1±4.500E-2
91-Pa-232	9.668E-1±2.624E-1	1.208E+0	9.667E-1	1.208E+0		1.208E+0	
91-Pa-233	3.547E-1		3.688E-1	7.169E-1		7.170E-1	
91-Pa-234						7.663E-2	
92-U -230	2.788E+0±5.329E-1		2.788E+0	2.867E+0		2.867E+0	
92-U -231	2.433E+0±3.982E-1		2.433E+0	2.624E+0		2.623E+0	
92-U -232	2.456E+0±7.950E-2	2.713E+0	2.456E+0	2.713E+0	2.431E+0	2.299E+0	
92-U -233	2.097E+0±6.232E-3	2.110E+0	2.109E+0	2.075E+0	2.100E+0	2.021E+0	1.947E+0±3.100E-2
92-U -234	1.519E+0±2.514E-1	1.509E+0	1.557E+0	1.509E+0	1.553E+0	1.509E+0	
92-U -235	1.383E+0±7.746E-3	1.373E+0	1.374E+0	1.385E+0	1.373E+0	1.374E+0	1.215E+0±2.200E-2
92-U -236	8.351E-1±1.891E-1	8.616E-1	8.301E-1	8.352E-1	8.236E-1	8.407E-1	6.120E-1±8.323E-3
92-U -237	7.374E-1	9.675E-1	6.785E-1	9.677E-1	8.041E-1	8.916E-1	
92-U -238	4.755E-1±5.646E-5	4.725E-1	4.722E-1	4.755E-1	4.723E-1	4.707E-1	3.109E-1±1.400E-2
92-U -239	4.163E-1				3.825E-1		
92-U -240	3.058E-1				3.358E-1	3.682E-1	
92-U -241	2.271E-1				3.002E-1	2.271E-1	
93-Np-234	2.670E+0±4.227E-1		2.670E+0	1.838E+0		1.843E+0	
93-Np-235	2.548E+0±4.656E-1	2.288E+0	2.548E+0	2.252E+0		2.288E+0	
93-Np-236	2.235E+0±3.927E-1	2.130E+0	2.235E+0	2.130E+0	2.162E+0	2.130E+0	
93-Np-236m						4.739E-1	
93-Np-237	1.718E+0±4.868E-2	1.693E+0	1.700E+0	1.715E+0	1.735E+0	1.662E+0	1.442E+0±2.300E-2
93-Np-238	1.555E+0±1.562E-1	1.558E+0	1.555E+0	1.559E+0	1.587E+0	1.573E+0	
93-Np-239	8.461E-1±5.510E-1		8.461E-1	1.775E+0	1.518E+0	1.775E+0	
94-Pu-234						1.154E-1	
94-Pu-236	2.595E+0±2.907E-1	2.425E+0	2.595E+0	2.425E+0	2.494E+0	2.425E+0	
94-Pu-237	2.684E+0±6.209E-1	3.264E+0	2.684E+0	3.152E+0	3.137E+0	3.286E+0	
94-Pu-238	2.363E+0±5.262E-2	2.413E+0	2.390E+0	2.413E+0	2.410E+0	2.391E+0	
94-Pu-239	2.071E+0±4.563E-6	2.070E+0	2.079E+0	2.070E+0	2.084E+0	2.070E+0	1.861E+0±3.000E-2
94-Pu-240	1.720E+0±2.180E-7	1.743E+0	1.698E+0	1.694E+0	1.704E+0	1.738E+0	1.310E+0±3.694E-2
94-Pu-241	1.770E+0±2.926E-2	1.840E+0	1.808E+0	1.845E+0	1.805E+0	1.802E+0	1.744E+0±5.372E-2
94-Pu-242	1.475E+0±3.373E-2	1.492E+0	1.475E+0	1.433E+0	1.441E+0	1.453E+0	
94-Pu-243	1.339E+0	1.339E+0		1.339E+0	1.595E+0	1.340E+0	
94-Pu-244	1.328E+0±3.207E-2		1.328E+0	1.419E+0		1.419E+0	
94-Pu-245				1.054E+0	1.706E+0	8.612E-2	

TABLE XIII: Maxwellian-averaged fission cross sections (continued).

Material	**ENDF/B-VII.1** (barns)	**JEFF-3.1.2** (barns)	**JENDL-4.0** (barns)	**ROSFOND-2010** (barns)	**CENDL-3.1** (barns)	**EAF-2010** (barns)	**EXFOR** (barns)
94-Pu-246	7.958E-1±4.928E-1		7.958E-1		9.829E-1	1.034E+0	
94-Pu-247				1.236E+0		1.102E+0	
95-Am-239						2.342E+0	
95-Am-240	2.234E+0±3.801E-1		2.234E+0	1.949E+0	2.635E+0	2.336E+0	
95-Am-241	1.829E+0±2.859E-2	1.851E+0	1.867E+0	1.813E+0	1.844E+0	1.791E+0	
95-Am-242m	2.111E+0±4.428E-1	2.015E+0	2.013E+0	2.027E+0	2.189E+0	2.046E+0	1.600E+0±2.000E-1
95-Am-242	2.166E+0	1.932E+0	2.015E+0	1.932E+0	1.961E+0	1.932E+0	
95-Am-243	1.472E+0±1.833E-1	1.473E+0	1.472E+0	1.485E+0	1.472E+0	1.526E+0	1.145E+0±2.347E-2
95-Am-244m	1.949E+0	1.949E+0	1.302E+0				
95-Am-244	1.949E+0	1.949E+0	1.439E+0	1.949E+0	1.820E+0	1.949E+0	
96-Cm-240	2.505E+0±4.401E-1	2.329E+0	2.505E+0	2.328E+0		2.328E+0	
96-Cm-241	2.453E+0±4.659E-1	3.013E+0	2.453E+0	2.623E+0		2.623E+0	
96-Cm-242	2.189E+0±3.002E-1	2.053E+0	2.189E+0	2.463E+0		2.249E+0	
96-Cm-243	2.732E+0±9.603E-2	2.413E+0	2.732E+0	2.629E+0		2.663E+0	
96-Cm-244	2.182E+0±9.181E-2	2.057E+0	2.182E+0	2.220E+0		1.989E+0	
96-Cm-245	1.963E+0±7.852E-2	1.940E+0	1.963E+0	1.940E+0		1.943E+0	
96-Cm-246	1.621E+0±9.780E-2	1.579E+0		1.624E+0		1.624E+0	
96-Cm-247	2.090E+0±5.048E-2	2.196E+0	2.090E+0	1.988E+0		2.196E+0	
96-Cm-248	1.407E+0±1.020E-1	1.599E+0	1.407E+0	1.615E+0		1.615E+0	
96-Cm-249	1.435E+0±5.885E-1	2.278E+0	1.435E+0	2.278E+0		2.278E+0	
96-Cm-250	9.156E-1±4.890E-1	2.092E+0	9.156E-1	2.092E+0		2.092E+0	
97-Bk-245	1.487E+0±2.560E-1		1.487E+0	1.541E+0		1.541E+0	
97-Bk-246	1.980E+0±3.619E-1		1.980E+0	1.957E+0		1.887E+0	
97-Bk-247	1.297E+0±3.382E-1	1.434E+0	1.297E+0	1.434E+0		1.434E+0	
97-Bk-248	1.756E+0±3.276E-1		1.756E+0	1.831E+0		1.831E+0	
97-Bk-248m						1.831E+0	
97-Bk-249	1.467E+0±1.539E-1	1.403E+0	1.467E+0	1.445E+0	1.446E+0	1.403E+0	
97-Bk-250	1.147E+0±6.458E-1	2.307E+0	1.147E+0	2.307E+0		2.307E+0	
98-Cf-246	2.713E+0±6.020E-1		2.713E+0	1.370E+0		1.370E+0	
98-Cf-248	1.762E+0±6.159E-1		1.762E+0	1.474E+0		1.731E+0	
98-Cf-249	2.013E+0±7.287E-2	2.021E+0	2.013E+0	2.021E+0	2.054E+0	1.989E+0	
98-Cf-250	2.075E+0±6.907E-1	2.428E+0	2.075E+0	2.427E+0		2.466E+0	
98-Cf-251	1.569E+0±5.263E-1	1.987E+0	1.569E+0	2.746E+0		1.989E+0	
98-Cf-252	2.783E+0±1.373E-1	2.432E+0	2.783E+0	2.706E+0		2.706E+0	
98-Cf-253	9.650E-1±4.268E-1		9.650E-1	9.650E-1		4.661E+0	
98-Cf-254	2.248E+0±5.851E-1	2.595E+0	2.248E+0	2.595E+0		2.595E+0	
99-Es-250						2.441E+0	
99-Es-251	1.835E+0±7.545E-1		1.836E+0	1.846E+0		2.043E+0	
99-Es-252	2.195E+0±6.197E-1		2.195E+0	1.846E+0		2.516E+0	
99-Es-253	1.422E+0±7.349E-1		1.422E+0	2.703E+0		3.000E+0	
99-Es-254m	1.898E+0±1.995E-1		1.898E+0	2.468E+0		2.468E+0	
99-Es-254	1.967E+0±1.828E-1	2.468E+0	1.967E+0	2.532E+0		2.471E+0	
99-Es-255	1.005E+0±6.195E-1	2.703E+0	1.005E+0	2.703E+0		2.703E+0	
99-Es-256m						3.617E+0	
99-Es-257						3.630E+0	
100-Fm-252				1.863E+0		9.584E-1	
100-Fm-253				1.934E+0		1.475E+0	
100-Fm-255	2.385E+0±6.342E-1	2.629E+0	2.385E+0	2.629E+0		2.629E+0	
100-Fm-257				1.874E+0		3.008E+0	

Maxwellian-averaged 1420-keV Capture Cross Sections

TABLE XIV: Maxwellian-averaged capture cross sections from ENDF/B-VII.1, JEFF-3.1.2, JENDL-4.0, ROSFOND-2010, CENDL-3.1, EAF-2010 and EXFOR [1, 6–10, 32] at kT=1420 keV.

Material	**ENDF/B-VII.1** (barns)	**JEFF-3.1.2** (barns)	**JENDL-4.0** (barns)	**ROSFOND-2010** (barns)	**CENDL-3.1** (barns)	**EAF-2010** (barns)	**EXFOR** (barns)
1-H - 1	3.892E-5±1.460E-5	3.923E-5	3.890E-5	3.890E-5	3.812E-5	3.929E-5	
1-H - 2	1.025E-5±7.906E-6	1.025E-5	9.994E-6	1.024E-5	9.977E-6	1.026E-5	
1-H - 3							
2-He- 3	8.244E-5	7.656E-9	4.781E-5	8.220E-5	4.781E-5	4.783E-5	
2-He- 4							
3-Li- 6	1.253E-5±9.910E-6	1.253E-5	4.273E-5	1.253E-5		4.283E-5	
3-Li- 7	5.928E-6	5.928E-6	3.902E-5	5.930E-6	6.404E-6	5.927E-6	
4-Be- 7						2.650E-3	
4-Be- 9	2.312E-6±4.636E-7	1.233E-5	1.073E-6	1.128E-4	1.128E-4	1.058E-5	

TABLE XIV: Maxwellian-averaged capture cross sections (continued).

Material	**ENDF/B-VII.1** (barns)	**JEFF-3.1.2** (barns)	**JENDL-4.0** (barns)	**ROSFOND-2010** (barns)	**CENDL-3.1** (barns)	**EAF-2010** (barns)	**EXFOR** (barns)
4-Be- 10				1.054E-5		1.054E-5	
5-B - 10	1.247E-5±9.980E-6	1.247E-5	6.367E-5	1.251E-5	1.247E-5	6.365E-5	
5-B - 11	1.956E-6±8.749E-7	1.956E-6	4.844E-6	1.952E-6	1.948E-6	1.961E-6	
6-C-0	2.959E-5±6.117E-6	2.117E-5	2.958E-5	2.116E-5			
6-C - 12					2.090E-5	5.401E-5	
6-C - 13				2.442E-5		2.442E-5	
6-C - 14				2.293E-5		8.082E-6	
7-N - 14	4.022E-5	4.022E-5	4.155E-5	4.022E-5	4.022E-5	1.172E-4	
7-N - 15	2.115E-5±1.606E-5	2.115E-5	1.826E-5	1.911E-5		1.826E-5	
8-O - 16	1.207E-4±1.157E-4	2.877E-8	1.207E-4	1.207E-4	2.877E-8	8.984E-5	
8-O - 17	2.585E-4	2.585E-4		2.583E-4		2.586E-4	
8- O- 18				2.742E-4		4.956E-5	
9-F - 19	1.353E-4±3.165E-5	1.353E-4	1.178E-4	1.178E-4	1.353E-4	2.409E-4	
10-Ne- 20				6.468E-5		6.468E-5	
10-Ne- 21				1.518E-4		1.518E-4	
10-Ne- 22				5.462E-5		5.464E-5	
11-Na- 22	5.025E-4	5.025E-4		5.025E-4		8.675E-4	
11-Na- 23	2.394E-4±1.353E-4	2.081E-4	2.532E-4	2.394E-4	2.212E-4	2.170E-4	3.350E-4±1.500E-5
11-Na- 24						5.095E-5	
12-Mg- 24	2.683E-4±3.618E-5	2.683E-4	2.683E-4	2.683E-4	2.515E-4	2.839E-4	
12-Mg- 25	2.324E-4±4.342E-5	2.324E-4	2.324E-4	2.324E-4	2.381E-4	2.586E-4	
12-Mg- 26	2.862E-4±5.733E-5	2.862E-4	2.861E-4	2.861E-4	2.994E-4	3.571E-4	
12-Mg- 28						1.040E-5	
13-Al- 26				9.981E-6		4.789E-4	
13-Al- 27	5.389E-4±1.744E-5	5.389E-4	5.976E-4	5.389E-4	5.977E-4	5.391E-4	
14-Si- 28	4.547E-4±6.074E-5	7.179E-4	4.289E-4	7.179E-4	4.946E-4	6.683E-4	
14-Si- 29	1.015E-4±1.908E-5	2.321E-4	1.181E-4	2.064E-4	1.015E-4	2.357E-4	
14-Si- 30	6.510E-4±2.678E-5	6.010E-4	4.647E-4	4.490E-4	6.510E-4	6.014E-4	
14-Si- 31						2.382E-4	
14-Si- 32				7.337E-5		7.030E-5	
15-P - 31	1.250E-3	9.614E-4	9.614E-4	1.164E-3	1.041E-3	1.280E-3	
15-P - 32				6.120E-5		6.025E-4	
15-P - 33				3.805E-5		3.805E-5	
16-S - 0					6.871E-4		
16-S - 32	3.733E-4	3.733E-4	3.733E-4	3.811E-4		4.534E-4	
16-S - 33	1.590E-4	1.590E-4	1.590E-4	1.590E-4		2.492E-4	
16-S - 34	2.547E-4	2.547E-4	2.547E-4	2.547E-4		3.864E-4	
16-S - 35				3.715E-3		4.742E-4	
16-S - 36	2.824E-4	2.824E-4	2.824E-4	2.824E-4		5.366E-5	
17-Cl- 0					3.230E-5		
17-Cl- 35	8.259E-4	8.252E-4	9.204E-4	8.253E-4		7.843E-4	
17-Cl- 36				6.492E-4		6.490E-4	
17-Cl- 37	4.750E-4	4.394E-4	5.211E-4	4.394E-4		5.210E-4	
18-Ar- 36	3.261E-3	3.261E-3		3.261E-3		3.261E-3	
18-Ar- 37				2.257E-4		8.804E-4	
18-Ar- 38	8.315E-4	8.315E-4		8.314E-4		8.190E-4	
18-Ar- 39				7.575E-4		7.906E-4	
18-Ar- 40	9.503E-4	9.503E-4	9.503E-4	9.503E-4		8.040E-4	
18-Ar- 41						2.893E-4	
18-Ar- 42				1.170E-4		1.170E-4	
19-K - 0					1.622E-3		
19-K - 39	5.596E-4	2.484E-3	2.483E-3	2.483E-3		2.507E-3	
19-K - 40	1.149E-3	1.149E-3	1.148E-3	1.148E-3		9.839E-4	
19-K - 41	2.143E-3±4.408E-4	4.655E-3	4.655E-3	4.655E-3		4.679E-3	
19-K - 42						9.359E-4	
19-K - 43						1.483E-3	
20-Ca- 0					1.184E-2		
20-Ca- 40	1.510E-3	1.510E-3	1.370E-3	1.510E-3		1.174E-3	
20-Ca- 41				1.744E-3		1.744E-3	
20-Ca- 42	2.373E-3	2.373E-3	2.833E-3	2.373E-3		2.399E-3	
20-Ca- 43	2.038E-3	2.038E-3	4.086E-3	2.038E-3		2.047E-3	
20-Ca- 44	1.044E-3	1.044E-3	9.487E-4	1.043E-3		1.371E-3	
20-Ca- 45				1.276E-3		1.276E-3	
20-Ca- 46	4.962E-4	4.962E-4	4.130E-4	4.962E-4		2.803E-3	
20-Ca- 47				1.474E-3		3.782E-3	
20-Ca- 48	2.661E-4	2.661E-4	1.740E-4	2.660E-4		2.469E-4	
21-Sc- 44							
21-Sc- 44m						1.483E-3	
21-Sc- 45	3.238E-3	3.061E-3	4.260E-3	4.260E-3		4.258E-3	
21-Sc- 46				1.500E-3		1.500E-3	
21-Sc- 47				4.253E-3		4.252E-3	
21-Sc- 48				4.418E-3		4.417E-3	
22-Ti- 44				6.102E-4		6.102E-4	
22-Ti- 45						5.174E-3	
22-Ti- 46	3.128E-3±4.598E-4	4.087E-3	3.983E-3	4.034E-3	3.446E-3	4.144E-3	
22-Ti- 47	4.009E-3±5.664E-4	5.820E-3	5.915E-3	5.918E-3	3.001E-3	5.935E-3	
22-Ti- 48	1.643E-3±1.275E-4	1.703E-3	1.718E-3	1.731E-3	2.970E-3	1.729E-3	
22-Ti- 49	2.019E-3±2.402E-4	4.004E-3	3.972E-3	3.994E-3	1.845E-3	3.991E-3	
22-Ti- 50	5.037E-4±6.252E-5	5.204E-4	3.716E-4	3.910E-4	5.355E-4	4.035E-4	
23-V-0				1.824E-3	1.364E-3		

TABLE XIV: Maxwellian-averaged capture cross sections (continued).

Material	**ENDF/B-VII.1** (barns)	**JEFF-3.1.2** (barns)	**JENDL-4.0** (barns)	**ROSFOND-2010** (barns)	**CENDL-3.1** (barns)	**EAF-2010** (barns)	**EXFOR** (barns)
23-V - 48				4.353E-3		4.352E-3	
23-V - 49				6.751E-3		6.750E-3	
23-V - 50	8.950E-4	1.363E-3	2.129E-2	2.898E-3		2.897E-3	
23-V - 51	1.799E-3		2.026E-3	1.824E-3		1.562E-3	2.800E-3±3.000E-4
24-Cr- 48						4.894E-3	
24-Cr- 50	3.255E-3	3.503E-3	3.861E-3	3.503E-3	5.368E-3	3.162E-3	
24-Cr- 51				3.711E-3		8.533E-3	
24-Cr- 52	1.328E-3±1.513E-6	1.913E-3	1.641E-3	1.913E-3	2.040E-3	2.088E-3	
24-Cr- 53	1.432E-3	1.430E-3	2.896E-3	1.430E-3	1.294E-3	1.220E-3	
24-Cr- 54	1.297E-3	1.252E-3	5.450E-4	1.219E-3	1.362E-3	6.712E-4	
25-Mn- 52				1.495E-2		1.494E-2	
25-Mn- 53				1.071E-2		1.071E-2	
25-Mn- 54				4.138E-3		4.138E-3	
25-Mn- 55	2.102E-3±6.048E-6	2.272E-3	2.270E-3	2.272E-3	2.272E-3	2.271E-3	2.960E-3±2.100E-4
26-Fe- 52						4.251E-3	
26-Fe- 54	2.518E-3±2.046E-4	3.802E-3	5.335E-3	3.801E-3	5.509E-3	2.518E-3	
26-Fe- 55				4.020E-3		4.019E-3	
26-Fe- 56	2.421E-3±2.135E-4	2.387E-3	3.038E-3	2.721E-3	2.691E-3	2.421E-3	
26-Fe- 57	1.953E-3±2.257E-5	1.282E-3	7.803E-4	1.953E-3	7.633E-4	1.668E-3	
26-Fe- 58	2.120E-3	1.614E-3	1.472E-3	2.120E-3	1.243E-3	2.120E-3	
26-Fe- 59			1.336E-2	8.123E-4		8.122E-4	
26-Fe- 60				5.569E-4		3.791E-3	
27-Co- 55						2.501E-2	
27-Co- 56				1.664E-2		1.664E-2	
27-Co- 57				1.220E-2		1.219E-2	
27-Co- 58	5.068E-3	1.546E-3		1.546E-3		1.546E-3	
27-Co- 58m	2.733E-3	2.733E-3				2.733E-3	
27-Co- 59	3.929E-3	3.929E-3	4.488E-3	4.488E-3	4.589E-3	3.915E-3	6.970E-3±3.400E-4
27-Co- 60				6.462E-4		6.461E-4	
28-Ni- 56				1.208E-2		1.208E-2	
28-Ni- 57				8.853E-3		8.851E-3	
28-Ni- 58	4.585E-3±5.351E-5	6.262E-3	7.392E-3	6.261E-3	4.716E-3	6.253E-3	
28-Ni- 59	3.384E-3	3.384E-3	1.589E-3	3.384E-3		5.218E-3	
28-Ni- 60	3.153E-3±4.561E-5	5.360E-3	5.506E-3	5.360E-3	5.159E-3	5.467E-3	
28-Ni- 61	3.424E-3	3.412E-3	3.723E-3	3.412E-3	4.067E-3	3.412E-3	
28-Ni- 62	4.319E-3	5.255E-3	2.979E-3	5.255E-3	5.089E-3	2.999E-3	
28-Ni- 63				1.153E-3		1.153E-3	
28-Ni- 64	3.891E-3	4.168E-3	2.497E-3	4.168E-3	2.326E-3	2.541E-3	
28-Ni- 66				1.404E-3		8.232E-3	
29-Cu- 0					7.182E-3		
29-Cu- 63	8.960E-3	8.960E-3	8.483E-3	8.960E-3	7.954E-3	8.186E-3	1.039E-2±3.000E-4
29-Cu- 64						7.221E-3	
29-Cu- 65	6.213E-3	6.213E-3	5.805E-3	6.213E-3	5.454E-3	6.213E-3	8.000E-3±1.200E-3
29-Cu- 67				5.901E-3		5.900E-3	
30-Zn- 0		1.206E-2		1.207E-2	4.699E-3		
30-Zn- 62						5.912E-3	
30-Zn- 64	9.174E-3		9.174E-3	7.626E-3		7.626E-3	
30-Zn- 65	1.051E-2		1.677E-1	8.690E-3		8.689E-3	
30-Zn- 66	9.127E-3		9.127E-3	6.138E-3		6.137E-3	
30-Zn- 67	6.999E-3		6.999E-3	1.266E-2		1.265E-2	
30-Zn- 68	5.787E-3		5.787E-3	3.092E-3		3.092E-3	1.850E-3±1.200E-4
30-Zn- 69m						6.462E-3	
30-Zn- 70	1.999E-3		1.998E-3	1.183E-3		1.183E-3	
30-Zn- 72				9.455E-4		5.190E-3	
31-Ga- 0		1.121E-2					
31-Ga- 66						3.299E-3	
31-Ga- 67				2.087E-2		2.087E-2	
31-Ga- 69	1.291E-2		1.291E-2	1.291E-2	1.289E-2	1.346E-2	
31-Ga- 71	9.055E-3		8.684E-3	9.054E-3	9.035E-3	8.854E-3	
31-Ga- 72						7.904E-3	
32-Ge- 0					1.309E-2		
32-Ge- 68				8.760E-3		2.018E-2	
32-Ge- 69				1.086E-2		1.085E-2	
32-Ge- 70	1.770E-2	1.746E-2	1.770E-2	1.770E-2	2.782E-2	1.439E-2	
32-Ge- 71				1.001E-2	1.466E-2	1.001E-2	
32-Ge- 72	1.017E-2	1.372E-2	1.017E-2	1.017E-2	1.645E-2	7.970E-3	
32-Ge- 73	9.554E-3	8.101E-3	9.554E-3	9.562E-3	1.222E-2	4.639E-2	
32-Ge- 74	4.347E-3	4.513E-3	4.347E-3	4.347E-3	4.759E-3	4.693E-3	
32-Ge- 75					7.021E-3		
32-Ge- 76	2.050E-3	1.949E-3	2.050E-3	2.050E-3	2.200E-3	3.124E-3	
32-Ge- 77					1.195E-2	5.937E-3	
32-Ge- 78					1.068E-3		
33-As- 71				3.315E-2		3.314E-2	
33-As- 72				2.663E-2		2.662E-2	
33-As- 73				1.858E-2		1.858E-2	
33-As- 74	3.776E-2			1.565E-2		1.565E-2	
33-As- 75	1.694E-2	3.773E-2	1.946E-2	1.986E-2	2.187E-2	1.986E-2	
33-As- 76				1.432E-2		1.432E-2	
33-As- 77				1.413E-2	1.473E-2	1.413E-2	
33-As- 79					1.012E-2		

TABLE XIV: Maxwellian-averaged capture cross sections (continued).

Material	**ENDF/B-VII.1** (barns)	**JEFF-3.1.2** (barns)	**JENDL-4.0** (barns)	**ROSFOND-2010** (barns)	**CENDL-3.1** (barns)	**EAF-2010** (barns)	**EXFOR** (barns)
34-Se- 72				1.051E-2		1.050E-2	
34-Se- 73						3.196E-2	
34-Se- 74	3.067E-2	2.438E-2	4.695E-2	3.066E-2		3.451E-2	
34-Se- 75				1.094E-2		1.094E-2	
34-Se- 76	1.382E-2	3.122E-2	2.250E-2	1.382E-2		3.121E-2	
34-Se- 77	1.510E-2	2.861E-2	1.613E-2	1.509E-2		2.115E-2	
34-Se- 78	1.568E-2	1.289E-2	1.133E-2	1.568E-2		1.289E-2	
34-Se- 79	1.908E-2	1.908E-2	3.425E-2	1.907E-2		9.335E-3	
34-Se- 80	6.354E-3	1.276E-2	4.284E-3	6.354E-3		3.634E-3	
34-Se- 82	9.643E-3	4.252E-3	1.376E-3	9.643E-3		5.734E-4	
35-Br- 76						2.967E-2	
35-Br- 77				4.386E-2		4.386E-2	
35-Br- 79	3.321E-2	6.945E-2	2.993E-2	3.320E-2		4.099E-2	
35-Br- 81	1.541E-2	4.603E-2	1.309E-2	1.541E-2		1.272E-2	
35-Br- 82				1.435E-2		1.435E-2	
36-Kr- 76						3.063E-2	
36-Kr- 78	5.497E-2	7.329E-2	5.695E-2	5.519E-2		6.236E-2	
36-Kr- 79				4.660E-2		2.303E-2	
36-Kr- 80	8.514E-2	3.914E-2	6.403E-2	8.514E-2		3.912E-2	
36-Kr- 81				3.886E-2		1.865E-2	
36-Kr- 82	2.619E-2	1.598E-2	2.103E-2	1.598E-2		1.450E-2	
36-Kr- 83	2.324E-2	2.324E-2	2.320E-2	1.609E-2	2.324E-2	3.415E-2	
36-Kr- 84	8.563E-3	6.333E-3	1.009E-2	8.563E-3	6.376E-3	5.736E-3	
36-Kr- 85	2.006E-2	4.944E-3	2.923E-2	2.006E-2	1.081E-2	4.943E-3	
36-Kr- 86	1.313E-3	1.174E-3	1.679E-3	1.513E-3	1.655E-3	1.312E-3	
37-Rb- 82m						4.796E-2	
37-Rb- 83				5.917E-2		5.916E-2	
37-Rb- 84				3.562E-2		3.562E-2	
37-Rb- 85	1.815E-2	2.066E-2	1.816E-2	1.815E-2	1.838E-2	2.066E-2	
37-Rb- 86	2.692E-2	6.185E-3	2.629E-2	2.692E-2		1.009E-2	
37-Rb- 87	2.399E-3	2.296E-3	2.420E-3	2.399E-3	2.384E-3	1.958E-3	
38-Sr- 82				3.007E-2		3.007E-2	
38-Sr- 83				4.076E-2		4.075E-2	
38-Sr- 84	6.223E-2	6.165E-2	6.964E-2	9.153E-2		6.165E-2	3.540E-2±2.301E-3
38-Sr- 85				3.324E-2		3.324E-2	
38-Sr- 86	2.048E-2	1.634E-2	2.014E-2	2.048E-2		2.048E-2	
38-Sr- 87	8.691E-3	1.854E-2	1.205E-2	8.690E-3		1.484E-2	
38-Sr- 88	3.650E-3	1.393E-3	1.941E-3	3.650E-3	3.650E-3	2.397E-3	
38-Sr- 89	2.405E-3	8.856E-3	6.656E-3	2.405E-3	2.405E-3	8.854E-3	
38-Sr- 90	3.650E-3	5.285E-3	3.019E-3	3.650E-3	3.195E-3	2.419E-3	
38-Sr- 91						3.121E-3	
39-Y - 86						7.141E-2	
39-Y - 87				5.704E-2		5.703E-2	
39-Y - 87m						5.961E-2	
39-Y - 88				1.276E-2		1.276E-2	
39-Y - 89	4.610E-3±4.363E-4	5.247E-3	4.308E-3	5.576E-3	4.908E-3	4.528E-3	
39-Y - 90	3.800E-3	1.273E-2	9.724E-3	1.273E-2		1.273E-2	
39-Y - 91	8.945E-3	4.883E-3	1.691E-2	8.944E-3	8.437E-3	4.882E-3	
39-Y - 93						1.480E-2	
40-Zr- 86						1.074E-1	
40-Zr- 88				2.505E-2		2.505E-2	
40-Zr- 89				1.039E-2		1.039E-2	
40-Zr- 90	8.017E-3±1.909E-6	6.439E-3	8.670E-3	6.028E-3	6.082E-3	7.418E-3	
40-Zr- 91	1.047E-2±1.854E-6	7.688E-3	7.685E-3	8.096E-3	8.393E-3	7.163E-3	
40-Zr- 92	1.167E-2±4.264E-6	1.364E-2	5.596E-3	9.350E-3	1.027E-2	8.673E-3	
40-Zr- 93	1.534E-2±4.534E-7	1.191E-2	1.305E-2	1.072E-2	8.658E-3	1.226E-2	
40-Zr- 94	7.778E-3±4.568E-6	8.609E-3	3.955E-3	5.805E-3	4.563E-3	6.386E-3	8.750E-3±6.500E-4
40-Zr- 95	1.869E-2±6.973E-3	2.379E-2	2.440E-2	2.142E-2	2.356E-2	1.263E-2	
40-Zr- 96	7.657E-3±6.018E-5	5.656E-3	7.927E-3	8.302E-3	5.059E-3	1.500E-2	4.170E-3±2.100E-4
40-Zr- 97						4.311E-3	
41-Nb- 90						2.406E-2	
41-Nb- 91m				1.490E-2		1.490E-2	
41-Nb- 91				1.490E-2		1.490E-2	
41-Nb- 92m				2.572E-2		2.571E-2	
41-Nb- 92				2.572E-2		2.571E-2	
41-Nb- 93m				1.860E-2		1.860E-2	
41-Nb- 93	1.860E-2	1.860E-2	1.943E-2	1.719E-2	1.657E-2	1.860E-2	
41-Nb- 94	1.098E-2	1.098E-2	2.450E-2	1.098E-2		7.636E-3	
41-Nb- 95m				4.009E-2		4.009E-2	
41-Nb- 95	5.676E-2±1.832E-2	5.676E-2	1.112E-1	5.676E-2	1.951E-2	4.009E-2	
41-Nb- 96				1.054E-2		1.054E-2	
42-Mo- 92	2.687E-2±6.964E-3	2.686E-2	2.454E-2	2.144E-2	1.904E-2	2.694E-2	
42-Mo- 93				1.114E-2		1.114E-2	
42-Mo- 93m						2.566E-1	
42-Mo- 94	3.139E-2±5.740E-3	3.139E-2	2.070E-2	2.203E-2	2.000E-2	1.702E-2	
42-Mo- 95	3.503E-2±6.139E-3	3.486E-2	3.013E-2	2.259E-2	3.373E-2	3.025E-2	
42-Mo- 96	2.344E-2±5.499E-3	2.344E-2	1.809E-2	1.425E-2	1.500E-2	2.042E-2	
42-Mo- 97	2.792E-2±6.584E-3	2.792E-2	3.101E-2	1.978E-2	2.657E-2	2.903E-2	
42-Mo- 98	2.198E-2±3.525E-3	2.198E-2	1.363E-2	2.023E-2	1.434E-2	2.597E-2	
42-Mo- 99	2.332E-2	2.332E-2	1.025E-2	2.331E-2		6.881E-3	

TABLE XIV: Maxwellian-averaged capture cross sections (continued).

Material	**ENDF/B-VII.1** (barns)	**JEFF-3.1.2** (barns)	**JENDL-4.0** (barns)	**ROSFOND-2010** (barns)	**CENDL-3.1** (barns)	**EAF-2010** (barns)	**EXFOR** (barns)
42-Mo-100	1.117E-2±1.038E-3	1.767E-2	1.207E-2	1.105E-2	1.104E-2	1.161E-2	1.485E-2±1.110E-3
43-Tc- 95						2.997E-2	
43-Tc- 95m				2.997E-2		2.997E-2	
43-Tc- 96				2.995E-2		2.994E-2	
43-Tc- 97m				4.012E-2		4.012E-2	
43-Tc- 97				4.012E-2		4.012E-2	
43-Tc- 98				2.285E-2		2.285E-2	
43-Tc- 99	5.622E-2±2.397E-6	6.041E-2	5.866E-2	6.041E-2	5.326E-2	6.434E-2	
43-Tc- 99m						4.741E-2	
44-Ru- 96	9.483E-2	1.271E-1	9.482E-2	9.482E-2		7.629E-2	
44-Ru- 97				1.914E-2		1.914E-2	
44-Ru- 98	7.487E-2	2.273E-2	7.487E-2	7.487E-2		2.273E-2	
44-Ru- 99	4.827E-2	4.598E-2	4.826E-2	4.826E-2	5.451E-2	4.597E-2	
44-Ru-100	5.194E-2	5.194E-2	5.194E-2	5.194E-2	4.376E-2	5.194E-2	
44-Ru-101	4.127E-2±4.987E-3	3.807E-2	5.649E-2	5.648E-2	4.909E-2	3.807E-2	
44-Ru-102	3.565E-2±6.515E-3	3.565E-2	3.393E-2	3.565E-2	3.565E-2	3.565E-2	
44-Ru-103	1.590E-2±4.986E-3	1.590E-2	1.969E-2	1.590E-2	1.590E-2	1.032E-2	
44-Ru-104	2.512E-2±3.365E-3	2.512E-2	2.874E-2	2.512E-2	2.512E-2	2.512E-2	
44-Ru-105	8.627E-3	8.627E-3	1.721E-2		8.627E-3	2.643E-2	
44-Ru-106	1.177E-2±3.456E-3	9.129E-3	1.177E-2	1.177E-2		9.129E-3	
45-Rh- 99				7.251E-2		7.249E-2	
45-Rh- 99m						7.249E-2	
45-Rh-100						4.564E-2	
45-Rh-101				7.632E-2		7.631E-2	
45-Rh-101m				7.632E-2		7.631E-2	
45-Rh-102				6.811E-2		6.810E-2	
45-Rh-102m				6.811E-2		6.810E-2	
45-Rh-103	5.017E-2±6.064E-3	5.732E-2	6.163E-2	5.024E-2	6.002E-2	5.870E-2	
45-Rh-105	6.202E-2	6.202E-2	5.295E-2	5.295E-2	6.202E-2	4.316E-2	
46-Pd-100				4.256E-2		3.445E-2	
46-Pd-101						4.566E-2	
46-Pd-102	1.216E-1	4.467E-2	5.416E-2	1.216E-1		1.889E-2	
46-Pd-103				3.903E-2		3.902E-2	
46-Pd-104	4.870E-2	4.870E-2	6.408E-2	4.870E-2		5.681E-2	
46-Pd-105	6.364E-2±1.038E-2	6.364E-2	6.760E-2	6.364E-2	7.309E-2	7.372E-2	
46-Pd-106	4.934E-2±1.483E-2	4.934E-2	5.679E-2	4.812E-2		4.812E-2	
46-Pd-107	7.993E-2±1.568E-2	7.993E-2	5.105E-2	7.992E-2		7.616E-2	
46-Pd-108	3.067E-2±9.083E-3	3.067E-2	5.638E-2	3.696E-2	2.167E-2	1.944E-2	
46-Pd-109						8.687E-3	
46-Pd-110	1.609E-2	1.742E-2	2.889E-2	1.742E-2		1.742E-2	
46-Pd-112						9.365E-3	
47-Ag- 0					7.837E-2		
47-Ag-105				1.608E-1		1.607E-1	
47-Ag-106m				1.036E-1		1.036E-1	
47-Ag-107	8.439E-2	7.333E-2	7.970E-2	8.439E-2	8.439E-2	6.217E-2	
47-Ag-108m				5.535E-2		5.535E-2	
47-Ag-109	5.800E-2±1.347E-2	9.840E-2	5.901E-2	5.751E-2	7.190E-2	5.895E-2	
47-Ag-110m	4.006E-1	4.006E-1	1.073E-1	4.005E-1		3.046E-2	
47-Ag-111	1.278E-2	3.354E-2	3.948E-2	1.386E-2		3.454E-2	
48-Cd- 0					4.248E-2		
48-Cd-106	1.085E-1	1.588E-1	1.298E-1	1.085E-1		1.085E-1	
48-Cd-107						4.959E-2	
48-Cd-108	1.164E-1	1.164E-1	1.019E-1	1.164E-1		4.960E-2	
48-Cd-109				4.536E-2		4.535E-2	
48-Cd-110	6.533E-2	6.533E-2	4.806E-2	6.533E-2		3.017E-2	
48-Cd-111	7.941E-2	6.888E-2	3.518E-2	7.939E-2		2.842E-2	
48-Cd-112	6.784E-2	6.784E-2	3.288E-2	6.784E-2		2.523E-2	
48-Cd-113	5.757E-2	3.889E-2	3.148E-2	5.754E-2	5.754E-2	3.714E-2	
48-Cd-113m				4.289E-2		4.289E-2	
48-Cd-114	2.679E-2	2.679E-2	2.233E-2	2.679E-2		1.908E-2	
48-Cd-115				3.454E-2		2.752E-2	
48-Cd-115m	2.537E-2	3.454E-2		2.537E-2		3.347E-2	
48-Cd-116	1.330E-2	1.330E-2	1.107E-2	1.330E-2		6.455E-3	3.800E-2±1.400E-2
49-In-111				2.179E-1		2.179E-1	
49-In-113	1.587E-1	1.587E-1	1.104E-1	1.587E-1	1.949E-1	2.248E-1	
49-In-114m				1.327E-1		1.327E-1	
49-In-115	1.312E-1	1.312E-1	1.419E-1	1.312E-1	1.350E-1	1.096E-1	1.392E-1±6.000E-2
50-Sn- 0					2.140E-2		
50-Sn-112	1.113E-1	1.113E-1	1.298E-1	1.113E-1	9.156E-2	1.142E-1	
50-Sn-113	9.457E-2			9.515E-2		6.228E-2	
50-Sn-114	9.051E-2	9.051E-2	7.587E-2	9.050E-2	5.838E-2	6.323E-2	
50-Sn-115	6.630E-2	6.630E-2	6.301E-2	6.630E-2	4.799E-2	6.630E-2	
50-Sn-116	5.450E-2	5.450E-2	5.420E-2	5.449E-2	3.989E-2	2.946E-2	
50-Sn-117	4.676E-2	4.676E-2	4.017E-2	4.676E-2	2.843E-2	3.494E-2	
50-Sn-117m				3.239E-2		3.239E-2	
50-Sn-118	2.987E-2	2.987E-2	3.908E-2	2.986E-2	2.431E-2	2.987E-2	
50-Sn-119	2.834E-2	2.834E-2	2.348E-2	2.834E-2	9.295E-3	2.836E-2	
50-Sn-119m				6.447E-3		4.213E-2	
50-Sn-120	1.646E-2	1.646E-2	1.622E-2	1.646E-2	1.426E-2	1.620E-2	

TABLE XIV: Maxwellian-averaged capture cross sections (continued).

Material	ENDF/B-VII.1 (barns)	JEFF-3.1.2 (barns)	JENDL-4.0 (barns)	ROSFOND-2010 (barns)	CENDL-3.1 (barns)	EAF-2010 (barns)	EXFOR (barns)
50-Sn-121				1.570E-2		1.570E-2	
50-Sn-121m				1.570E-2		1.570E-2	
50-Sn-122	9.185E-3	9.402E-3	1.191E-2	9.185E-3	8.319E-3	6.621E-3	
50-Sn-123	4.743E-2	4.216E-2	1.113E-2	4.743E-2		2.720E-2	
50-Sn-124	5.614E-3	5.745E-3	5.429E-3	5.614E-3	4.670E-3	5.888E-3	
50-Sn-125	1.443E-2	1.008E-2		1.448E-2		9.743E-3	
50-Sn-126	3.843E-3	5.675E-3	3.189E-3	3.843E-3		2.471E-3	
51-Sb-119				5.877E-2		5.876E-2	
51-Sb-120m				3.264E-2		3.264E-2	
51-Sb-121	7.935E-2	7.017E-2	7.016E-2	7.934E-2	7.935E-2	8.957E-2	
51-Sb-122				2.640E-2		2.639E-2	
51-Sb-123	5.514E-2	5.334E-2	5.333E-2	5.514E-2	5.514E-2	5.055E-2	
51-Sb-124	5.092E-2	3.426E-2	5.091E-2	5.091E-2		1.047E-2	
51-Sb-125	1.062E-1	7.174E-2	1.062E-1	1.062E-1	4.281E-2	2.916E-2	
51-Sb-126	2.562E-2	2.334E-2	4.875E-2	2.562E-2		4.666E-2	
51-Sb-127				4.028E-2		4.028E-2	
51-Sb-128						5.008E-3	
52-Te-118				4.615E-2		4.614E-2	
52-Te-119						6.878E-2	
52-Te-119m				6.880E-2		6.878E-2	
52-Te-120	9.702E-2	1.256E-1	9.701E-2	9.701E-2		1.256E-1	
52-Te-121m				4.633E-2		4.632E-2	
52-Te-121				4.633E-2		4.632E-2	
52-Te-122	1.006E-1	1.143E-1	1.006E-1	1.006E-1		8.516E-2	
52-Te-123m				6.501E-2		6.524E-2	
52-Te-123	8.715E-2	6.501E-2	8.715E-2	8.714E-2		5.370E-2	
52-Te-124	4.750E-2	1.067E-1	4.751E-2	4.751E-2		2.755E-2	
52-Te-125m				2.974E-2		3.722E-2	
52-Te-125	3.968E-2	2.974E-2	3.968E-2	3.968E-2		2.972E-2	
52-Te-126	2.934E-2	3.544E-2	2.935E-2	2.935E-2		1.781E-2	
52-Te-127						1.123E-2	
52-Te-127m	1.098E-1	5.378E-2	1.097E-1	1.097E-1		2.167E-2	
52-Te-128	1.294E-2	8.069E-3	1.294E-2	1.294E-2		6.169E-3	
52-Te-129						3.239E-3	
52-Te-129m	1.353E-1	1.002E-2	1.353E-1	1.353E-1		6.392E-3	
52-Te-130	3.593E-3	3.925E-3	4.823E-3	3.593E-3	3.593E-3	3.925E-3	
52-Te-131m				1.110E-2		1.109E-2	
52-Te-132	2.899E-3	7.916E-4	1.400E-3	2.899E-3		8.071E-4	
53-I -123						5.838E-2	
53-I -124				4.570E-2		4.570E-2	
53-I -125				4.469E-2		7.076E-2	
53-I -126				4.530E-2		4.530E-2	
53-I -127	5.278E-2±9.480E-3	5.399E-2	5.224E-2	5.277E-2	5.330E-2	5.951E-2	
53-I-128						1.538E-2	
53-I -129	4.779E-2±1.494E-2	3.312E-2	4.778E-2	4.778E-2	6.552E-2	3.977E-2	
53-I -130	1.610E-2	2.147E-2	1.164E-2			7.859E-3	
53-I -131	2.271E-2	2.271E-2	2.271E-2	2.271E-2		1.282E-2	
53-I -133						1.256E-2	
53-I -135	7.428E-4	7.428E-4	2.313E-4	7.428E-4	7.428E-4	4.966E-4	
54-Xe-122						1.514E-1	
54-Xe-123	1.958E-1				2.023E-1		
54-Xe-124	2.329E-1	9.010E-2	2.652E-1	4.061E-1	4.061E-1	7.395E-2	
54-Xe-125						3.743E-2	
54-Xe-126	3.255E-1	6.628E-2	1.353E-1	3.255E-1		5.888E-2	
54-Xe-127				4.034E-2		4.033E-2	
54-Xe-128	9.342E-2	9.342E-2	5.047E-2	9.341E-2		3.294E-2	
54-Xe-129m				4.486E-2		4.486E-2	
54-Xe-129	2.841E-2	2.841E-2	2.804E-2	2.841E-2	2.614E-2	2.834E-2	
54-Xe-130	3.390E-2	3.390E-2	2.186E-2	3.390E-2		2.588E-2	
54-Xe-131m				1.414E-2		1.414E-2	
54-Xe-131	1.936E-2±3.490E-3	1.560E-2	1.839E-2	3.035E-2	1.767E-2	1.414E-2	
54-Xe-132	9.675E-3±2.925E-3	9.675E-3	1.021E-2	1.144E-2	9.675E-3	9.675E-3	
54-Xe-133m				6.650E-3		9.037E-3	
54-Xe-133	1.004E-2	1.004E-2	7.745E-3	1.003E-2		5.644E-3	
54-Xe-134	7.753E-3±2.597E-3	7.753E-3	4.659E-3	8.625E-3	7.753E-3	7.752E-3	
54-Xe-135	8.239E-3	8.459E-4	2.863E-3	8.459E-4	7.451E-3	8.238E-3	
54-Xe-136	6.326E-4	6.326E-4	5.369E-4	5.037E-4	6.326E-4	5.102E-4	
55-Cs-127						1.396E-1	
55-Cs-129				6.532E-2		6.531E-2	
55-Cs-131				4.131E-2		4.130E-2	
55-Cs-132				3.911E-2		3.911E-2	
55-Cs-133	3.841E-2±7.748E-3	4.403E-2	3.538E-2	3.851E-2	4.046E-2	5.301E-2	
55-Cs-134	3.762E-2	1.800E-2	1.312E-2	3.761E-2	3.802E-2	1.359E-2	
55-Cs-135	2.086E-2±5.277E-3	2.086E-2	1.918E-2	2.086E-2	3.230E-2	2.086E-2	
55-Cs-136	1.188E-2	2.111E-2	8.150E-3	1.188E-2		7.142E-3	
55-Cs-137	4.516E-3	4.516E-3	1.663E-3	4.516E-3	4.399E-2	2.935E-4	
56-Ba-128				3.916E-2		3.916E-2	
56-Ba-129						4.791E-2	
56-Ba-130	6.102E-1	6.102E-1	6.102E-1	6.102E-1	2.982E-1	1.145E-1	
56-Ba-131				3.268E-2		3.269E-2	

TABLE XIV: Maxwellian-averaged capture cross sections (continued).

Material	**ENDF/B-VII.1** (barns)	**JEFF-3.1.2** (barns)	**JENDL-4.0** (barns)	**ROSFOND-2010** (barns)	**CENDL-3.1** (barns)	**EAF-2010** (barns)	**EXFOR** (barns)
56-Ba-132	2.991E-1	2.991E-1	2.990E-1	2.990E-1	2.453E-1	6.635E-2	
56-Ba-133m				2.848E-2		2.848E-2	
56-Ba-133	6.776E-2			6.776E-2		2.848E-2	
56-Ba-134	1.462E-1	1.462E-1	1.462E-1	1.462E-1	1.011E-1	3.991E-2	
56-Ba-135	7.880E-2	7.880E-2	7.879E-2	3.228E-2	5.149E-2	2.878E-2	
56-Ba-135m				7.879E-2		3.228E-2	
56-Ba-136	3.539E-2	3.538E-2	3.538E-2	3.538E-2	1.999E-2	1.388E-2	
56-Ba-137	1.291E-2	1.292E-2	1.292E-2	1.291E-2	8.293E-3	7.954E-3	
56-Ba-138	2.686E-3	3.021E-3	3.021E-3	2.686E-3	2.696E-3	2.374E-3	3.800E-3±4.000E-4
56-Ba-139						7.072E-3	
56-Ba-140	6.583E-3	6.583E-3	6.360E-4	6.583E-3		1.729E-3	
57-La-135						4.013E-2	
57-La-137				3.648E-2		3.648E-2	
57-La-138	2.260E-2	2.260E-2	2.260E-2	2.260E-2		2.261E-2	
57-La-139	6.324E-3±1.407E-3	6.324E-3	5.871E-3	6.324E-3	6.324E-3	4.677E-3	
57-La-140	2.250E-3	3.066E-2	2.460E-3	2.250E-3		3.639E-3	
57-La-141						2.343E-2	
58-Ce-134				1.315E-1		5.427E-2	
58-Ce-135						2.303E-1	
58-Ce-136	1.327E-1			1.327E-1	1.327E-1	8.834E-2	
58-Ce-137						1.117E-1	
58-Ce-137m				3.330E-2		3.329E-2	
58-Ce-138	8.349E-2			8.349E-2	1.815E-2	1.792E-2	
58-Ce-139	9.996E-2			9.995E-2		1.529E-2	
58-Ce-140	5.944E-3	1.478E-2	7.563E-3	5.944E-3	6.806E-3	7.328E-3	
58-Ce-141	6.172E-2±1.990E-2	6.172E-2	2.543E-2	6.171E-2	6.167E-2	1.523E-2	
58-Ce-142	7.050E-3	7.050E-3	5.587E-3	7.050E-3	4.531E-3	7.049E-3	
58-Ce-143	4.868E-3	9.677E-3	5.117E-3	4.868E-3		4.274E-3	
58-Ce-144	5.621E-3	5.621E-3	4.375E-3	5.620E-3	5.337E-3	5.689E-3	
59-Pr-141	1.595E-2±4.087E-3	1.595E-2	1.518E-2	1.595E-2	1.438E-2	1.216E-2	
59-Pr-142	6.633E-3	1.842E-2				7.090E-3	
59-Pr-143	1.106E-2	1.106E-2	1.106E-2	1.106E-2		4.607E-2	
60-Nd-140				2.773E-2		2.772E-2	
60-Nd-141						2.112E-2	
60-Nd-142	2.346E-2	2.345E-2	2.818E-2	2.343E-2	3.035E-2	3.744E-2	
60-Nd-143	4.065E-2±1.049E-2	6.745E-2	5.144E-2	4.045E-2	4.390E-2	3.537E-2	
60-Nd-144	1.805E-2	1.805E-2	2.697E-2	2.450E-2	2.133E-2	1.832E-2	
60-Nd-145	3.362E-2±6.558E-3	5.435E-2	3.999E-2	3.173E-2	3.770E-2	3.704E-2	
60-Nd-146	1.819E-2±4.847E-3	1.819E-2	1.843E-2	2.474E-2	3.567E-2	2.479E-2	
60-Nd-147	4.526E-2	4.526E-2	9.353E-2	3.888E-2	3.887E-2	2.163E-2	
60-Nd-148	1.875E-2±5.548E-3	3.057E-2	2.138E-2	2.253E-2	1.776E-2	3.057E-2	
60-Nd-149						1.853E-2	
60-Nd-150	1.442E-2	2.529E-2	1.396E-2	1.432E-2	1.432E-2	9.776E-3	
61-Pm-143				3.747E-2		3.746E-2	
61-Pm-144				5.416E-2		5.414E-2	
61-Pm-145				6.850E-2		6.849E-2	
61-Pm-146				6.931E-2		6.930E-2	
61-Pm-147	1.065E-1±1.988E-2	1.065E-1	4.543E-2	1.065E-1	8.199E-2	5.760E-2	
61-Pm-148m	2.113E-1	2.113E-1	4.937E-2	2.113E-1	2.113E-1	4.782E-1	
61-Pm-148	1.032E-1	1.032E-1	4.341E-2	1.031E-1	1.566E-1	5.044E-2	
61-Pm-149	5.998E-2	5.998E-2	2.415E-2	5.997E-2	4.278E-2	3.745E-2	
61-Pm-150						1.484E-1	
61-Pm-151	2.717E-2	2.717E-2	2.790E-2	1.237E-3		4.975E-2	
62-Sm-144	5.641E-2	5.641E-2	7.153E-2	9.385E-2	4.844E-2	7.527E-2	
62-Sm-145				5.603E-2		5.603E-2	
62-Sm-146				3.761E-2		3.761E-2	
62-Sm-147	7.798E-2	1.551E-1	1.024E-1	7.841E-2	1.055E-1	1.551E-1	
62-Sm-148	4.736E-2	4.736E-2	7.242E-2	7.348E-2	7.114E-2	5.684E-2	
62-Sm-149	1.294E-1±2.685E-2	1.148E-1	1.565E-1	1.294E-1	1.423E-1	1.867E-1	
62-Sm-150	7.024E-2	1.300E-1	8.376E-2	6.544E-2	6.787E-2	5.974E-2	
62-Sm-151	6.991E-2±1.316E-2	1.007E-1	8.367E-2	6.991E-2	7.745E-2	5.057E-2	
62-Sm-152	5.192E-2±1.116E-2	7.273E-2	5.498E-2	5.126E-2	7.359E-2	7.273E-2	
62-Sm-153	1.591E-2	1.591E-2	2.101E-2	1.902E-2		3.751E-2	
62-Sm-154	2.473E-2	2.473E-2	3.039E-2	2.819E-2	2.819E-2	3.393E-2	
62-Sm-156						2.795E-2	
63-Eu-145				6.076E-2		6.075E-2	
63-Eu-146				1.181E-1		1.181E-1	
63-Eu-147				1.284E-1		1.284E-1	
63-Eu-148				1.417E-1		1.417E-1	
63-Eu-149				1.514E-1		1.514E-1	
63-Eu-150				1.396E-1		1.396E-1	
63-Eu-150m						1.396E-1	
63-Eu-151	2.267E-1	3.113E-1	2.449E-1	2.267E-1	2.267E-1	3.113E-1	0.370E-1±2.500E-2
63-Eu-152	3.441E-1	3.441E-1	8.386E-2	3.441E-1		2.383E-1	
63-Eu-152m						2.384E-1	
63-Eu-153	1.676E-1±3.787E-2	1.784E-1	1.705E-1	1.672E-1	1.628E-1	1.741E-1	
63-Eu-154	1.884E-1	1.135E-1	5.866E-2	1.884E-1	1.884E-1	1.134E-1	
63-Eu-155	5.436E-2±1.251E-2	1.494E-1	5.303E-2	5.436E-2	5.436E-2	9.099E-2	
63-Eu-156	4.457E-2	4.457E-2	2.067E-2	4.456E-2		4.308E-2	
63-Eu-157	1.398E-1	1.398E-1	3.141E-2			8.079E-2	

TABLE XIV: Maxwellian-averaged capture cross sections (continued).

Material	**ENDF/B-VII.1** (barns)	**JEFF-3.1.2** (barns)	**JENDL-4.0** (barns)	**ROSFOND-2010** (barns)	**CENDL-3.1** (barns)	**EAF-2010** (barns)	**EXFOR** (barns)
64-Gd-146				5.917E-2		5.918E-2	
64-Gd-147				1.232E-1		1.233E-1	
64-Gd-148				8.543E-2		8.543E-2	
64-Gd-149				1.264E-1		1.264E-1	
64-Gd-150				9.593E-2		9.591E-2	
64-Gd-151				1.610E-1		1.610E-1	
64-Gd-152	2.449E-1±3.123E-2	2.514E-1	4.663E-1	2.468E-1	2.015E-1	2.514E-1	
64-Gd-153	1.764E-1±1.030E-1		1.556E-1	1.725E-1		2.571E-1	
64-Gd-154	1.381E-1±1.728E-2	2.734E-1	2.114E-1	1.411E-1	2.038E-1	8.109E-2	
64-Gd-155	1.241E-1±1.889E-2	2.502E-1	1.467E-1	1.241E-1	1.439E-1	2.147E-1	
64-Gd-156	9.222E-2±9.200E-3	9.334E-2	1.180E-1	9.231E-2	1.051E-1	1.020E-1	
64-Gd-157	6.693E-2±5.028E-3	1.599E-1	7.314E-2	4.952E-2	7.134E-2	6.459E-2	
64-Gd-158	5.242E-2±5.892E-3	4.379E-2	4.365E-2	4.784E-2	5.129E-2	4.378E-2	
64-Gd-159						2.792E-2	
64-Gd-160	1.713E-2±3.147E-3	8.069E-2	1.977E-2	1.716E-2	1.919E-2	1.543E-2	
65-Tb-151						4.590E-1	
65-Tb-152						3.023E-1	
65-Tb-153				5.166E-1		5.165E-1	
65-Tb-154						7.374E-1	
65-Tb-154m						1.114E+0	
65-Tb-154n						1.050E+0	
65-Tb-155				4.371E-1		4.371E-1	
65-Tb-156m				3.399E-1		3.343E-1	
65-Tb-156				3.780E-1		3.779E-1	
65-Tb-156n						3.779E-1	
65-Tb-157				2.602E-1		2.602E-1	
65-Tb-158				1.861E-1		1.861E-1	
65-Tb-159	1.229E-1	1.229E-1	1.144E-1	1.229E-1		9.582E-2	
65-Tb-160	4.234E-2	2.303E-3	4.939E-2	3.700E-2		7.109E-2	
65-Tb-161				8.778E-2		8.776E-2	
66-Dy-153						7.018E-1	
66-Dy-154			1.536E+0	2.712E-1		2.712E-1	
66-Dy-155						4.443E-1	
66-Dy-156	3.045E-1		4.092E-1	1.699E-1		3.222E-1	
66-Dy-157						2.650E-1	
66-Dy-158	1.798E-1		1.549E-1	1.133E-1		1.841E-1	
66-Dy-159			3.688E+0	1.505E-1		1.504E-1	
66-Dy-160	1.346E-1	7.839E-1	1.490E-1	1.236E-1		1.287E-1	
66-Dy-161	6.985E-2	6.985E-2	8.799E-2	6.716E-2		7.326E-2	
66-Dy-162	5.262E-2	5.262E-2	5.627E-2	5.169E-2		4.081E-2	
66-Dy-163	3.347E-2	3.347E-2	4.173E-2	3.264E-2		3.999E-2	
66-Dy-164	2.032E-2	2.586E-2	1.921E-2	1.864E-2	3.806E-2	2.583E-2	
66-Dy-165				1.241E-2		1.241E-2	
66-Dy-166				1.220E-2		1.835E-2	
67-Ho-163				1.106E-1		1.106E-1	
67-Ho-164						1.846E-1	
67-Ho-164m						1.375E-1	
67-Ho-165	7.562E-2	7.562E-2		7.560E-2		1.080E-1	
67-Ho-166m	5.476E-2			5.589E-2		5.589E-2	
67-Ho-166				5.589E-2		5.589E-2	
68-Er-160				1.426E-1		1.850E-1	
68-Er-161						3.400E-1	
68-Er-162	1.411E-1	1.411E-1	1.411E-1	1.411E-1		2.660E-1	
68-Er-164	2.750E-1	2.750E-1	2.750E-1	2.750E-1		1.136E-1	
68-Er-165						7.413E-2	
68-Er-166	7.169E-2±9.171E-3	7.169E-2	7.169E-2	7.169E-2		7.168E-2	
68-Er-167	4.286E-2±5.982E-3	4.286E-2	4.286E-2	4.286E-2		5.777E-2	
68-Er-168	2.362E-2±3.320E-3	2.364E-2	2.364E-2	2.362E-2		3.978E-2	
68-Er-169				2.088E-2		2.087E-2	
68-Er-170	1.631E-2±5.330E-3	1.628E-2	1.628E-2	1.631E-2		2.240E-2	
68-Er-171						1.299E-2	
68-Er-172				1.245E-2		1.245E-2	
69-Tm-165				1.959E-1		1.959E-1	
69-Tm-166						2.316E-1	
69-Tm-167				1.480E-1		1.480E-1	
69-Tm-168	1.334E-1			1.179E-1		1.179E-1	
69-Tm-169	7.055E-2		1.052E+0	8.909E-2		8.906E-2	
69-Tm-170	1.177E-1			8.821E-2		8.819E-2	
69-Tm-171				9.747E-2		7.170E-2	
69-Tm-172				3.511E-2		3.511E-2	
69-Tm-173						6.603E-2	
70-Yb-166				1.345E-1		1.345E-1	
70-Yb-168			1.215E+0	1.655E-1		1.655E-1	
70-Yb-169				4.856E-2		4.855E-2	
70-Yb-170			7.762E-1	1.472E-1		1.472E-1	
70-Yb-171			1.255E+0	1.092E-1		1.092E-1	
70-Yb-172			3.543E-1	5.781E-2		5.781E-2	
70-Yb-173			7.732E-1	4.878E-2		4.877E-2	
70-Yb-174			1.585E-1	2.295E-2		2.295E-2	

TABLE XIV: Maxwellian-averaged capture cross sections (continued).

Material	**ENDF/B-VII.1** (barns)	**JEFF-3.1.2** (barns)	**JENDL-4.0** (barns)	**ROSFOND-2010** (barns)	**CENDL-3.1** (barns)	**EAF-2010** (barns)	**EXFOR** (barns)
70-Yb-175				1.927E-2		3.132E-2	
70-Yb-176			1.210E-1	1.190E-2		1.190E-2	
71-Lu-169				2.343E-1		2.342E-1	
71-Lu-170				2.111E-1		2.111E-1	
71-Lu-171				1.170E-1		1.170E-1	
71-Lu-172				1.391E-1		1.391E-1	
71-Lu-173				8.544E-2		8.543E-2	
71-Lu-174m				8.121E-2		8.120E-2	
71-Lu-174				8.121E-2		8.120E-2	
71-Lu-175	1.295E-1	1.295E-1		1.294E-1		1.295E-1	
71-Lu-176	1.279E-1	1.279E-1		1.279E-1		1.278E-1	
71-Lu-177m				1.390E-4		9.810E-2	
71-Lu-177				4.305E-2		4.305E-2	
72-Hf-170						1.322E-1	
72-Hf-171						1.427E-1	
72-Hf-172				8.904E-2		8.903E-2	
72-Hf-173						1.031E-1	
72-Hf-174	2.388E-1	2.388E-1	2.628E-1	2.388E-1	1.171E-1	1.863E-1	
72-Hf-175				5.565E-2		5.564E-2	
72-Hf-176	7.758E-2	7.758E-2	1.146E-1	7.757E-2	8.660E-2	1.304E-1	
72-Hf-177	1.068E-1	1.068E-1	1.158E-1	1.068E-1	1.023E-1	9.447E-2	
72-Hf-178n				4.644E-2		4.643E-2	
72-Hf-178	4.473E-2	4.473E-2	5.698E-2	4.473E-2	5.404E-2	4.643E-2	
72-Hf-179n				7.317E-2		7.317E-2	
72-Hf-179	6.979E-2	6.973E-2	6.464E-2	6.979E-2	7.265E-2	7.317E-2	
72-Hf-180	2.733E-2	2.733E-2	2.550E-2	2.723E-2	2.312E-2	2.201E-2	
72-Hf-180m						1.894E-2	
72-Hf-181			2.553E-1	1.206E-2		1.206E-2	
72-Hf-182			1.441E-1	1.547E-2		1.547E-2	
73-Ta-175						4.325E-1	
73-Ta-176						1.880E-1	
73-Ta-177				8.106E-2		8.104E-2	
73-Ta-179				5.854E-2		5.853E-2	
73-Ta-180	9.216E-2					1.334E-1	
73-Ta-180m				1.553E-1		1.553E-1	
73-Ta-181	8.828E-2	6.279E-2	6.278E-2	6.416E-2	7.208E-2	7.518E-2	1.199E-1±6.500E-3
73-Ta-182	3.613E-2	3.612E-2		3.612E-2		3.342E-2	
73-Ta-183				3.101E-2		3.100E-2	
73-Ta-184						1.260E-1	
74-W - 0							
74-W -178				7.564E-2		7.563E-2	
74-W -180	1.275E-1±4.487E-2		5.620E-1	9.834E-2		9.170E-2	
74-W -181				5.139E-2		5.138E-2	
74-W -182	6.792E-2±5.217E-3	5.689E-2	5.781E-2	6.814E-2		4.370E-2	
74-W -183	4.784E-2±3.903E-3	3.684E-2	4.297E-2	4.660E-2		3.342E-2	
74-W -184	4.238E-2±4.138E-3	2.997E-2	3.904E-2	4.121E-2		2.869E-2	
74-W -185				1.199E-2		1.199E-2	
74-W -186	2.796E-2±1.354E-3	2.962E-2	2.506E-2	2.748E-2		2.615E-2	
74-W -187						4.694E-3	
74-W -188				5.768E-3		5.768E-3	
75-Re-181						1.180E-1	
75-Re-182				1.505E-1		1.504E-1	
75-Re-182m						3.360E-1	
75-Re-183				8.841E-2		8.839E-2	
75-Re-184m				7.198E-2		7.198E-2	
75-Re-184				7.198E-2		7.198E-2	
75-Re-185	1.278E-1	1.350E-1		1.361E-1		1.340E-1	
75-Re-186m				7.349E-2		7.349E-2	
75-Re-186				7.349E-2		7.349E-2	
75-Re-187	8.152E-2	7.878E-2		7.878E-2		8.216E-2	
75-Re-188						1.781E-2	
75-Re-189				3.056E-2		3.056E-2	
76-Os- 0		5.824E-2		5.824E-2			
76-Os-182						7.066E-2	
76-Os-183						1.211E-1	
76-Os-183m						6.633E-1	
76-Os-184			7.233E-1	9.115E-2		1.835E-1	
76-Os-185				5.834E-2		5.834E-2	
76-Os-186			4.566E-1	2.621E-1		4.974E-2	
76-Os-187			1.187E+0	6.352E-2		6.030E-2	
76-Os-188			3.625E-1	1.624E-1		7.114E-2	
76-Os-189			1.083E+0	9.034E-2		5.349E-2	
76-Os-190			3.568E-1	7.289E-2		7.289E-2	
76-Os-191				1.045E-1		1.045E-1	
76-Os-191m						1.313E-2	
76-Os-192			2.358E-1	1.355E-2		2.812E-2	
76-Os-193				4.488E-3		4.488E-3	
76-Os-194				3.212E-3		3.213E-3	
77-Ir-185						1.626E-1	
77-Ir-186						2.199E-1	

TABLE XIV: Maxwellian-averaged capture cross sections (continued).

Material	**ENDF/B-VII.1** (barns)	**JEFF-3.1.2** (barns)	**JENDL-4.0** (barns)	**ROSFOND-2010** (barns)	**CENDL-3.1** (barns)	**EAF-2010** (barns)	**EXFOR** (barns)
77-Ir-187						2.935E-1	
77-Ir-188				8.839E-2		8.838E-2	
77-Ir-189				5.275E-2		5.274E-2	
77-Ir-190				4.899E-2		4.899E-2	
77-Ir-191	1.195E-1±4.530E-8	1.397E-1		1.397E-1		1.252E-1	
77-Ir-192n				1.486E-1		1.486E-1	
77-Ir-192				1.486E-1		1.388E-1	
77-Ir-193m				7.116E-2		7.114E-2	
77-Ir-193	7.740E-2±5.601E-8	6.543E-2		6.543E-2		7.114E-2	
77-Ir-194						1.584E-2	
77-Ir-194n						1.584E-2	
77-Ir-194m				1.584E-2			
77-Ir-196m						2.425E-2	
78-Pt- 0		4.809E-2		4.808E-2			
78-Pt-188				7.153E-2		7.152E-2	
78-Pt-189						8.899E-2	
78-Pt-190				1.387E-1		1.387E-1	
78-Pt-191				4.559E-2		4.558E-2	
78-Pt-192				1.973E-1		1.973E-1	
78-Pt-193m				3.557E-2		3.557E-2	
78-Pt-193				9.067E-2		9.067E-2	
78-Pt-194				7.385E-2		4.180E-2	
78-Pt-195m				4.356E-2		3.961E-2	
78-Pt-195				4.356E-2		3.312E-2	
78-Pt-196				7.188E-2		7.643E-2	
78-Pt-197						5.287E-3	
78-Pt-198				2.397E-2		2.397E-2	
78-Pt-200						8.791E-3	
78-Pt-202						2.831E-2	
79-Au-193						9.794E-2	
79-Au-194				5.176E-2		5.175E-2	
79-Au-195				3.623E-2		3.622E-2	
79-Au-196				3.788E-2		3.787E-2	
79-Au-196n						3.353E-1	
79-Au-197	5.568E-2±7.812E-4	5.533E-2	5.613E-2	5.568E-2	5.533E-2	5.532E-2	7.990E-2±2.900E-3
79-Au-198m				3.469E-2		3.468E-2	
79-Au-198				3.469E-2		2.632E-2	
79-Au-199				1.672E-2		1.672E-2	
79-Au-200m						8.275E-3	
80-Hg- 0					1.667E-2		
80-Hg-193						9.204E-2	
80-Hg-193m						9.204E-2	
80-Hg-194				6.926E-2		6.926E-2	
80-Hg-195m				3.573E-2		3.573E-2	
80-Hg-195						3.573E-2	
80-Hg-196	5.131E-3	5.131E-3	5.130E-3	5.130E-3		1.095E-1	
80-Hg-197				1.156E-2		1.156E-2	
80-Hg-197m						1.156E-2	
80-Hg-198	2.510E-2	2.510E-2	2.510E-2	2.510E-2		3.790E-2	
80-Hg-199	1.880E-2	1.880E-2	1.880E-2	1.880E-2		2.116E-2	
80-Hg-200	1.625E-2	1.625E-2	1.625E-2	1.625E-2		9.883E-3	
80-Hg-201	1.368E-2	1.368E-2	1.368E-2	1.368E-2		1.846E-2	
80-Hg-202	9.293E-3	9.293E-3	9.290E-3	9.291E-3		8.741E-3	
80-Hg-203				4.756E-3		4.755E-3	
80-Hg-204	7.049E-3	7.049E-3	7.049E-3	7.049E-3		6.300E-3	
81-Tl-0		9.913E-3		9.930E-3	9.911E-3		
81-Tl-199						5.125E-1	
81-Tl-200				2.511E-2		2.511E-2	
81-Tl-201				2.697E-2		2.696E-2	
81-Tl-202				2.543E-2		2.543E-2	
81-Tl-203	2.347E-2			1.674E-2		1.674E-2	
81-Tl-204				1.048E-2		1.047E-2	
81-Tl-205	3.921E-3			4.391E-3		4.391E-3	
82-Pb-200						3.806E-2	
82-Pb-201						7.538E-1	
82-Pb-202				1.462E-2		1.462E-2	
82-Pb-203				1.046E-2		1.046E-2	
82-Pb-204	9.163E-3±3.189E-6	9.163E-3	2.921E-2	9.161E-3	9.965E-3	1.786E-2	
82-Pb-205				5.365E-3		5.365E-3	
82-Pb-206	1.956E-3±9.008E-5	1.956E-3	3.464E-3	1.956E-3	1.993E-3	4.383E-3	
82-Pb-207	2.352E-3±2.745E-5	2.352E-3	3.087E-3	2.352E-3	3.491E-3	2.773E-3	
82-Pb-208	9.167E-4±1.239E-4	8.742E-4	8.090E-4	8.742E-4	8.966E-4	8.979E-4	
82-Pb-209						1.085E-3	
82-Pb-210				8.489E-5		1.297E-3	
82-Pb-212						3.408E-3	
83-Bi-203						3.946E-2	
83-Bi-204						1.099E+0	
83-Bi-205				2.666E-2		2.666E-2	
83-Bi-206				1.343E-2		1.343E-2	

TABLE XIV: Maxwellian-averaged capture cross sections (continued).

Material	**ENDF/B-VII.1** (barns)	**JEFF-3.1.2** (barns)	**JENDL-4.0** (barns)	**ROSFOND-2010** (barns)	**CENDL-3.1** (barns)	**EAF-2010** (barns)	**EXFOR** (barns)
83-Bi-207				1.354E-2		1.353E-2	
83-Bi-208				9.282E-3		9.280E-3	
83-Bi-209	2.618E-3±6.596E-7	3.492E-3	2.534E-3	4.253E-3	4.226E-3	3.537E-3	
83-Bi-210				3.013E-4		4.525E-4	
83-Bi-210m				3.009E-4		7.279E-4	
84-Po-206				8.186E-3		8.184E-3	
84-Po-207						7.890E-3	
84-Po-208				5.366E-3		1.965E-2	
84-Po-209				4.394E-3		7.984E-3	
84-Po-210				1.070E-4		4.392E-3	
85-At-210						2.688E-2	
85-At-211						1.274E-2	
86-Rn-211						8.001E-3	
86-Rn-222				2.615E-4		1.257E-2	
88-Ra-223	3.316E-2	3.316E-2	5.987E-1	3.316E-2		3.343E-2	
88-Ra-224	2.595E-2	2.595E-2	2.258E-1	2.595E-2		2.611E-2	
88-Ra-225	3.373E-2	3.373E-2	6.502E-1	3.373E-2		3.398E-2	
88-Ra-226	1.038E-1	1.038E-1	4.459E-1	1.038E-1		1.039E-1	
88-Ra-228				4.896E-4		6.191E-2	
89-Ac-225	1.066E-1±5.432E-2	1.109E-1	1.066E-1	1.109E-1		1.110E-1	
89-Ac-226	1.219E-1±5.934E-2	8.390E-2	1.218E-1	8.418E-2		8.417E-2	
89-Ac-227	7.031E-2±2.390E-2	2.110E-3	7.031E-2	2.245E-3		8.891E-2	
89-Ac-228						9.476E-2	
90-Th-227	1.267E-1±7.631E-2	1.351E-1	1.267E-1	1.355E-1		1.354E-1	
90-Th-228	1.062E-1±3.613E-2	6.577E-2	1.062E-1	6.592E-2		1.212E-1	
90-Th-229	1.089E-1±3.578E-2	1.527E-1	1.089E-1	1.530E-1		1.529E-1	
90-Th-230	1.006E-1±3.403E-2	1.489E-2	1.006E-1	7.252E-2		7.149E-2	
90-Th-231	1.040E-1±5.555E-2		1.539E+0	5.749E-3		6.557E-2	
90-Th-232	7.326E-2±1.571E-2	7.048E-2	7.587E-2	6.956E-2	6.655E-2	7.368E-2	8.780E-2±4.000E-3
90-Th-233	3.867E-2±2.245E-2	6.414E-2	3.867E-2				
90-Th-234	3.101E-2±1.575E-2	8.161E-2	3.101E-2	8.176E-2		8.176E-2	
91-Pa-228						3.136E-2	
91-Pa-229	1.112E-1±1.088E-1		1.763E+0	2.740E-2		8.536E-2	
91-Pa-230	8.295E-2±7.661E-2		6.925E-1	1.621E-2		6.292E-3	
91-Pa-231	1.092E-1	2.539E-1	1.171E-1	2.241E-1		2.113E-1	
91-Pa-232	3.305E-2±1.965E-2	3.868E-2	3.304E-2	3.867E-2		3.901E-2	
91-Pa-233	1.743E-1	1.446E-1	1.650E-1	1.446E-1		1.998E-1	
91-Pa-234						2.192E-2	
92-U -230	6.402E-2±5.460E-2		4.149E-1	1.244E-2		1.244E-2	
92-U -231	7.217E-2±7.492E-2		4.898E-1	1.409E-2		1.409E-2	
92-U -232	9.034E-2±3.498E-2	7.677E-2	9.034E-2	7.677E-2	8.618E-2	2.535E-2	
92-U -233	4.903E-2±8.460E-3	5.477E-2	3.439E-1	5.167E-2	4.650E-2	5.477E-2	
92-U -234	7.324E-2±2.718E-2	8.905E-2	8.144E-2	8.904E-2	1.020E-1	2.056E-1	
92-U -235	6.710E-2±1.390E-2	6.713E-2	5.826E-2	6.709E-2	5.156E-2	6.711E-2	
92-U -236	8.107E-2±1.155E-2	5.172E-2	8.281E-2	7.382E-2	7.429E-2	8.494E-2	
92-U -237	6.099E-2	3.385E-2	4.989E-2	3.402E-2	3.687E-2	8.312E-2	
92-U -238	5.337E-2±4.222E-6	5.129E-2	5.402E-2	5.336E-2	5.487E-2	5.291E-2	
92-U -239	5.686E-2				4.453E-2		
92-U -240	3.645E-2				1.089E-1	3.645E-2	
92-U -241	7.152E-2				3.542E-2	7.152E-2	
93-Np-234	2.316E-2±2.194E-2		2.013E-1	3.098E-2		1.885E-2	
93-Np-235	7.194E-2±6.985E-2	8.559E-2	7.193E-2	2.091E-2		1.255E-1	
93-Np-236	3.969E-2±3.847E-2	1.457E-1	3.968E-2	1.457E-1	7.227E-2	2.080E-2	
93-Np-236m						3.650E-2	
93-Np-237	1.150E-1±1.137E-2	1.150E-1	8.811E-2	8.996E-2	1.029E-1	8.973E-2	
93-Np-238	2.976E-2±1.272E-2	3.005E-2	2.976E-2	8.851E-2	5.889E-2	1.210E-1	
93-Np-239	6.999E-2±3.601E-2	1.155E-1	6.998E-2	1.155E-1	1.554E-1	8.338E-2	
94-Pu-234						2.020E+0	
94-Pu-236	8.701E-2±3.498E-2	4.751E-2	8.700E-2	4.751E-2	3.158E-2	4.750E-2	
94-Pu-237	4.741E-2±4.774E-2	2.271E-2	4.740E-2	8.994E-2	5.050E-2	8.993E-2	
94-Pu-238	1.057E-1±2.850E-2	7.266E-2	8.667E-2	9.712E-2	6.171E-2	9.710E-2	
94-Pu-239	2.179E-2±3.825E-3	3.564E-2	3.415E-2	3.564E-2	3.608E-2	5.136E-2	
94-Pu-240	5.965E-2±2.517E-7	5.541E-2	5.863E-2	5.848E-2	6.635E-2	6.888E-2	
94-Pu-241	7.396E-2±5.465E-2	9.005E-2	4.633E-2	5.163E-2	5.265E-2	3.625E-2	
94-Pu-242	6.055E-2±1.316E-2	6.903E-2	7.567E-2	1.047E-1	6.580E-2	6.902E-2	
94-Pu-243	2.636E-2	2.636E-2		2.636E-2	4.013E-2	3.139E-2	
94-Pu-244	4.387E-2±1.561E-2	1.143E-2	4.387E-2	1.214E-1	1.620E-2	8.599E-2	
94-Pu-245				1.060E+0	4.791E-2	1.927E-1	
94-Pu-246	3.472E-2±1.835E-2	1.060E+0	3.472E-2		3.323E-2	9.330E-2	
94-Pu-247							
95-Am-239						1.772E-1	
95-Am-240	4.444E-2±3.750E-2		5.794E-1	1.473E-2	1.079E-1	1.472E-2	
95-Am-241	1.623E-1±1.668E-2	1.541E-1	1.416E-1	1.364E-1	2.757E-1	1.541E-1	
95-Am-242m	4.131E-2±2.210E-2	4.394E-2	2.662E-2	4.372E-2	8.785E-2	1.428E-1	
95-Am-242	2.655E-2	2.713E-2	1.923E-2	2.713E-2	9.198E-2	2.655E-2	
95-Am-243	1.313E-1±2.089E-2	1.414E-1	1.107E-1	8.524E-2	1.813E-1	1.414E-1	
95-Am-244m	3.027E-1	3.027E-1	3.442E-2				
95-Am-244	2.366E-1	2.366E-1	7.052E-2	2.366E-1	8.892E-2	1.920E-1	
96-Cm-240	1.416E-1±1.117E-1	2.251E-1	1.043E+0	2.251E-1		2.227E-1	
96-Cm-241	2.534E-2±2.197E-2	1.278E-2	2.533E-2	1.131E-1		5.440E-2	

TABLE XIV: Maxwellian-averaged capture cross sections (continued).

Material	**ENDF/B-VII.1** (barns)	**JEFF-3.1.2** (barns)	**JENDL-4.0** (barns)	**ROSFOND-2010** (barns)	**CENDL-3.1** (barns)	**EAF-2010** (barns)	**EXFOR** (barns)
96-Cm-242	1.328E-1±4.897E-2	1.406E-2	1.328E-1	1.212E-1		1.491E-2	
96-Cm-243	4.502E-2±2.092E-2	1.042E-2	4.501E-2	8.475E-2		5.344E-2	
96-Cm-244	8.677E-2±3.064E-2	7.910E-2	8.676E-2	1.305E-1		1.335E-1	
96-Cm-245	4.187E-2±1.739E-2	5.210E-2	4.187E-2	5.210E-2		5.209E-2	
96-Cm-246	5.346E-2±1.874E-2	8.092E-2		8.071E-2		8.070E-2	
96-Cm-247	2.383E-2±1.012E-2	4.575E-2	2.383E-2	8.264E-2		8.262E-2	
96-Cm-248	3.712E-2±1.281E-2	4.517E-2	3.712E-2	6.518E-2		6.518E-2	
96-Cm-249	8.516E-3±7.148E-3	1.011E-2	8.515E-3	1.011E-2		1.011E-2	
96-Cm-250	2.713E-2±1.382E-2	1.931E-2	2.712E-2	1.931E-2		9.569E-3	
97-Bk-245	1.461E-1±5.755E-2		2.614E+0	1.118E-2		1.118E-2	
97-Bk-246	6.482E-2±4.128E-2		1.076E+0	1.777E-2		1.777E-2	
97-Bk-247	1.083E-1±3.639E-2	7.805E-2	1.921E+0	7.805E-2		1.118E-2	
97-Bk-248	6.689E-2±4.261E-2		1.198E+0	1.777E-2		1.777E-2	
97-Bk-248m						1.777E-2	
97-Bk-249	5.275E-2±1.504E-2	1.076E-1	5.274E-2	1.135E-1	1.135E-1	1.280E-1	
97-Bk-250	2.515E-2±1.582E-2	1.615E-2	2.514E-2	1.615E-2		1.636E-2	
98-Cf-246	8.556E-2±5.140E-2		8.631E-1	1.777E-2		1.743E-2	
98-Cf-248	7.326E-2±3.199E-2		5.801E-1	1.777E-2		2.615E-2	
98-Cf-249	5.289E-2±2.143E-2	1.270E-1	5.289E-2	1.270E-1	1.639E-1	1.270E-1	
98-Cf-250	4.043E-2±1.856E-2	6.847E-2	4.043E-2	6.846E-2		8.104E-2	
98-Cf-251	4.026E-2±3.009E-2	6.084E-2	4.026E-2	1.672E-2		6.083E-2	
98-Cf-252	9.618E-3±3.680E-3	2.589E-2	9.618E-3	3.597E-2		4.344E-2	
98-Cf-253	5.024E-2±2.167E-2		5.023E-2	5.023E-2		8.110E-4	
98-Cf-254	1.248E-2±8.297E-3	4.054E-3	1.248E-2	4.054E-3		4.421E-3	
99-Es-250						3.828E-3	
99-Es-251	4.838E-2±1.806E-2		1.574E+0	1.118E-2		1.118E-2	
99-Es-252	3.357E-2±2.390E-2		4.542E-1	1.778E-2		1.777E-2	
99-Es-253	7.993E-2±2.958E-2	2.198E-5	7.991E-2	1.969E-2		1.962E-2	
99-Es-254m	2.353E-2±9.727E-3		2.352E-2	2.165E-1		2.165E-1	
99-Es-254	4.402E-2±1.725E-2	3.311E-2	4.401E-2	2.132E-2		2.811E-3	
99-Es-255	9.195E-2±3.383E-2	1.948E-2	9.193E-2	1.948E-2		1.962E-2	
99-Es-256m						4.026E-4	
99-Es-257							
100-Fm-252				1.778E-2		5.832E-2	
100-Fm-253				8.941E-2		8.941E-2	
100-Fm-255	2.368E-2±1.893E-2	1.073E-2	2.367E-2	1.073E-2		1.102E-2	
100-Fm-257				8.942E-2		8.941E-2	

Fission Reaction Rates

TABLE XV: Fission Reaction Rates from ENDF/B-VII.1, JEFF-3.1.2, JENDL-4.0, ROSFOND-2010, CENDL-3.1 and EAF-2010 [1, 6–10] at kT=30 keV.

Material	**ENDF/B-VII.1** (cm^3/mole s)	**JEFF-3.1.2** (cm^3/mole s)	**JENDL-4.0** (cm^3/mole s)	**ROSFOND-2010** (cm^3/mole s)	**CENDL-3.1** (cm^3/mole s)	**EAF-2010** (cm^3/mole s)
86-Rn-222				5.061E+0		4.623E+4
88-Ra-223	9.087E+6	9.087E+6	9.087E+6	9.087E+6		9.087E+6
88-Ra-224						1.477E+3
88-Ra-225						8.208E+6
88-Ra-226	5.710E+1	5.710E+1	5.710E+1	5.710E+1		5.712E+1
88-Ra-228				1.641E+6		1.641E+6
89-Ac-225	1.225E+4±2.861E+4		1.225E+4	1.478E+3		1.477E+3
89-Ac-226	2.858E+6±6.384E+6		2.858E+6	8.994E+7		1.677E+7
89-Ac-227	9.812E+2±4.708E+2	1.255E+3	9.813E+2	1.255E+3		1.256E+3
89-Ac-228						1.632E-2
90-Th-227	8.685E+7±7.543E+7	1.446E+8	8.684E+7	1.446E+8		1.446E+8
90-Th-228	5.792E+4±4.233E+4	6.997E+2	5.792E+4	2.910E+4		2.909E+4
90-Th-229	1.532E+8±3.138E+7	1.446E+8	1.532E+8	1.090E+8		1.446E+8
90-Th-230	1.528E+4±1.374E+4		1.528E+4	6.690E-1		1.875E+4
90-Th-231	9.276E+7±7.852E+7		9.275E+7	1.548E+7		4.060E+6
90-Th-232			2.462E+2	6.633E-4	1.308E+3	4.556E+2
90-Th-233	4.207E+7±4.709E+7	3.849E+7	4.207E+7			
90-Th-234	1.252E+0±4.647E+0		1.269E+0	1.327E+3		1.326E+3
91-Pa-228						6.702E+7
91-Pa-229	1.651E+8±2.909E+8		1.651E+8	2.603E+6		3.247E+6
91-Pa-230	4.156E+8±1.166E+8		4.156E+8	1.823E+8		1.822E+8
91-Pa-231	2.672E+5	6.697E+5	2.928E+5	2.018E+5		3.435E+5

TABLE XV: Fission Reaction Rates (continued).

Material	**ENDF/B-VII.1** (cm^3/mole s)	**JEFF-3.1.2** (cm^3/mole s)	**JENDL-4.0** (cm^3/mole s)	**ROSFOND-2010** (cm^3/mole s)	**CENDL-3.1** (cm^3/mole s)	**EAF-2010** (cm^3/mole s)
91-Pa-232	3.811E+8±9.701E+7	2.829E+8	3.811E+8	2.829E+8		2.828E+8
91-Pa-233	3.864E+1		1.001E+2	6.932E-2		1.326E+4
91-Pa-234						5.436E+3
92-U -230	3.963E+8±1.534E+8		3.963E+8	2.296E+7		2.296E+7
92-U -231	4.786E+8±1.092E+8		4.786E+8	6.593E+7		6.592E+7
92-U -232	2.354E+8±2.256E+7	2.345E+8	2.354E+8	2.345E+8	2.748E+8	3.199E+8
92-U -233	4.339E+8±7.210E+6	4.329E+8	4.276E+8	4.401E+8	4.311E+8	4.578E+8
92-U -234	2.950E+6±1.162E+6	3.417E+6	3.371E+6	3.417E+6	2.903E+6	3.417E+6
92-U -235	3.187E+8±1.927E+6	3.200E+8	3.133E+8	3.208E+8	3.200E+8	3.200E+8
92-U -236	1.157E+6±5.139E+5	1.839E+5	8.049E+4	1.080E+6	1.166E+6	1.002E+6
92-U -237	8.965E+7	1.465E+8	9.505E+7	1.774E+8	1.107E+8	1.202E+8
92-U -238	1.155E+4±4.859E+2	1.037E+4	1.093E+4	1.155E+4	1.088E+4	1.743E+4
92-U -239	9.714E+7				2.423E+7	
92-U -240	6.236E+3				1.645E+3	2.383E+4
92-U -241	3.180E+7				2.223E+7	3.180E+7
93-Np-234	5.665E+8±1.152E+8		5.665E+8	1.002E+8		5.254E+8
93-Np-235	1.578E+8±2.376E+8	1.870E+8	1.578E+8	4.136E+6		1.871E+8
93-Np-236	5.119E+8±1.029E+8	4.151E+8	5.119E+8	4.252E+8	5.549E+8	4.251E+8
93-Np-236m						3.236E+8
93-Np-237	2.896E+6±2.200E+5	2.151E+6	2.788E+6	2.894E+6	2.939E+6	2.150E+6
93-Np-238	4.615E+8±8.629E+7	7.594E+8	4.615E+8	3.242E+8	4.766E+8	5.126E+8
93-Np-239	6.716E+3±2.480E+4		6.716E+3	5.220E+6	8.311E+6	3.761E+6
94-Pu-234						1.020E-1
94-Pu-236	6.203E+8±3.570E+7	4.096E+8	6.203E+8	4.096E+8	4.646E+8	4.132E+8
94-Pu-237	5.879E+8±1.900E+8	5.484E+8	5.879E+8	4.168E+8	5.458E+8	5.484E+8
94-Pu-238	1.122E+8±2.155E+6	1.314E+8	1.122E+8	1.142E+8	9.420E+7	1.163E+8
94-Pu-239	2.634E+8±8.283E+5	2.615E+8	2.654E+8	2.614E+8	2.664E+8	2.611E+8
94-Pu-240	1.430E+7±6.323E+4	1.283E+7	1.439E+7	1.477E+7	1.352E+7	1.366E+7
94-Pu-241	4.158E+8±8.453E+6	4.227E+8	4.164E+8	4.200E+8	4.269E+8	4.247E+8
94-Pu-242	2.309E+6±5.210E+5	2.272E+6	2.111E+6	1.840E+6	2.304E+6	2.345E+6
94-Pu-243	1.097E+8	1.097E+8		1.097E+8	2.892E+8	1.101E+8
94-Pu-244	1.261E+6±5.151E+5		1.261E+6	1.247E+6		1.247E+6
94-Pu-245				4.155E+4	2.877E+8	6.628E+5
94-Pu-246	2.000E+4±6.308E+4		2.000E+4		1.504E+7	7.331E+4
94-Pu-247				1.069E+8		1.086E+7
95-Am-239						4.276E+7
95-Am-240	4.847E+8±1.118E+8		4.846E+8	5.403E+8	6.156E+8	3.300E+8
95-Am-241	2.773E+6±5.703E+5	2.637E+6	2.784E+6	2.582E+6	2.612E+6	2.477E+6
95-Am-242m	5.251E+8±7.237E+7	5.140E+8	5.182E+8	5.181E+8	5.485E+8	5.329E+8
95-Am-242	5.107E+8	5.124E+8	4.999E+8	5.124E+8	4.983E+8	5.117E+8
95-Am-243	1.857E+6±2.211E+5	1.553E+6	1.623E+6	1.742E+6	1.706E+6	1.867E+6
95-Am-244m	5.403E+8	5.403E+8	2.842E+8			
95-Am-244	5.403E+8	5.403E+8	2.720E+8	5.403E+8	5.560E+8	5.400E+8
96-Cm-240	1.306E+8±1.687E+8	9.535E+6	1.306E+8	9.535E+6		9.551E+6
96-Cm-241	5.314E+8±3.649E+8	4.699E+8	5.314E+8	4.485E+8		4.490E+8
96-Cm-242	4.465E+7±3.123E+6	4.165E+7	4.465E+7	1.369E+8		4.463E+7
96-Cm-243	5.370E+8±3.818E+7	5.408E+8	5.370E+8	5.698E+8		5.002E+8
96-Cm-244	1.082E+7±1.069E+6	9.668E+6	1.082E+7	9.430E+6		1.025E+7
96-Cm-245	4.371E+8±5.284E+7	4.477E+8	4.371E+8	4.477E+8		4.370E+8
96-Cm-246	6.733E+6±2.036E+6	5.477E+6		6.054E+6		6.055E+6
96-Cm-247	4.049E+8±3.540E+7	3.461E+8	4.049E+8	4.198E+8		3.461E+8
96-Cm-248	6.097E+6±1.281E+6	5.937E+6	6.097E+6	5.951E+6		5.955E+6
96-Cm-249	3.333E+8±2.980E+8	3.735E+8	3.333E+8	3.735E+8		3.737E+8
96-Cm-250	4.834E+4±1.726E+5	1.850E+5	4.834E+4	1.849E+5		1.849E+5
97-Bk-245	8.088E+5±7.288E+5		8.088E+5	2.169E+5		5.150E+4
97-Bk-246	4.657E+8±2.544E+8		4.656E+8	4.091E+8		9.280E+7
97-Bk-247	6.412E+5±9.174E+5	4.856E+7	6.412E+5	4.855E+7		4.853E+7
97-Bk-248	4.487E+8±3.064E+8		4.487E+8	1.099E+8		1.098E+8
97-Bk-248m						1.098E+8
97-Bk-249	9.116E+5±4.756E+5	1.430E+6	9.116E+5	1.598E+6	1.598E+6	1.433E+6
97-Bk-250	2.786E+8±4.210E+8	3.400E+8	2.786E+8	3.400E+8		3.401E+8
98-Cf-246	1.298E+8±1.669E+8		1.298E+8	1.559E+6		1.559E+6
98-Cf-248	4.299E+7±5.381E+7		4.298E+7	9.785E+7		2.415E+7
98-Cf-249	4.329E+8±1.651E+7	4.059E+8	4.329E+8	4.060E+8	4.486E+8	4.296E+8
98-Cf-250	3.817E+6±9.085E+6	6.688E+5	3.817E+6	6.687E+5		1.801E+7
98-Cf-251	2.930E+8±1.498E+8	4.272E+8	2.930E+8	4.042E+8		4.175E+8
98-Cf-252	1.554E+8±2.624E+7	3.204E+7	1.554E+8	1.531E+8		1.532E+8
98-Cf-253	2.232E+8±1.608E+8		2.232E+8	2.232E+8		1.252E+9
98-Cf-254	7.359E+7±8.944E+7	1.468E+8	7.359E+7	1.468E+8		1.469E+8
99-Es-250						5.496E+8
99-Es-251	4.598E+6±1.496E+7		4.598E+6	8.207E+7		1.852E+7
99-Es-252	7.366E+8±3.304E+8		7.366E+8	8.484E+7		7.795E+8
99-Es-253	4.561E+5±1.648E+6		4.561E+5	1.296E+8		8.221E+8
99-Es-254m	7.555E+8±1.027E+8		7.555E+8	3.632E+8		3.633E+8
99-Es-254	5.954E+8±5.198E+7	3.633E+8	5.953E+8	5.885E+8		5.813E+8
99-Es-255	9.378E+4±3.527E+5	1.530E+8	9.378E+4	1.530E+8		1.530E+8
99-Es-256m						6.247E+8
99-Es-257						6.332E+8
100-Fm-252				9.784E+7		4.206E+2
100-Fm-253				1.867E+8		4.168E+8

TABLE XV: Fission Reaction Rates (continued).

Material	**ENDF/B-VII.1** (cm^3/mole s)	**JEFF-3.1.2** (cm^3/mole s)	**JENDL-4.0** (cm^3/mole s)	**ROSFOND-2010** (cm^3/mole s)	**CENDL-3.1** (cm^3/mole s)	**EAF-2010** (cm^3/mole s)
100-Fm-255	6.313E+8±5.918E+8	3.870E+8	6.313E+8	3.870E+8		3.870E+8
100-Fm-257				3.907E+8		1.211E+9

Capture Reaction Rates

TABLE XVI: Capture Reaction Rates from ENDF/B-VII.1, JEFF-3.1.2, JENDL-4.0, ROSFOND-2010, CENDL-3.1, EAF-2010 and KADoNiS [1, 6–10, 16] at kT=30 keV.

Material	**ENDF/B-VII.1** (cm^3/mole s)	**JEFF-3.1.2** (cm^3/mole s)	**JENDL-4.0** (cm^3/mole s)	**ROSFOND-2010** (cm^3/mole s)	**CENDL-3.1** (cm^3/mole s)	**EAF-2010** (cm^3/mole s)	**KADoNiS** (cm^3/mole s)
1-H - 1	3.112E+4±1.195E+3	3.109E+4	3.112E+4	3.112E+4	3.214E+4	3.108E+4	5.200E+4
1-H - 2	3.531E+2±2.236E+1	3.531E+2	4.173E+2	3.532E+2	3.528E+2	3.533E+2	5.320E+2
1-H - 3							
2-He- 3	3.543E+3	4.070E+0	2.733E+3	3.860E+3	2.733E+3	2.734E+3	1.270E+3
2-He- 4							
3-Li- 6	5.107E+3±4.958E+2	5.107E+3	5.197E+3	5.106E+3		5.196E+3	
3-Li- 7	7.168E+3	7.168E+3	6.021E+3	7.167E+3	8.245E+3	7.167E+3	6.500E+3
4-Be- 7						4.564E+3	
4-Be- 9	1.415E+3±2.821E+2	1.930E+3	1.126E+3	1.717E+4	1.717E+4	1.655E+3	1.560E+3
4-Be- 10				8.952E+2		8.954E+2	
5-B - 10	6.508E+4±5.206E+4	6.508E+4	6.630E+4	6.507E+4	6.508E+4	6.630E+4	
5-B - 11	9.911E+3±3.066E+3	9.911E+3	8.491E+3	9.911E+3	9.911E+3	9.904E+3	
6-C-0	2.446E+3±4.890E+2	2.025E+2	2.447E+3	2.025E+2			
6-C - 12					2.024E+2	2.271E+3	2.322E+2
6-C - 13				3.706E+4		3.705E+4	3.157E+3
6-C - 14				3.372E+3		4.354E+2	
7-N - 14	9.982E+3	9.982E+3	1.007E+4	9.982E+3	9.982E+3	9.982E+3	6.100E+3
7-N - 15	1.370E+3±6.848E+2	1.370E+3	1.082E+3	1.072E+3		1.082E+3	8.680E+2
8-O - 16	4.692E+3±4.707E+2	2.521E+1	4.693E+3	4.693E+3	2.521E+1	5.333E+3	5.674E+3
8-O - 17	6.991E+2	6.991E+2		1.222E+2		3.093E+2	
8- O- 18				2.541E+1		4.305E+2	1.324E+3
9-F - 19	6.458E+5±2.684E+4	6.458E+5	8.466E+5	8.466E+5	6.458E+5	8.980E+5	4.755E+5
10-Ne- 20				2.814E+3		2.813E+3	1.766E+4
10-Ne- 21				1.672E+4		1.672E+4	2.220E+5
10-Ne- 22				4.553E+3		4.552E+3	8.590E+3
11-Na- 22	1.182E+6	1.182E+6		1.182E+6		1.104E+6	
11-Na- 23	2.696E+5±2.017E+4	2.561E+5	2.562E+5	2.696E+5	2.572E+5	2.040E+5	3.110E+5
11-Na- 24						1.369E+5	
12-Mg- 24	5.586E+5±1.058E+5	5.586E+5	5.585E+5	5.585E+5	5.586E+5	5.602E+5	4.878E+5
12-Mg- 25	7.768E+5±1.949E+2	7.768E+5	7.769E+5	7.769E+5	7.771E+5	7.791E+5	9.450E+5
12-Mg- 26	1.271E+4±2.388E+3	1.271E+4	1.271E+4	1.271E+4	1.271E+4	1.284E+4	1.860E+4
12-Mg- 28						3.036E+2	
13-Al- 26				3.450E+4		5.492E+5	5.460E+5
13-Al- 27	4.853E+5±8.245E+4	4.853E+5	4.899E+5	4.853E+5	4.899E+5	4.855E+5	5.520E+5
14-Si- 28	5.298E+5±1.175E+5	5.298E+5	5.298E+5	5.298E+5	5.298E+5	2.479E+5	2.093E+5
14-Si- 29	1.138E+6±1.223E+5	8.423E+5	1.138E+6	1.138E+6	1.138E+6	8.576E+5	9.690E+5
14-Si- 30	6.501E+5±2.221E+5	8.435E+5	6.501E+5	6.501E+5	6.501E+5	8.453E+5	2.700E+5
14-Si- 31						1.245E+5	
14-Si- 32				8.581E+4		1.830E+3	
15-P - 31	1.061E+6	2.387E+5	2.387E+5	2.386E+5	9.360E+5	2.387E+5	2.561E+5
15-P - 32				6.765E+4		9.351E+5	
15-P - 33				2.118E+4		2.117E+4	
16-S - 0					7.039E+5		
16-S - 32	8.291E+5	8.291E+5	8.291E+5	8.291E+5		8.291E+5	6.031E+5
16-S - 33	3.330E+5	3.330E+5	3.330E+5	3.330E+5		3.330E+5	1.088E+6
16-S - 34	3.411E+4	3.411E+4	3.411E+4	3.411E+4		3.411E+4	3.320E+4
16-S - 35				6.460E+6		4.721E+5	
16-S - 36	9.255E+4	9.255E+4	9.254E+4	9.254E+4		2.188E+4	2.510E+4
17-Cl- 0					1.077E+6		
17-Cl- 35	1.102E+6	1.102E+6	1.248E+6	1.102E+6		8.686E+5	1.420E+6
17-Cl- 36				1.795E+6		1.795E+6	1.760E+6
17-Cl- 37	2.984E+5	3.008E+5	3.601E+5	3.008E+5		3.601E+5	3.110E+5
18-Ar- 36	1.293E+6	1.293E+6		1.293E+6		1.293E+6	1.320E+6
18-Ar- 37				2.480E+5		1.092E+6	
18-Ar- 38	2.002E+4	2.002E+4		2.002E+4		2.001E+4	4.400E+5
18-Ar- 39				1.294E+6		1.019E+7	1.170E+6
18-Ar- 40	3.286E+5	3.286E+5	3.286E+5	3.286E+5		6.104E+5	3.740E+5

TABLE XVI: Capture Reaction Rates (continued).

Material	**ENDF/B-VII.1** (cm^3/mole s)	**JEFF-3.1.2** (cm^3/mole s)	**JENDL-4.0** (cm^3/mole s)	**ROSFOND-2010** (cm^3/mole s)	**CENDL-3.1** (cm^3/mole s)	**EAF-2010** (cm^3/mole s)	**KADoNiS** (cm^3/mole s)
18-Ar- 41						3.484E+5	
18-Ar- 42				1.621E+5		1.621E+5	
19-K - 0					1.904E+6		
19-K - 39	1.544E+6	2.700E+6	2.700E+6	2.700E+6		2.703E+6	1.730E+6
19-K - 40	2.833E+6	2.833E+6	2.833E+6	2.833E+6		1.005E+6	4.480E+6
19-K - 41	2.964E+6±1.600E-8	4.579E+6	4.579E+6	4.579E+6		4.587E+6	3.230E+6
19-K - 42						3.311E+6	
19-K - 43						2.692E+6	
20-Ca- 0					3.707E+6		
20-Ca- 40	7.511E+5	7.511E+5	7.512E+5	7.512E+5		7.529E+5	8.400E+5
20-Ca- 41				2.197E+6		2.196E+6	4.400E+6
20-Ca- 42	1.810E+6	1.810E+6	1.810E+6	1.810E+6		1.814E+6	2.290E+6
20-Ca- 43	5.146E+6	5.146E+6	5.545E+6	5.146E+6		5.070E+6	7.500E+6
20-Ca- 44	1.129E+6	1.129E+6	1.129E+6	1.129E+6		1.207E+6	1.377E+6
20-Ca- 45				2.183E+6		2.182E+6	2.560E+6
20-Ca- 46	2.711E+5	2.711E+5	3.774E+5	2.711E+5		1.169E+6	7.760E+5
20-Ca- 47				1.376E+6		2.541E+6	
20-Ca- 48	1.573E+4	1.573E+4	1.572E+4	1.572E+4		1.588E+4	1.270E+5
21-Sc- 44							
21-Sc- 44m						6.913E+6	
21-Sc- 45	9.970E+6	9.432E+6	9.555E+6	9.555E+6		9.554E+6	9.400E+6
21-Sc- 46				7.472E+6		7.470E+6	
21-Sc- 47				6.615E+6		6.614E+6	
21-Sc- 48				1.056E+7		1.056E+7	
22-Ti- 44				6.086E+5		6.084E+5	
22-Ti- 45						1.009E+7	
22-Ti- 46	3.711E+6±1.788E+1	3.480E+6	3.711E+6	2.974E+6	2.974E+6	3.032E+6	3.920E+6
22-Ti- 47	7.092E+6±2.117E+5	3.484E+6	6.103E+6	6.593E+6	6.640E+6	6.602E+6	9.400E+6
22-Ti- 48	3.867E+6±1.042E+0	3.469E+6	4.057E+6	4.815E+6	4.815E+6	4.805E+6	4.650E+6
22-Ti- 49	2.305E+6±4.353E+2	3.472E+6	2.305E+6	1.687E+6	1.687E+6	1.863E+6	3.230E+6
22-Ti- 50	4.436E+5±1.199E-3	3.463E+6	4.436E+5	4.525E+5	4.525E+5	4.527E+5	5.270E+5
23-V-0		3.744E+6		4.619E+6	3.744E+6		
23-V - 48				1.208E+7		1.208E+7	
23-V - 49				1.090E+7		1.090E+7	
23-V - 50	3.103E+6		3.103E+6	4.612E+6		4.611E+6	7.300E+6
23-V - 51	4.664E+6		4.653E+6	4.619E+6		4.570E+6	5.600E+6
24-Cr- 48						5.251E+6	
24-Cr- 50	5.574E+6	5.507E+6	5.385E+6	5.507E+6	5.495E+6	4.088E+6	7.200E+6
24-Cr- 51				5.480E+6		1.260E+7	1.270E+7
24-Cr- 52	1.164E+6±3.944E+4	1.307E+6	1.164E+6	1.307E+6	1.268E+6	1.214E+6	1.287E+6
24-Cr- 53	3.779E+6	4.571E+6	3.811E+6	4.571E+6	4.535E+6	4.534E+6	8.500E+6
24-Cr- 54	6.960E+5	1.120E+6	6.825E+5	6.810E+5	5.406E+5	6.547E+5	9.790E+5
25-Mn- 52				2.307E+7		2.306E+7	
25-Mn- 53				1.563E+7		1.563E+7	
25-Mn- 54				1.791E+7		1.791E+7	
25-Mn- 55	4.777E+6±3.877E+5	4.512E+6	4.749E+6	4.512E+6	4.512E+6	4.466E+6	5.700E+6
26-Fe- 52						4.043E+6	
26-Fe- 54	3.144E+6±3.897E+5	3.143E+6	3.144E+6	3.143E+6	5.819E+6	3.144E+6	4.330E+6
26-Fe- 55				5.904E+6		5.903E+6	1.100E+7
26-Fe- 56	1.675E+6±1.717E+5	1.671E+6	1.724E+6	1.771E+6	1.675E+6	1.675E+6	1.710E+6
26-Fe- 57	4.141E+6±6.695E+5	4.401E+6	4.397E+6	4.142E+6	4.392E+6	4.141E+6	6.540E+6
26-Fe- 58	2.871E+6	2.191E+6	2.044E+6	2.872E+6	4.159E+6	2.871E+6	1.970E+6
26-Fe- 59			1.944E+6	2.344E+6		2.343E+6	
26-Fe- 60				3.890E+5		2.230E+6	7.520E+5
27-Co- 55						2.107E+7	
27-Co- 56				2.543E+7		2.542E+7	
27-Co- 57				1.527E+7		1.527E+7	
27-Co- 58	2.940E+7	8.128E+6		8.121E+6		8.121E+6	
27-Co- 58m	9.367E+6	9.367E+6				9.368E+6	
27-Co- 59	5.008E+6	5.008E+6	5.701E+6	5.701E+6	4.083E+6	4.140E+6	5.780E+6
27-Co- 60				1.839E+6		1.839E+6	
28-Ni- 56				5.763E+6		5.761E+6	
28-Ni- 57				9.372E+6		9.369E+6	
28-Ni- 58	4.926E+6±4.036E+5	5.822E+6	5.822E+6	5.822E+6	5.822E+6	5.830E+6	5.650E+6
28-Ni- 59	1.012E+7	1.012E+7	6.550E+6	1.012E+7		1.409E+7	1.270E+7
28-Ni- 60	3.891E+6±2.315E+5	4.109E+6	4.060E+6	4.109E+6	4.109E+6	4.112E+6	4.370E+6
28-Ni- 61	1.313E+7	1.043E+7	1.399E+7	1.043E+7	1.048E+7	1.043E+7	1.160E+7
28-Ni- 62	3.463E+6	7.480E+6	2.797E+6	7.480E+6	7.480E+6	2.797E+6	3.300E+6
28-Ni- 63				3.797E+6		3.795E+6	4.490E+6
28-Ni- 64	2.915E+6	3.197E+6	2.915E+6	3.197E+6	3.197E+6	2.915E+6	1.168E+6
28-Ni- 66				1.086E+6		2.470E+6	
29-Cu- 0					8.940E+6		
29-Cu- 63	1.039E+7	1.039E+7	1.109E+7	1.039E+7	1.050E+7	1.039E+7	8.100E+6
29-Cu- 64						3.069E+7	
29-Cu- 65	5.689E+6	5.689E+6	5.404E+6	5.689E+6	5.648E+6	5.689E+6	4.350E+6
29-Cu- 67				2.695E+7		2.694E+7	
30-Zn- 0		7.952E+6		7.950E+6	6.798E+6		
30-Zn- 62						8.294E+6	
30-Zn- 64	8.867E+6		8.868E+6	9.064E+6		9.064E+6	8.610E+6
30-Zn- 65	2.438E+7		2.438E+7	1.857E+7		1.856E+7	2.290E+7

TABLE XVI: Capture Reaction Rates (continued).

Material	**ENDF/B-VII.1** (cm^3/mole s)	**JEFF-3.1.2** (cm^3/mole s)	**JENDL-4.0** (cm^3/mole s)	**ROSFOND-2010** (cm^3/mole s)	**CENDL-3.1** (cm^3/mole s)	**EAF-2010** (cm^3/mole s)	**KADoNiS** (cm^3/mole s)
30-Zn- 66	5.293E+6		5.294E+6	4.780E+6		4.780E+6	5.110E+6
30-Zn- 67	1.681E+7		1.682E+7	2.166E+7		2.165E+7	2.220E+7
30-Zn- 68	3.015E+6		3.015E+6	2.594E+6		2.594E+6	2.800E+6
30-Zn- 69m						1.612E+7	
30-Zn- 70	1.702E+6		1.702E+6	2.390E+6		2.391E+6	3.140E+6
30-Zn- 72				1.126E+6		2.849E+6	
31-Ga- 0		1.639E+7					
31-Ga- 66						4.138E+6	
31-Ga- 67				3.332E+7		3.331E+7	
31-Ga- 69	1.721E+7		1.735E+7	1.721E+7	1.764E+7	2.092E+7	2.030E+7
31-Ga- 71	1.777E+7		1.492E+7	1.777E+7	1.834E+7	1.801E+7	1.790E+7
31-Ga- 72						3.888E+7	
32-Ge- 0					6.386E+6		
32-Ge- 68				6.575E+6		1.328E+7	
32-Ge- 69				2.107E+7		2.106E+7	
32-Ge- 70	1.295E+7	1.233E+7	1.295E+7	1.295E+7	7.761E+6	7.122E+6	1.280E+7
32-Ge- 71				1.904E+7	4.475E+7	1.903E+7	
32-Ge- 72	7.693E+6	6.979E+6	7.693E+6	7.693E+6	5.480E+6	8.454E+6	1.060E+7
32-Ge- 73	3.045E+7	2.968E+7	3.045E+7	3.253E+7	3.196E+7	4.076E+7	3.460E+7
32-Ge- 74	6.594E+6	2.263E+6	6.594E+6	6.594E+6	1.965E+6	2.053E+6	5.480E+6
32-Ge- 75					2.950E+7		
32-Ge- 76	2.468E+6	1.469E+6	2.468E+6	2.468E+6	1.279E+6	2.499E+6	3.130E+6
32-Ge- 77					2.408E+7	1.600E+7	
32-Ge- 78					8.389E+5		
33-As- 71				4.589E+7		4.587E+7	
33-As- 72				8.008E+7		8.005E+7	
33-As- 73				4.560E+7		4.559E+7	
33-As- 74	1.977E+8			6.664E+7		6.661E+7	
33-As- 75	6.536E+7	5.776E+7	6.461E+7	6.520E+7	6.533E+7	6.520E+7	5.270E+7
33-As- 76				6.821E+7		6.819E+7	
33-As- 77				3.381E+7	4.988E+7	3.379E+7	
33-As- 79					3.503E+7		
34-Se- 72				9.266E+6		9.262E+6	
34-Se- 73						4.231E+7	
34-Se- 74	3.025E+7	2.264E+7	4.045E+7	3.025E+7		3.189E+7	3.950E+7
34-Se- 75				2.357E+7		2.357E+7	
34-Se- 76	1.390E+7	2.245E+7	2.445E+7	1.390E+7		2.245E+7	2.390E+7
34-Se- 77	6.458E+7	6.352E+7	7.314E+7	6.458E+7		7.347E+7	6.110E+7
34-Se- 78	1.316E+7	9.754E+6	1.212E+7	1.316E+7		9.753E+6	8.750E+6
34-Se- 79	6.018E+7	6.018E+7	7.329E+7	6.018E+7		1.525E+7	3.800E+7
34-Se- 80	5.708E+6	9.706E+6	5.532E+6	5.708E+6		5.919E+6	6.120E+6
34-Se- 82	4.514E+6	1.998E+6	1.219E+6	4.514E+6		2.187E+6	1.310E+6
35-Br- 76						9.435E+7	
35-Br- 77				6.737E+7		6.737E+7	
35-Br- 79	9.964E+7	1.057E+8	1.017E+8	9.964E+7		1.001E+8	9.200E+7
35-Br- 81	3.318E+7	6.546E+7	4.139E+7	3.318E+7		5.859E+7	3.480E+7
35-Br- 82				5.668E+7		5.666E+7	
36-Kr- 76						3.870E+7	
36-Kr- 78	6.831E+7	4.298E+7	6.148E+7	5.518E+7		3.905E+7	4.680E+7
36-Kr- 79				1.518E+8		4.802E+7	1.420E+8
36-Kr- 80	4.274E+7	3.078E+7	4.099E+7	4.274E+7		2.744E+7	3.890E+7
36-Kr- 81				8.537E+7		3.214E+7	8.400E+7
36-Kr- 82	1.491E+7	1.377E+7	1.391E+7	1.377E+7		1.141E+7	1.312E+7
36-Kr- 83	3.873E+7	3.873E+7	3.858E+7	3.865E+7	3.873E+7	3.978E+7	3.430E+7
36-Kr- 84	3.827E+6	5.055E+6	5.619E+6	3.827E+6	3.653E+6	5.139E+6	5.500E+6
36-Kr- 85	1.775E+7	6.440E+6	2.866E+7	1.775E+7	9.951E+6	6.440E+6	8.000E+6
36-Kr- 86	7.348E+5	8.908E+5	7.419E+5	7.419E+5	7.419E+5	7.351E+5	4.950E+5
37-Rb- 82m						1.598E+8	
37-Rb- 83				8.520E+7		8.518E+7	
37-Rb- 84				8.504E+7		8.501E+7	
37-Rb- 85	4.087E+7	3.795E+7	4.214E+7	4.087E+7	4.099E+7	3.795E+7	3.400E+7
37-Rb- 86	4.592E+7	2.151E+7	5.266E+7	4.592E+7		2.853E+7	2.940E+7
37-Rb- 87	3.374E+6	2.930E+6	3.704E+6	3.374E+6	3.390E+6	2.930E+6	2.290E+6
38-Sr- 82				2.306E+7		2.305E+7	
38-Sr- 83				5.222E+7		5.220E+7	
38-Sr- 84	4.626E+7	3.390E+7	4.475E+7	6.080E+7		3.391E+7	4.370E+7
38-Sr- 85				3.712E+7		3.710E+7	
38-Sr- 86	8.917E+6	8.279E+6	9.544E+6	9.912E+6		9.912E+6	9.300E+6
38-Sr- 87	1.168E+7	1.730E+7	1.231E+7	1.168E+7		1.393E+7	1.340E+7
38-Sr- 88	7.565E+5	1.239E+5	7.725E+5	7.566E+5	7.565E+5	9.208E+5	8.930E+5
38-Sr- 89	2.098E+6	4.230E+6	5.895E+6	2.098E+6	2.098E+6	4.231E+6	2.770E+6
38-Sr- 90	2.117E+6	2.845E+6	2.147E+6	2.117E+6	2.103E+6	1.846E+6	
38-Sr- 91						5.689E+6	
39-Y - 86						1.521E+8	
39-Y - 87				6.192E+7		6.190E+7	
39-Y - 87m						9.481E+7	
39-Y - 88				3.940E+7		3.938E+7	
39-Y - 89	3.098E+6±2.675E+5	2.467E+6	2.931E+6	2.992E+6	3.547E+6	3.164E+6	2.770E+6
39-Y - 90	8.077E+6	2.683E+7	2.015E+7	2.683E+7		2.683E+7	
39-Y - 91	1.273E+7	6.657E+6	1.726E+7	1.273E+7	1.271E+7	6.656E+6	

TABLE XVI: Capture Reaction Rates (continued).

Material	**ENDF/B-VII.1** (cm^3/mole s)	**JEFF-3.1.2** (cm^3/mole s)	**JENDL-4.0** (cm^3/mole s)	**ROSFOND-2010** (cm^3/mole s)	**CENDL-3.1** (cm^3/mole s)	**EAF-2010** (cm^3/mole s)	**KADoNiS** (cm^3/mole s)
39-Y - 93						1.852E+7	
40-Zr- 86						6.908E+7	
40-Zr- 88				1.571E+7		1.570E+7	
40-Zr- 89				1.334E+7		1.333E+7	
40-Zr- 90	2.744E+6±2.176E+5	3.019E+6	2.785E+6	3.017E+6	3.013E+6	3.167E+6	2.810E+6
40-Zr- 91	1.068E+7±4.233E+5	9.673E+6	8.999E+6	1.627E+7	9.694E+6	9.925E+6	9.000E+6
40-Zr- 92	6.590E+6±4.597E+5	6.626E+6	5.871E+6	6.941E+6	6.610E+6	6.028E+6	4.380E+6
40-Zr- 93	1.462E+7±1.292E+5	1.463E+7	1.437E+7	1.482E+7	1.441E+7	1.455E+7	1.380E+7
40-Zr- 94	4.206E+6±3.693E+5	4.351E+6	3.789E+6	4.107E+6	4.319E+6	4.793E+6	3.790E+6
40-Zr- 95	1.863E+7±2.808E+5	2.019E+7	1.875E+7	2.041E+7	2.019E+7	7.419E+6	1.150E+7
40-Zr- 96	1.486E+6±3.193E+5	1.766E+6	1.757E+6	1.578E+6	1.769E+6	2.274E+6	1.560E+6
40-Zr- 97						5.328E+6	
41-Nb- 90						4.865E+7	
41-Nb- 91m				1.886E+7		1.885E+7	
41-Nb- 91				1.886E+7		1.885E+7	
41-Nb- 92m				3.694E+7		3.693E+7	
41-Nb- 92				3.694E+7		3.693E+7	
41-Nb- 93m				3.860E+7		3.860E+7	
41-Nb- 93	3.861E+7	3.861E+7	3.846E+7	3.819E+7	3.837E+7	3.861E+7	3.800E+7
41-Nb- 94	4.601E+7	4.601E+7	6.100E+7	4.601E+7		4.375E+7	6.610E+7
41-Nb- 95m				5.375E+7		5.373E+7	
41-Nb- 95	5.840E+7±1.418E+7	5.840E+7	8.132E+7	5.840E+7	5.675E+7	5.458E+7	4.510E+7
41-Nb- 96				5.410E+7		5.409E+7	
42-Mo- 92	1.003E+7±7.887E+5	9.650E+6	9.715E+6	9.573E+6	9.653E+6	9.659E+6	1.020E+7
42-Mo- 93				1.319E+7		1.318E+7	
42-Mo- 93m						2.440E+8	
42-Mo- 94	1.591E+7±1.699E+6	1.661E+7	1.459E+7	1.579E+7	1.592E+7	1.429E+7	1.490E+7
42-Mo- 95	5.448E+7±5.616E+6	5.434E+7	5.596E+7	5.433E+7	5.607E+7	5.296E+7	4.250E+7
42-Mo- 96	1.502E+7±1.404E+6	1.502E+7	1.524E+7	1.501E+7	1.506E+7	1.517E+7	1.630E+7
42-Mo- 97	5.636E+7±8.488E+6	5.636E+7	5.624E+7	5.586E+7	5.635E+7	5.210E+7	4.940E+7
42-Mo- 98	1.378E+7±5.436E+5	1.378E+7	1.233E+7	1.378E+7	1.370E+7	1.438E+7	1.440E+7
42-Mo- 99	6.954E+7	6.954E+7	5.128E+7	6.953E+7		4.062E+7	3.570E+7
42-Mo-100	1.249E+7±6.925E+5	1.261E+7	1.244E+7	1.271E+7	1.253E+7	1.148E+7	1.570E+7
43-Tc- 95						4.513E+7	
43-Tc- 95m				4.515E+7		4.513E+7	
43-Tc- 96				7.922E+7		7.920E+7	
43-Tc- 97m				6.198E+7		6.196E+7	
43-Tc- 97				6.198E+7		6.196E+7	
43-Tc- 98				9.664E+7		9.661E+7	
43-Tc- 99	1.551E+8±6.229E+5	1.290E+8	1.150E+8	1.290E+8	1.129E+8	1.129E+8	1.130E+8
43-Tc- 99m						1.807E+8	
44-Ru- 96	3.847E+7	6.228E+7	3.849E+7	3.847E+7		3.734E+7	3.010E+7
44-Ru- 97				2.988E+7		2.987E+7	
44-Ru- 98	3.432E+7	1.812E+7	3.435E+7	3.432E+7		1.805E+7	2.520E+7
44-Ru- 99	1.032E+8	9.480E+7	1.033E+8	1.032E+8	1.099E+8	9.479E+7	9.030E+7
44-Ru-100	2.951E+7	2.951E+7	2.994E+7	2.990E+7	2.972E+7	2.968E+7	3.000E+7
44-Ru-101	1.409E+8±1.262E+7	1.317E+8	1.322E+8	1.320E+8	1.372E+8	1.318E+8	1.440E+8
44-Ru-102	2.759E+7±3.843E+6	2.759E+7	2.749E+7	2.753E+7	2.759E+7	2.776E+7	2.200E+7
44-Ru-103	8.382E+7±2.190E+7	8.382E+7	8.354E+7	8.382E+7	8.382E+7	6.682E+7	5.750E+7
44-Ru-104	2.400E+7±1.841E+6	2.400E+7	2.401E+7	2.400E+7	2.400E+7	2.415E+7	2.270E+7
44-Ru-105	5.975E+7	5.975E+7	7.067E+7		5.975E+7	8.657E+7	
44-Ru-106	1.453E+7±3.302E+6	1.243E+7	1.457E+7	1.453E+7		1.243E+7	
45-Rh- 99				9.812E+7		9.808E+7	
45-Rh- 99m						9.808E+7	
45-Rh-100						1.387E+8	
45-Rh-101				1.077E+8		1.076E+8	
45-Rh-101m				1.077E+8		1.076E+8	
45-Rh-102				1.930E+8		1.929E+8	
45-Rh-102m				1.930E+8		1.929E+8	
45-Rh-103	1.161E+8±9.897E+6	1.251E+8	1.267E+8	1.164E+8	1.271E+8	1.264E+8	1.340E+8
45-Rh-105	1.200E+8	1.200E+8	1.189E+8	1.191E+8	1.200E+8	1.529E+8	
46-Pd-100				2.362E+7		3.739E+7	
46-Pd-101						5.454E+7	
46-Pd-102	6.656E+7	2.861E+7	4.186E+7	6.656E+7		2.445E+7	5.370E+7
46-Pd-103				7.035E+7		7.033E+7	
46-Pd-104	4.072E+7	4.072E+7	3.914E+7	4.072E+7		4.075E+7	4.210E+7
46-Pd-105	1.717E+8±2.178E+7	1.717E+8	1.780E+8	1.717E+8	1.737E+8	1.741E+8	1.750E+8
46-Pd-106	3.434E+7±7.244E+6	3.434E+7	3.674E+7	3.157E+7		3.145E+7	3.670E+7
46-Pd-107	1.879E+8±2.661E+7	1.879E+8	1.893E+8	1.879E+8		1.974E+8	1.940E+8
46-Pd-108	3.029E+7±6.697E+6	3.029E+7	3.297E+7	2.758E+7	2.856E+7	3.246E+7	2.950E+7
46-Pd-109						3.425E+7	
46-Pd-110	2.271E+7	1.613E+7	2.309E+7	1.641E+7		1.612E+7	2.120E+7
46-Pd-112						1.186E+7	
47-Ag- 0					1.218E+8		
47-Ag-105				1.787E+8		1.786E+8	
47-Ag-106m				2.352E+8		2.352E+8	
47-Ag-107	1.202E+8	1.315E+8	1.212E+8	1.202E+8	1.207E+8	1.315E+8	1.218E+8
47-Ag-108m				2.005E+8		2.004E+8	
47-Ag-109	1.319E+8±2.075E+7	1.369E+8	1.157E+8	1.128E+8	1.229E+8	1.232E+8	9.540E+7

TABLE XVI: Capture Reaction Rates (continued).

Material	**ENDF/B-VII.1** (cm^3/mole s)	**JEFF-3.1.2** (cm^3/mole s)	**JENDL-4.0** (cm^3/mole s)	**ROSFOND-2010** (cm^3/mole s)	**CENDL-3.1** (cm^3/mole s)	**EAF-2010** (cm^3/mole s)	**KADoNiS** (cm^3/mole s)
47-Ag-110m	3.926E+8	3.926E+8	2.772E+8	3.926E+8		1.094E+8	1.870E+8*
47-Ag-111	8.544E+7	8.538E+7	9.503E+7	5.511E+7		1.072E+8	
48-Cd- 0					4.669E+7		
48-Cd-106	7.196E+7	8.019E+7	7.161E+7	7.169E+7		7.215E+7	4.390E+7
48-Cd-107						1.427E+8	
48-Cd-108	5.795E+7	5.868E+7	5.102E+7	5.775E+7		3.256E+7	2.940E+7
48-Cd-109				7.276E+7		7.273E+7	
48-Cd-110	3.405E+7	3.404E+7	3.275E+7	3.400E+7		3.141E+7	3.450E+7
48-Cd-111	1.339E+8	1.471E+8	1.049E+8	1.337E+8		8.993E+7	1.100E+8
48-Cd-112	3.158E+7	3.280E+7	2.628E+7	3.182E+7		2.200E+7	2.730E+7
48-Cd-113	9.887E+7	8.729E+7	8.623E+7	9.079E+7	9.079E+7	1.058E+8	9.700E+7
48-Cd-113m				6.071E+7		6.069E+7	
48-Cd-114	2.170E+7	2.164E+7	1.962E+7	2.164E+7		2.336E+7	1.880E+7
48-Cd-115				5.999E+7		8.261E+7	4.250E+7
48-Cd-115m	3.259E+7	5.998E+7		3.259E+7		7.275E+7	5.290E+7
48-Cd-116	1.315E+7	1.323E+7	1.103E+7	1.307E+7		1.117E+7	1.090E+7
49-In-111				1.694E+8		1.693E+8	
49-In-113	1.336E+8	1.335E+8	1.009E+8	1.335E+8	1.334E+8	1.158E+8	1.140E+8
49-In-114m				3.835E+8		3.834E+8	3.160E+8
49-In-115	1.118E+8	1.117E+8	1.132E+8	1.118E+8	1.119E+8	1.086E+8	1.027E+8
50-Sn- 0					1.360E+7		
50-Sn-112	2.834E+7	2.834E+7	2.909E+7	2.834E+7	2.838E+7	2.956E+7	3.060E+7
50-Sn-113	9.721E+7			1.246E+8		9.763E+7	
50-Sn-114	2.220E+7	2.210E+7	1.779E+7	2.220E+7	2.192E+7	2.050E+7	1.960E+7
50-Sn-115	5.669E+7	5.664E+7	5.377E+7	5.669E+7	5.651E+7	5.691E+7	4.980E+7
50-Sn-116	1.453E+7	1.530E+7	1.321E+7	1.453E+7	1.517E+7	1.364E+7	1.330E+7
50-Sn-117	4.478E+7	4.489E+7	5.000E+7	4.478E+7	4.477E+7	5.086E+7	4.640E+7
50-Sn-117m				3.784E+7		3.783E+7	
50-Sn-118	9.462E+6	9.665E+6	1.032E+7	9.462E+6	9.638E+6	9.666E+6	9.000E+6
50-Sn-119	3.256E+7	3.250E+7	3.257E+7	3.256E+7	3.234E+7	3.297E+7	3.040E+7
50-Sn-119m				8.425E+6		5.034E+7	
50-Sn-120	5.502E+6	5.991E+6	5.475E+6	5.503E+6	5.986E+6	5.272E+6	5.240E+6
50-Sn-121				2.541E+7		2.540E+7	2.610E+7
50-Sn-121m				2.541E+7		2.540E+7	
50-Sn-122	2.153E+6	3.458E+6	4.406E+6	2.153E+6	3.462E+6	1.915E+6	3.190E+6
50-Sn-123	5.219E+7	1.854E+7	1.621E+7	5.219E+7		3.362E+7	
50-Sn-124	1.712E+6	2.171E+6	2.834E+6	1.712E+6	2.177E+6	2.713E+6	1.750E+6
50-Sn-125	1.422E+7	1.443E+7		2.095E+7		1.294E+7	8.600E+6
50-Sn-126	1.566E+6	1.515E+6	1.545E+6	1.566E+6		1.254E+6	1.450E+6
51-Sb-119				9.494E+7		9.491E+7	
51-Sb-120m				1.465E+8		1.465E+8	
51-Sb-121	7.401E+7	7.550E+7	7.550E+7	7.401E+7	7.632E+7	8.202E+7	7.710E+7
51-Sb-122				1.148E+8		1.148E+8	1.270E+8
51-Sb-123	4.650E+7	4.597E+7	4.597E+7	4.650E+7	4.729E+7	5.706E+7	4.400E+7
51-Sb-124	1.403E+8	1.601E+8	1.403E+8	1.403E+8		8.814E+7	
51-Sb-125	7.616E+7	4.642E+7	7.615E+7	7.616E+7	6.636E+7	3.572E+7	3.780E+7
51-Sb-126	1.065E+8	7.519E+7	5.451E+7	1.065E+8		5.644E+7	
51-Sb-127				4.954E+7		4.953E+7	
51-Sb-128						1.721E+7	
52-Te-118				3.457E+7		3.456E+7	
52-Te-119						8.579E+7	
52-Te-119m				8.583E+7		8.579E+7	
52-Te-120	4.220E+7	6.198E+7	4.225E+7	4.219E+7		5.932E+7	7.550E+7
52-Te-121m				6.338E+7		6.336E+7	
52-Te-121				6.338E+7		6.336E+7	
52-Te-122	3.403E+7	5.156E+7	3.829E+7	3.824E+7		4.602E+7	4.290E+7
52-Te-123m				8.556E+7		1.140E+8	
52-Te-123	1.168E+8	8.554E+7	1.179E+8	1.177E+8		1.024E+8	1.210E+8
52-Te-124	1.957E+7	3.863E+7	2.135E+7	2.133E+7		2.233E+7	2.250E+7
52-Te-125m				6.037E+7		7.336E+7	
52-Te-125	6.043E+7	6.036E+7	6.073E+7	6.043E+7		6.036E+7	6.910E+7
52-Te-126	1.153E+7	1.680E+7	1.309E+7	1.307E+7		1.345E+7	1.180E+7
52-Te-127						3.719E+7	
52-Te-127m	1.284E+8	6.143E+7	1.284E+8	1.284E+8		3.754E+7	
52-Te-128	5.355E+6	4.738E+6	5.781E+6	5.355E+6		4.738E+6	6.460E+6
52-Te-129						1.376E+7	
52-Te-129m	1.083E+8	1.919E+7	1.083E+8	1.083E+8		1.320E+7	
52-Te-130	2.069E+6	2.276E+6	2.067E+6	2.069E+6	2.069E+6	2.276E+6	2.140E+6
52-Te-131m				1.897E+7		1.896E+7	
52-Te-132	2.150E+6	1.048E+4	1.164E+6	2.150E+6		4.998E+5	
53-I -123						1.163E+8	
53-I -124				1.652E+8		1.652E+8	
53-I -125				1.304E+8		1.366E+8	
53-I -126				1.590E+8		1.590E+8	
53-I -127	1.047E+8±1.405E+7	1.023E+8	9.596E+7	1.047E+8	9.688E+7	9.974E+7	9.110E+7
53-I-128						9.841E+7	
53-I -129	6.346E+7±1.231E+7	5.493E+7	6.357E+7	6.346E+7	6.352E+7	5.901E+7	6.010E+7
53-I -130	9.956E+7	6.831E+7	7.125E+7			7.258E+7	
53-I -131	3.808E+7	3.808E+7	3.808E+7	3.808E+7		1.970E+7	
53-I -133						3.018E+7	

TABLE XVI: Capture Reaction Rates (continued).

Material	**ENDF/B-VII.1** (cm^3/mole s)	**JEFF-3.1.2** (cm^3/mole s)	**JENDL-4.0** (cm^3/mole s)	**ROSFOND-2010** (cm^3/mole s)	**CENDL-3.1** (cm^3/mole s)	**EAF-2010** (cm^3/mole s)	**KADoNiS** (cm^3/mole s)
53-I -135	1.017E+6	1.017E+6	2.207E+6	1.016E+6	1.017E+6	3.044E+5	
54-Xe-122						6.926E+7	
54-Xe-123	2.601E+8				2.611E+8		
54-Xe-124	1.813E+8	6.362E+7	1.337E+8	1.665E+8	1.665E+8	6.362E+7	9.400E+7
54-Xe-125						6.241E+7	
54-Xe-126	9.728E+7	3.932E+7	7.946E+7	9.728E+7		4.442E+7	5.220E+7
54-Xe-127				5.659E+7		5.657E+7	
54-Xe-128	4.094E+7	4.094E+7	3.739E+7	4.094E+7		2.783E+7	3.820E+7
54-Xe-129m				6.888E+7		6.886E+7	
54-Xe-129	6.080E+7	6.080E+7	8.670E+7	6.080E+7	6.262E+7	7.268E+7	9.610E+7
54-Xe-130	2.199E+7	2.199E+7	1.931E+7	2.199E+7		2.195E+7	1.920E+7
54-Xe-131m				4.278E+7		4.277E+7	
54-Xe-131	4.432E+7±6.020E+6	4.278E+7	5.881E+7	5.269E+7	5.260E+7	4.277E+7	4.890E+7
54-Xe-132	6.846E+6±1.618E+6	6.846E+6	8.924E+6	7.543E+6	6.846E+6	6.892E+6	9.390E+6
54-Xe-133m				1.234E+7		1.643E+7	
54-Xe-133	1.843E+7	1.843E+7	1.826E+7	1.843E+7		1.486E+7	1.850E+7
54-Xe-134	3.268E+6±7.197E+5	3.268E+6	3.682E+6	3.245E+6	3.268E+6	3.291E+6	2.940E+6
54-Xe-135	9.475E+6	7.456E+5	4.722E+6	7.455E+5	9.479E+6	9.475E+6	
54-Xe-136	1.717E+5	1.717E+5	1.267E+5	6.376E+4	1.717E+5	1.268E+5	1.320E+5
55-Cs-127						1.868E+8	
55-Cs-129				1.073E+8		1.073E+8	
55-Cs-131				9.235E+7		9.231E+7	
55-Cs-132				1.368E+8		1.368E+8	
55-Cs-133	6.728E+7±8.006E+6	7.405E+7	7.830E+7	7.406E+7	7.431E+7	7.578E+7	7.270E+7
55-Cs-134	1.674E+8	8.476E+7	7.859E+7	1.674E+8	1.675E+8	8.990E+7	1.050E+8
55-Cs-135	2.909E+7±5.768E+6	2.909E+7	2.359E+7	2.909E+7	2.931E+7	2.931E+7	2.330E+7
55-Cs-136	2.636E+7	3.914E+7	2.797E+7	2.636E+7		2.662E+7	
55-Cs-137	3.131E+6	3.131E+6	1.471E+6	3.131E+6	4.367E+6	7.846E+5	
56-Ba-128				2.530E+7		2.529E+7	
56-Ba-129						6.294E+7	
56-Ba-130	1.066E+8	1.068E+8	1.068E+8	1.066E+8	1.068E+8	1.066E+8	1.080E+8
56-Ba-131				4.439E+7		4.438E+7	
56-Ba-132	6.603E+7	6.598E+7	6.591E+7	6.603E+7	6.989E+7	3.820E+7	5.770E+7
56-Ba-133m				3.742E+7		3.741E+7	
56-Ba-133	8.237E+7			8.237E+7		3.729E+7	
56-Ba-134	3.287E+7	3.287E+7	3.332E+7	3.287E+7	3.430E+7	3.267E+7	2.560E+7
56-Ba-135	7.008E+7	7.235E+7	7.228E+7	5.005E+7	7.227E+7	5.410E+7	6.610E+7
56-Ba-135m				7.008E+7		5.003E+7	
56-Ba-136	1.014E+7	9.649E+6	1.024E+7	1.014E+7	9.783E+6	8.103E+6	8.900E+6
56-Ba-137	8.499E+6	9.239E+6	9.225E+6	8.499E+6	9.263E+6	1.051E+7	1.110E+7
56-Ba-138	5.413E+5	6.223E+5	6.226E+5	5.413E+5	1.020E+6	6.227E+5	5.810E+5
56-Ba-139						5.741E+6	
56-Ba-140	1.491E+6	1.491E+6	4.698E+5	1.491E+6		1.240E+6	
57-La-135						9.450E+7	
57-La-137				6.544E+7		6.542E+7	
57-La-138	4.535E+7	4.535E+7	4.528E+7	4.535E+7		4.560E+7	5.990E+7
57-La-139	5.249E+6±8.222E+5	5.249E+6	5.463E+6	5.249E+6	5.249E+6	5.715E+6	4.700E+6
57-La-140	1.702E+7	3.053E+7	1.428E+7	1.702E+7		2.085E+7	
57-La-141						4.605E+7	
58-Ce-134				1.465E+8		3.470E+7	1.410E+8
58-Ce-135						1.522E+8	1.950E+8
58-Ce-136	4.895E+7			4.895E+7	4.895E+7	7.644E+7	4.360E+7
58-Ce-137						1.260E+8	1.410E+8
58-Ce-137m				5.101E+7		5.099E+7	
58-Ce-138	3.012E+7			3.012E+7	6.815E+6	1.542E+7	2.600E+7
58-Ce-139	5.899E+7			5.899E+7		1.825E+7	3.110E+7
58-Ce-140	1.121E+6	2.675E+6	1.445E+6	1.121E+6	1.080E+6	1.455E+6	1.600E+6
58-Ce-141	3.987E+7±8.004E+6	3.987E+7	1.461E+7	3.987E+7	3.941E+7	1.304E+7	1.100E+7
58-Ce-142	2.880E+6	2.880E+6	2.869E+6	2.880E+6	2.920E+6	2.834E+6	4.070E+6
58-Ce-143	1.653E+7	1.923E+7	1.001E+7	1.653E+7		1.066E+7	
58-Ce-144	3.508E+6	3.508E+6	5.268E+6	3.508E+6	3.510E+6	7.043E+6	
59-Pr-141	1.578E+7±1.549E+6	1.578E+7	1.710E+7	1.578E+7	1.635E+7	1.713E+7	1.620E+7
59-Pr-142	5.229E+7	6.243E+7				4.442E+7	6.800E+7
59-Pr-143	1.557E+7	1.557E+7	1.559E+7	1.557E+7		5.334E+7	4.910E+7
60-Nd-140				2.218E+7		2.218E+7	
60-Nd-141						2.597E+7	
60-Nd-142	4.841E+6	5.924E+6	5.149E+6	5.353E+6	7.945E+6	7.267E+6	5.090E+6
60-Nd-143	3.451E+7±4.365E+6	3.974E+7	3.353E+7	3.451E+7	4.014E+7	3.966E+7	3.560E+7
60-Nd-144	1.084E+7	1.084E+7	1.076E+7	1.057E+7	1.061E+7	9.150E+6	1.180E+7
60-Nd-145	6.081E+7±6.702E+6	7.063E+7	5.905E+7	5.953E+7	7.304E+7	6.292E+7	5.850E+7
60-Nd-146	1.426E+7±1.638E+6	1.426E+7	1.323E+7	1.347E+7	1.864E+7	1.512E+7	1.330E+7
60-Nd-147	1.207E+8	1.207E+8	1.444E+8	8.818E+7	8.818E+7	7.322E+7	7.700E+7
60-Nd-148	2.028E+7±2.176E+6	1.949E+7	1.969E+7	1.981E+7	2.433E+7	1.949E+7	2.140E+7
60-Nd-149						7.430E+7	
60-Nd-150	2.266E+7	2.459E+7	2.261E+7	2.667E+7	2.546E+7	2.261E+7	2.340E+7
61-Pm-143				4.940E+7		4.938E+7	
61-Pm-144				1.268E+8		1.268E+8	
61-Pm-145				9.926E+7		9.923E+7	
61-Pm-146				2.043E+8		2.042E+8	
61-Pm-147	1.516E+8±2.867E+7	1.515E+8	1.021E+8	1.516E+8	1.513E+8	1.562E+8	1.010E+8

TABLE XVI: Capture Reaction Rates (continued).

Material	**ENDF/B-VII.1** (cm^3/mole s)	**JEFF-3.1.2** (cm^3/mole s)	**JENDL-4.0** (cm^3/mole s)	**ROSFOND-2010** (cm^3/mole s)	**CENDL-3.1** (cm^3/mole s)	**EAF-2010** (cm^3/mole s)	**KADoNiS** (cm^3/mole s)
61-Pm-148m	1.044E+9	1.044E+9	2.647E+8	1.044E+9	1.044E+9	5.643E+8	2.230E+8
61-Pm-148	2.462E+8	2.462E+8	1.349E+8	2.462E+8	2.466E+8	1.992E+8	4.330E+8
61-Pm-149	1.478E+8	1.478E+8	8.330E+7	1.478E+8	1.475E+8	1.468E+8	3.620E+8
61-Pm-150						4.808E+8	
61-Pm-151	1.482E+8	1.482E+8	1.261E+8	5.314E+6		2.306E+8	
62-Sm-144	1.269E+7	1.269E+7	1.278E+7	1.275E+7	1.275E+7	1.425E+7	1.340E+7
62-Sm-145				4.076E+7		4.075E+7	
62-Sm-146				2.289E+7		2.289E+7	
62-Sm-147	1.399E+8	1.680E+8	1.398E+8	1.338E+8	1.482E+8	1.680E+8	1.410E+8
62-Sm-148	3.545E+7	3.545E+7	3.418E+7	3.539E+7	3.624E+7	3.538E+7	3.500E+7
62-Sm-149	2.577E+8±5.702E+7	2.692E+8	2.630E+8	2.577E+8	2.639E+8	3.061E+8	2.430E+8
62-Sm-150	6.119E+7	5.537E+7	6.104E+7	5.905E+7	6.030E+7	6.798E+7	6.130E+7
62-Sm-151	4.160E+8±1.228E+8	4.549E+8	4.166E+8	4.160E+8	2.893E+8	3.557E+8	3.870E+8
62-Sm-152	6.635E+7±8.180E+6	7.158E+7	6.763E+7	6.590E+7	6.817E+7	7.159E+7	7.110E+7
62-Sm-153	1.319E+8	1.319E+8	1.518E+8	9.519E+7		1.733E+8	1.970E+8
62-Sm-154	4.044E+7	4.044E+7	4.100E+7	3.671E+7	3.671E+7	3.692E+7	3.370E+7
62-Sm-156						2.429E+7	
63-Eu-145				7.396E+7		7.393E+7	
63-Eu-146				1.798E+8		1.798E+8	
63-Eu-147				1.452E+8		1.452E+8	
63-Eu-148				2.955E+8		2.954E+8	
63-Eu-149				2.112E+8		2.111E+8	
63-Eu-150				3.698E+8		3.696E+8	
63-Eu-150m						3.696E+8	
63-Eu-151	5.164E+8	6.274E+8	5.142E+8	5.164E+8	5.164E+8	6.274E+8	7.730E+8
63-Eu-152	6.601E+8	6.600E+8	7.068E+8	6.601E+8		7.694E+8	1.010E+9
63-Eu-152m						7.754E+8	
63-Eu-153	3.855E+8±8.885E+7	3.658E+8	3.569E+8	3.567E+8	3.688E+8	4.250E+8	3.630E+8
63-Eu-154	5.023E+8	4.440E+8	5.030E+8	5.023E+8	5.023E+8	4.442E+8	6.040E+8
63-Eu-155	1.641E+8±3.133E+7	1.928E+8	1.829E+8	1.641E+8	1.641E+8	1.647E+8	1.890E+8
63-Eu-156	7.830E+7	7.830E+7	1.394E+8	7.830E+7		2.047E+8	
63-Eu-157	1.651E+8	1.651E+8	1.034E+8			2.171E+8	
64-Gd-146				2.168E+7		2.168E+7	
64-Gd-147				7.762E+7		7.759E+7	
64-Gd-148				4.300E+7		4.299E+7	
64-Gd-149				1.152E+8		1.151E+8	
64-Gd-150				5.761E+7		5.759E+7	
64-Gd-151				1.836E+8		1.836E+8	
64-Gd-152	1.425E+8±4.942E+6	1.443E+8	1.475E+8	1.471E+8	1.456E+8	1.443E+8	1.520E+8
64-Gd-153	3.795E+8±1.241E+8		4.727E+8	1.221E+8		4.118E+8	6.780E+8
64-Gd-154	1.377E+8±5.450E+6	1.242E+8	1.437E+8	1.462E+8	1.247E+8	1.133E+8	1.570E+8
64-Gd-155	3.782E+8±1.854E+7	4.394E+8	3.955E+8	3.782E+8	4.105E+8	4.394E+8	3.880E+8
64-Gd-156	8.661E+7±3.716E+6	8.718E+7	8.610E+7	8.838E+7	8.743E+7	8.350E+7	1.011E+8
64-Gd-157	2.020E+8±7.149E+6	2.368E+8	1.990E+8	2.016E+8	1.839E+8	2.274E+8	1.940E+8
64-Gd-158	4.442E+7±1.878E+6	4.262E+7	4.628E+7	4.468E+7	4.444E+7	4.261E+7	5.330E+7
64-Gd-159						6.588E+7	
64-Gd-160	2.478E+7±2.386E+6	3.319E+7	2.699E+7	2.685E+7	2.386E+7	3.325E+7	2.530E+7
65-Tb-151						3.723E+8	
65-Tb-152						5.588E+8	
65-Tb-153				5.148E+8		5.147E+8	
65-Tb-154						9.168E+8	
65-Tb-154m						1.883E+9	
65-Tb-154n						1.955E+9	
65-Tb-155				4.916E+8		4.914E+8	
65-Tb-156m				6.961E+8		9.948E+8	
65-Tb-156				7.392E+8		7.389E+8	
65-Tb-156n						7.389E+8	
65-Tb-157				3.618E+8		3.617E+8	
65-Tb-158				4.773E+8		4.772E+8	
65-Tb-159	3.002E+8	3.002E+8	2.255E+8	3.004E+8		2.598E+8	2.360E+8
65-Tb-160	3.458E+8	1.869E+7	3.764E+8	3.225E+8		3.091E+8	4.560E+8
65-Tb-161				1.799E+8		1.798E+8	
66-Dy-153						1.052E+9	
66-Dy-154			2.223E+8	1.460E+8		1.459E+8	
66-Dy-155						4.079E+8	
66-Dy-156	2.218E+8		2.143E+8	1.579E+8		2.235E+8	2.420E+8
66-Dy-157						3.125E+8	
66-Dy-158	1.614E+8		1.306E+8	1.118E+8		1.320E+8	1.590E+8
66-Dy-159			5.338E+8	2.018E+8		2.018E+8	
66-Dy-160	1.205E+8	2.265E+8	1.259E+8	1.200E+8		1.330E+8	1.450E+8
66-Dy-161	2.824E+8	2.824E+8	2.867E+8	2.798E+8		2.859E+8	2.820E+8
66-Dy-162	6.576E+7	6.576E+7	6.686E+7	6.568E+7		6.006E+7	7.600E+7
66-Dy-163	1.570E+8	1.570E+8	1.613E+8	1.561E+8		1.192E+8	1.610E+8
66-Dy-164	3.137E+7	2.935E+7	3.042E+7	3.120E+7	2.948E+7	2.939E+7	3.600E+7
66-Dy-165				4.117E+7		4.115E+7	
66-Dy-166				1.694E+7		2.999E+7	
67-Ho-163				2.226E+8		2.225E+8	3.080E+8
67-Ho-164						5.882E+8	
67-Ho-164m						6.827E+8	

TABLE XVI: Capture Reaction Rates (continued).

Material	**ENDF/B-VII.1** (cm^3/mole s)	**JEFF-3.1.2** (cm^3/mole s)	**JENDL-4.0** (cm^3/mole s)	**ROSFOND-2010** (cm^3/mole s)	**CENDL-3.1** (cm^3/mole s)	**EAF-2010** (cm^3/mole s)	**KADoNiS** (cm^3/mole s)
67-Ho-165	1.923E+8	1.923E+8		1.922E+8		2.741E+8	1.860E+8
67-Ho-166m	1.711E+8			1.826E+8		1.826E+8	
67-Ho-166				1.827E+8		1.826E+8	
68-Er-160				2.414E+8		3.184E+8	
68-Er-161						3.572E+8	
68-Er-162	1.256E+8	1.256E+8	1.256E+8	1.256E+8		2.077E+8	2.580E+8
68-Er-164	2.785E+8	2.785E+8	2.784E+8	2.784E+8		1.041E+8	1.710E+8
68-Er-165						1.377E+8	
68-Er-166	1.010E+8±1.044E+7	1.017E+8	1.016E+8	1.010E+8		1.016E+8	8.550E+7
68-Er-167	2.248E+8±3.567E+7	2.257E+8	2.256E+8	2.249E+8		2.184E+8	2.040E+8
68-Er-168	4.373E+7±4.961E+6	4.877E+7	4.875E+7	4.372E+7		5.098E+7	5.560E+7
68-Er-169				5.239E+7		5.238E+7	9.500E+7
68-Er-170	3.119E+7±6.191E+6	2.990E+7	2.989E+7	3.119E+7		3.135E+7	2.780E+7
68-Er-171						4.309E+7	
68-Er-172				2.089E+7		2.088E+7	
69-Tm-165				2.822E+8		2.821E+8	
69-Tm-166						4.342E+8	
69-Tm-167				2.165E+8		2.164E+8	
69-Tm-168	2.981E+8			2.954E+8		2.953E+8	
69-Tm-169	1.560E+8		1.523E+8	1.650E+8		1.649E+8	3.400E+8
69-Tm-170	2.630E+8			3.118E+8		3.117E+8	2.870E+8
69-Tm-171				1.431E+8		1.171E+8	9.600E+7
69-Tm-172				1.377E+8		1.377E+8	
69-Tm-173						7.009E+7	
70-Yb-166				1.014E+8		1.014E+8	
70-Yb-168			1.759E+8	1.363E+8		1.362E+8	1.950E+8
70-Yb-169				1.024E+8		1.024E+8	
70-Yb-170			1.123E+8	1.073E+8		1.073E+8	1.280E+8
70-Yb-171			1.816E+8	1.979E+8		1.979E+8	1.880E+8
70-Yb-172			5.126E+7	5.736E+7		5.734E+7	5.820E+7
70-Yb-173			1.119E+8	1.241E+8		1.241E+8	1.090E+8
70-Yb-174			2.293E+7	2.464E+7		2.464E+7	2.490E+7
70-Yb-175				4.994E+7		1.045E+8	8.060E+7
70-Yb-176			1.751E+7	1.579E+7		1.579E+7	1.890E+7
71-Lu-169				3.139E+8		3.138E+8	
71-Lu-170				3.924E+8		3.923E+8	
71-Lu-171				2.198E+8		2.197E+8	
71-Lu-172				3.050E+8		3.049E+8	
71-Lu-173				1.843E+8		1.842E+8	
71-Lu-174m				2.145E+8		2.145E+8	
71-Lu-174				2.145E+8		2.145E+8	
71-Lu-175	1.903E+8	1.903E+8		1.903E+8		1.907E+8	1.770E+8
71-Lu-176	2.228E+8	2.228E+8		2.228E+8		2.232E+8	2.380E+8
71-Lu-177m				2.002E+5		1.006E+8	
71-Lu-177				1.150E+8		1.150E+8	
72-Hf-170						1.004E+8	
72-Hf-171						2.031E+8	
72-Hf-172				7.673E+7		7.671E+7	
72-Hf-173						1.410E+8	
72-Hf-174	1.374E+8	1.374E+8	1.418E+8	1.374E+8	9.796E+7	1.294E+8	1.580E+8
72-Hf-175				1.057E+8		1.057E+8	
72-Hf-176	6.556E+7	6.580E+7	8.579E+7	6.553E+7	6.625E+7	7.254E+7	1.001E+8
72-Hf-177	2.007E+8	1.913E+8	2.191E+8	2.006E+8	1.999E+8	2.017E+8	2.240E+8
72-Hf-178n				4.388E+7		4.388E+7	
72-Hf-178	4.282E+7	4.296E+7	5.243E+7	4.272E+7	4.422E+7	4.388E+7	5.120E+7
72-Hf-179n				1.444E+8		1.444E+8	
72-Hf-179	1.416E+8	1.339E+8	1.432E+8	1.416E+8	1.417E+8	1.444E+8	1.330E+8
72-Hf-180	3.357E+7	3.374E+7	2.823E+7	2.579E+7	2.528E+7	2.293E+7	2.490E+7
72-Hf-180m						4.129E+7	
72-Hf-181			3.694E+7	3.548E+7		3.547E+7	3.000E+7
72-Hf-182			2.085E+7	2.085E+7		2.084E+7	2.200E+7
73-Ta-175						6.642E+8	
73-Ta-176						6.008E+8	
73-Ta-177				1.990E+8		1.989E+8	
73-Ta-179				1.625E+8		1.625E+8	1.950E+8
73-Ta-180	2.535E+8					2.761E+8	
73-Ta-180m				3.441E+8		3.441E+8	1.860E+8
73-Ta-181	1.230E+8	1.086E+8	1.086E+8	1.089E+8	1.089E+8	1.146E+8	1.140E+8
73-Ta-182	1.499E+8	1.485E+8		1.485E+8		1.705E+8	1.640E+8
73-Ta-183				8.883E+7		8.880E+7	
73-Ta-184						2.785E+8	
74-W - 0							
74-W -178				6.812E+7		6.811E+7	
74-W -180	8.099E+7±1.766E+7		8.131E+7	8.281E+7		9.705E+7	1.030E+8
74-W -181				9.554E+7		9.551E+7	
74-W -182	4.224E+7±1.628E+6	3.949E+7	4.030E+7	3.935E+7		4.279E+7	4.260E+7
74-W -183	8.315E+7±3.689E+6	6.526E+7	8.285E+7	7.939E+7		7.803E+7	8.100E+7
74-W -184	3.648E+7±2.434E+6	2.931E+7	3.533E+7	3.486E+7		3.256E+7	3.430E+7
74-W -185				4.009E+7		4.009E+7	7.770E+7
74-W -186	2.779E+7±7.034E+5	2.705E+7	2.792E+7	2.744E+7		3.223E+7	3.480E+7

TABLE XVI: Capture Reaction Rates (continued).

Material	**ENDF/B-VII.1** (cm^3/mole s)	**JEFF-3.1.2** (cm^3/mole s)	**JENDL-4.0** (cm^3/mole s)	**ROSFOND-2010** (cm^3/mole s)	**CENDL-3.1** (cm^3/mole s)	**EAF-2010** (cm^3/mole s)	**KADoNiS** (cm^3/mole s)
74-W -187						1.940E+7	
74-W -188				7.670E+6		7.667E+6	
75-Re-181						2.287E+8	
75-Re-182				3.328E+8		3.327E+8	
75-Re-182m						5.280E+8	
75-Re-183				1.654E+8		1.653E+8	
75-Re-184m				2.424E+8		2.423E+8	
75-Re-184				2.424E+8		2.423E+8	
75-Re-185	1.690E+8	1.535E+8		2.759E+8		1.547E+8	2.230E+8
75-Re-186m				3.173E+8		3.172E+8	
75-Re-186				3.173E+8		3.172E+8	2.340E+8
75-Re-187	1.468E+8	1.335E+8		1.354E+8		1.487E+8	1.680E+8
75-Re-188						8.020E+7	
75-Re-189				6.053E+7		6.051E+7	
76-Os- 0		7.858E+7		7.858E+7			
76-Os-182						6.984E+7	
76-Os-183						1.532E+8	
76-Os-183m						5.174E+8	
76-Os-184			1.046E+8	8.465E+7		1.080E+8	8.880E+7
76-Os-185				1.119E+8		1.118E+8	
76-Os-186			6.605E+7	6.551E+7		6.405E+7	6.170E+7
76-Os-187			1.717E+8	1.273E+8		1.360E+8	1.670E+8
76-Os-188			5.244E+7	6.107E+7		6.230E+7	4.320E+7
76-Os-189			1.566E+8	2.203E+8		1.602E+8	1.870E+8
76-Os-190			5.162E+7	6.081E+7		6.079E+7	4.000E+7
76-Os-191				2.003E+8		2.003E+8	1.830E+8
76-Os-191m						3.024E+7	
76-Os-192			3.410E+7	1.688E+7		3.094E+7	2.260E+6
76-Os-193				1.383E+7		1.382E+7	
76-Os-194				4.882E+6		4.880E+6	
77-Ir-185						2.185E+8	
77-Ir-186						4.117E+8	
77-Ir-187						3.408E+8	
77-Ir-188				2.543E+8		2.542E+8	
77-Ir-189				1.234E+8		1.233E+8	
77-Ir-190				1.599E+8		1.599E+8	
77-Ir-191	1.839E+8±1.434E+4	2.186E+8		2.186E+8		1.950E+8	2.190E+8
77-Ir-192n				4.917E+8		4.915E+8	
77-Ir-192				4.917E+8		3.039E+8	2.970E+8
77-Ir-193m				1.288E+8		1.287E+8	
77-Ir-193	1.617E+8±1.827E+4	1.371E+8		1.371E+8		1.287E+8	1.520E+8
77-Ir-194						5.754E+7	
77-Ir-194n						5.783E+7	
77-Ir-194m				5.785E+7			
77-Ir-196m						3.549E+7	
78-Pt- 0		5.632E+7		5.631E+7			
78-Pt-188				6.891E+7		6.889E+7	
78-Pt-189						1.267E+8	
78-Pt-190				1.055E+8		1.055E+8	7.380E+7
78-Pt-191				7.439E+7		7.437E+7	
78-Pt-192				1.097E+8		1.097E+8	8.570E+7
78-Pt-193m				5.376E+7		5.375E+7	
78-Pt-193				1.726E+8		1.726E+8	2.140E+8
78-Pt-194				5.038E+7		3.792E+7	5.300E+7
78-Pt-195m				1.540E+8		1.057E+8	
78-Pt-195				1.540E+8		9.651E+7	1.250E+8
78-Pt-196				4.307E+7		3.687E+7	2.660E+7
78-Pt-197						1.153E+7	
78-Pt-198				2.538E+7		2.537E+7	1.340E+7
78-Pt-200						4.812E+6	
78-Pt-202						9.831E+6	
79-Au-193						1.382E+8	
79-Au-194				1.448E+8		1.447E+8	
79-Au-195				8.031E+7		8.028E+7	
79-Au-196				9.367E+7		9.364E+7	
79-Au-196n						2.717E+8	
79-Au-197	8.862E+7±1.117E+6	8.828E+7	8.807E+7	8.861E+7	8.838E+7	8.830E+7	8.300E+7
79-Au-198m				2.377E+8		2.376E+8	
79-Au-198				2.375E+8		1.050E+8	1.170E+8
79-Au-199				4.758E+7		4.757E+7	
79-Au-200m						2.278E+7	
80-Hg- 0					2.358E+7		
80-Hg-193						9.492E+7	
80-Hg-193m						9.492E+7	
80-Hg-194				4.087E+7		4.085E+7	
80-Hg-195m				5.691E+7		5.690E+7	
80-Hg-195						5.690E+7	
80-Hg-196	4.977E+6	4.977E+6	4.975E+6	4.977E+6		1.003E+8	2.960E+7
80-Hg-197				3.171E+7		3.170E+7	
80-Hg-197m						3.170E+7	

TABLE XVI: Capture Reaction Rates (continued).

Material	**ENDF/B-VII.1** (cm^3/mole s)	**JEFF-3.1.2** (cm^3/mole s)	**JENDL-4.0** (cm^3/mole s)	**ROSFOND-2010** (cm^3/mole s)	**CENDL-3.1** (cm^3/mole s)	**EAF-2010** (cm^3/mole s)	**KADoNiS** (cm^3/mole s)
80-Hg-198	2.333E+7	2.333E+7	2.332E+7	2.332E+7		2.670E+7	2.510E+7
80-Hg-199	5.657E+7	5.657E+7	5.655E+7	5.657E+7		4.677E+7	5.460E+7
80-Hg-200	1.847E+7	1.847E+7	1.846E+7	1.847E+7		1.682E+7	1.660E+7
80-Hg-201	3.695E+7	3.695E+7	3.694E+7	3.695E+7		4.277E+7	3.490E+7
80-Hg-202	1.234E+7	1.234E+7	1.233E+7	1.234E+7		1.107E+7	9.180E+6
80-Hg-203				5.534E+6		5.532E+6	1.240E+7
80-Hg-204	6.255E+6	6.255E+6	6.253E+6	6.255E+6		5.597E+6	6.100E+6
81-Tl-0		7.227E+6		7.896E+6	7.227E+6		
81-Tl-199						1.476E+8	
81-Tl-200				6.604E+7		6.601E+7	
81-Tl-201				3.940E+7		3.938E+7	
81-Tl-202				3.593E+7		3.592E+7	
81-Tl-203	2.465E+7			2.929E+7		2.929E+7	1.800E+7
81-Tl-204				1.969E+7		1.968E+7	3.110E+7
81-Tl-205	7.602E+6			5.640E+6		5.639E+6	7.830E+6
82-Pb-200						2.280E+7	
82-Pb-201						2.266E+8	
82-Pb-202				1.066E+7		1.065E+7	
82-Pb-203				1.348E+7		1.348E+7	
82-Pb-204	1.047E+7±4.152E+5	1.047E+7	1.209E+7	1.047E+7	1.071E+7	1.040E+7	1.180E+7
82-Pb-205				7.887E+6		7.884E+6	1.680E+7
82-Pb-206	1.966E+6±6.104E+4	1.966E+6	2.120E+6	1.966E+6	1.966E+6	1.966E+6	2.110E+6
82-Pb-207	1.194E+6±1.196E+5	1.194E+6	1.492E+6	1.194E+6	1.194E+6	1.194E+6	1.437E+6
82-Pb-208	9.477E+4±4.739E+4	9.488E+4	5.426E+4	9.489E+4	9.485E+4	9.340E+4	5.227E+4
82-Pb-209						5.214E+5	
82-Pb-210				6.638E+4		6.397E+5	
82-Pb-212						1.261E+6	
83-Bi-203						4.818E+7	
83-Bi-204						2.910E+8	
83-Bi-205				2.832E+7		2.831E+7	
83-Bi-206				3.135E+7		3.134E+7	
83-Bi-207				1.756E+7		1.755E+7	
83-Bi-208				1.552E+7		1.552E+7	
83-Bi-209	4.837E+5±6.363E+4	4.121E+5	4.246E+5	4.837E+5	4.539E+5	4.281E+5	3.720E+5
83-Bi-210				4.456E+5		1.234E+6	2.590E+6
83-Bi-210m				4.060E+5		7.692E+5	
84-Po-206				7.101E+6		7.098E+6	
84-Po-207						9.981E+6	
84-Po-208				4.217E+6		1.106E+7	
84-Po-209				4.236E+6		7.411E+6	
84-Po-210				4.505E+3		1.217E+6	
85-At-210						5.210E+7	
85-At-211						1.290E+7	
86-Rn-211						1.243E+7	
86-Rn-222				4.509E+5		2.292E+7	
88-Ra-223	8.658E+7	8.658E+7	8.657E+7	8.657E+7		8.652E+7	
88-Ra-224	3.265E+7	3.265E+7	3.265E+7	3.265E+7		3.264E+7	
88-Ra-225	9.403E+7	9.403E+7	9.402E+7	9.402E+7		9.400E+7	
88-Ra-226	6.447E+7	6.447E+7	6.447E+7	6.447E+7		6.444E+7	
88-Ra-228				9.102E+5		5.371E+7	
89-Ac-225	2.717E+8±8.187E+7	2.242E+8	2.717E+8	2.242E+8		2.242E+8	
89-Ac-226	3.216E+8±9.744E+7	2.903E+8	3.216E+8	2.902E+8		2.902E+8	
89-Ac-227	1.967E+8±5.318E+7	1.236E+7	1.967E+8	1.233E+7		1.433E+8	
89-Ac-228						2.110E+8	
90-Th-227	1.696E+8±9.271E+7	2.007E+8	1.696E+8	2.007E+8		2.006E+8	
90-Th-228	1.081E+8±2.766E+7	6.171E+7	1.081E+8	6.170E+7		9.520E+7	
90-Th-229	2.469E+8±5.915E+7	2.019E+8	2.469E+8	2.019E+8		2.018E+8	
90-Th-230	1.011E+8±2.429E+7	3.046E+7	1.010E+8	6.235E+7		6.233E+7	
90-Th-231	2.225E+8±8.756E+7		2.225E+8	1.328E+7		1.829E+8	
90-Th-232	7.038E+7±7.404E+5	6.810E+7	6.874E+7	6.962E+7	6.552E+7	6.511E+7	
90-Th-233	8.656E+7±4.158E+7	8.251E+7	8.656E+7				
90-Th-234	2.558E+7±8.621E+6	6.219E+7	2.558E+7	6.219E+7		6.217E+7	
91-Pa-228						1.997E+8	
91-Pa-229	2.550E+8±3.126E+8		2.550E+8	5.134E+7		1.531E+8	
91-Pa-230	1.001E+8±8.742E+7		1.001E+8	5.642E+7		1.118E+7	
91-Pa-231	3.017E+8	6.457E+8	3.173E+8	3.094E+8		3.094E+8	
91-Pa-232	6.231E+7±3.858E+7	1.627E+8	6.230E+7	1.627E+8		1.755E+8	
91-Pa-233	3.246E+8	1.701E+8	3.178E+8	1.701E+8		2.642E+8	
91-Pa-234						2.557E+8	
92-U -230	5.999E+7±5.106E+7		5.999E+7	1.399E+7		1.399E+7	
92-U -231	7.082E+7±6.772E+7		7.082E+7	2.835E+7		2.834E+7	
92-U -232	9.174E+7±2.816E+7	1.362E+8	9.174E+7	1.362E+8	9.260E+7	4.013E+7	
92-U -233	6.131E+7±8.822E+6	4.644E+7	4.972E+7	6.498E+7	4.680E+7	4.647E+7	
92-U -234	8.155E+7±1.392E+7	9.601E+7	1.025E+8	9.601E+7	8.101E+7	8.076E+7	
92-U -235	1.001E+8±3.243E+7	1.004E+8	1.017E+8	1.001E+8	1.004E+8	1.002E+8	
92-U -236	7.960E+7±3.865E+6	7.157E+7	8.176E+7	7.889E+7	7.857E+7	7.666E+7	
92-U -237	6.622E+7	9.059E+7	9.272E+7	1.195E+8	9.117E+7	1.082E+8	
92-U -238	5.789E+7±8.936E+5	5.740E+7	5.752E+7	5.789E+7	5.757E+7	5.799E+7	
92-U -239	1.331E+8				1.738E+8		

TABLE XVI: Capture Reaction Rates (continued).

Material	**ENDF/B-VII.1** (cm^3/mole s)	**JEFF-3.1.2** (cm^3/mole s)	**JENDL-4.0** (cm^3/mole s)	**ROSFOND-2010** (cm^3/mole s)	**CENDL-3.1** (cm^3/mole s)	**EAF-2010** (cm^3/mole s)	**KADoNiS** (cm^3/mole s)
92-U -240	4.584E+7				7.728E+7	4.599E+7	
92-U -241	1.278E+8				2.628E+8	1.283E+8	
93-Np-234	2.911E+7±2.665E+7		2.910E+7	8.870E+7		1.645E+8	
93-Np-235	2.894E+8±2.149E+8	1.462E+8	2.894E+8	7.086E+7		2.185E+8	
93-Np-236	6.049E+7±5.730E+7	9.464E+7	6.049E+7	9.224E+7	9.072E+7	7.275E+7	
93-Np-236m						6.851E+7	
93-Np-237	3.057E+8±2.634E+7	3.005E+8	3.115E+8	2.974E+8	3.030E+8	2.997E+8	
93-Np-238	7.543E+7±3.394E+7	2.655E+7	7.543E+7	7.682E+7	6.615E+7	2.296E+8	
93-Np-239	2.377E+8±6.759E+7	3.686E+8	2.376E+8	3.685E+8	3.228E+8	3.685E+8	
94-Pu-234						2.159E+8	
94-Pu-236	3.603E+7±1.616E+7	4.807E+7	3.603E+7	4.807E+7	4.435E+7	4.849E+7	
94-Pu-237	5.408E+7±5.467E+7	3.525E+7	5.408E+7	5.710E+7	2.916E+7	5.707E+7	
94-Pu-238	1.111E+8±1.129E+7	9.351E+7	1.062E+8	1.230E+8	1.146E+8	1.232E+8	
94-Pu-239	7.631E+7±7.954E+6	7.979E+7	7.786E+7	7.976E+7	7.445E+7	8.170E+7	
94-Pu-240	9.994E+7±7.545E+4	8.989E+7	1.040E+8	1.001E+8	9.826E+7	1.028E+8	
94-Pu-241	7.978E+7±1.325E+7	8.319E+7	8.922E+7	8.264E+7	7.562E+7	3.480E+7	
94-Pu-242	7.692E+7±2.397E+6	9.299E+7	8.619E+7	8.872E+7	8.461E+7	9.058E+7	
94-Pu-243	6.609E+7	6.609E+7		6.609E+7	9.508E+7	4.340E+7	
94-Pu-244	4.727E+7±1.297E+7	2.828E+7	4.727E+7	6.863E+7	3.098E+7	6.500E+7	
94-Pu-245				3.641E+8	6.757E+7	1.966E+8	
94-Pu-246	2.951E+7±1.130E+7	3.641E+8	2.951E+7		5.914E+7	6.518E+7	
94-Pu-247							
95-Am-239						2.765E+8	
95-Am-240	8.377E+7±7.052E+7		8.376E+7	6.414E+7	8.986E+7	6.412E+7	
95-Am-241	3.681E+8±1.104E+7	3.640E+8	3.461E+8	3.498E+8	3.829E+8	3.620E+8	
95-Am-242m	9.435E+7±4.710E+7	9.846E+7	8.224E+7	9.838E+7	9.594E+7	2.129E+8	
95-Am-242	7.905E+7	8.342E+7	7.031E+7	8.342E+7	9.473E+7	7.955E+7	
95-Am-243	3.512E+8±3.202E+7	3.281E+8	3.102E+8	2.862E+8	3.319E+8	3.284E+8	
95-Am-244m	1.233E+8	1.233E+8	8.659E+7				
95-Am-244	1.274E+8	1.274E+8	1.703E+8	1.273E+8	1.643E+8	3.407E+8	
96-Cm-240	1.508E+8±1.178E+8	1.611E+8	1.508E+8	1.611E+8		1.614E+8	
96-Cm-241	3.314E+7±3.738E+7	3.985E+7	3.314E+7	3.680E+7		7.584E+7	
96-Cm-242	1.487E+8±3.577E+7	9.167E+7	1.487E+8	1.607E+8		9.478E+7	
96-Cm-243	6.593E+7±4.488E+7	5.320E+7	6.593E+7	1.042E+8		1.084E+8	
96-Cm-244	1.118E+8±2.931E+7	1.729E+8	1.118E+8	1.678E+8		1.278E+8	
96-Cm-245	8.627E+7±4.594E+7	1.029E+8	8.627E+7	1.029E+8		1.031E+8	
96-Cm-246	6.695E+7±1.700E+7	9.446E+7		9.485E+7		9.489E+7	
96-Cm-247	6.209E+7±3.683E+7	1.151E+8	6.209E+7	1.079E+8		1.080E+8	
96-Cm-248	4.143E+7±1.052E+7	4.616E+7	4.143E+7	4.639E+7		4.655E+7	
96-Cm-249	2.742E+7±3.109E+7	2.421E+7	2.741E+7	2.421E+7		2.433E+7	
96-Cm-250	2.876E+7±9.875E+6	2.017E+7	2.876E+7	2.017E+7		1.996E+7	
97-Bk-245	3.779E+8±1.656E+8		3.779E+8	3.043E+7		3.042E+7	
97-Bk-246	1.556E+8±1.468E+8		1.556E+8	2.427E+7		2.426E+7	
97-Bk-247	2.777E+8±1.122E+8	1.479E+8	2.777E+8	1.479E+8		3.042E+7	
97-Bk-248	1.731E+8±1.686E+8		1.731E+8	2.427E+7		2.426E+7	
97-Bk-248m						2.426E+7	
97-Bk-249	2.273E+8±4.346E+7	2.510E+8	2.272E+8	2.582E+8	2.583E+8	2.510E+8	
97-Bk-250	1.688E+8±1.878E+8	9.828E+7	1.688E+8	9.827E+7		9.836E+7	
98-Cf-246	1.248E+8±6.544E+7		1.248E+8	2.427E+7		5.748E+7	
98-Cf-248	8.387E+7±2.704E+7		8.386E+7	2.427E+7		9.722E+7	
98-Cf-249	1.077E+8±4.760E+7	1.100E+8	1.077E+8	1.100E+8	1.237E+8	1.101E+8	
98-Cf-250	6.278E+7±1.412E+7	1.141E+8	6.278E+7	1.141E+8		1.142E+8	
98-Cf-251	8.044E+7±5.817E+7	6.088E+7	8.044E+7	6.012E+7		6.089E+7	
98-Cf-252	2.153E+7±7.151E+6	5.846E+7	2.153E+7	6.359E+7		6.361E+7	
98-Cf-253	1.285E+8±6.355E+7		1.284E+8	1.284E+8		1.056E+6	
98-Cf-254	2.267E+7±1.321E+7	1.321E+7	2.267E+7	1.321E+7		8.432E+6	
99-Es-250						1.465E+7	
99-Es-251	2.276E+8±8.772E+7		2.275E+8	3.043E+7		3.042E+7	
99-Es-252	6.566E+7±6.538E+7		6.565E+7	2.427E+7		2.426E+7	
99-Es-253	2.927E+8±1.612E+8	6.252E+6	2.926E+8	1.001E+8		9.811E+7	
99-Es-254m	7.763E+7±7.596E+7		7.762E+7	5.179E+8		5.177E+8	
99-Es-254	1.463E+8±8.642E+7	9.515E+7	1.463E+8	2.834E+7		6.130E+6	
99-Es-255	3.127E+8±1.963E+8	9.812E+7	3.127E+8	9.811E+7		9.807E+7	
99-Es-256m						2.778E+4	
99-Es-257							
100-Fm-252				2.427E+7		1.177E+8	
100-Fm-253				1.187E+8		1.187E+8	
100-Fm-255	4.525E+7±5.671E+7	4.766E+7	4.524E+7	4.765E+7		4.745E+7	
100-Fm-257				1.187E+8		1.187E+8	

ENDF/B-VII.1 Neutron Elastic Scattering Values and Low-Fidelity Project Uncertainties

TABLE XVII: ENDF/B-VII.1 Neutron Elastic Scattering Values and Low-Fidelity Project Uncertainties [1, 18].

Material	σ^{therm} (barns)	**RI** (barns)	σ^{Maxw}**(30 keV)** (barns)	**RR(30 keV)** (cm^3/mole s)	σ^{Maxw}**(1420 keV)** (barns)
1-H - 1	3.008E+1±8.911E-2	2.645E+2±9.234E-1	1.454E+1±4.856E-2	2.967E+9±9.911E+6	4.560E+8±6.570E+6
1-H - 2	4.235E+0±8.471E-2	5.342E+1±9.711E-1	3.663E+0±4.750E-2	6.474E+8±8.395E+6	3.908E+8±5.787E+6
1-H - 3	1.943E+0	2.933E+1	1.858E+0	3.096E+8	3.096E+8
2-He- 3	3.862E+0	4.871E+1	2.888E+0	4.813E+8	4.813E+8
2-He- 4	8.635E-1	2.216E+1	8.751E-1	1.413E+8	1.413E+8
3-Li- 6	7.777E-1±1.555E-2	1.782E+1±3.364E-1	1.059E+0±1.840E-2	1.650E+8±2.868E+6	2.233E+8±6.286E+6
3-Li- 7	1.040E+0	2.135E+1	1.221E+0	1.884E+8	1.884E+8
4-Be- 7	2.042E+1±6.126E-1	2.054E+2±6.071E+0	8.379E+0±2.395E-1	1.293E+9±3.695E+7	2.947E+8±1.214E+7
4-Be- 9	6.498E+0	8.893E+1	6.278E+0	9.551E+8	9.551E+8
5-B - 10	2.287E+0±4.574E-2	3.837E+1±5.354E-1	2.917E+0±1.684E-2	4.416E+8±2.549E+6	2.856E+8±7.534E+6
5-B - 11	5.062E+0	7.227E+1	5.306E+0	7.999E+8	7.999E+8
6-C-0	4.938E+0±2.469E-2	7.057E+1±3.461E-1	5.107E+0±9.216E-3	7.699E+8±1.389E+6	3.356E+8±2.939E+6
7-N - 14	1.027E+1±1.027E-1	1.214E+2±1.182E+0	6.294E+0±5.711E-2	9.401E+8±8.532E+6	2.613E+8±3.429E+6
7-N - 15	4.565E+0	6.547E+1	4.671E+0	6.962E+8	6.962E+8
8-O - 16	3.973E+0±7.946E-2	6.140E+1±1.179E+0	4.203E+0±8.405E-2	6.251E+8±1.250E+7	3.702E+8±5.626E+6
8-O - 17	3.851E+0±1.925E-1	5.236E+1±3.024E+0	3.540E+0±9.860E-2	5.257E+8±1.464E+7	2.059E+8±5.333E+7
9-F - 19	3.738E+0	6.716E+1	8.222E+0	1.217E+9	1.217E+9
11-Na- 22	7.416E+1	9.735E+2±1.407E+0	5.219E+0±4.812E-1	7.700E+8±7.099E+7	2.624E+8±1.061E+7
11-Na- 23	3.393E+0±1.500E-1	1.313E+2±4.632E+0	5.674E+0±2.829E-1	8.364E+8±4.170E+7	3.563E+8±3.235E+7
12-Mg- 24	3.827E+0±4.089E-2	7.235E+1±2.461E+0	9.164E+0±2.430E-1	1.350E+9±3.579E+7	3.665E+8±2.970E+7
12-Mg- 25	2.647E+0±5.515E-1	5.437E+1±4.773E+0	6.102E+0±2.026E-1	8.980E+8±2.982E+7	3.693E+8±1.768E+7
12-Mg- 26	2.885E+0±1.733E-1	4.885E+1±1.544E+0	2.899E+0±3.832E-2	4.264E+8±5.635E+6	4.128E+8±2.115E+7
13-Al- 27	1.452E+0±5.962E-3	3.920E+1±1.093E+0	5.636E+0±2.050E-1	8.282E+8±3.013E+7	3.964E+8±2.194E+7
14-Si- 28	1.991E+0±1.817E-2	3.880E+1±1.018E+0	2.383E+0±6.367E-2	3.500E+8±9.350E+6	4.136E+8±1.197E+7
14-Si- 29	2.629E+0±1.314E-1	4.209E+1±1.121E+0	2.844E+0±3.800E-2	4.174E+8±5.577E+6	3.404E+8±8.974E+6
14-Si- 30	2.499E+0±4.040E-2	4.230E+1±6.403E-1	2.556E+0±2.689E-2	3.749E+8±3.945E+6	3.540E+8±7.727E+6
15-P - 31	4.167E+0±5.564E-1	6.348E+1±4.485E+0	4.582E+0±1.046E-1	6.718E+8±1.534E+7	3.902E+8±4.044E+6
16-S - 32	9.787E-1±1.041E-2	2.768E+1±9.998E-1	3.167E+0±2.352E-1	4.641E+8±3.446E+7	3.872E+8±9.344E+6
16-S - 33	2.888E+0±2.590E-1	4.265E+1±2.287E+0	2.537E+0±8.529E-2	3.716E+8±1.249E+7	3.740E+8±4.581E+6
16-S - 34	2.108E+0±3.680E-1	3.455E+1±3.237E+0	1.792E+0±3.410E-2	2.623E+8±4.992E+6	4.141E+8±1.387E+6
16-S - 36	2.215E+0	3.804E+1±5.596E-1	2.465E+0±5.611E-2	3.606E+8±8.208E+6	4.320E+8±4.469E+6
17-Cl- 35	2.098E+1±3.050E-1	1.301E+2±1.717E+0	2.166E+0±1.107E-1	3.169E+8±1.620E+7	3.956E+8±1.028E+7
17-Cl- 37	1.150E+0±5.006E-2	2.933E+1±1.249E+0	2.656E+0±2.344E-1	3.884E+8±3.428E+7	4.219E+8±5.570E+6
18-Ar- 36	7.459E+1±4.052E-1	6.772E+2±1.121E+1	8.533E+0±1.333E+0	1.248E+9±1.950E+8	3.919E+8±1.236E+7
18-Ar- 38	8.941E+0±6.342E+0	8.953E+1±5.185E+1	1.541E+0±1.091E-1	2.253E+8±1.595E+7	4.232E+8±1.127E+7
18-Ar- 40	6.552E-1±1.446E-1	2.095E+1±1.413E+0	2.722E+0±3.072E-1	3.977E+8±4.487E+7	4.123E+8±1.423E+7
19-K - 39	2.085E+0±1.750E-1	3.211E+1±2.467E+0	2.444E+0±5.804E-1	3.571E+8±8.481E+7	4.348E+8±6.786E+6
19-K - 40	2.785E+0	4.434E+1±3.144E+0	3.050E+0±6.228E-1	4.456E+8±9.098E+7	3.943E+8±4.299E+6
19-K - 41	2.596E+0±1.226E+0	4.798E+1±1.110E+1	4.892E+0±1.535E+0	7.144E+8±2.242E+8	4.377E+8±5.271E+6
20-Ca- 40	3.060E+0±1.553E-1	4.504E+1±3.275E+0	1.681E+0±4.694E-1	2.455E+8±6.856E+7	4.386E+8±1.059E+7
20-Ca- 42	1.237E+0±7.604E-2	3.268E+1±4.137E+0	3.730E+0±1.301E+0	5.446E+8±1.899E+8	4.379E+8±6.063E+6
20-Ca- 43	4.209E+0	1.439E+2±1.941E+1	8.627E+0±3.419E+0	1.259E+9±4.990E+8	4.030E+8±5.359E+6
20-Ca- 44	3.358E+0	4.924E+1±4.799E+0	3.760E+0±1.470E+0	5.487E+8±2.145E+8	4.233E+8±6.662E+6
20-Ca- 46	2.966E+0	1.256E+2±2.170E+1	9.068E+0±4.083E+0	1.323E+9±5.955E+8	4.536E+8±1.033E+7
20-Ca- 48	3.756E+0	5.270E+1±5.423E+0	2.195E+0±7.395E-1	3.201E+8±1.078E+8	5.324E+8±1.364E+7
21-Sc- 45	2.242E+1±4.024E-1	2.378E+2±2.605E+1	1.137E+1±4.892E+0	1.658E+9±7.136E+8	3.931E+8±1.093E+7
22-Ti- 46	2.733E+0±4.110E-1	5.580E+1±1.114E+1	7.469E+0±3.220E+0	1.089E+9±4.697E+8	4.241E+8±1.400E+7
22-Ti- 47	3.265E+0±2.108E-1	1.008E+2±1.694E+1	9.979E+0±4.362E+0	1.455E+9±6.361E+8	3.935E+8±1.189E+7
22-Ti- 48	4.038E+0±1.918E-1	1.744E+2±5.789E+1	2.893E+1±1.295E+1	4.217E+9±1.889E+9	3.900E+8±1.716E+7
22-Ti- 49	5.460E-1±2.359E-1	7.570E+1±2.059E+1	8.454E+0±3.461E+0	1.232E+9±5.044E+8	4.665E+8±1.498E+7
22-Ti- 50	3.756E+0±3.028E-1	5.724E+1±7.100E+0	3.741E+0±1.347E+0	5.451E+8±1.963E+8	4.878E+8±1.349E+7
23-V - 50	7.697E+0	3.506E+2	1.406E+1	2.048E+9	2.048E+9
23-V - 51	4.967E+0±6.082E-2	2.454E+2±3.507E+1	1.794E+1±4.807E+0	2.614E+9±7.003E+8	4.593E+8±2.215E+7
24-Cr- 50	2.422E+0	2.490E+2±3.343E+1	1.369E+1±2.752E+0	1.994E+9±4.011E+8	4.316E+8±1.839E+7
24-Cr- 52	3.077E+0±2.079E-2	5.253E+1±3.805E+0	4.789E+0±8.897E-1	6.976E+8±1.296E+8	4.341E+8±1.624E+7
24-Cr- 53	7.896E+0±2.021E-1	3.056E+2±1.716E+1	1.545E+1±2.009E+0	2.249E+9±2.926E+8	4.270E+8±1.885E+7
24-Cr- 54	2.544E+0±1.002E-1	4.672E+1±2.832E+0	4.218E+0±5.487E-1	6.141E+8±7.990E+7	4.277E+8±1.279E+7
25-Mn- 55	2.116E+0±5.338E-2	6.218E+2±1.508E+1	1.245E+1±9.530E-1	1.813E+9±1.387E+8	3.810E+8±8.163E+6
26-Fe- 54	2.202E+0±1.012E-1	1.229E+2±1.408E+1	1.031E+1±1.192E+0	1.501E+9±1.735E+8	4.527E+8±9.988E+6
26-Fe- 56	1.216E+1±4.830E-1	1.337E+2±4.819E+0	7.501E+0±8.038E-1	1.092E+9±1.170E+8	3.903E+8±8.148E+6
26-Fe- 57	2.619E+0±1.532E+0	1.100E+2±2.401E+1	1.482E+1±1.747E+0	2.156E+9±2.542E+8	3.303E+8±7.294E+6
26-Fe- 58	3.126E+0	7.409E+1±4.756E+0	1.195E+1±1.383E+0	1.740E+9±2.013E+8	4.069E+8±1.005E+7
27-Co- 58	7.209E+1	6.237E+3±1.228E+1	1.490E+1±1.582E+0	2.168E+9±2.303E+8	3.680E+8±4.573E+6
27-Co- 58m	7.063E+3	5.905E+4±1.451E+1	1.519E+1±1.057E+0	2.211E+9±1.539E+8	3.751E+8±4.035E+6
27-Co- 59	6.032E+0±7.049E-2	7.967E+2±1.844E+1	1.134E+1±2.131E+0	1.651E+9±3.101E+8	4.128E+8±1.254E+7
28-Ni- 58	2.504E+1±3.998E-1	2.835E+2±1.437E+1	1.442E+1±3.060E+0	2.099E+9±4.452E+8	4.333E+8±1.470E+7
28-Ni- 59	2.354E+0	4.241E+2±2.091E+0	1.544E+1±4.056E-1	2.246E+9±5.901E+7	1.851E+9±3.320E+4
28-Ni- 60	1.099E+0±7.866E-2	9.541E+1±2.242E+1	1.560E+1±4.169E+0	2.270E+9±6.065E+8	4.145E+8±1.621E+7
28-Ni- 61	8.803E+0±1.042E+0	1.256E+2±1.465E+1	1.044E+1±2.481E+0	1.518E+9±3.609E+8	3.358E+8±1.256E+7
28-Ni- 62	9.723E+0±4.096E-1	4.683E+2±5.469E+1	1.576E+1±3.316E+0	2.292E+9±4.822E+8	4.434E+8±1.918E+7
28-Ni- 64	2.832E-1±9.364E-2	1.097E+2±2.966E+1	2.662E+1±7.429E+0	3.870E+9±1.080E+9	4.522E+8±2.324E+7
29-Cu- 63	5.143E+0±2.017E-1	1.140E+2±1.164E+1	9.440E+0±2.271E+0	1.373E+9±3.303E+8	3.963E+8±1.628E+7
29-Cu- 65	1.389E+1±4.982E-1	1.686E+2±1.119E+1	8.963E+0±2.169E+0	1.303E+9±3.153E+8	4.150E+8±1.592E+7
30-Zn- 64	3.927E+0±3.021E-1	1.252E+2±1.121E+1	1.021E+1±2.377E+0	1.484E+9±3.456E+8	4.220E+8±1.153E+7
30-Zn- 65		1.943E+2	9.934E+0	1.444E+9	1.444E+9
30-Zn- 66	4.938E+0±3.023E-1	9.252E+1±1.084E+1	9.480E+0±2.456E+0	1.378E+9±3.571E+8	4.205E+8±1.352E+7
30-Zn- 67	2.111E+0	2.018E+2±1.034E+1	1.020E+1±2.354E+0	1.483E+9±3.422E+8	3.832E+8±9.930E+6
30-Zn- 68	4.553E+0±5.037E-2	2.104E+2±6.474E+0	6.528E+0±1.469E+0	9.487E+8±2.135E+8	4.182E+8±1.339E+7

TABLE XVII: ENDF/B-VII.1 Neutron Elastic Scattering Values (continued).

Material	σ^{therm} (barns)	**RI** (barns)	σ^{Maxw}**(30 keV)** (barns)	**RR(30 keV)** (cm^3/mole s)	σ^{Maxw}**(1420 keV)** (barns)
30-Zn- 70	4.336E+0±4.427E-1	7.143E+1±6.622E+0	6.455E+0±1.388E+0	9.380E+8±2.017E+8	3.892E+8±9.939E+6
31-Ga- 69	8.125E+0±1.625E-1	1.372E+2±9.191E+0	9.227E+0±1.289E+0	1.341E+9±1.873E+8	4.042E+8±7.753E+6
31-Ga- 71	5.276E+0±6.089E-2	3.420E+2±7.754E+0	8.990E+0±2.968E-2	1.306E+9±4.313E+6	3.907E+8±8.639E+6
32-Ge- 70	1.389E+1±7.844E-1	1.733E+2±1.272E+1	1.063E+1±2.244E+0	1.545E+9±3.261E+8	4.376E+8±8.527E+6
32-Ge- 72	8.927E+0±2.105E-1	1.255E+2±7.993E+0	9.732E+0±1.922E+0	1.414E+9±2.793E+8	4.154E+8±8.336E+6
32-Ge- 73	4.814E+0±2.031E-1	4.221E+2±1.770E+1	1.048E+1±5.929E-1	1.522E+9±8.614E+7	3.723E+8±6.124E+6
32-Ge- 74	7.223E+0±1.921E-1	1.214E+2±1.045E+1	8.911E+0±1.714E+0	1.294E+9±2.489E+8	4.104E+8±8.663E+6
32-Ge- 76	8.416E+0±3.031E+0	1.197E+2±2.828E+1	9.001E+0±1.555E+0	1.307E+9±2.258E+8	4.172E+8±1.078E+7
33-As- 74	5.188E+0	1.430E+2±6.725E+0	8.728E+0±1.639E+0	1.268E+9±2.380E+8	3.364E+8±5.315E+6
33-As- 75	5.467E+0±3.020E-2	1.731E+2±8.493E+0	1.069E+1±1.901E+0	1.552E+9±2.761E+8	3.711E+8±1.526E+7
34-Se- 74	7.324E+0±6.088E+0	8.315E+2±6.452E+2	1.047E+1±1.677E+0	1.521E+9±2.436E+8	5.128E+8±1.966E+7
34-Se- 76	1.852E+1±3.020E-1	2.259E+2±7.858E+0	1.103E+1±1.650E+0	1.602E+9±2.396E+8	5.191E+8±2.363E+7
34-Se- 77	8.485E+0±2.539E-1	1.734E+2±7.060E+0	1.022E+1±1.655E+0	1.485E+9±2.403E+8	4.554E+8±1.854E+7
34-Se- 78	8.454E+0±2.013E-2	1.467E+2±6.525E+0	1.072E+1±1.474E+0	1.556E+9±2.141E+8	5.257E+8±2.617E+7
34-Se- 79		1.443E+2±3.750E+0	9.278E+0±1.210E+0	1.347E+9±1.756E+8	4.796E+8±2.193E+7
34-Se- 80	6.994E+0±6.038E-2	1.908E+2±7.806E+0	1.133E+1±1.387E+0	1.644E+9±2.013E+8	5.341E+8±3.254E+7
34-Se- 82	5.027E+0±2.012E-1	9.769E+1±3.214E+0	9.684E+0±9.902E-1	1.406E+9±1.437E+8	5.480E+8±3.964E+7
35-Br- 79	3.290E+0	1.453E+2±3.159E+0	9.094E+0±1.108E+0	1.320E+9±1.609E+8	4.546E+8±2.840E+7
35-Br- 81	5.789E+0	1.742E+2±2.474E+0	9.600E+0±9.729E-1	1.394E+9±1.412E+8	4.772E+8±3.726E+7
36-Kr- 78	8.656E+0	1.499E+2±2.796E+0	1.245E+1±1.217E+0	1.808E+9±1.767E+8	4.135E+8±2.270E+7
36-Kr- 80	7.336E+0	2.456E+2±1.730E+0	9.396E+0±7.999E-1	1.364E+9±1.161E+8	5.317E+8±4.575E+7
36-Kr- 82	1.478E+1	3.399E+2±1.316E+0	9.528E+0±6.124E-1	1.383E+9±8.889E+7	5.419E+8±5.420E+7
36-Kr- 83	1.351E+1	1.744E+2±1.193E+0	8.739E+0±6.503E-1	1.268E+9±9.440E+7	5.103E+8±3.259E+7
36-Kr- 84	3.741E+0	1.135E+2±1.707E+0	1.040E+1±4.854E-1	1.510E+9±7.045E+7	5.612E+8±5.096E+7
36-Kr- 85	6.352E+0	1.008E+2±2.172E+0	7.133E+0±2.626E-1	1.035E+9±3.811E+7	5.047E+8±4.297E+7
36-Kr- 86	5.472E+0±4.120E-1	9.736E+1±4.616E+0	6.635E+0±1.844E-1	9.628E+8±2.676E+7	7.466E+8±1.067E+8
37-Rb- 85	6.290E+0±5.027E-2	1.353E+2±2.190E+0	9.589E+0±3.002E-1	1.392E+9±4.357E+7	5.011E+8±5.286E+7
37-Rb- 86	4.238E+0	1.477E+2±2.261E+0	9.788E+0±3.205E-1	1.420E+9±4.651E+7	4.586E+8±5.390E+7
37-Rb- 87	4.384E+0±9.281E-1	1.195E+2±1.229E+1	1.069E+1±3.290E-1	1.551E+9±4.774E+7	5.486E+8±5.595E+7
38-Sr- 84	5.487E+0±8.260E-1	1.457E+2±1.457E+1	9.315E+0±2.853E-1	1.352E+9±4.141E+7	5.550E+8±6.495E+7
38-Sr- 86	2.801E+0	1.523E+2±4.831E+0	1.052E+1±4.372E-1	1.527E+9±6.344E+7	6.461E+8±5.998E+7
38-Sr- 87	6.937E+0	1.254E+2±4.847E+0	1.015E+1±5.088E-1	1.473E+9±7.383E+7	6.656E+8±5.657E+7
38-Sr- 88	7.298E+0	1.264E+2±5.397E+0	1.061E+1±6.283E-1	1.539E+9±9.116E+7	7.005E+8±7.284E+7
38-Sr- 89		1.134E+2±5.880E+0	1.016E+1±7.878E-1	1.474E+9±1.143E+8	6.555E+8±6.801E+7
38-Sr- 90		1.078E+2±6.079E+0	9.878E+0±8.083E-1	1.433E+9±1.173E+8	6.323E+8±7.530E+7
39-Y - 89	7.732E+0±3.023E-2	1.117E+2±5.439E+0	8.557E+0±4.693E-1	1.241E+9±6.809E+7	6.242E+8±9.101E+7
39-Y - 90	9.610E+0	2.034E+2±3.976E+0	1.249E+1±7.677E-1	1.812E+9±1.114E+8	7.857E+8±4.542E+7
39-Y - 91		1.173E+2±6.303E+0	9.846E+0±9.842E-1	1.428E+9±1.428E+8	5.930E+8±7.102E+7
40-Zr- 90	5.528E+0±3.077E-1	1.084E+2±6.732E+0	1.066E+1±1.091E+0	1.546E+9±1.582E+8	6.750E+8±8.197E+7
40-Zr- 91	9.912E+0±5.820E-1	1.745E+2±9.303E+0	1.158E+1±1.237E+0	1.680E+9±1.794E+8	6.665E+8±8.213E+7
40-Zr- 92	7.149E+0±3.946E-1	1.398E+2±7.352E+0	1.133E+1±1.180E+0	1.643E+9±1.711E+8	6.000E+8±7.888E+7
40-Zr- 93	5.796E+0	1.515E+2±6.372E+0	1.004E+1±1.163E+0	1.456E+9±1.687E+8	6.424E+8±8.775E+7
40-Zr- 94	8.658E+0±4.127E-1	1.435E+2±7.957E+0	1.297E+1±1.456E+0	1.882E+9±2.112E+8	6.306E+8±7.851E+7
40-Zr- 95		1.197E+2±6.567E+0	9.311E+0±4.327E-1	1.350E+9±6.276E+7	5.405E+8±6.410E+7
40-Zr- 96	5.736E+0±4.168E-1	1.200E+2±7.340E+0	1.075E+1±1.190E+0	1.559E+9±1.726E+8	6.465E+8±7.124E+7
41-Nb- 93	6.365E+0±7.011E-2	1.131E+2±5.056E+0	9.530E+0±8.972E-1	1.382E+9±1.301E+8	5.641E+8±5.686E+7
41-Nb- 94	6.487E+0	1.359E+2±4.255E+0	9.434E+0±8.566E-1	1.368E+9±1.243E+8	5.432E+8±4.821E+7
41-Nb- 95		1.270E+2±4.894E+0	9.514E+0±9.340E-1	1.380E+9±1.355E+8	6.265E+8±5.695E+7
42-Mo- 92	6.040E+0±2.379E-1	1.126E+2±5.202E+0	1.041E+1±8.439E-1	1.510E+9±1.224E+8	6.827E+8±4.064E+7
42-Mo- 94	5.855E+0±1.206E-1	1.104E+2±4.266E+0	9.769E+0±7.371E-1	1.417E+9±1.069E+8	6.219E+8±4.238E+7
42-Mo- 95	6.125E+0±3.522E-1	2.601E+2±1.255E+1	9.834E+0±7.350E-1	1.426E+9±1.066E+8	5.576E+8±6.953E+7
42-Mo- 96	4.752E+0±8.931E-2	1.727E+2±4.222E+0	1.002E+1±6.557E-1	1.453E+9±9.510E+7	6.022E+8±4.652E+7
42-Mo- 97	6.688E+0±1.412E-1	1.188E+2±3.476E+0	9.529E+0±6.166E-1	1.382E+9±8.942E+7	5.484E+8±5.091E+7
42-Mo- 98	5.671E+0±1.226E-1	1.234E+2±3.365E+0	9.685E+0±5.462E-1	1.405E+9±7.921E+7	6.056E+8±4.730E+7
42-Mo- 99		1.252E+2±2.591E+0	9.371E+0±5.017E-1	1.359E+9±7.276E+7	5.237E+8±4.016E+7
42-Mo-100	5.327E+0±5.897E-1	1.242E+2±8.138E+0	9.618E+0±4.655E-1	1.395E+9±6.750E+7	6.192E+8±4.394E+7
43-Tc- 99	5.753E+0±5.101E-1	1.245E+2±6.805E+0	1.012E+1±5.319E-1	1.467E+9±7.713E+7	5.383E+8±3.706E+7
44-Ru- 96		1.099E+2±1.908E+0	8.321E+0±3.830E-1	1.207E+9±5.555E+7	6.219E+8±3.385E+7
44-Ru- 98		1.134E+2±1.993E+0	8.337E+0±4.559E-1	1.209E+9±6.611E+7	5.964E+8±3.092E+7
44-Ru- 99	3.704E+0	1.034E+2±2.021E+0	7.841E+0±4.644E-1	1.137E+9±6.735E+7	5.572E+8±2.800E+7
44-Ru-100	9.465E+0	1.176E+2±2.456E+0	8.145E+0±5.662E-1	1.181E+9±8.210E+7	5.787E+8±2.625E+7
44-Ru-101	5.608E+0±4.843E-1	1.167E+2±6.829E+0	8.987E+0±8.005E-1	1.303E+9±1.161E+8	4.728E+8±2.746E+7
44-Ru-102	8.550E+0±5.827E-1	1.219E+2±5.904E+0	8.893E+0±8.007E-1	1.289E+9±1.161E+8	5.519E+8±1.966E+7
44-Ru-103	5.057E+0	9.987E+1±2.532E+0	7.200E+0±7.398E-1	1.044E+9±1.073E+8	4.769E+8±2.134E+7
44-Ru-104	5.261E+0	1.174E+2±4.478E+0	8.656E+0±9.910E-1	1.255E+9±1.437E+8	5.424E+8±2.025E+7
44-Ru-105	4.089E+0	8.588E+1±3.655E+0	7.787E+0±3.530E-1	1.129E+9±5.118E+7	4.805E+8±1.333E+7
44-Ru-106		8.768E+1±4.267E+0	8.044E+0±1.104E+0	1.166E+9±1.600E+8	5.786E+8±1.263E+7
45-Rh-103	4.343E+0	1.081E+2±4.868E+0	8.695E+0±8.961E-1	1.261E+9±1.299E+8	5.282E+8±2.615E+7
45-Rh-105	9.032E+3	3.984E+4±4.473E+0	7.748E+0±1.212E+0	1.123E+9±1.757E+8	5.287E+8±1.620E+7
46-Pd-102	6.007E+0	1.305E+2±5.324E+0	8.733E+0±6.325E-1	1.266E+9±9.170E+7	6.026E+8±2.169E+7
46-Pd-104	4.795E+0	1.204E+2±6.141E+0	8.620E+0±9.928E-1	1.250E+9±1.439E+8	5.914E+8±2.348E+7
46-Pd-105	7.360E+0±5.839E-1	1.132E+2±8.008E+0	8.455E+0±1.658E+0	1.226E+9±2.403E+8	5.208E+8±1.010E+7
46-Pd-106	4.627E+0±5.721E-1	1.242E+2±1.158E+1	8.427E+0±5.560E-1	1.222E+9±8.060E+7	5.767E+8±2.249E+7
46-Pd-107	3.334E+0	1.217E+2±5.726E+0	7.158E+0±1.487E+0	1.038E+9±2.155E+8	5.421E+8±1.235E+7
46-Pd-108	2.441E+0	4.394E+2±6.868E+0	8.315E+0±7.433E-1	1.205E+9±1.077E+8	5.650E+8±1.513E+7
46-Pd-110	5.687E+0	1.004E+2±7.752E+0	8.212E+0±1.085E+0	1.190E+9±1.572E+8	5.526E+8±1.000E+7
47-Ag-107	7.373E+0±8.980E-2	1.216E+2±7.185E+0	8.174E+0±1.785E+0	1.185E+9±2.587E+8	5.329E+8±6.762E+6
47-Ag-109	2.523E+0±6.352E-2	2.413E+2±9.115E+0	7.902E+0±1.609E+0	1.145E+9±2.332E+8	5.167E+8±7.866E+6

TABLE XVII: ENDF/B-VII.1 Neutron Elastic Scattering Values (continued).

Material	σ^{therm} (barns)	**RI** (barns)	σ^{Maxw}**(30 keV)** (barns)	**RR(30 keV)** (cm^3/mole s)	σ^{Maxw}**(1420 keV)** (barns)
47-Ag-110m	6.357E+0	8.625E+1±6.889E+0	5.726E+0±1.653E+0	8.299E+8±2.395E+8	5.367E+8±7.453E+6
47-Ag-111	5.383E+0	1.180E+2±8.088E+0	8.162E+0±9.867E-1	1.183E+9±1.430E+8	5.091E+8±8.494E+6
48-Cd-106	4.563E+0	9.841E+1±6.506E+0	7.707E+0±1.618E+0	1.117E+9±2.346E+8	6.392E+8±1.048E+7
48-Cd-108	3.346E+0±3.001E-1	1.265E+2±1.048E+1	9.639E+0±1.709E+0	1.397E+9±2.477E+8	5.792E+8±7.266E+6
48-Cd-110	4.254E+0	1.502E+2±7.709E+0	8.231E+0±1.975E+0	1.193E+9±2.862E+8	5.875E+8±9.037E+6
48-Cd-111	5.621E+0±3.086E-1	9.658E+1±7.734E+0	6.965E+0±1.699E+0	1.009E+9±2.463E+8	5.826E+8±7.311E+6
48-Cd-112	5.098E+0±1.007E-1	1.064E+2±8.111E+0	8.195E+0±2.047E+0	1.188E+9±2.967E+8	5.874E+8±6.249E+6
48-Cd-113	2.468E+1	1.165E+2±8.340E+0	8.947E+0±2.295E+0	1.297E+9±3.325E+8	5.543E+8±6.504E+6
48-Cd-114	5.711E+0±1.281E+0	1.478E+2±2.390E+1	8.570E+0±2.180E+0	1.242E+9±3.159E+8	5.889E+8±7.385E+6
48-Cd-115m	4.940E+0	1.047E+2±9.092E+0	7.914E+0±1.410E+0	1.147E+9±2.043E+8	5.770E+8±1.332E+7
48-Cd-116	4.964E+0±4.698E-1	9.498E+1±9.716E+0	8.163E+0±2.160E+0	1.183E+9±3.130E+8	5.966E+8±1.019E+7
49-In-113	3.683E+0±8.032E-2	1.081E+2±6.623E+0	6.672E+0±1.609E+0	9.669E+8±2.331E+8	6.112E+8±9.909E+6
49-In-115	2.519E+0±1.002E-1	2.191E+2±9.796E+0	6.718E+0±1.675E+0	9.735E+8±2.428E+8	6.102E+8±8.835E+6
50-Sn-112	4.445E+0±4.818E-1	1.059E+2±9.026E+0	6.848E+0±1.481E+0	9.925E+8±2.146E+8	6.632E+8±1.594E+7
50-Sn-113	4.315E+0	9.733E+1±6.134E+0	6.915E+0±1.197E+0	1.002E+9±1.734E+8	5.766E+8±1.555E+7
50-Sn-114	4.566E+0±4.992E-1	1.062E+2±9.477E+0	6.791E+0±1.476E+0	9.841E+8±2.138E+8	6.634E+8±1.989E+7
50-Sn-115	9.086E+0	9.974E+1±5.332E+0	6.638E+0±1.145E+0	9.619E+8±1.659E+8	5.993E+8±1.363E+7
50-Sn-116	4.320E+0	1.019E+2±6.299E+0	7.183E+0±1.600E+0	1.041E+9±2.319E+8	6.638E+8±2.035E+7
50-Sn-117	5.328E+0	9.158E+1±5.457E+0	6.871E+0±1.490E+0	9.956E+8±2.158E+8	5.849E+8±1.392E+7
50-Sn-118	4.684E+0±2.120E-1	1.031E+2±6.631E+0	7.145E+0±1.539E+0	1.035E+9±2.230E+8	6.627E+8±2.423E+7
50-Sn-119	5.009E+0±5.015E-2	9.187E+1±4.738E+0	6.514E+0±1.246E+0	9.438E+8±1.805E+8	5.746E+8±8.647E+6
50-Sn-120	5.636E+0±7.031E-2	9.184E+1±5.840E+0	6.715E+0±1.429E+0	9.728E+8±2.071E+8	6.617E+8±2.313E+7
50-Sn-122	4.461E+0	8.349E+1±4.250E+0	5.558E+0±1.022E+0	8.052E+8±1.481E+8	6.612E+8±1.990E+7
50-Sn-123		1.431E+2±5.352E+0	7.107E+0±9.852E-1	1.030E+9±1.427E+8	6.226E+8±2.159E+7
50-Sn-124	4.805E+0±5.023E-2	8.595E+1±4.895E+0	6.182E+0±1.194E+0	8.955E+8±1.729E+8	6.588E+8±1.959E+7
50-Sn-125	4.307E+0	1.023E+2±5.019E+0	6.443E+0±3.012E-1	9.333E+8±4.362E+7	6.415E+8±1.958E+7
50-Sn-126		8.795E+1±4.659E+0	7.460E+0±1.224E+0	1.081E+9±1.773E+8	6.620E+8±2.450E+7
51-Sb-121	4.043E+0±9.033E-2	9.517E+1±4.129E+0	6.258E+0±1.050E+0	9.066E+8±1.521E+8	6.359E+8±4.151E+6
51-Sb-123	3.693E+0±1.004E-1	1.142E+2±4.572E+0	6.565E+0±1.070E+0	9.510E+8±1.550E+8	6.650E+8±1.671E+7
51-Sb-124		7.906E+1±3.273E+0	5.748E+0±8.332E-1	8.326E+8±1.207E+8	5.361E+8±2.116E+7
51-Sb-125		9.174E+1±3.966E+0	6.504E+0±6.345E-1	9.421E+8±9.191E+7	6.121E+8±2.278E+7
51-Sb-126	3.890E+0	8.597E+1±3.309E+0	5.788E+0±8.710E-2	8.384E+8±1.262E+7	5.792E+8±1.345E+7
52-Te-120		1.447E+2±3.188E+0	6.856E+0±8.068E-1	9.933E+8±1.169E+8	6.902E+8±1.251E+7
52-Te-122	1.722E+0±1.839E-1	1.405E+2±1.007E+1	7.448E+0±6.135E-1	1.079E+9±8.887E+7	6.892E+8±2.063E+7
52-Te-123	7.249E-1	6.939E+2±2.687E+0	6.153E+0±5.997E-1	8.914E+8±8.688E+7	6.265E+8±9.868E+6
52-Te-124	7.178E+0±4.032E-1	1.083E+2±4.385E+0	6.902E+0±6.316E-1	9.999E+8±9.150E+7	6.887E+8±1.985E+7
52-Te-125	3.283E+0±1.522E-1	9.413E+1±3.166E+0	6.049E+0±4.982E-1	8.762E+8±7.217E+7	6.305E+8±1.469E+7
52-Te-126	3.930E+0±1.003E-1	1.039E+2±2.787E+0	6.347E+0±5.483E-1	9.193E+8±7.942E+7	7.045E+8±2.474E+7
52-Te-127m		1.375E+2±2.773E+0	6.274E+0±5.824E-1	9.087E+8±8.436E+7	6.620E+8±1.684E+7
52-Te-128	4.408E+0	8.090E+1±2.155E+0	6.202E+0±4.723E-1	8.983E+8±6.840E+7	7.086E+8±2.549E+7
52-Te-129m		1.475E+2±1.930E+0	6.430E+0±4.196E-1	9.314E+8±6.077E+7	6.801E+8±2.272E+7
52-Te-130	4.606E+0	7.958E+1±2.461E+0	6.034E+0±4.187E-1	8.740E+8±6.064E+7	7.380E+8±2.879E+7
52-Te-132	5.354E+0	9.740E+1±2.239E+0	9.575E+0±5.491E-1	1.387E+9±7.953E+7	7.030E+8±1.042E+7
53-I -127	3.731E+0	1.468E+2±1.620E+0	6.134E+0±3.104E-1	8.885E+8±4.497E+7	5.949E+8±4.989E+6
53-I -129	1.027E+1	1.166E+2±1.782E+0	5.836E+0±3.877E-1	8.453E+8±5.616E+7	6.499E+8±2.319E+7
53-I -130	3.222E+0	8.216E+1±1.639E+0	4.634E+0±5.123E-1	6.711E+8±7.420E+7	5.719E+8±2.898E+7
53-I -131		1.694E+2±3.433E+0	6.910E+0±6.254E-1	1.001E+9±9.057E+7	6.595E+8±2.200E+7
53-I -135	1.016E+1	1.138E+2±8.863E+0	6.709E+0±1.759E-1	9.715E+8±2.547E+7	7.188E+8±2.704E+7
54-Xe-123	1.160E+1	1.241E+2±2.655E+0	5.261E+0±1.713E-1	7.622E+8±2.481E+7	5.497E+8±9.567E+6
54-Xe-124	1.311E-1	8.784E+2±2.379E+0	8.253E+0±5.018E-1	1.195E+9±7.269E+7	5.987E+8±1.355E+7
54-Xe-126	5.063E+0	1.024E+2±2.762E+0	6.464E+0±5.279E-1	9.364E+8±7.647E+7	6.662E+8±2.086E+7
54-Xe-128	6.856E+0	1.541E+2±3.710E+0	6.877E+0±6.999E-1	9.961E+8±1.014E+8	6.794E+8±1.948E+7
54-Xe-129	3.566E+0	1.381E+2±4.521E+0	6.506E+0±9.070E-1	9.423E+8±1.314E+8	6.221E+8±2.036E+7
54-Xe-130	6.263E+0	1.301E+2±7.785E+0	9.136E+0±1.020E+0	1.323E+9±1.477E+8	6.397E+8±1.959E+7
54-Xe-131	1.187E+0	1.906E+3±4.349E+0	6.500E+0±1.015E+0	9.414E+8±1.470E+8	6.436E+8±6.784E+6
54-Xe-132	3.773E+0	1.041E+2±5.602E+0	7.093E+0±1.156E+0	1.027E+9±1.675E+8	6.526E+8±2.970E+7
54-Xe-133		1.516E+2±6.605E+0	7.088E+0±1.348E+0	1.026E+9±1.952E+8	6.606E+8±3.827E+7
54-Xe-134	4.515E+0	8.315E+1±6.029E+0	6.917E+0±1.304E+0	1.002E+9±1.889E+8	6.850E+8±3.114E+7
54-Xe-135	2.995E+5	5.058E+3±7.849E+0	7.139E+0±1.609E+0	1.034E+9±2.330E+8	7.002E+8±2.633E+7
54-Xe-136	8.245E+0	1.179E+2±8.067E+0	7.810E+0±1.233E+0	1.131E+9±1.785E+8	7.209E+8±2.128E+7
55-Cs-133	3.986E+0±5.029E-2	1.272E+2±7.156E+0	5.836E+0±1.610E+0	8.451E+8±2.332E+8	6.499E+8±2.278E+7
55-Cs-134	2.273E+1	1.505E+2±9.039E+0	6.155E+0±1.906E+0	8.914E+8±2.760E+8	5.926E+8±2.941E+7
55-Cs-135	6.377E+0	1.702E+2±1.412E+1	7.693E+0±2.751E+0	1.114E+9±3.984E+8	6.763E+8±2.679E+7
55-Cs-136		2.649E+2±1.376E+1	7.806E+0±2.915E+0	1.130E+9±4.221E+8	6.546E+8±3.375E+7
55-Cs-137		9.838E+1±1.623E+1	8.176E+0±3.127E+0	1.184E+9±4.528E+8	7.444E+8±4.514E+7
56-Ba-130	9.939E-1	3.200E+2±8.385E+0	5.649E+0±1.749E+0	8.181E+8±2.533E+8	6.764E+8±3.361E+7
56-Ba-132	7.856E+0±5.995E-1	1.843E+2±1.332E+1	5.144E+0±1.657E+0	7.449E+8±2.399E+8	7.117E+8±3.020E+7
56-Ba-133	2.463E+0	1.893E+2±1.144E+1	7.068E+0±1.024E+0	1.024E+9±1.483E+8	5.653E+8±9.870E+6
56-Ba-134	5.223E+0±1.809E-1	1.405E+2±1.250E+1	5.770E+0±2.234E+0	8.356E+8±3.236E+8	7.415E+8±1.869E+7
56-Ba-135	2.750E+0±1.202E-1	1.585E+2±1.268E+1	5.888E+0±2.629E+0	8.526E+8±3.807E+8	7.338E+8±4.371E+7
56-Ba-136	3.005E+0±1.003E-1	8.102E+1±1.959E+1	6.181E+0±2.939E+0	8.951E+8±4.256E+8	7.771E+8±3.760E+7
56-Ba-137	6.237E+0±2.010E-1	1.008E+2±1.244E+1	5.773E+0±2.660E+0	8.359E+8±3.852E+8	7.957E+8±4.323E+7
56-Ba-138	4.079E+0±1.335E-1	7.121E+1±8.900E+0	5.133E+0±2.255E+0	7.433E+8±3.265E+8	7.921E+8±4.264E+7
56-Ba-140	1.900E+0	4.121E+2±1.541E+1	7.568E+0±4.006E+0	1.096E+9±5.800E+8	7.702E+8±4.052E+7
57-La-138	1.302E+1	1.505E+2±1.284E+1	5.437E+0±3.281E+0	7.873E+8±4.752E+8	7.120E+8±4.086E+7
57-La-139	1.021E+1±2.218E-1	1.079E+2±1.375E+1	5.756E+0±3.543E+0	8.334E+8±5.131E+8	7.128E+8±3.740E+7
57-La-140	1.980E+0	2.976E+2±1.657E+1	5.829E+0±3.435E+0	8.440E+8±4.973E+8	6.021E+8±3.158E+7
58-Ce-136	4.194E+0±1.306E-1	2.798E+2±2.091E+1	7.199E+0±4.643E+0	1.042E+9±6.724E+8	6.714E+8±3.382E+7

TABLE XVII: ENDF/B-VII.1 Neutron Elastic Scattering Values (continued).

Material	σ^{therm} (barns)	**RI** (barns)	σ^{Maxw}**(30 keV)** (barns)	**RR(30 keV)** (cm^3/mole s)	σ^{Maxw}**(1420 keV)** (barns)
58-Ce-138	2.596E+0	1.081E+2±2.123E+1	7.329E+0±5.040E+0	1.061E+9±7.297E+8	6.557E+8±4.819E+7
58-Ce-139	2.944E+1	1.485E+2±1.920E+1	6.351E+0±4.630E+0	9.197E+8±6.703E+8	6.662E+8±5.128E+7
58-Ce-140	3.616E+0±3.541E-1	7.289E+1±2.083E+1	7.132E+0±5.524E+0	1.033E+9±7.998E+8	7.920E+8±5.886E+7
58-Ce-141	7.033E+0	1.432E+2±1.584E+1	5.252E+0±3.893E+0	7.604E+8±5.637E+8	7.668E+8±4.206E+7
58-Ce-142	2.856E+0	4.816E+2±2.020E+1	7.023E+0±4.609E+0	1.017E+9±6.672E+8	7.775E+8±4.642E+7
58-Ce-143	8.097E+0	1.935E+2±3.277E+1	1.087E+1±4.730E+0	1.574E+9±6.848E+8	6.014E+8±1.913E+7
58-Ce-144		1.380E+2±1.755E+1	5.317E+0±4.291E+0	7.697E+8±6.212E+8	7.890E+8±6.167E+7
59-Pr-141	2.717E+0±6.018E-2	2.440E+2±2.637E+1	7.858E+0±6.475E+0	1.138E+9±9.375E+8	7.218E+8±5.029E+7
59-Pr-142	3.211E+0	3.105E+2±2.513E+1	6.848E+0±2.778E+0	9.914E+8±4.022E+8	5.634E+8±2.915E+7
59-Pr-143	3.205E+1	1.598E+3±3.038E+1	8.479E+0±7.096E+0	1.228E+9±1.027E+9	6.987E+8±4.793E+7
60-Nd-142	7.963E+0±5.159E-1	9.998E+1±2.559E+1	8.009E+0±6.919E+0	1.160E+9±1.002E+9	8.073E+8±7.646E+7
60-Nd-143	8.038E+1±2.017E+0	6.241E+2±4.818E+1	1.216E+1±1.059E+1	1.761E+9±1.534E+9	7.697E+8±7.730E+7
60-Nd-144	1.454E+0±2.662E-1	6.777E+2±1.226E+2	1.445E+1±1.256E+1	2.092E+9±1.819E+9	7.313E+8±6.971E+7
60-Nd-145	1.670E+1±1.030E+0	5.881E+2±6.627E+1	1.523E+1±1.334E+1	2.205E+9±1.931E+9	6.747E+8±4.991E+7
60-Nd-146	1.028E+1±4.145E-1	2.330E+2±5.046E+1	1.393E+1±1.219E+1	2.016E+9±1.765E+9	6.704E+8±5.915E+7
60-Nd-147	1.115E+2	5.463E+2±5.058E+1	1.358E+1±1.129E+1	1.966E+9±1.634E+9	6.106E+8±3.333E+7
60-Nd-148	4.396E+0±5.064E-1	6.230E+2±8.270E+1	1.480E+1±1.325E+1	2.143E+9±1.918E+9	6.450E+8±5.060E+7
60-Nd-150	4.632E+0±4.021E-1	1.730E+2±5.140E+1	1.300E+1±1.191E+1	1.882E+9±1.724E+9	6.070E+8±4.440E+7
61-Pm-147	2.098E+1±1.502E+0	1.148E+3±8.551E+1	8.722E+0±7.878E+0	1.263E+9±1.141E+9	6.726E+8±4.917E+7
61-Pm-148m	2.385E+1	2.044E+2±7.890E+1	1.367E+1±7.835E-1	1.978E+9±1.134E+8	6.382E+8±3.329E+7
61-Pm-148		3.464E+2±3.196E+1	8.278E+0±7.531E+0	1.198E+9±1.090E+9	6.300E+8±4.813E+7
61-Pm-149		5.649E+2±3.751E+1	9.452E+0±8.543E+0	1.368E+9±1.237E+9	6.489E+8±5.986E+7
61-Pm-151	5.668E+0	1.864E+3±4.283E+1	1.154E+1±1.050E+1	1.670E+9±1.520E+9	5.282E+8±3.141E+7
62-Sm-144	2.753E+0	1.288E+2±4.994E+1	1.436E+1±1.265E+1	2.079E+9±1.831E+9	8.361E+8±8.071E+7
62-Sm-147	7.191E+0±8.009E-1	7.698E+2±1.012E+2	1.728E+1±1.542E+1	2.502E+9±2.233E+9	6.757E+8±7.133E+7
62-Sm-148	4.473E+0	5.075E+2±6.431E+1	1.663E+1±1.459E+1	2.408E+9±2.112E+9	6.996E+8±7.506E+7
62-Sm-149	1.857E+2±5.117E+1	5.782E+2±1.506E+2	1.572E+1±9.418E+0	2.276E+9±1.363E+9	6.448E+8±5.400E+7
62-Sm-150	2.280E+1±9.074E+0	5.593E+2±2.000E+2	1.556E+1±1.397E+1	2.252E+9±2.023E+9	6.638E+8±6.882E+7
62-Sm-151	6.128E+1±4.969E+0	3.468E+2±5.789E+1	1.352E+1±1.169E+1	1.957E+9±1.692E+9	6.242E+8±5.293E+7
62-Sm-152	3.106E+0±2.038E-1	6.090E+3±3.980E+2	1.225E+1±1.052E+1	1.773E+9±1.523E+9	6.243E+8±4.910E+7
62-Sm-153	4.087E+0	9.227E+2±4.078E+1	1.059E+1±7.468E+0	1.533E+9±1.081E+9	6.180E+8±4.351E+7
62-Sm-154	1.084E+1±2.983E+0	2.382E+2±6.355E+1	1.225E+1±9.632E+0	1.774E+9±1.394E+9	6.256E+8±4.540E+7
63-Eu-151	4.709E+0±6.758E-1	2.566E+2±4.800E+1	9.727E+0±8.939E+0	1.408E+9±1.294E+9	6.058E+8±2.930E+7
63-Eu-152	2.342E+1	2.216E+2±3.262E+1	8.350E+0±7.650E+0	1.209E+9±1.107E+9	6.411E+8±4.324E+7
63-Eu-153	9.140E+0±6.851E-1	2.024E+2±3.865E+1	9.734E+0±8.279E+0	1.409E+9±1.198E+9	5.625E+8±4.848E+7
63-Eu-154	5.228E+0	1.276E+2±2.795E+1	7.627E+0±7.018E+0	1.104E+9±1.016E+9	5.813E+8±2.700E+7
63-Eu-155	6.601E+0	9.995E+2±3.147E+1	1.020E+1±7.767E+0	1.476E+9±1.124E+9	6.184E+8±2.537E+7
63-Eu-156		5.616E+2±3.061E+1	9.995E+0±7.164E+0	1.447E+9±1.037E+9	6.693E+8±4.753E+7
63-Eu-157	6.466E+0	3.322E+2±3.397E+1	1.253E+1±7.983E+0	1.813E+9±1.155E+9	6.042E+8±5.644E+7
64-Gd-152	3.015E+2	1.101E+3±4.506E+1	1.553E+1±1.052E+1	2.247E+9±1.523E+9	6.451E+8±5.346E+7
64-Gd-153	1.948E+1	1.634E+2±2.749E+1	8.874E+0±5.518E+0	1.284E+9±7.987E+8	5.858E+8±5.725E+7
64-Gd-154	5.741E+0	2.137E+2±2.718E+1	1.032E+1±6.392E+0	1.494E+9±9.252E+8	5.875E+8±4.174E+7
64-Gd-155	6.056E+1±5.033E+0	1.718E+2±2.719E+1	8.435E+0±5.125E+0	1.221E+9±7.418E+8	5.680E+8±4.045E+7
64-Gd-156	4.899E+0	2.248E+2±2.512E+1	1.067E+1±5.901E+0	1.544E+9±8.541E+8	5.861E+8±3.153E+7
64-Gd-157	1.001E+3±4.995E+2	2.577E+2±1.032E+2	1.112E+1±5.744E+0	1.610E+9±8.314E+8	5.652E+8±4.112E+7
64-Gd-158	5.655E+0	1.611E+2±2.331E+1	1.089E+1±5.091E+0	1.576E+9±7.368E+8	5.761E+8±3.565E+7
64-Gd-160	9.376E+0	1.812E+2±2.164E+1	1.106E+1±4.853E+0	1.600E+9±7.024E+8	5.764E+8±3.181E+7
65-Tb-159	6.948E+0±6.021E-2	1.662E+2±1.713E+1	8.733E+0±3.976E+0	1.264E+9±5.754E+8	6.596E+8±4.128E+7
65-Tb-160	3.967E+0	2.108E+2±1.478E+1	8.599E+0±3.638E+0	1.244E+9±5.266E+8	5.433E+8±1.912E+7
66-Dy-156	4.090E+0	2.200E+2±1.719E+1	1.056E+1±4.112E+0	1.529E+9±5.951E+8	5.740E+8±3.282E+7
66-Dy-158	6.530E+0	2.449E+2±1.584E+1	1.105E+1±3.806E+0	1.599E+9±5.509E+8	5.773E+8±2.938E+7
66-Dy-160	5.720E+0±7.085E-1	3.688E+2±4.122E+1	1.101E+1±3.263E+0	1.593E+9±4.722E+8	5.800E+8±2.976E+7
66-Dy-161	1.753E+1±1.543E+0	1.817E+2±1.771E+1	9.257E+0±2.308E+0	1.340E+9±3.341E+8	5.837E+8±3.935E+7
66-Dy-162	1.698E-1±1.512E-1	7.878E+2±6.466E+2	1.176E+1±3.035E+0	1.702E+9±4.392E+8	6.100E+8±2.676E+7
66-Dy-163	3.276E+0±5.066E-1	2.548E+2±3.309E+1	1.126E+1±2.894E+0	1.629E+9±4.189E+8	6.039E+8±4.337E+7
66-Dy-164	3.283E+2±1.016E+1	5.716E+2±1.952E+1	1.166E+1±2.557E+0	1.688E+9±3.701E+8	6.052E+8±2.762E+7
67-Ho-165	8.825E+0±1.416E-1	2.529E+2±9.363E+0	1.109E+1±1.638E+0	1.605E+9±2.371E+8	5.986E+8±3.605E+7
67-Ho-166m	3.985E+0	2.621E+2±9.925E+0	1.136E+1±2.235E+0	1.644E+9±3.235E+8	6.615E+8±1.965E+7
68-Er-162	8.027E+0	2.685E+2±7.720E+0	1.097E+1±1.322E+0	1.588E+9±1.913E+8	6.726E+8±1.525E+7
68-Er-164	9.128E+0	1.992E+2±5.975E+0	1.007E+1±7.874E-1	1.457E+9±1.140E+8	6.639E+8±1.578E+7
68-Er-166	1.428E+1±5.021E-1	2.311E+2±8.285E+0	1.128E+1±9.386E-1	1.633E+9±1.358E+8	6.514E+8±2.039E+7
68-Er-167	2.457E+0±1.092E+0	5.175E+2±2.047E+2	1.052E+1±1.034E+0	1.522E+9±1.496E+8	6.147E+8±3.590E+7
68-Er-168	9.661E+0±7.543E-1	2.216E+2±1.362E+1	1.162E+1±9.254E-1	1.682E+9±1.339E+8	6.534E+8±1.679E+7
68-Er-170	1.170E+1±1.962E+0	5.801E+2±8.760E+1	1.108E+1±1.118E+0	1.603E+9±1.617E+8	6.410E+8±2.383E+7
69-Tm-168	1.936E+1	5.321E+2	1.277E+1	1.847E+9	1.847E+9
69-Tm-169	6.975E+0	3.114E+2	1.058E+1	1.531E+9	1.531E+9
69-Tm-170	5.469E+0	3.304E+2	1.557E+1	2.253E+9	2.253E+9
71-Lu-175	6.436E+0±3.925E-1	2.086E+2±1.752E+1	1.120E+1±2.092E+0	1.621E+9±3.026E+8	7.527E+8±1.316E+7
71-Lu-176	2.515E+0±9.586E-1	1.777E+2±4.823E+1	1.066E+1±2.078E+0	1.542E+9±3.006E+8	7.560E+8±1.883E+7
72-Hf-174	4.813E+1±9.464E+0	7.013E+2±1.265E+2	1.328E+1±4.071E+0	1.922E+9±5.890E+8	6.559E+8±1.240E+7
72-Hf-176	5.559E+0±4.983E-1	4.475E+2±4.119E+1	1.334E+1±4.231E+0	1.929E+9±6.122E+8	6.641E+8±2.122E+7
72-Hf-177	2.117E-1±2.117E-1	8.143E+2±7.530E+2	1.152E+1±3.824E+0	1.667E+9±5.533E+8	6.561E+8±8.408E+6
72-Hf-178	6.607E+0±2.819E-1	2.084E+3±8.979E+1	1.352E+1±4.753E+0	1.956E+9±6.877E+8	6.611E+8±2.207E+7
72-Hf-179	6.776E+0±2.888E-1	2.982E+2±2.521E+1	1.186E+1±4.184E+0	1.716E+9±6.053E+8	6.684E+8±8.529E+6
72-Hf-180	2.237E+1±1.037E+0	2.766E+2±2.896E+1	1.359E+1±4.953E+0	1.966E+9±7.165E+8	6.696E+8±1.436E+7
73-Ta-180	8.800E+1	6.889E+2	1.955E+1	2.828E+9	2.828E+9
73-Ta-181	6.169E+0±1.508E-1	2.816E+2±2.367E+1	1.127E+1±1.272E+0	1.631E+9±1.841E+8	6.403E+8±8.374E+6
73-Ta-182	3.115E+1	3.186E+2±2.267E+1	1.092E+1±3.599E+0	1.580E+9±5.207E+8	5.550E+8±1.211E+7

TABLE XVII: ENDF/B-VII.1 Neutron Elastic Scattering Values (continued).

Material	σ^{therm} (barns)	**RI** (barns)	σ^{Maxw}**(30 keV)** (barns)	**RR(30 keV)** (cm^3/mole s)	σ^{Maxw}**(1420 keV)** (barns)
74-W -180	9.986E+0	2.918E+2	1.211E+1	1.752E+9	1.752E+9
74-W -182	8.868E+0±1.280E+0	4.993E+2±6.898E+1	1.322E+1±5.719E+0	1.913E+9±8.273E+8	6.182E+8±3.084E+7
74-W -183	2.388E+0±4.934E-1	4.855E+2±9.158E+1	1.272E+1±5.169E+0	1.841E+9±7.478E+8	5.822E+8±1.206E+7
74-W -184	7.373E+0±1.942E+0	3.187E+2±7.268E+1	1.272E+1±5.649E+0	1.840E+9±8.172E+8	6.090E+8±2.591E+7
74-W -186	8.545E-2±4.664E-2	3.165E+3±1.690E+3	1.397E+1±6.369E+0	2.021E+9±9.213E+8	6.650E+8±3.362E+7
75-Re-185	8.892E+0±1.073E+0	3.640E+2±5.553E+1	1.818E+1±4.905E+0	2.630E+9±7.096E+8	7.294E+8±3.980E+7
75-Re-187	9.963E+0±2.032E+0	3.123E+2±6.376E+1	1.802E+1±4.857E+0	2.607E+9±7.026E+8	7.237E+8±4.115E+7
77-Ir-191	1.436E+1±5.069E+0	3.192E+2±9.338E+1	1.299E+1±4.105E+0	1.879E+9±5.939E+8	6.011E+8±2.091E+7
77-Ir-193	1.312E+1±5.030E+0	2.615E+2±7.966E+1	1.340E+1±5.454E+0	1.938E+9±7.889E+8	6.181E+8±3.272E+7
79-Au-197	7.930E+0±1.304E-1	4.070E+2±2.082E+1	1.300E+1±2.721E+0	1.881E+9±3.936E+8	7.024E+8±2.622E+7
80-Hg-196	1.098E+2	4.642E+2±2.613E+1	1.567E+1±4.204E+0	2.267E+9±6.080E+8	7.533E+8±3.751E+7
80-Hg-198	1.281E+1	2.730E+2±2.451E+1	1.542E+1±3.744E+0	2.230E+9±5.416E+8	7.483E+8±2.427E+7
80-Hg-199	6.670E+1±2.017E+0	3.917E+2±2.485E+1	1.517E+1±3.668E+0	2.193E+9±5.306E+8	6.903E+8±2.805E+7
80-Hg-200	1.456E+1	2.336E+2±2.413E+1	1.545E+1±3.822E+0	2.234E+9±5.528E+8	7.421E+8±4.275E+7
80-Hg-201	1.380E+1	2.453E+2±1.996E+1	1.432E+1±3.189E+0	2.072E+9±4.612E+8	6.938E+8±1.164E+7
80-Hg-202	1.461E+1	2.102E+2±2.223E+1	1.520E+1±3.603E+0	2.198E+9±5.212E+8	7.497E+8±2.962E+7
80-Hg-204	2.947E+1	3.394E+2±2.144E+1	1.516E+1±3.426E+0	2.193E+9±4.955E+8	7.878E+8±3.035E+7
81-Tl-203	9.303E+0	3.998E+2	1.494E+1	2.161E+9	2.161E+9
81-Tl-205	9.245E+0	1.485E+2	1.307E+1	1.890E+9	1.890E+9
82-Pb-204	1.122E+1	1.737E+2±1.361E+1	1.276E+1±2.744E+0	1.845E+9±3.968E+8	7.633E+8±3.207E+7
82-Pb-206	1.126E+1±1.971E-1	1.560E+2±1.224E+1	1.041E+1±2.390E+0	1.505E+9±3.457E+8	7.775E+8±3.021E+7
82-Pb-207	1.077E+1	1.613E+2±1.333E+1	1.264E+1±2.746E+0	1.828E+9±3.972E+8	8.327E+8±2.925E+7
82-Pb-208	1.140E+1±1.495E-1	1.697E+2±3.356E+1	1.261E+1±1.244E+0	1.823E+9±1.800E+8	9.684E+8±3.711E+7
83-Bi-209	9.323E+0±5.416E-3	1.749E+2±1.120E+1	1.261E+1±2.769E+0	1.823E+9±4.004E+8	9.026E+8±2.220E+7
88-Ra-223	1.243E+1	4.623E+2	1.512E+1	2.186E+9	2.186E+9
88-Ra-224	1.253E+1	3.545E+2	1.572E+1	2.273E+9	2.273E+9
88-Ra-225	1.243E+1	4.183E+2	1.470E+1	2.126E+9	2.126E+9
88-Ra-226	9.822E+0	2.444E+2	1.533E+1	2.216E+9	2.216E+9
89-Ac-225	1.263E+1	2.263E+2	1.381E+1	1.997E+9	1.997E+9
89-Ac-226	1.263E+1	1.991E+2	1.308E+1	1.892E+9	1.892E+9
89-Ac-227	1.253E+1	2.394E+2	1.394E+1	2.015E+9	2.015E+9
90-Th-227	1.253E+1	2.031E+2	1.299E+1	1.879E+9	1.879E+9
90-Th-228	3.130E+1	3.501E+2	1.513E+1	2.188E+9	2.188E+9
90-Th-229	1.043E+1	1.881E+2	1.266E+1	1.830E+9	1.830E+9
90-Th-230	1.039E+1	3.492E+2	1.485E+1	2.148E+9	2.148E+9
90-Th-231	1.203E+1	1.948E+2	1.298E+1	1.876E+9	1.876E+9
90-Th-232	1.304E+1	2.474E+2	1.488E+1	2.151E+9	7.032E+8
90-Th-233	1.203E+1	2.311E+2	1.322E+1	1.911E+9	1.911E+9
90-Th-234	1.193E+1	2.894E+2	1.463E+1	2.115E+9	2.115E+9
91-Pa-229	1.183E+1	1.757E+2	1.204E+1	1.741E+9	1.741E+9
91-Pa-230	1.203E+1	1.708E+2	1.173E+1	1.696E+9	1.696E+9
91-Pa-231	1.122E+1	1.854E+2	1.248E+1	1.804E+9	1.804E+9
91-Pa-232	2.390E+1	1.899E+2	1.196E+1	1.730E+9	1.730E+9
91-Pa-233	1.243E+1	1.913E+2	1.238E+1	1.789E+9	1.789E+9
92-U -230	1.183E+1	1.904E+2	1.262E+1	1.825E+9	1.825E+9
92-U -231	1.173E+1	1.690E+2	1.158E+1	1.675E+9	1.675E+9
92-U -232	1.081E+1	1.894E+2	1.311E+1	1.896E+9	1.896E+9
92-U -233	1.218E+1	1.696E+2	1.147E+1	1.658E+9	1.658E+9
92-U -234	1.728E+1±1.015E+0	2.901E+2±2.265E+1	1.268E+1±4.071E-1	1.834E+9±5.886E+7	6.851E+8±6.538E+6
92-U -235	1.512E+1	1.701E+2	1.194E+1	1.726E+9	6.515E+8
92-U -236	8.841E+0±8.911E-1	2.757E+2±2.096E+1	1.514E+1±8.776E-1	2.190E+9±1.269E+8	6.921E+8±1.772E+7
92-U -237	2.444E+1	2.283E+2	1.255E+1	1.814E+9	1.814E+9
92-U -238	9.299E+0	3.455E+2	1.427E+1	2.063E+9	7.034E+8
92-U -239	1.091E+1	1.729E+2	1.271E+1	1.838E+9	1.838E+9
92-U -240	7.679E+0	3.892E+2	1.458E+1	2.108E+9	2.108E+9
92-U -241	9.150E+0	2.068E+2	1.364E+1	1.973E+9	1.973E+9
93-Np-234	1.142E+1	1.641E+2	1.125E+1	1.626E+9	1.626E+9
93-Np-235	1.132E+1	1.794E+2	1.218E+1	1.761E+9	1.761E+9
93-Np-236	9.656E+0	1.591E+2	1.116E+1	1.613E+9	1.613E+9
93-Np-237	1.587E+1±3.549E-1	1.990E+2±5.825E+0	1.273E+1±3.382E-1	1.841E+9±4.890E+7	6.411E+8±5.942E+6
93-Np-238	1.225E+1	1.635E+2	1.133E+1	1.638E+9	1.638E+9
93-Np-239	1.102E+1	2.070E+2	1.301E+1	1.881E+9	1.881E+9
94-Pu-236	9.199E+0	1.764E+2	1.192E+1	1.724E+9	1.724E+9
94-Pu-237	1.112E+1	1.614E+2	1.101E+1	1.592E+9	1.592E+9
94-Pu-238	1.546E+2±1.315E+1	2.801E+2±2.218E+1	1.358E+1±6.590E-1	1.963E+9±9.527E+7	6.466E+8±3.032E+7
94-Pu-239	7.990E+0	1.784E+2	1.218E+1	1.762E+9	6.525E+8
94-Pu-240	9.510E-1	9.259E+2±1.881E+0	1.358E+1±4.091E-1	1.964E+9±5.915E+7	6.595E+8±9.971E+5
94-Pu-241	1.126E+1	1.751E+2±4.170E+0	1.110E+1±3.661E-1	1.605E+9±5.293E+7	6.582E+8±9.574E+6
94-Pu-242	8.715E+0±3.833E-1	3.522E+2±4.201E+1	1.535E+1±9.319E-1	2.219E+9±1.347E+8	6.794E+8±2.361E+7
94-Pu-243	1.979E+1	1.902E+2	1.194E+1	1.727E+9	1.727E+9
94-Pu-244	1.039E+1	2.417E+2	1.431E+1	2.068E+9	2.068E+9
94-Pu-246	1.092E+1	2.915E+2	1.415E+1	2.045E+9	2.045E+9
95-Am-240	1.132E+1	1.648E+2	1.131E+1	1.635E+9	1.635E+9
95-Am-241	1.182E+1±3.355E-1	1.772E+2±2.307E+1	1.243E+1±3.959E-1	1.796E+9±5.724E+7	6.765E+8±1.232E+6
95-Am-242m	5.267E+0	1.517E+2	1.050E+1	1.518E+9	1.518E+9
95-Am-242	7.680E+0	1.610E+2	1.129E+1	1.633E+9	1.633E+9
95-Am-243	7.882E+0±2.503E-1	2.243E+2±1.661E+1	1.304E+1±7.119E-1	1.886E+9±1.029E+8	6.925E+8±2.175E+6
95-Am-244m	1.165E+1	1.633E+2	1.100E+1	1.591E+9	1.591E+9

TABLE XVII: ENDF/B-VII.1 Neutron Elastic Scattering Values (continued).

Material	σ^{therm} (barns)	**RI** (barns)	σ^{Maxw}**(30 keV)** (barns)	**RR(30 keV)** (cm^3/mole s)	σ^{Maxw}**(1420 keV)** (barns)
95-Am-244	1.165E+1	1.636E+2	1.102E+1	1.594E+9	1.594E+9
96-Cm-240	1.092E+1	2.309E+2	1.321E+1	1.909E+9	1.909E+9
96-Cm-241	1.062E+1	1.625E+2	1.116E+1	1.614E+9	1.614E+9
96-Cm-242	1.261E+1±1.142E+1	2.108E+2±2.928E+1	1.310E+1±2.969E-1	1.894E+9±4.293E+7	6.923E+8±3.477E+6
96-Cm-243	8.852E+0±2.878E-1	1.541E+2±2.122E+1	1.058E+1±8.199E-1	1.529E+9±1.185E+8	6.478E+8±1.866E+7
96-Cm-244	1.239E+1±7.653E-1	3.749E+2±6.220E+1	1.397E+1±2.075E+0	2.019E+9±3.000E+8	6.726E+8±6.168E+7
96-Cm-245	1.025E+1±2.774E-1	1.606E+2±5.153E+1	1.143E+1±9.199E-1	1.653E+9±1.330E+8	6.826E+8±1.477E+7
96-Cm-246	9.221E+0	2.019E+2	1.385E+1	2.002E+9	2.002E+9
96-Cm-247	8.348E+0	1.757E+2	1.175E+1	1.699E+9	1.699E+9
96-Cm-248	6.989E+0	3.486E+2	1.468E+1	2.123E+9	2.123E+9
96-Cm-249	9.920E+0	2.130E+2	1.222E+1	1.767E+9	1.767E+9
96-Cm-250	1.090E+1	3.520E+3	1.495E+1	2.161E+9	2.161E+9
97-Bk-245	1.032E+1	1.796E+2	1.210E+1	1.749E+9	1.749E+9
97-Bk-246	1.022E+1	1.563E+2	1.085E+1	1.569E+9	1.569E+9
97-Bk-247	1.012E+1	1.941E+2	1.261E+1	1.823E+9	1.823E+9
97-Bk-248	1.012E+1	1.552E+2	1.058E+1	1.529E+9	1.529E+9
97-Bk-249	3.935E+0	2.098E+2	1.308E+1	1.891E+9	1.891E+9
97-Bk-250	9.720E+0	1.728E+2	1.172E+1	1.694E+9	1.694E+9
98-Cf-246	1.062E+1	2.541E+2	1.349E+1	1.950E+9	1.950E+9
98-Cf-248	1.062E+1	3.528E+2	1.431E+1	2.069E+9	2.069E+9
98-Cf-249	6.245E+0	1.566E+2	1.122E+1	1.622E+9	1.622E+9
98-Cf-250	2.247E+0	7.894E+2	1.480E+1	2.139E+9	2.139E+9
98-Cf-251	8.940E+0	2.538E+2	1.270E+1	1.836E+9	1.836E+9
98-Cf-252	1.106E+1	2.238E+2	1.429E+1	2.065E+9	2.065E+9
98-Cf-253	1.052E+1	2.636E+2	1.333E+1	1.927E+9	1.927E+9
98-Cf-254	1.072E+1	3.609E+2	1.489E+1	2.153E+9	2.153E+9
99-Es-251	9.920E+0	2.955E+2	1.361E+1	1.967E+9	1.967E+9
99-Es-252	1.032E+1	1.539E+2	1.034E+1	1.495E+9	1.495E+9
99-Es-253	7.134E+0	2.879E+2	1.225E+1	1.771E+9	1.771E+9
99-Es-254m	9.419E+0	1.466E+2	9.934E+0	1.436E+9	1.436E+9
99-Es-254	1.022E+1	1.686E+2	1.076E+1	1.555E+9	1.555E+9
99-Es-255	9.318E+0	2.178E+2	1.219E+1	1.762E+9	1.762E+9
100-Fm-255	9.318E+0	1.518E+2	1.014E+1	1.466E+9	1.466E+9

ENDF/B-VII.1 Neutron Fission Values and Low-Fidelity Project Uncertainties

TABLE XVIII: ENDF/B-VII.1 Neutron Fission Values and Low-Fidelity Project Uncertainties [1, 18].

Material	σ^{therm} (barns)	**RI** (barns)	σ^{Maxw}**(30 keV)** (barns)	**RR(30 keV)** (cm^3/mole s)	σ^{Maxw}**(1420 keV)** (barns)
88-Ra-223	7.003E-1	1.062E+0	6.284E-2	9.087E+6	6.284E-2
88-Ra-224					
88-Ra-225					
88-Ra-226	7.002E-6	1.187E-2	3.949E-7	5.710E+1	3.949E-7
89-Ac-225	5.003E-4	2.159E-1	8.471E-5	1.225E+4	8.471E-5
89-Ac-226	2.001E+0	8.705E+0	1.977E-2	2.858E+6	1.977E-2
89-Ac-227	1.000E-4±6.668E-5	1.167E-1±1.831E-2	6.786E-6±9.368E-11	9.812E+2±1.354E-2	2.111E-2±3.897E-3
90-Th-227	2.021E+2±1.301E+1	3.310E+2±8.590E-1	6.006E-1±1.716E-1	8.685E+7±2.481E+7	3.864E-1±6.490E-2
90-Th-228	1.501E-1±1.000E-1	1.833E+0±2.477E-1	4.006E-4±2.989E-11	5.792E+4±4.321E-3	5.334E-1±8.870E-2
90-Th-229	3.092E+1±1.485E+0	3.158E+2±5.455E+1	1.060E+0±3.069E-1	1.532E+8±4.437E+7	4.216E-1±6.818E-2
90-Th-230	9.494E-3±9.494E-3	1.230E+0±1.732E-1	1.057E-4±7.802E-11	1.528E+4±1.128E-2	2.873E-1±5.492E-2
90-Th-231	4.001E+1	2.821E+2	6.415E-1	9.276E+7	6.415E-1
90-Th-232					
90-Th-233	1.501E+1±2.001E+0	1.153E+2±4.178E-1	2.910E-1±8.332E-2	4.207E+7±1.205E+7	1.117E-1±1.705E-2
90-Th-234	5.002E-3±5.002E-3	3.547E-1±5.389E-2	8.658E-9±1.371E-10	1.252E+0±1.982E-2	6.142E-2±8.688E-3
91-Pa-229	1.000E+0	2.182E+1	1.142E+0	1.651E+8	1.142E+0
91-Pa-230	1.500E+3	9.357E+2	2.874E+0	4.156E+8	2.874E+0
91-Pa-231	2.087E-2±1.021E-3	3.981E+0±2.519E-1	1.848E-3±5.875E-13	2.672E+5±8.495E-5	1.005E+0±7.229E-2
91-Pa-232	1.487E+3±3.142E+2	9.322E+2±1.762E+2	2.636E+0±7.663E-1	3.811E+8±1.108E+8	9.668E-1±1.162E-1
91-Pa-233		1.361E+0±9.664E-2	2.672E-7±1.408E-9	3.864E+1±2.036E-1	3.547E-1±2.673E-2
92-U -230	2.501E+1	5.055E+2	2.741E+0	3.963E+8	2.741E+0
92-U -231	2.501E+2	1.055E+3	3.310E+0	4.786E+8	3.310E+0
92-U -232	7.652E+1±4.782E+0	3.655E+2±2.869E+1	1.628E+0±2.985E-3	2.354E+8±4.315E+5	2.456E+0±2.823E-1
92-U -233	5.314E+2	7.755E+2	3.001E+0	4.339E+8	3.001E+0

TABLE XVIII: ENDF/B-VII.1 Neutron Fission Values (continued).

Material	σ^{therm} (barns)	**RI** (barns)	σ^{Maxw}**(30 keV)** (barns)	**RR(30 keV)** (cm^3/mole s)	σ^{Maxw}**(1420 keV)** (barns)
92-U -234	6.710E-2±1.400E-2	6.437E+0±9.735E-1	2.040E-2±4.610E-3	2.950E+6±6.665E+5	1.519E+0±1.071E-1
92-U -235	5.850E+2	2.760E+2	2.207E+0	3.190E+8	1.382E+0
92-U -236	4.711E-2±1.083E-2	7.829E+0±1.385E+0	8.000E-3±7.170E-4	1.157E+6±1.037E+5	8.351E-1±8.354E-2
92-U -237	1.702E+0±1.007E+0	4.721E+1±1.748E+1	6.201E-1±9.054E-2	8.965E+7±1.309E+7	7.374E-1±6.023E-2
92-U -238	1.680E-5	2.054E+0	7.987E-5	1.155E+4	4.740E-1
92-U -239	1.425E+1	1.980E+2±4.255E-1	6.719E-1±9.865E-2	9.714E+7±1.426E+7	4.163E-1±2.167E-2
92-U -240	1.079E-3	1.547E+0±1.008E-1	4.313E-5±2.087E-16	6.236E+3±3.000E-8	3.058E-1±2.249E-2
92-U -241	4.165E-1	4.474E+0±1.581E-1	2.200E-1±3.285E-2	3.180E+7±4.749E+6	2.271E-1±1.670E-2
93-Np-234	2.001E+3	1.168E+3	3.918E+0	5.665E+8	3.918E+0
93-Np-235	5.302E+1	3.044E+2±1.094E+0	1.091E+0±5.233E-14	1.578E+8±7.567E-6	2.548E+0±2.855E-1
93-Np-236	2.808E+3±8.397E+1	1.174E+3±7.328E+1	3.541E+0±1.034E+0	5.119E+8±1.495E+8	2.235E+0±3.024E-1
93-Np-237	2.037E-2±1.009E-3	6.950E+0±3.012E-1	2.003E-2±1.134E-3	2.896E+6±1.640E+5	1.718E+0±2.831E-2
93-Np-238	2.202E+3±3.177E+1	1.100E+3±8.341E+1	3.192E+0±9.328E-1	4.615E+8±1.349E+8	1.555E+0±1.427E-1
93-Np-239	2.801E-2	3.339E+0±4.702E-1	4.645E-5±1.455E-14	6.716E+3±2.103E-6	8.461E-1±1.234E-1
94-Pu-236	1.400E+2±2.925E+1	9.728E+2±2.909E+1	4.291E+0±4.060E-3	6.203E+8±5.870E+5	2.595E+0±3.073E-1
94-Pu-237	2.296E+3±2.973E+2	1.232E+3±5.844E+0	4.067E+0±1.184E+0	5.879E+8±1.712E+8	2.684E+0±3.274E-1
94-Pu-238	1.777E+1±4.505E-1	2.925E+1±2.292E+0	7.760E-1±8.506E-2	1.122E+8±1.230E+7	2.363E+0±4.365E-2
94-Pu-239	7.479E+2	3.027E+2	1.822E+0	2.635E+8	2.070E+0
94-Pu-240	6.405E-2	8.957E+0±2.596E-1	9.892E-2±6.384E-3	1.430E+7±9.230E+5	1.720E+0±1.828E-2
94-Pu-241	1.012E+3	5.697E+2±4.862E+1	2.876E+0±9.612E-2	4.158E+8±1.390E+7	1.770E+0±4.261E-2
94-Pu-242	1.382E-2±4.862E-3	5.700E+0±8.808E-1	1.597E-2±5.802E-3	2.309E+6±8.389E+5	1.475E+0±5.282E-2
94-Pu-243	1.814E+2±1.538E+1	5.584E+2±7.947E+1	7.587E-1±2.175E-1	1.097E+8±3.144E+7	1.339E+0±1.245E-1
94-Pu-244	1.715E-3	4.889E+0±6.410E-1	8.725E-3±6.119E-14	1.261E+6±8.846E-6	1.328E+0±2.294E-1
94-Pu-246	3.201E-3	2.981E+0±4.260E-1	1.384E-4±1.431E-14	2.000E+4±2.068E-6	7.958E-1±1.073E-1
95-Am-240	1.500E+3	9.984E+2	3.352E+0	4.847E+8	3.352E+0
95-Am-241	3.122E+0±8.865E-2	1.489E+1±9.818E-1	1.918E-2±1.134E-3	2.773E+6±1.640E+5	1.829E+0±3.949E-2
95-Am-242m	6.400E+3±6.104E+2	1.544E+3±2.624E+0	3.632E+0±5.280E-1	5.251E+8±7.634E+7	2.111E+0±1.468E-1
95-Am-242	2.095E+3±1.998E+2	9.971E+2±2.578E+0	3.532E+0±5.121E-1	5.107E+8±7.404E+7	2.166E+0±1.535E-1
95-Am-243	8.134E-2±2.583E-3	7.353E+0±8.610E-1	1.284E-2±1.038E-3	1.857E+6±1.500E+5	1.472E+0±5.608E-2
95-Am-244m	1.601E+3±3.001E+2	1.259E+3±5.266E+0	3.737E+0±1.082E+0	5.403E+8±1.564E+8	1.949E+0±2.383E-1
95-Am-244	2.301E+3±4.314E+2	1.259E+3±5.266E+0	3.737E+0±1.082E+0	5.403E+8±1.564E+8	1.949E+0±2.383E-1
96-Cm-240	3.001E+1	1.898E+2	9.032E-1	1.306E+8	9.032E-1
96-Cm-241	1.000E+3	8.554E+2±4.973E+0	3.676E+0±1.073E+0	5.314E+8±1.552E+8	2.453E+0±3.437E-1
96-Cm-242	4.665E+0±4.225E+0	2.124E+1±3.838E+0	3.088E-1±9.298E-2	4.465E+7±1.344E+7	2.189E+0±1.888E-1
96-Cm-243	5.873E+2±1.909E+1	1.548E+3±1.524E+2	3.714E+0±2.808E-1	5.370E+8±4.059E+7	2.732E+0±2.725E-1
96-Cm-244	1.022E+0±1.968E-1	1.536E+1±2.446E+0	7.486E-2±1.587E-2	1.082E+7±2.295E+6	2.182E+0±2.315E-1
96-Cm-245	2.054E+3±5.559E+1	8.333E+2±8.142E+1	3.024E+0±3.235E-1	4.371E+8±4.677E+7	1.963E+0±1.832E-1
96-Cm-246	4.401E-2±1.549E-2	9.504E+0±4.393E-1	4.657E-2±4.869E-5	6.733E+6±7.039E+3	1.621E+0±1.424E-1
96-Cm-247	9.474E+1±1.444E+1	9.547E+2±1.801E+2	2.801E+0±4.082E-1	4.049E+8±5.901E+7	2.090E+0±1.409E-1
96-Cm-248	3.366E-1±2.080E-1	9.424E+0±8.701E-1	4.217E-2±9.211E-5	6.097E+6±1.332E+4	1.407E+0±2.192E-1
96-Cm-249	1.000E+1	4.391E+2±3.231E+0	2.306E+0±6.684E-1	3.333E+8±9.662E+7	1.435E+0±2.061E-1
96-Cm-250	2.137E-2	3.765E+0±4.709E-1	3.344E-4±2.106E-14	4.834E+4±3.045E-6	9.156E-1±1.685E-1
97-Bk-245	2.902E+0	7.111E+0	5.595E-3	8.088E+5	5.595E-3
97-Bk-246	1.801E+3	8.376E+2	3.221E+0	4.657E+8	3.221E+0
97-Bk-247	3.702E+0	6.666E+0	4.436E-3	6.412E+5	4.436E-3
97-Bk-248	2.001E+3	9.262E+2	3.104E+0	4.487E+8	3.104E+0
97-Bk-249	3.970E+0	1.178E+1±8.123E-1	6.306E-3±2.450E-14	9.116E+5±3.541E-6	1.467E+0±2.325E-1
97-Bk-250	9.805E+2±1.533E+2	6.251E+2±2.648E+0	1.927E+0±5.619E-1	2.786E+8±8.124E+7	1.147E+0±1.408E-1
98-Cf-246	1.401E+3	6.057E+2	8.977E-1	1.298E+8	8.977E-1
98-Cf-248	7.002E+2	3.137E+2	2.974E-1	4.299E+7	2.974E-1
98-Cf-249	1.673E+3±3.370E+1	2.219E+3±7.850E+1	2.995E+0±8.712E-1	4.329E+8±1.259E+8	2.013E+0±2.767E-1
98-Cf-250	1.120E+2	1.351E+2±9.599E-1	2.640E-2±4.068E-14	3.817E+6±5.881E-6	2.075E+0±2.559E-1
98-Cf-251	4.939E+3±2.417E+2	1.034E+3±8.976E+1	2.027E+0±5.831E-1	2.930E+8±8.430E+7	1.569E+0±2.315E-1
98-Cf-252	3.303E+1±4.117E+0	1.113E+2±2.537E+1	1.075E+0±6.291E-3	1.554E+8±9.095E+5	2.783E+0±3.898E-1
98-Cf-253	1.301E+3±2.562E+2	9.666E+2±2.382E+2	1.544E+0±3.805E-1	2.232E+8±5.500E+7	9.650E-1±2.378E-1
98-Cf-254	2.001E+0	1.046E+2±9.971E-1	5.091E-1±7.843E-14	7.359E+7±1.134E-5	2.248E+0±4.005E-1
99-Es-251	4.303E+1	2.535E+1	3.181E-2	4.598E+6	3.181E-2
99-Es-252	2.001E+3	1.607E+3	5.095E+0	7.366E+8	5.095E+0
99-Es-253	2.502E+0	6.478E+0	3.155E-3	4.561E+5	3.155E-3
99-Es-254m	2.001E+3±2.033E+2	1.427E+3±2.901E+2	5.227E+0±1.526E+0	7.555E+8±2.206E+8	1.898E+0±2.710E-1
99-Es-254	2.129E+3±2.164E+2	1.123E+3±2.277E+2	4.119E+0±1.196E+0	5.954E+8±1.729E+8	1.967E+0±2.825E-1
99-Es-255	5.004E-1	4.379E+0±5.894E-1	6.487E-4±1.848E-14	9.378E+4±2.671E-6	1.005E+0±1.520E-1
100-Fm-255	3.362E+3±1.701E+2	1.461E+3±6.148E+0	4.367E+0±1.270E+0	6.313E+8±1.836E+8	2.385E+0±3.552E-1

ENDF/B-VII.1 Neutron Capture Values and Low-Fidelity Project Uncertainties

TABLE XIX: ENDF/B-VII.1 Neutron Capture Values and Low-Fidelity Project Uncertainties [1, 18].

Material	σ^{therm} (barns)	**RI** (barns)	σ^{Maxw}**(30 keV)** (barns)	**RR(30 keV)** (cm^3/mole s)	σ^{Maxw}**(1420 keV)** (barns)
1-H - 1	3.320E-1±8.475E-3	1.492E-1±3.812E-3	1.525E-4±5.248E-6	3.112E+4±1.071E+3	3.892E-5±7.842E-6
1-H - 2	5.057E-4±1.517E-5	2.640E-4±2.192E-5	1.998E-6±1.023E-7	3.531E+2±1.808E+1	1.025E-5±6.351E-6
1-H - 3					
2-He- 3	5.499E-5±2.749E-5	3.637E-4±1.790E-4	2.126E-5±1.037E-5	3.543E+3±1.728E+3	8.244E-5±4.122E-5
2-He- 4					
3-Li- 6	3.850E-2±3.080E-3	1.736E-2±1.385E-3	3.276E-5±2.346E-6	5.107E+3±3.658E+2	1.253E-5±9.879E-6
3-Li- 7	4.540E-2	2.045E-2	4.645E-5	7.168E+3	4.645E-5
4-Be- 7					
4-Be- 9	1.003E-2±5.015E-4	4.524E-3±2.218E-4	9.298E-6±1.853E-6	1.415E+3±2.819E+2	2.312E-6±4.640E-7
5-B - 10	4.999E-1±1.999E-1	2.235E-1±8.941E-2	4.299E-4±1.720E-4	6.508E+4±2.603E+4	1.247E-5±4.990E-6
5-B - 11	5.500E-3±3.300E-3	2.756E-3±1.557E-3	6.575E-5±1.939E-5	9.911E+3±2.922E+3	1.956E-6±6.883E-7
6-C-0	3.860E-3±1.158E-4	1.970E-3±6.074E-5	1.623E-5±3.243E-6	2.446E+3±4.888E+2	2.959E-5±4.362E-6
7-N - 14	7.499E-2±5.249E-3	3.381E-2±2.357E-3	6.683E-5±4.671E-6	9.982E+3±6.977E+2	4.022E-5±1.050E-5
7-N - 15	2.401E-5±7.203E-6	1.161E-4±4.984E-5	9.190E-6±4.595E-6	1.370E+3±6.848E+2	2.115E-5±5.837E-6
8-O - 16	1.900E-4±1.900E-5	7.380E-4±2.252E-4	3.154E-5±3.153E-6	4.692E+3±4.691E+2	1.207E-4±5.751E-5
8-O - 17	3.829E-3±3.063E-3	2.620E-3±1.470E-3	4.708E-6±2.775E-6	6.991E+2±4.121E+2	2.585E-4±1.700E-4
9-F - 19	9.578E-3±4.706E-4	1.636E-2±5.258E-4	4.362E-3±1.734E-4	6.458E+5±2.567E+4	1.353E-4±3.046E-6
11-Na- 22	2.521E+2±5.345E+0	1.284E+2±3.210E+1	8.011E-3±1.675E-3	1.182E+6±2.472E+5	5.025E-4±9.982E-5
11-Na- 23	5.280E-1±5.558E-3	3.166E-1±9.986E-3	1.829E-3±2.414E-4	2.696E+5±3.558E+4	2.394E-4±2.250E-5
12-Mg- 24	5.029E-2±1.683E-3	3.119E-2±3.108E-3	3.793E-3±7.165E-4	5.586E+5±1.055E+5	2.683E-4±4.085E-5
12-Mg- 25	1.904E-1±4.167E-3	9.869E-2±2.800E-2	5.279E-3±1.010E-3	7.768E+5±1.486E+5	2.324E-4±4.244E-5
12-Mg- 26	3.831E-2±5.991E-4	1.891E-2±9.471E-4	8.645E-5±1.585E-5	1.271E+4±2.330E+3	2.862E-4±4.095E-5
13-Al- 27	2.335E-1±3.015E-3	1.308E-1±9.413E-3	3.303E-3±6.408E-4	4.853E+5±9.416E+4	5.389E-4±6.118E-5
14-Si- 28	1.691E-1±3.908E-3	8.448E-2±1.387E-2	3.608E-3±6.892E-4	5.298E+5±1.012E+5	4.547E-4±7.608E-5
14-Si- 29	1.200E-1±3.011E-3	8.329E-2±1.156E-2	7.755E-3±1.506E-3	1.138E+6±2.210E+5	1.015E-4±1.992E-5
14-Si- 30	1.071E-1±2.000E-3	5.836E-1±2.866E-2	4.432E-3±2.121E-4	6.501E+5±3.112E+4	6.510E-4±1.115E-4
15-P - 31	1.694E-1±1.601E-2	1.449E-1±3.389E-2	7.238E-3±2.060E-4	1.061E+6±3.020E+4	1.250E-3±2.131E-7
16-S - 32	5.282E-1±1.413E-2	2.495E-1±9.478E-3	5.658E-3±2.401E-4	8.291E+5±3.518E+4	3.733E-4±1.583E-5
16-S - 33	3.501E-1±4.517E-2	1.640E-1±2.560E-2	2.274E-3±4.592E-4	3.330E+5±6.725E+4	1.590E-4±2.471E-5
16-S - 34	2.236E-1±1.505E-2	1.007E-1±4.798E-3	2.330E-4±4.257E-5	3.411E+4±6.232E+3	2.547E-4±3.914E-5
16-S - 36	1.505E-1±3.353E-2	1.211E-1±2.008E-2	6.327E-4±8.146E-5	9.255E+4±1.192E+4	2.824E-4±3.949E-5
17-Cl- 35	4.361E+1±4.001E-1	1.793E+1±2.011E+0	7.529E-3±1.449E-3	1.102E+6±2.121E+5	8.259E-4±1.697E-4
17-Cl- 37	4.331E-1±6.003E-3	2.051E-1±3.680E-2	2.041E-3±3.889E-4	2.984E+5±5.686E+4	4.750E-4±8.778E-5
18-Ar- 36	5.045E+0±4.928E-1	2.275E+0±7.114E-3	8.838E-3±1.448E-3	1.293E+6±2.118E+5	3.261E-3±6.138E-4
18-Ar- 38	8.018E-1±2.006E-1	3.564E-1±7.607E-4	1.369E-4±1.984E-5	2.002E+4±2.900E+3	8.315E-4±1.211E-4
18-Ar- 40	6.602E-1±1.000E-2	2.941E-1±4.671E-2	2.249E-3±4.291E-4	3.286E+5±6.268E+4	9.503E-4±1.617E-4
19-K - 39	2.127E+0±2.027E-1	9.972E-1±8.801E-2	1.056E-2±2.246E-3	1.544E+6±3.282E+5	5.596E-4±8.283E-5
19-K - 40	3.001E+1±8.003E+0	1.346E+1±4.053E+0	1.939E-2±3.375E-3	2.833E+6±4.930E+5	1.149E-3±1.980E-4
19-K - 41	1.461E+0±3.002E-2	9.707E-1±5.215E-2	2.029E-2±4.148E-3	2.964E+6±6.058E+5	2.143E-3±4.230E-4
20-Ca- 40	4.076E-1±1.994E-2	2.134E-1±1.696E-2	5.142E-3±2.625E-4	7.511E+5±3.835E+4	1.510E-3±4.309E-5
20-Ca- 42	6.831E-1±7.015E-2	3.758E-1±3.209E-2	1.240E-2±9.581E-4	1.810E+6±1.399E+5	2.373E-3±1.091E-4
20-Ca- 43	1.166E+1±3.570E+0	5.790E+0±1.064E+0	3.526E-2±4.373E-3	5.146E+6±6.382E+5	2.038E-3±2.293E-4
20-Ca- 44	8.886E-1±5.024E-2	4.258E-1±5.369E-2	7.738E-3±3.527E-4	1.129E+6±5.146E+4	1.044E-3±5.106E-5
20-Ca- 46	7.404E-1±7.003E-2	3.395E-1±1.583E-1	1.859E-3±2.780E-4	2.711E+5±4.054E+4	4.962E-4±9.666E-5
20-Ca- 48	1.093E+0±1.402E-1	4.852E-1±1.424E-1	1.079E-4±1.557E-5	1.573E+4±2.269E+3	2.661E-4±4.887E-5
21-Sc- 45	2.716E+1±1.998E-1	1.206E+1±4.880E-1	6.834E-2±8.729E-3	9.970E+6±1.273E+6	3.238E-3±2.097E-4
22-Ti- 46	5.897E-1±1.820E-1	3.642E-1±7.532E-2	2.544E-2±3.096E-3	3.711E+6±4.516E+5	3.128E-3±3.814E-4
22-Ti- 47	1.626E+0±3.904E-2	1.355E+0±1.567E-1	4.864E-2±7.146E-3	7.092E+6±1.042E+6	4.009E-3±7.093E-4
22-Ti- 48	8.318E+0±2.449E-1	3.785E+0±1.934E-1	2.653E-2±1.507E-3	3.867E+6±2.197E+5	1.643E-3±9.439E-5
22-Ti- 49	1.863E+0±4.027E-2	9.265E-1±1.650E-1	1.582E-2±2.170E-3	2.305E+6±3.163E+5	2.019E-3±2.964E-4
22-Ti- 50	1.795E-1±3.014E-3	8.914E-2±1.159E-2	3.044E-3±4.119E-4	4.436E+5±6.002E+4	5.037E-4±5.705E-5
23-V - 50	4.468E+1	5.929E+1	2.129E-2	3.103E+6	2.129E-2
23-V - 51	4.919E+0±3.983E-2	2.561E+0±1.353E-2	3.202E-2±1.592E-3	4.664E+6±2.320E+5	1.799E-3±1.329E-4
24-Cr- 50	1.540E+1±2.623E-1	7.245E+0±1.521E+0	3.825E-2±3.315E-3	5.574E+6±4.830E+5	3.255E-3±1.063E-4
24-Cr- 52	8.561E-1±6.093E-2	4.938E-1±5.012E-2	7.991E-3±1.090E-3	1.164E+6±1.588E+5	1.328E-3±1.059E-4
24-Cr- 53	1.809E+1±5.920E-1	8.436E+0±1.532E+0	2.595E-2±1.940E-3	3.779E+6±2.826E+5	1.432E-3±7.444E-5
24-Cr- 54	4.112E-1±4.271E-2	2.111E-1±3.229E-2	4.780E-3±3.614E-4	6.960E+5±5.262E+4	1.297E-3±4.907E-5
25-Mn- 55	1.328E+1±4.958E-2	1.353E+1±8.730E-1	3.281E-2±3.128E-3	4.777E+6±4.554E+5	2.102E-3±2.481E-4
26-Fe- 54	2.252E+0±1.801E-1	1.206E+0±8.654E-2	2.159E-2±3.111E-3	3.144E+6±4.530E+5	2.518E-3±2.378E-4
26-Fe- 56	2.589E+0±1.400E-1	1.346E+0±1.452E-1	1.151E-2±2.166E-3	1.675E+6±3.153E+5	2.421E-3±4.571E-4
26-Fe- 57	2.427E+0±2.967E-1	1.451E+0±1.249E-1	2.845E-2±2.022E-3	4.141E+6±2.943E+5	1.953E-3±1.078E-5
26-Fe- 58	1.150E+0±7.928E-2	1.495E+0±6.482E-2	1.973E-2±1.167E-3	2.871E+6±1.698E+5	2.120E-3±5.865E-5
27-Co- 58	1.856E+3±3.017E+2	6.677E+3±3.052E-1	2.020E-1±3.371E-2	2.940E+7±4.905E+6	5.068E-3±7.268E-4
27-Co- 58m	1.009E+5±1.640E+4	1.278E+5±9.773E-2	6.437E-2±1.031E-2	9.367E+6±1.501E+6	2.733E-3±6.441E-4
27-Co- 59	3.718E+1±6.000E-2	7.580E+1±2.019E+0	3.442E-2±3.504E-3	5.008E+6±5.098E+5	3.929E-3±3.378E-4
28-Ni- 58	4.227E+0±1.186E-1	2.019E+0±1.750E-1	3.385E-2±3.408E-3	4.926E+6±4.960E+5	4.585E-3±2.554E-4
28-Ni- 59	8.077E+1±4.179E+0	1.266E+2±7.637E+0	6.957E-2±1.055E-3	1.012E+7±1.534E+5	3.384E-3±3.237E-4
28-Ni- 60	2.401E+0±1.209E-1	1.258E+0±1.594E-1	2.674E-2±2.432E-3	3.891E+6±3.538E+5	3.153E-3±1.866E-4
28-Ni- 61	2.509E+0±4.365E-1	2.426E+0±4.022E-1	9.025E-2±6.881E-3	1.313E+7±1.001E+6	3.424E-3±1.383E-4
28-Ni- 62	1.491E+1±3.050E-1	7.282E+0±4.699E-1	2.381E-2±1.547E-3	3.463E+6±2.249E+5	4.319E-3±1.752E-4
28-Ni- 64	1.480E+0±5.683E-2	8.208E-1±1.083E-1	2.005E-2±7.074E-4	2.915E+6±1.029E+5	3.891E-3±1.729E-4
29-Cu- 63	4.470E+0±1.993E-2	4.988E+0±8.864E-2	7.145E-2±6.977E-3	1.039E+7±1.015E+6	8.960E-3±1.988E-4
29-Cu- 65	2.149E+0±2.985E-2	2.215E+0±6.704E-2	3.913E-2±3.139E-3	5.689E+6±4.564E+5	6.213E-3±1.307E-4
30-Zn- 64	7.875E-1±1.994E-2	1.423E+0±5.994E-2	6.098E-2±6.122E-3	8.867E+6±8.902E+5	9.174E-3±1.161E-3
30-Zn- 65	6.403E+1	3.919E+1	1.677E-1	2.438E+7	1.677E-1
30-Zn- 66	6.180E-1±5.980E-2	9.620E-1±3.435E-1	3.641E-2±3.602E-3	5.293E+6±5.237E+5	9.127E-3±1.172E-3
30-Zn- 67	7.472E+0±9.962E-1	2.436E+1±2.376E+0	1.157E-1±1.354E-2	1.681E+7±1.968E+6	6.999E-3±1.054E-3
30-Zn- 68	1.066E+0±9.958E-2	3.092E+0±1.279E-1	2.075E-2±1.488E-3	3.015E+6±2.163E+5	5.787E-3±5.778E-4

TABLE XIX: ENDF/B-VII.1 Neutron Capture Values (continued).

Material	σ^{therm} (barns)	**RI** (barns)	σ^{Maxw}**(30 keV)** (barns)	**RR(30 keV)** (cm^3/mole s)	σ^{Maxw}**(1420 keV)** (barns)
30-Zn- 70	9.174E-2±5.086E-3	1.067E-1±1.213E-2	1.171E-2±2.006E-3	1.702E+6±2.916E+5	1.999E-3±4.124E-4
31-Ga- 69	1.731E+0±6.961E-2	1.621E+1±9.848E-1	1.184E-1±9.521E-3	1.721E+7±1.384E+6	1.291E-2±1.435E-3
31-Ga- 71	4.731E+0±1.519E-1	3.274E+1±1.914E+0	1.223E-1±7.935E-4	1.777E+7±1.153E+5	9.055E-3±4.517E-4
32-Ge- 70	3.053E+0±1.300E-1	2.614E+0±1.828E-1	8.913E-2±9.819E-3	1.295E+7±1.427E+6	1.770E-2±1.996E-3
32-Ge- 72	8.859E-1±7.981E-2	9.040E-1±8.184E-2	5.295E-2±5.707E-3	7.693E+6±8.291E+5	1.017E-2±1.060E-3
32-Ge- 73	1.471E+1±4.000E-1	6.295E+1±6.911E+0	2.096E-1±9.972E-3	3.045E+7±1.449E+6	9.554E-3±1.557E-3
32-Ge- 74	5.190E-1±3.996E-2	6.465E-1±1.054E-1	4.540E-2±5.412E-3	6.594E+6±7.860E+5	4.347E-3±5.366E-4
32-Ge- 76	1.547E-1±9.988E-3	1.348E+0±2.254E-1	1.700E-2±2.365E-3	2.468E+6±3.435E+5	2.050E-3±2.703E-4
33-As- 74	1.168E+1	2.470E+2±1.377E+0	1.361E+0±2.514E-1	1.977E+8±3.651E+7	3.776E-2±7.412E-3
33-As- 75	4.502E+0±2.161E-1	6.389E+1±1.968E+0	4.500E-1±3.016E-2	6.536E+7±4.380E+6	1.694E-2±1.161E-3
34-Se- 74	5.182E+1±7.969E-1	5.798E+2±2.203E+1	2.083E-1±2.641E-2	3.025E+7±3.836E+6	3.067E-2±2.364E-3
34-Se- 76	8.502E+1±5.206E+0	4.103E+1±5.026E-1	9.573E-2±1.178E-2	1.390E+7±1.711E+6	1.382E-2±1.248E-3
34-Se- 77	4.201E+1±4.225E+0	3.205E+1±1.944E+0	4.447E-1±3.347E-2	6.458E+7±4.860E+6	1.510E-2±8.099E-4
34-Se- 78	4.301E-1±2.000E-2	4.740E+0±4.295E-1	9.062E-2±1.348E-2	1.316E+7±1.958E+6	1.568E-2±2.089E-3
34-Se- 79	5.002E+1	6.082E+1±3.350E-1	4.145E-1±7.356E-2	6.018E+7±1.068E+7	1.908E-2±3.942E-3
34-Se- 80	6.102E-1±4.101E-2	9.742E-1±6.552E-2	3.931E-2±3.306E-3	5.708E+6±4.800E+5	6.354E-3±5.099E-4
34-Se- 82	4.442E-2±3.014E-3	2.127E-1±3.354E-2	3.110E-2±5.628E-3	4.514E+6±8.170E+5	9.643E-3±1.469E-3
35-Br- 79	1.100E+1±3.539E-1	1.289E+2±1.378E+1	6.863E-1±7.451E-2	9.964E+7±1.082E+7	3.321E-2±3.053E-3
35-Br- 81	2.365E+0±5.005E-2	4.635E+1±5.021E+0	2.286E-1±2.593E-2	3.318E+7±3.764E+6	1.541E-2±1.384E-3
36-Kr- 78	6.356E+0±9.003E-1	2.614E+1±2.561E+0	4.704E-1±1.004E-1	6.831E+7±1.458E+7	5.497E-2±1.169E-2
36-Kr- 80	1.150E+1±5.001E-1	6.018E+1±5.653E+0	2.944E-1±4.990E-2	4.274E+7±7.245E+6	8.514E-2±8.422E-3
36-Kr- 82	1.917E+1±4.017E+0	1.629E+2±2.023E+1	1.027E-1±2.092E-2	1.491E+7±3.036E+6	2.619E-2±5.422E-3
36-Kr- 83	1.982E+2±1.003E+1	1.884E+2±2.708E+1	2.668E-1±9.127E-2	3.873E+7±1.325E+7	2.324E-2±6.935E-3
36-Kr- 84	1.100E-1±1.500E-2	2.170E+0±1.770E-1	2.637E-2±4.184E-3	3.827E+6±6.072E+5	8.563E-3±1.657E-3
36-Kr- 85	1.663E+0±2.001E-1	2.864E+0±9.656E-1	1.223E-1±2.815E-2	1.775E+7±4.085E+6	2.006E-2±4.928E-3
36-Kr- 86	8.782E-4±8.782E-4	2.000E-2±3.709E-3	5.063E-3±9.474E-4	7.348E+5±1.375E+5	1.313E-3±2.197E-4
37-Rb- 85	4.936E-1±6.997E-3	7.610E+0±4.621E-1	2.816E-1±6.601E-2	4.087E+7±9.580E+6	1.815E-2±5.774E-3
37-Rb- 86	1.563E+0	3.677E+1±4.253E-1	3.164E-1±8.237E-2	4.592E+7±1.195E+7	2.692E-2±6.538E-3
37-Rb- 87	1.200E-1±2.975E-3	2.713E+0±1.723E-1	2.325E-2±4.896E-3	3.374E+6±7.104E+5	2.399E-3±6.235E-4
38-Sr- 84	8.222E-1±1.200E-1	1.155E+1±1.108E+0	3.188E-1±6.529E-2	4.626E+7±9.476E+6	6.223E-2±6.099E-3
38-Sr- 86	1.006E+0±6.882E-2	4.873E+0±2.397E-1	6.145E-2±1.400E-2	8.917E+6±2.032E+6	2.048E-2±4.566E-3
38-Sr- 87	1.601E+1±2.909E+0	1.210E+2±3.041E+1	8.049E-2±2.057E-2	1.168E+7±2.984E+6	8.691E-3±2.141E-3
38-Sr- 88	8.688E-3±1.733E-3	3.684E-2±3.116E-3	5.214E-3±4.735E-4	7.565E+5±6.871E+4	3.650E-3±4.970E-4
38-Sr- 89	4.202E-1±4.002E-2	4.138E-1±1.699E-2	1.446E-2±2.626E-3	2.098E+6±3.810E+5	2.405E-3±4.267E-4
38-Sr- 90	1.501E-2±2.718E-3	8.987E-2±1.605E-2	1.459E-2±2.654E-3	2.117E+6±3.850E+5	3.650E-3±6.323E-4
39-Y - 89	1.279E+0±1.999E-2	8.668E-1±5.258E-2	2.135E-2±1.977E-3	3.098E+6±2.868E+5	4.610E-3±5.460E-4
39-Y - 90	3.301E+0±1.077E+0	2.612E+0±7.582E-2	5.568E-2±1.194E-2	8.077E+6±1.732E+6	3.800E-3±9.381E-4
39-Y - 91	1.401E+0±3.001E-1	2.843E+0±1.225E-1	8.776E-2±2.034E-2	1.273E+7±2.950E+6	8.945E-3±2.341E-3
40-Zr- 90	9.976E-3±2.060E-3	1.632E-1±1.465E-2	1.891E-2±2.092E-3	2.744E+6±3.035E+5	8.017E-3±8.808E-4
40-Zr- 91	1.216E+0±1.170E-1	6.061E+0±3.979E-1	7.361E-2±1.280E-2	1.068E+7±1.857E+6	1.047E-2±1.650E-3
40-Zr- 92	2.292E-1±7.496E-2	6.948E-1±5.827E-2	4.543E-2±6.133E-3	6.590E+6±8.897E+5	1.167E-2±1.569E-3
40-Zr- 93	6.951E-1±6.951E-1	1.784E+1±5.036E-1	1.008E-1±1.950E-2	1.462E+7±2.828E+6	1.534E-2±3.340E-3
40-Zr- 94	4.988E-2±1.708E-3	3.211E-1±3.590E-2	2.900E-2±4.533E-3	4.206E+6±6.575E+5	7.778E-3±1.291E-3
40-Zr- 95	1.201E+0	7.730E+0±1.515E-1	1.284E-1±2.483E-2	1.863E+7±3.601E+6	1.869E-2±3.883E-3
40-Zr- 96	2.285E-2±9.989E-4	5.169E+0±1.073E-1	1.025E-2±6.560E-4	1.486E+6±9.514E+4	7.657E-3±5.313E-4
41-Nb- 93	1.156E+0±5.012E-2	9.924E+0±8.047E-1	2.661E-1±4.604E-2	3.861E+7±6.678E+6	1.860E-2±2.960E-3
41-Nb- 94	1.577E+1±1.019E+0	1.254E+2±7.922E+0	3.172E-1±6.563E-2	4.601E+7±9.520E+6	1.098E-2±2.559E-3
41-Nb- 95	7.003E+0±5.002E-1	4.179E+1±4.551E-1	4.027E-1±8.589E-2	5.840E+7±1.246E+7	5.676E-2±1.188E-2
42-Mo- 92	7.989E-2±4.696E-2	9.773E-1±1.001E-1	6.914E-2±1.500E-2	1.003E+7±2.175E+6	2.687E-2±4.247E-3
42-Mo- 94	3.404E-1±6.002E-2	1.461E+0±1.662E-1	1.097E-1±2.210E-2	1.591E+7±3.205E+6	3.139E-2±5.800E-3
42-Mo- 95	1.340E+1±2.980E-1	1.047E+2±6.301E+0	3.756E-1±6.525E-2	5.448E+7±9.463E+6	3.503E-2±6.147E-3
42-Mo- 96	5.956E-1±2.174E-1	1.753E+1±2.945E+0	1.035E-1±1.700E-2	1.502E+7±2.465E+6	2.344E-2±3.289E-3
42-Mo- 97	2.197E+0±1.998E-1	1.750E+1±2.949E+0	3.886E-1±5.477E-2	5.636E+7±7.943E+6	2.792E-2±3.463E-3
42-Mo- 98	1.300E-1±6.000E-3	6.552E+0±2.803E-1	9.502E-2±9.756E-3	1.378E+7±1.415E+6	2.198E-2±1.863E-3
42-Mo- 99	8.004E+0	4.157E+1±4.386E-1	4.795E-1±9.434E-2	6.954E+7±1.368E+7	2.332E-2±5.736E-3
42-Mo-100	1.991E-1±3.000E-3	3.872E+0±1.437E-1	8.617E-2±8.165E-3	1.249E+7±1.184E+6	1.117E-2±1.057E-3
43-Tc- 99	2.001E+1±1.141E+0	3.230E+2±1.771E+1	1.069E+0±9.687E-2	1.551E+8±1.405E+7	5.622E-2±4.124E-3
44-Ru- 96	2.901E-1±2.001E-2	7.281E+0±5.239E-1	2.653E-1±5.867E-2	3.847E+7±8.509E+6	9.483E-2±2.226E-2
44-Ru- 98	8.004E+0±5.002E-1	1.150E+1±2.854E-1	2.367E-1±4.827E-2	3.432E+7±7.000E+6	7.487E-2±2.012E-2
44-Ru- 99	7.312E+0±1.005E+0	1.709E+2±2.016E+1	7.118E-1±7.428E-2	1.032E+8±1.077E+7	4.827E-2±5.784E-3
44-Ru-100	5.792E+0±3.996E-1	1.144E+1±1.026E+0	2.035E-1±3.949E-2	2.951E+7±5.726E+6	5.194E-2±1.241E-2
44-Ru-101	5.226E+0±3.007E-1	1.123E+2±1.009E+1	9.716E-1±8.134E-2	1.409E+8±1.179E+7	4.127E-2±3.035E-3
44-Ru-102	1.270E+0±3.999E-2	5.462E+0±2.936E-1	1.903E-1±2.580E-2	2.759E+7±3.740E+6	3.565E-2±4.516E-3
44-Ru-103	1.172E+0±4.940E-1	4.696E+1±3.576E+1	5.781E-1±1.283E-1	8.382E+7±1.859E+7	1.590E-2±3.350E-3
44-Ru-104	4.716E-1±9.798E-3	6.616E+0±1.901E-1	1.656E-1±1.217E-2	2.400E+7±1.764E+6	2.512E-2±1.696E-3
44-Ru-105	3.867E-1±5.949E-2	6.876E+0±4.657E-1	4.122E-1±2.820E-2	5.975E+7±4.089E+6	8.627E-3±1.458E-3
44-Ru-106	1.461E-1±4.502E-2	2.002E+0±4.589E-1	1.002E-1±2.089E-2	1.453E+7±3.029E+6	1.177E-2±2.239E-3
45-Rh-103	1.421E+2±1.478E+0	9.684E+2±4.713E+1	8.005E-1±5.981E-2	1.161E+8±8.672E+6	5.017E-2±4.116E-3
45-Rh-105	1.583E+4±3.142E+3	1.700E+4±3.003E+3	8.276E-1±1.583E-1	1.200E+8±2.295E+7	6.202E-2±1.278E-2
46-Pd-102	1.822E+0±2.001E-1	1.711E+1±2.580E+0	4.591E-1±7.981E-2	6.656E+7±1.157E+7	1.216E-1±2.953E-2
46-Pd-104	6.488E-1±2.997E-1	2.114E+1±1.981E+0	2.809E-1±4.923E-2	4.072E+7±7.137E+6	4.870E-2±9.578E-3
46-Pd-105	2.088E+1±1.496E+0	9.607E+1±4.923E+0	1.185E+0±1.464E-1	1.717E+8±2.123E+7	6.364E-2±2.919E-3
46-Pd-106	3.083E-1±3.016E-2	7.756E+0±5.556E-1	2.369E-1±4.105E-2	3.434E+7±5.950E+6	4.934E-2±9.045E-3
46-Pd-107	2.008E+0±2.343E-1	1.122E+2±3.990E+0	1.296E+0±1.794E-1	1.879E+8±2.600E+7	7.993E-2±1.066E-2
46-Pd-108	8.481E+0±5.272E-1	2.435E+2±3.985E+0	2.090E-1±3.724E-2	3.029E+7±5.398E+6	3.067E-2±6.257E-3
46-Pd-110	2.291E-1±1.196E-1	3.107E+0±2.561E-1	1.567E-1±1.560E-2	2.271E+7±2.261E+6	1.609E-2±1.879E-3
47-Ag-107	3.761E+1±1.200E+0	1.108E+2±4.942E+0	8.292E-1±1.410E-1	1.202E+8±2.044E+7	8.439E-2±3.854E-3
47-Ag-109	9.026E+1±9.914E-1	1.468E+3±4.770E+1	9.098E-1±1.836E-1	1.319E+8±2.662E+7	5.800E-2±3.185E-3
47-Ag-110m	8.233E+1±1.102E+1	9.296E+1±4.023E+1	2.709E+0±3.559E-1	3.926E+8±5.158E+7	4.006E-1±1.048E-1
47-Ag-111	2.999E+0±2.000E+0	9.953E+1±1.899E+1	5.896E-1±1.212E-1	8.544E+7±1.757E+7	1.278E-2±1.610E-3

TABLE XIX: ENDF/B-VII.1 Neutron Capture Values (continued).

Material	σ^{therm} (barns)	**RI** (barns)	σ^{Maxw}**(30 keV)** (barns)	**RR(30 keV)** (cm^3/mole s)	σ^{Maxw}**(1420 keV)** (barns)
48-Cd-106	9.859E-1±4.919E-1	6.313E+0±9.846E-1	4.964E-1±9.076E-2	7.196E+7±1.316E+7	1.085E-1±1.376E-2
48-Cd-108	9.060E-1±1.552E-1	1.692E+1±1.256E+0	3.998E-1±7.076E-2	5.795E+7±1.026E+7	1.164E-1±4.238E-3
48-Cd-110	1.100E+1±9.977E-1	3.338E+1±3.281E+0	2.349E-1±4.263E-2	3.405E+7±6.179E+6	6.533E-2±2.722E-3
48-Cd-111	6.868E+0±7.967E-1	5.142E+1±3.260E+0	9.238E-1±2.102E-1	1.339E+8±3.047E+7	7.941E-2±8.212E-3
48-Cd-112	2.199E+0±5.001E-1	1.318E+1±9.480E-1	2.179E-1±3.619E-2	3.158E+7±5.245E+6	6.784E-2±5.237E-3
48-Cd-113	1.996E+4±3.872E+2	3.846E+2±4.881E+1	6.822E-1±1.670E-1	9.887E+7±2.421E+7	5.757E-2±6.629E-3
48-Cd-114	3.055E-1±1.651E-2	1.252E+1±9.220E-1	1.497E-1±2.457E-2	2.170E+7±3.560E+6	2.679E-2±2.610E-3
48-Cd-115m	5.002E+0	9.401E+0±1.814E-1	2.249E-1±2.295E-2	3.259E+7±3.325E+6	2.537E-2±4.016E-3
48-Cd-116	7.618E-2±1.015E-2	1.879E+0±1.910E-1	9.078E-2±1.427E-2	1.315E+7±2.067E+6	1.330E-2±1.350E-3
49-In-113	1.213E+1±1.106E+0	3.327E+2±3.018E+1	9.221E-1±1.694E-1	1.336E+8±2.455E+7	1.587E-1±2.569E-2
49-In-115	2.023E+2±2.002E+0	3.224E+3±9.875E+1	7.715E-1±1.310E-1	1.118E+8±1.899E+7	1.312E-1±1.608E-2
50-Sn-112	8.503E-1±4.000E-2	2.995E+1±1.963E+0	1.956E-1±4.120E-2	2.834E+7±5.971E+6	1.113E-1±1.518E-2
50-Sn-113	8.869E+0±1.204E+0	2.278E+2±5.448E+0	6.708E-1±1.904E-1	9.721E+7±2.759E+7	9.457E-2±2.864E-2
50-Sn-114	1.253E-1±3.004E-2	7.827E+0±1.470E+0	1.532E-1±3.025E-2	2.220E+7±4.383E+6	9.051E-2±1.203E-2
50-Sn-115	5.802E+1±8.000E+0	2.074E+1±4.665E+0	3.912E-1±1.054E-1	5.669E+7±1.528E+7	6.630E-2±2.168E-2
50-Sn-116	1.277E-1±3.964E-2	1.233E+1±9.736E-1	1.003E-1±1.875E-2	1.453E+7±2.716E+6	5.450E-2±7.709E-3
50-Sn-117	1.071E+0±5.001E-2	1.761E+1±2.431E+0	3.091E-1±6.858E-2	4.478E+7±9.937E+6	4.676E-2±5.505E-3
50-Sn-118	2.198E-1±4.998E-2	3.963E+0±3.987E-1	6.530E-2±1.383E-2	9.462E+6±2.004E+6	2.987E-2±6.068E-3
50-Sn-119	2.175E+0±5.977E-2	5.637E+0±1.458E+0	2.247E-1±5.877E-2	3.256E+7±8.515E+6	2.834E-2±8.925E-3
50-Sn-120	1.396E-1±2.974E-2	1.139E+0±2.423E-1	3.798E-2±7.667E-3	5.502E+6±1.111E+6	1.646E-2±3.526E-3
50-Sn-122	1.461E-1±8.073E-3	6.554E-1±6.304E-2	1.486E-2±2.893E-3	2.153E+6±4.192E+5	9.185E-3±1.921E-3
50-Sn-123	3.001E+0	6.275E+1±4.099E-1	3.602E-1±7.940E-2	5.219E+7±1.150E+7	4.743E-2±1.287E-2
50-Sn-124	1.338E-1±5.994E-3	8.033E+0±3.968E-1	1.182E-2±2.278E-3	1.712E+6±3.300E+5	5.614E-3±1.175E-3
50-Sn-125	1.503E-1	8.822E+0±1.248E-1	9.814E-2±1.152E-2	1.422E+7±1.669E+6	1.443E-2±2.840E-3
50-Sn-126	9.004E-2	1.498E-1±1.395E-2	1.081E-2±2.091E-3	1.566E+6±3.029E+5	3.843E-3±6.422E-4
51-Sb-121	5.773E+0±1.100E-1	2.060E+2±1.995E+1	5.109E-1±7.768E-2	7.401E+7±1.125E+7	7.935E-2±6.823E-3
51-Sb-123	3.875E+0±1.190E-1	1.279E+2±1.989E+1	3.210E-1±5.037E-2	4.650E+7±7.296E+6	5.514E-2±3.210E-3
51-Sb-124	1.741E+1±2.801E+0	1.557E+2±9.476E-1	9.688E-1±2.437E-1	1.403E+8±3.530E+7	5.092E-2±1.642E-2
51-Sb-125	5.002E+0	5.586E+1±5.930E-1	5.257E-1±1.193E-1	7.616E+7±1.727E+7	1.062E-1±2.713E-2
51-Sb-126	1.300E+1	2.143E+2±7.343E-1	7.352E-1±7.645E-2	1.065E+8±1.107E+7	2.562E-2±4.917E-3
52-Te-120	2.341E+0±3.061E-1	2.246E+1±3.951E-1	2.912E-1±7.558E-2	4.220E+7±1.095E+7	9.702E-2±2.378E-2
52-Te-122	3.273E+0±3.650E-1	7.935E+1±9.344E+0	2.349E-1±4.882E-2	3.403E+7±7.073E+6	1.006E-1±1.008E-2
52-Te-123	4.183E+2±3.001E+1	5.642E+3±3.252E+2	8.063E-1±1.063E-1	1.168E+8±1.540E+7	8.715E-2±6.489E-3
52-Te-124	6.325E+0±7.013E-1	5.274E+0±6.176E-1	1.351E-1±2.697E-2	1.957E+7±3.907E+6	4.750E-2±4.351E-3
52-Te-125	1.287E+0±1.598E-1	2.228E+1±2.852E+0	4.172E-1±5.570E-2	6.043E+7±8.068E+6	3.968E-2±3.645E-3
52-Te-126	4.423E-1±6.015E-2	7.621E+0±5.574E-1	7.961E-2±1.466E-2	1.153E+7±2.124E+6	2.934E-2±2.535E-3
52-Te-127m	3.381E+3	1.339E+3±1.042E+0	8.866E-1±1.671E-1	1.284E+8±2.420E+7	1.098E-1±3.029E-2
52-Te-128	2.000E-1±7.999E-3	1.353E+0±9.494E-2	3.697E-2±5.495E-3	5.355E+6±7.960E+5	1.294E-2±1.118E-3
52-Te-129m	1.601E+3	7.546E+2±9.487E-1	7.481E-1±1.704E-1	1.083E+8±2.467E+7	1.353E-1±3.231E-2
52-Te-130	1.952E-1±1.001E-2	2.647E-1±4.126E-2	1.429E-2±2.711E-3	2.069E+6±3.926E+5	3.593E-3±7.250E-4
52-Te-132	1.249E-1	2.042E-1±1.759E-2	1.485E-2±2.754E-3	2.150E+6±3.989E+5	2.899E-3±7.913E-4
53-I -127	6.146E+0±5.997E-2	1.596E+2±5.966E+0	7.229E-1±7.415E-2	1.047E+8±1.074E+7	5.278E-2±7.116E-3
53-I -129	3.041E+1±1.202E+0	2.880E+1±2.174E+0	4.381E-1±7.997E-2	6.346E+7±1.158E+7	4.779E-2±1.135E-2
53-I -130	1.745E+1±2.953E+0	8.872E+1±6.691E-1	6.874E-1±1.100E-1	9.956E+7±1.593E+7	1.610E-2±1.756E-3
53-I -131	8.003E+1±5.002E+1	7.781E+1±2.938E-1	2.629E-1±5.889E-2	3.808E+7±8.529E+6	2.271E-2±5.763E-3
53-I -135	8.003E+1	3.461E+1±9.994E-3	7.020E-3±1.066E-3	1.017E+6±1.544E+5	7.428E-4±1.235E-4
54-Xe-123	8.256E+1	1.374E+3±1.596E+0	1.796E+0±7.521E-2	2.601E+8±1.089E+7	1.958E-1±4.441E-2
54-Xe-124	1.502E+2±2.001E+1	3.189E+3±6.839E+2	1.252E+0±3.004E-1	1.813E+8±4.351E+7	2.329E-1±6.841E-2
54-Xe-126	3.487E+0±7.983E-1	6.655E+1±5.978E+0	6.716E-1±1.639E-1	9.728E+7±2.374E+7	3.255E-1±9.472E-2
54-Xe-128	5.192E+0±1.299E+0	1.266E+1±6.970E-1	2.826E-1±6.823E-2	4.094E+7±9.882E+6	9.342E-2±2.508E-2
54-Xe-129	2.101E+1±3.000E+0	2.547E+2±1.497E+1	4.198E-1±3.380E-2	6.080E+7±4.896E+6	2.841E-2±1.911E-3
54-Xe-130	4.779E+0±1.197E+0	4.907E+0±4.658E-1	1.518E-1±2.835E-2	2.199E+7±4.106E+6	3.390E-2±8.883E-3
54-Xe-131	9.003E+1±1.017E+1	8.825E+2±4.971E+1	3.060E-1±3.725E-2	4.432E+7±5.394E+6	1.936E-2±1.759E-3
54-Xe-132	4.507E-1±6.004E-2	5.265E+0±5.891E-1	4.727E-2±9.099E-3	6.846E+6±1.318E+6	9.675E-3±1.865E-3
54-Xe-133	1.901E+2±9.004E+1	9.010E+1±1.572E-1	1.273E-1±3.005E-2	1.843E+7±4.352E+6	1.004E-2±3.332E-3
54-Xe-134	2.649E-1±1.999E-2	4.707E-1±4.561E-2	2.256E-2±4.287E-3	3.268E+6±6.208E+5	7.753E-3±1.822E-3
54-Xe-135	2.665E+6±1.106E+5	7.599E+3±5.023E+2	6.543E-2±1.518E-2	9.475E+6±2.198E+6	8.239E-3±2.623E-3
54-Xe-136	2.607E-1±2.003E-2	1.404E-1±9.656E-3	1.185E-3±1.849E-4	1.717E+5±2.677E+4	6.326E-4±8.279E-5
55-Cs-133	2.906E+1±1.078E+0	4.054E+2±2.444E+1	4.646E-1±5.662E-2	6.728E+7±8.200E+6	3.841E-2±4.579E-3
55-Cs-134	1.397E+2±1.199E+1	1.051E+2±1.607E+1	1.156E+0±2.016E-1	1.674E+8±2.920E+7	3.762E-2±1.032E-2
55-Cs-135	8.663E+0±3.064E-1	5.079E+1±7.282E+0	2.009E-1±4.272E-2	2.909E+7±6.186E+6	2.086E-2±5.939E-3
55-Cs-136	1.301E+1	4.844E+1±2.357E-1	1.820E-1±4.491E-2	2.636E+7±6.503E+6	1.188E-2±3.970E-3
55-Cs-137	2.501E-1±2.886E-2	3.565E-1±2.607E-2	2.162E-2±4.367E-3	3.131E+6±6.324E+5	4.516E-3±8.223E-4
56-Ba-130	8.680E+0±8.988E-1	1.755E+2±6.833E+0	7.360E-1±1.133E-1	1.066E+8±1.642E+7	6.102E-1±7.369E-2
56-Ba-132	6.531E+0±8.018E-1	5.429E+1±1.115E+1	4.559E-1±1.024E-1	6.603E+7±1.483E+7	2.991E-1±7.138E-2
56-Ba-133	2.814E+0±1.203E+0	1.064E+2±2.883E+1	5.688E-1±3.984E-2	8.237E+7±5.769E+6	6.776E-2±2.042E-2
56-Ba-134	1.504E+0±3.004E-1	2.202E+1±2.901E+0	2.270E-1±4.038E-2	3.287E+7±5.847E+6	1.462E-1±3.117E-2
56-Ba-135	5.872E+0±9.055E-1	1.025E+2±7.028E+0	4.839E-1±4.621E-2	7.008E+7±6.692E+6	7.880E-2±9.080E-3
56-Ba-136	6.796E-1±1.699E-1	1.866E+0±2.584E-1	7.001E-2±1.087E-2	1.014E+7±1.575E+6	3.539E-2±5.901E-3
56-Ba-137	3.597E+0±1.999E-1	3.505E+0±8.304E-1	5.869E-2±1.045E-2	8.499E+6±1.513E+6	1.291E-2±2.457E-3
56-Ba-138	4.035E-1±3.997E-2	2.756E-1±3.652E-2	3.739E-3±6.892E-4	5.413E+5±9.980E+4	2.686E-3±3.123E-4
56-Ba-140	1.595E+0±2.995E-1	1.434E+1±1.432E+0	1.030E-2±2.048E-3	1.491E+6±2.965E+5	6.583E-3±1.278E-3
57-La-138	5.710E+1±5.694E+0	3.644E+2±8.448E+1	3.132E-1±7.948E-2	4.535E+7±1.151E+7	2.260E-2±8.869E-3
57-La-139	9.042E+0±3.999E-2	1.145E+1±5.745E-1	3.625E-2±5.208E-3	5.249E+6±7.541E+5	6.324E-3±7.037E-4
57-La-140	2.704E+0±3.002E-1	6.895E+1±3.970E+0	1.175E-1±1.639E-2	1.702E+7±2.373E+6	2.250E-3±4.522E-4
58-Ce-136	7.458E+0±1.000E+0	7.719E+1±1.173E+1	3.380E-1±7.076E-2	4.895E+7±1.025E+7	1.327E-1±4.037E-2
58-Ce-138	1.037E+0±2.402E-1	9.499E+0±3.509E+0	2.080E-1±4.309E-2	3.012E+7±6.239E+6	8.349E-2±1.898E-2
58-Ce-139	5.001E+2±4.999E+1	1.277E+2±6.097E-1	4.074E-1±9.757E-2	5.899E+7±1.413E+7	9.996E-2±2.750E-2
58-Ce-140	5.775E-1±1.995E-2	3.030E-1±7.106E-2	7.739E-3±1.404E-3	1.121E+6±2.033E+5	5.944E-3±1.006E-3
58-Ce-141	2.901E+1±3.000E+0	1.585E+2±1.006E+1	2.754E-1±5.187E-2	3.987E+7±7.510E+6	6.172E-2±1.459E-2

TABLE XIX: ENDF/B-VII.1 Neutron Capture Values (continued).

Material	σ^{therm} (barns)	**RI** (barns)	σ^{Maxw}**(30 keV)** (barns)	**RR(30 keV)** (cm^3/mole s)	σ^{Maxw}**(1420 keV)** (barns)
58-Ce-142	9.650E-1±1.995E-2	8.610E-1±1.094E-1	1.989E-2±3.733E-3	2.880E+6±5.405E+5	7.050E-3±1.589E-3
58-Ce-143	6.003E+0±7.000E-1	3.588E+1±1.542E-1	1.142E-1±1.394E-2	1.653E+7±2.018E+6	4.868E-3±5.871E-4
58-Ce-144	1.000E+0±1.000E-1	2.541E+0±2.833E-1	2.423E-2±4.836E-3	3.508E+6±7.001E+5	5.621E-3±1.235E-3
59-Pr-141	1.151E+1±3.001E-1	1.785E+1±1.960E+0	1.090E-1±1.262E-2	1.578E+7±1.828E+6	1.595E-2±1.351E-3
59-Pr-142	2.001E+1±3.000E+0	8.227E+1±5.427E-1	3.612E-1±5.315E-2	5.229E+7±7.696E+6	6.633E-3±1.540E-3
59-Pr-143	8.989E+1±9.993E+0	1.315E+2±2.385E+1	1.076E-1±2.110E-2	1.557E+7±3.055E+6	1.106E-2±2.742E-3
60-Nd-142	1.870E+1±7.000E-1	6.197E+0±1.039E+0	3.343E-2±4.251E-3	4.841E+6±6.154E+5	2.346E-2±3.988E-3
60-Nd-143	3.252E+2±1.000E+1	1.306E+2±2.991E+1	2.383E-1±2.415E-2	3.451E+7±3.497E+6	4.065E-2±4.023E-3
60-Nd-144	3.595E+0±2.997E-1	4.450E+0±4.753E-1	7.485E-2±1.070E-2	1.084E+7±1.549E+6	1.805E-2±3.218E-3
60-Nd-145	4.200E+1±8.412E-1	2.230E+2±3.254E+1	4.200E-1±4.979E-2	6.081E+7±7.208E+6	3.362E-2±3.879E-3
60-Nd-146	1.490E+0±5.999E-2	2.912E+0±1.532E-1	9.852E-2±8.558E-3	1.426E+7±1.239E+6	1.819E-2±2.514E-3
60-Nd-147	4.407E+2±1.501E+2	5.248E+2±5.476E+1	8.336E-1±1.655E-1	1.207E+8±2.395E+7	4.526E-2±1.211E-2
60-Nd-148	2.585E+0±7.005E-2	1.600E+1±1.468E+0	1.401E-1±1.280E-2	2.028E+7±1.852E+6	1.875E-2±2.304E-3
60-Nd-150	1.041E+0±4.001E-2	1.569E+1±7.822E-1	1.565E-1±1.474E-2	2.266E+7±2.134E+6	1.442E-2±1.679E-3
61-Pm-147	1.677E+2±3.492E+0	2.205E+3±1.031E+2	1.047E+0±1.768E-1	1.516E+8±2.559E+7	1.065E-1±1.195E-2
61-Pm-148m	1.067E+4±1.005E+3	4.791E+3±2.725E+3	7.210E+0±2.016E+0	1.044E+9±2.918E+8	2.113E-1±2.944E-2
61-Pm-148	2.001E+3±1.885E+2	2.517E+3±1.439E+3	1.701E+0±7.081E-1	2.462E+8±1.025E+8	1.032E-1±2.826E-2
61-Pm-149	1.401E+3±3.001E+2	1.577E+3±1.143E+0	1.021E+0±2.077E-1	1.478E+8±3.006E+7	5.998E-2±1.448E-2
61-Pm-151	1.501E+2±1.501E+2	2.962E+3±1.385E+0	1.024E+0±2.173E-1	1.482E+8±3.146E+7	2.717E-2±5.653E-3
62-Sm-144	1.631E+0±9.971E-2	1.832E+0±1.928E-1	8.767E-2±1.451E-2	1.269E+7±2.101E+6	5.641E-2±1.013E-2
62-Sm-147	5.700E+1±2.999E+0	7.779E+2±2.985E+1	9.667E-1±1.704E-1	1.399E+8±2.466E+7	7.798E-2±7.246E-3
62-Sm-148	2.401E+0±6.000E-1	3.633E+1±1.551E+1	2.449E-1±4.507E-2	3.545E+7±6.525E+6	4.736E-2±1.232E-2
62-Sm-149	4.051E+4±6.054E+2	3.433E+3±2.009E+2	1.780E+0±3.606E-1	2.577E+8±5.220E+7	1.294E-1±1.087E-2
62-Sm-150	1.000E+2±4.000E+0	3.332E+2±4.790E+1	4.227E-1±3.607E-2	6.119E+7±5.221E+6	7.024E-2±3.879E-3
62-Sm-151	1.514E+4±2.994E+2	3.439E+3±1.567E+2	2.874E+0±8.325E-1	4.160E+8±1.205E+8	6.991E-2±4.074E-3
62-Sm-152	2.060E+2±5.999E+0	2.977E+3±1.001E+2	4.583E-1±4.607E-2	6.635E+7±6.669E+6	5.192E-2±4.906E-3
62-Sm-153	4.202E+2	4.873E+3±1.533E+0	9.110E-1±2.121E-1	1.319E+8±3.070E+7	1.591E-2±4.643E-3
62-Sm-154	8.325E+0±5.007E-1	3.637E+1±3.877E+0	2.794E-1±2.833E-2	4.044E+7±4.101E+6	2.473E-2±2.704E-3
63-Eu-151	9.185E+3±9.982E+1	3.292E+3±3.000E+2	3.568E+0±9.787E-1	5.164E+8±1.417E+8	2.267E-1±8.327E-3
63-Eu-152	1.280E+4±5.993E+2	2.308E+3±4.263E+2	4.560E+0±1.452E+0	6.601E+8±2.102E+8	3.441E-1±5.616E-2
63-Eu-153	3.580E+2±8.023E+0	1.420E+3±9.993E+1	2.663E+0±6.002E-1	3.855E+8±8.688E+7	1.676E-1±1.593E-2
63-Eu-154	1.353E+3±1.308E+2	1.300E+3±3.039E+2	3.470E+0±8.371E-1	5.023E+8±1.212E+8	1.884E-1±1.912E-2
63-Eu-155	3.761E+3±1.219E+2	1.552E+4±3.062E+3	1.134E+0±1.728E-1	1.641E+8±2.502E+7	5.436E-2±4.014E-3
63-Eu-156	1.000E+2	1.449E+3±8.250E-1	5.410E-1±1.345E-1	7.830E+7±1.946E+7	4.457E-2±1.444E-2
63-Eu-157	1.108E+2	9.417E+2±1.452E+0	1.141E+0±2.586E-1	1.651E+8±3.743E+7	1.398E-1±5.572E-2
64-Gd-152	7.351E+2±2.000E+1	5.605E+2±3.142E+2	9.844E-1±1.210E-1	1.425E+8±1.751E+7	2.449E-1±1.487E-2
64-Gd-153	2.232E+4±2.993E+2	2.975E+2±3.781E+0	2.622E+0±6.772E-1	3.795E+8±9.802E+7	1.764E-1±5.543E-2
64-Gd-154	8.521E+1±1.201E+1	2.168E+2±2.758E+1	9.511E-1±1.096E-1	1.377E+8±1.586E+7	1.381E-1±1.179E-2
64-Gd-155	6.074E+4±4.986E+2	1.539E+3±9.941E+1	2.613E+0±4.216E-1	3.782E+8±6.102E+7	1.241E-1±1.287E-2
64-Gd-156	1.795E+0±6.990E-1	1.077E+2±1.485E+1	5.984E-1±5.268E-2	8.661E+7±7.625E+6	9.222E-2±1.005E-2
64-Gd-157	2.529E+5±8.111E+2	7.591E+2±2.001E+1	1.396E+0±1.342E-1	2.020E+8±1.942E+7	6.693E-2±5.015E-3
64-Gd-158	2.203E+0±2.001E-1	6.841E+1±6.646E+0	3.069E-1±2.853E-2	4.442E+7±4.130E+6	5.242E-2±2.209E-3
64-Gd-160	1.410E+0±3.011E-1	8.158E+0±9.568E-1	1.712E-1±1.952E-2	2.478E+7±2.825E+6	1.713E-2±1.581E-3
65-Tb-159	2.336E+1±3.995E-1	4.148E+2±1.948E+1	2.075E+0±1.646E-1	3.002E+8±2.382E+7	1.229E-1±1.209E-2
65-Tb-160	3.339E+2±6.398E+1	3.477E+3±3.702E+2	2.389E+0±5.240E-1	3.458E+8±7.584E+7	4.234E-2±5.228E-3
66-Dy-156	3.306E+1±3.002E+0	9.856E+2±8.464E+1	1.532E+0±3.395E-1	2.218E+8±4.914E+7	3.045E-1±7.759E-2
66-Dy-158	4.308E+1±6.004E+0	2.118E+2±5.670E+1	1.115E+0±2.387E-1	1.614E+8±3.454E+7	1.798E-1±5.688E-2
66-Dy-160	5.600E+1±3.026E+0	1.107E+3±8.910E+1	8.328E-1±6.769E-2	1.205E+8±9.797E+6	1.346E-1±1.288E-2
66-Dy-161	6.002E+2±2.499E+1	1.076E+3±7.937E+1	1.951E+0±1.384E-1	2.824E+8±2.003E+7	6.985E-2±6.956E-3
66-Dy-162	1.940E+2±9.997E+0	2.757E+3±2.707E+2	4.544E-1±4.403E-2	6.576E+7±6.372E+6	5.262E-2±5.482E-3
66-Dy-163	1.234E+2±6.711E+0	1.489E+3±1.003E+2	1.085E+0±9.078E-2	1.570E+8±1.314E+7	3.347E-2±3.091E-3
66-Dy-164	2.654E+3±7.003E+1	3.431E+2±2.004E+1	2.168E-1±2.108E-2	3.137E+7±3.050E+6	2.032E-2±1.622E-3
67-Ho-165	6.470E+1±1.200E+0	6.817E+2±2.008E+1	1.329E+0±1.209E-1	1.923E+8±1.750E+7	7.562E-2±8.097E-3
67-Ho-166m	3.609E+3±6.012E+2	6.773E+2±5.871E+2	1.182E+0±2.716E-1	1.711E+8±3.930E+7	5.476E-2±5.775E-3
68-Er-162	1.892E+1±1.995E+0	4.519E+2±4.814E+1	8.679E-1±8.319E-3	1.256E+8±1.204E+6	1.411E-1±1.610E-2
68-Er-164	1.296E+1±1.996E+0	1.686E+2±3.686E+1	1.924E+0±3.146E-1	2.785E+8±4.553E+7	2.750E-1±3.293E-2
68-Er-166	1.688E+1±1.599E+0	9.805E+1±6.892E+0	6.977E-1±4.332E-2	1.010E+8±6.269E+6	7.169E-2±6.469E-3
68-Er-167	6.498E+2±8.009E+0	2.996E+3±7.030E+1	1.554E+0±1.972E-1	2.248E+8±2.854E+7	4.286E-2±4.548E-3
68-Er-168	2.742E+0±8.002E-2	3.711E+1±4.863E+0	3.022E-1±2.766E-2	4.373E+7±4.002E+6	2.362E-2±2.100E-3
68-Er-170	8.853E+0±3.000E-1	4.186E+1±6.240E+0	2.156E-1±4.044E-2	3.119E+7±5.851E+6	1.631E-2±4.335E-3
69-Tm-168	1.359E+2	1.241E+3	2.060E+0	2.981E+8	2.060E+0
69-Tm-169	1.050E+2	1.625E+3	1.078E+0	1.560E+8	1.078E+0
69-Tm-170	1.705E+1	5.095E+2	1.817E+0	2.630E+8	1.817E+0
71-Lu-175	2.308E+1±1.095E+0	6.216E+2±4.961E+1	1.315E+0±3.201E-1	1.903E+8±4.632E+7	1.295E-1±2.260E-2
71-Lu-176	2.097E+3±7.147E+1	9.209E+2±7.834E+1	1.540E+0±4.117E-1	2.228E+8±5.957E+7	1.279E-1±1.987E-2
72-Hf-174	5.495E+2±6.925E+0	4.457E+2±3.207E+1	9.496E-1±1.842E-1	1.374E+8±2.666E+7	2.388E-1±6.777E-2
72-Hf-176	2.138E+1±5.582E+0	6.943E+2±1.919E+2	4.531E-1±4.896E-2	6.556E+7±7.084E+6	7.758E-2±1.377E-2
72-Hf-177	3.737E+2±9.983E+0	7.213E+3±2.001E+2	1.387E+0±4.000E-1	2.007E+8±5.787E+7	1.068E-1±1.443E-2
72-Hf-178	8.395E+1±3.997E+0	1.871E+3±1.971E+1	2.960E-1±3.004E-2	4.282E+7±4.346E+6	4.473E-2±7.798E-3
72-Hf-179	4.280E+1±3.034E+0	5.237E+2±3.569E+1	9.788E-1±2.379E-1	1.416E+8±3.441E+7	6.979E-2±1.052E-2
72-Hf-180	1.307E+1±7.025E-2	2.926E+1±8.435E-1	2.320E-1±2.192E-2	3.357E+7±3.172E+6	2.733E-2±5.819E-3
73-Ta-180	7.912E+2	3.348E+3	1.753E+0	2.535E+8	1.753E+0
73-Ta-181	2.113E+1±5.075E-1	7.391E+2±4.452E+1	8.501E-1±6.836E-2	1.230E+8±9.889E+6	8.828E-2±1.492E-2
73-Ta-182	8.288E+3±6.044E+2	1.057E+3±5.995E+1	1.036E+0±2.716E-1	1.499E+8±3.930E+7	3.613E-2±4.905E-3
74-W -180	2.966E+1	2.503E+2	5.598E-1	8.099E+7	5.598E-1
74-W -182	2.072E+1±3.388E-1	6.286E+2±6.288E+1	2.920E-1±3.844E-2	4.224E+7±5.561E+6	6.792E-2±1.417E-2
74-W -183	1.012E+1±1.982E-1	3.392E+2±2.843E+1	5.747E-1±1.810E-1	8.315E+7±2.618E+7	4.784E-2±8.701E-3
74-W -184	1.502E+0±8.706E-2	1.570E+1±1.404E+0	2.522E-1±3.053E-2	3.648E+7±4.417E+6	4.238E-2±7.227E-3
74-W -186	3.809E+1±5.041E-1	4.843E+2±1.880E+1	1.921E-1±2.173E-2	2.779E+7±3.143E+6	2.796E-2±6.304E-3

TABLE XIX: ENDF/B-VII.1 Neutron Capture Values (continued).

Material	σ^{therm} (barns)	**RI** (barns)	σ^{Maxw}**(30 keV)** (barns)	**RR(30 keV)** (cm^3/mole s)	σ^{Maxw}**(1420 keV)** (barns)
75-Re-185	1.122E+2±2.001E+0	1.738E+3±5.017E+1	1.168E+0±2.402E-1	1.690E+8±3.474E+7	1.278E-1±1.862E-2
75-Re-187	7.671E+1±1.002E+0	3.005E+2±2.000E+1	1.015E+0±1.953E-1	1.468E+8±2.825E+7	8.152E-2±9.793E-3
77-Ir-191	9.545E+2±9.999E+0	3.324E+3±1.121E+2	1.271E+0±3.814E-1	1.839E+8±5.517E+7	1.195E-1±2.230E-2
77-Ir-193	1.112E+2±5.003E+0	1.376E+3±1.006E+2	1.118E+0±3.381E-1	1.617E+8±4.890E+7	7.740E-2±1.279E-2
79-Au-197	9.870E+1±9.003E-2	1.571E+3±2.815E+1	6.127E-1±1.183E-1	8.862E+7±1.711E+7	5.568E-2±7.253E-3
80-Hg-196	3.079E+3±1.799E+2	4.202E+2±2.666E+1	3.441E-2±5.617E-3	4.977E+6±8.124E+5	5.131E-3±1.592E-3
80-Hg-198	1.986E+0±2.989E-1	7.447E+1±2.016E+0	1.613E-1±1.635E-2	2.333E+7±2.365E+6	2.510E-2±3.561E-3
80-Hg-199	2.150E+3±4.800E+1	4.387E+2±2.004E+1	3.911E-1±6.966E-2	5.657E+7±1.007E+7	1.880E-2±1.811E-3
80-Hg-200	1.443E+0±5.075E-1	2.576E+0±5.418E-1	1.277E-1±2.359E-2	1.847E+7±3.413E+6	1.625E-2±4.273E-3
80-Hg-201	4.904E+0±6.002E-1	3.343E+1±3.054E+0	2.555E-1±4.971E-2	3.695E+7±7.189E+6	1.368E-2±4.573E-3
80-Hg-202	4.955E+0±5.032E-2	3.210E+0±3.875E-1	8.530E-2±1.786E-2	1.234E+7±2.583E+6	9.293E-3±2.371E-3
80-Hg-204	4.316E-1±1.004E-1	2.726E+0±1.315E+0	4.325E-2±1.025E-2	6.255E+6±1.483E+6	7.049E-3±1.941E-3
81-Tl-203	1.141E+1	3.997E+1	1.704E-1	2.465E+7	1.704E-1
81-Tl-205	1.305E-1	7.350E-1	5.256E-2	7.602E+6	5.256E-2
82-Pb-204	6.609E-1±3.392E-2	1.844E+0±1.478E-1	7.242E-2±7.624E-3	1.047E+7±1.103E+6	9.163E-3±1.648E-3
82-Pb-206	2.979E-2±1.690E-3	1.136E-1±1.422E-2	1.359E-2±3.675E-3	1.966E+6±5.315E+5	1.956E-3±4.125E-4
82-Pb-207	7.122E-1±4.817E-2	3.926E-1±3.669E-2	8.259E-3±1.499E-3	1.194E+6±2.169E+5	2.352E-3±6.137E-4
82-Pb-208	2.321E-4±2.009E-5	6.162E-3±1.650E-3	6.553E-4±1.637E-4	9.477E+4±2.368E+4	9.167E-4±2.095E-4
83-Bi-209	3.381E-2±6.959E-4	2.050E-1±3.363E-2	3.344E-3±5.938E-4	4.837E+5±8.588E+4	2.618E-3±4.400E-4
88-Ra-223	1.301E+2	4.357E+2	5.988E-1	8.658E+7	5.988E-1
88-Ra-224	1.200E+1	2.900E+1	2.258E-1	3.265E+7	2.258E-1
88-Ra-225	1.000E+2	5.936E+2	6.503E-1	9.403E+7	6.503E-1
88-Ra-226	1.279E+1	2.823E+2	4.459E-1	6.447E+7	4.459E-1
89-Ac-225	4.002E+1	1.235E+3±2.279E+0	1.879E+0±4.731E-1	2.717E+8±6.841E+7	1.066E-1±1.990E-2
89-Ac-226	1.000E+3	1.193E+3±2.462E+0	2.224E+0±4.823E-1	3.216E+8±6.974E+7	1.219E-1±2.659E-2
89-Ac-227	8.003E+2±2.697E+1	1.018E+3±1.843E+1	1.361E+0±3.710E-1	1.967E+8±5.364E+7	7.031E-2±1.143E-2
90-Th-227	4.052E+2	6.615E+2±1.264E+0	1.173E+0±2.628E-1	1.696E+8±3.800E+7	1.267E-1±1.540E-2
90-Th-228	1.229E+2±1.517E+1	1.123E+3±7.575E+1	7.476E-1±2.193E-1	1.081E+8±3.171E+7	1.062E-1±1.907E-2
90-Th-229	7.056E+1±6.710E+0	1.313E+3±2.071E+2	1.708E+0±3.850E-1	2.469E+8±5.566E+7	1.089E-1±1.734E-2
90-Th-230	2.341E+1±3.054E-1	1.042E+3±6.526E+1	6.989E-1±2.063E-1	1.011E+8±2.983E+7	1.006E-1±1.577E-2
90-Th-231	1.631E+3	7.252E+2	1.539E+0	2.225E+8	1.539E+0
90-Th-232	7.338E+0	8.435E+1	4.879E-1	7.055E+7	7.359E-2
90-Th-233	1.291E+3±5.571E+1	5.742E+2±4.543E+2	5.987E-1±1.514E-1	8.656E+7±2.189E+7	3.867E-2±7.008E-3
90-Th-234	1.801E+0±5.073E-1	3.140E+1±2.700E-1	1.769E-1±4.746E-2	2.558E+7±6.862E+6	3.101E-2±6.275E-3
91-Pa-229	3.999E+2	7.574E+2	1.764E+0	2.550E+8	1.764E+0
91-Pa-230	3.801E+2	2.353E+2	6.925E-1	1.001E+8	6.925E-1
91-Pa-231	2.007E+2±2.300E+0	5.367E+2±5.986E+1	2.086E+0±5.170E-1	3.017E+8±7.475E+7	1.092E-1±2.048E-2
91-Pa-232	5.890E+2±2.662E+2	1.654E+2±3.438E+1	4.309E-1±1.105E-1	6.231E+7±1.597E+7	3.305E-2±7.838E-3
91-Pa-233	4.252E+1±1.572E+0	8.379E+2±3.428E+1	2.245E+0±5.673E-1	3.246E+8±8.203E+7	1.743E-1±2.511E-2
92-U -230	2.001E+2	1.377E+2	4.149E-1	5.999E+7	4.149E-1
92-U -231	2.001E+1	1.607E+2	4.898E-1	7.082E+7	4.898E-1
92-U -232	7.539E+1±1.607E+0	1.729E+2±3.545E+1	6.345E-1±1.688E-1	9.174E+7±2.441E+7	9.034E-2±1.277E-2
92-U -233	4.526E+1	1.411E+2	4.240E-1	6.131E+7	4.240E-1
92-U -234	1.009E+2±1.307E+0	6.317E+2±1.966E+1	5.641E-1±8.342E-2	8.155E+7±1.206E+7	7.324E-2±4.122E-3
92-U -235	9.869E+1	1.404E+2	6.938E-1	1.003E+8	6.740E-2
92-U -236	5.134E+0±1.004E-1	3.417E+2±1.474E+1	5.505E-1±3.783E-2	7.960E+7±5.470E+6	8.107E-2±8.639E-3
92-U -237	4.523E+2±1.645E+2	1.083E+3±6.528E+2	4.580E-1±1.109E-1	6.622E+7±1.604E+7	6.099E-2±9.280E-3
92-U -238	2.683E+0	2.756E+2	4.014E-1	5.803E+7	5.360E-2
92-U -239	2.233E+1	3.113E+2±1.030E+0	9.204E-1±2.317E-1	1.331E+8±3.349E+7	5.686E-2±9.505E-3
92-U -240	1.917E+1	1.271E+3±5.094E-1	3.171E-1±8.985E-2	4.584E+7±1.299E+7	3.645E-2±7.219E-3
92-U -241	4.761E+2	3.121E+2±1.209E+0	8.839E-1±2.452E-1	1.278E+8±3.545E+7	7.152E-2±1.663E-2
93-Np-234	1.101E+2	6.306E+1	2.013E-1	2.911E+7	2.013E-1
93-Np-235	1.551E+2±2.067E+0	8.138E+2±2.360E+0	2.002E+0±5.345E-1	2.894E+8±7.728E+7	7.194E-2±1.180E-2
93-Np-236	1.213E+2±7.319E+0	1.003E+2±5.188E-1	4.184E-1±9.820E-2	6.049E+7±1.420E+7	3.969E-2±8.224E-3
93-Np-237	1.754E+2±7.341E+0	6.648E+2±2.409E+1	2.114E+0±8.627E-2	3.057E+8±1.247E+7	1.150E-1±8.049E-3
93-Np-238	4.795E+2	2.014E+2±1.993E+2	5.218E-1±1.514E-1	7.543E+7±2.189E+7	2.976E-2±4.465E-3
93-Np-239	4.501E+1±6.209E+0	9.319E+2±1.967E+0	1.644E+0±3.885E-1	2.377E+8±5.616E+7	6.999E-2±1.320E-2
94-Pu-236	2.756E+1±8.972E+0	2.480E+2±1.612E+2	2.492E-1±6.797E-2	3.603E+7±9.827E+6	8.701E-2±1.337E-2
94-Pu-237	2.001E+2	1.129E+2±4.771E-1	3.741E-1±1.176E-1	5.408E+7±1.700E+7	4.741E-2±7.389E-3
94-Pu-238	4.129E+2±7.944E+0	1.464E+2±1.324E+1	7.687E-1±1.473E-1	1.111E+8±2.130E+7	1.057E-1±4.938E-3
94-Pu-239	2.707E+2	1.814E+2	5.293E-1	7.652E+7	2.192E-2
94-Pu-240	2.876E+2	8.497E+3±3.327E-1	6.912E-1±6.706E-2	9.994E+7±9.695E+6	5.965E-2±5.468E-3
94-Pu-241	3.630E+2	1.800E+2±5.818E+0	5.518E-1±1.199E-2	7.978E+7±1.734E+6	7.396E-2±2.182E-2
94-Pu-242	2.127E+1±5.646E-1	1.124E+3±4.027E+1	5.320E-1±2.037E-1	7.692E+7±2.945E+7	6.055E-2±3.665E-3
94-Pu-243	8.813E+1±1.006E+1	2.746E+2±3.503E+1	4.572E-1±1.474E-1	6.609E+7±2.132E+7	2.636E-2±3.231E-3
94-Pu-244	1.710E+0±9.688E-2	4.783E+1±2.053E+1	3.269E-1±1.133E-1	4.727E+7±1.638E+7	4.387E-2±6.654E-3
94-Pu-246	8.003E+1	6.809E+1±3.266E-1	2.041E-1±5.507E-2	2.951E+7±7.962E+6	3.472E-2±7.246E-3
95-Am-240	2.801E+2	1.855E+2	5.794E-1	8.377E+7	5.794E-1
95-Am-241	6.843E+2±1.815E+1	1.588E+3±1.106E+2	2.546E+0±1.182E-1	3.681E+8±1.709E+7	1.623E-1±7.614E-3
95-Am-242m	1.231E+3±2.492E+2	2.393E+2±9.080E-1	6.526E-1±2.138E-1	9.435E+7±3.090E+7	4.131E-2±6.391E-3
95-Am-242	2.190E+2±4.433E+1	1.867E+2±8.097E-1	5.468E-1±2.104E-1	7.905E+7±3.042E+7	2.655E-2±4.060E-3
95-Am-243	8.042E+1±1.915E+1	2.052E+3±7.858E+1	2.429E+0±2.409E-1	3.512E+8±3.483E+7	1.313E-1±2.837E-2
95-Am-244m	4.001E+2	3.158E+2±1.194E+0	8.532E-1±2.619E-1	1.233E+8±3.786E+7	3.027E-1±5.564E-2
95-Am-244	6.002E+2	3.160E+2±1.316E+0	8.809E-1±2.592E-1	1.274E+8±3.747E+7	2.366E-1±3.581E-2
96-Cm-240	5.001E+1	2.931E+2	1.043E+0	1.508E+8	1.043E+0
96-Cm-241	2.000E+2	7.941E+1±3.238E-1	2.292E-1±6.926E-2	3.314E+7±1.001E+7	2.534E-2±4.914E-3
96-Cm-242	1.913E+1±5.819E+0	1.326E+2±2.330E+1	1.028E+0±2.008E-1	1.487E+8±2.902E+7	1.328E-1±1.105E-2
96-Cm-243	1.314E+2±1.008E+1	2.055E+2±1.892E+1	4.560E-1±4.810E-2	6.593E+7±6.954E+6	4.502E-2±7.430E-3
96-Cm-244	1.524E+1±1.206E+0	6.257E+2±2.863E+1	7.735E-1±1.062E-1	1.118E+8±1.535E+7	8.677E-2±9.809E-3

TABLE XIX: ENDF/B-VII.1 Neutron Capture Values (continued).

Material	σ^{therm} (barns)	**RI** (barns)	σ^{Maxw}**(30 keV)** (barns)	**RR(30 keV)** (cm^3/mole s)	σ^{Maxw}**(1420 keV)** (barns)
96-Cm-245	3.470E+2±1.620E+1	1.079E+2±8.350E+0	5.968E-1±4.917E-2	8.627E+7±7.108E+6	4.187E-2±7.211E-3
96-Cm-246	1.179E+0±1.490E-1	1.131E+2±6.646E+0	4.631E-1±1.798E-1	6.695E+7±2.599E+7	5.346E-2±1.029E-2
96-Cm-247	5.993E+1±1.052E+1	5.026E+2±2.724E+1	4.295E-1±1.599E-1	6.209E+7±2.311E+7	2.383E-2±4.065E-3
96-Cm-248	2.872E+0±2.942E-1	2.667E+2±1.536E+1	2.866E-1±1.036E-1	4.143E+7±1.498E+7	3.712E-2±6.358E-3
96-Cm-249	1.601E+0±7.642E-1	5.688E+1±3.002E-1	1.896E-1±5.524E-2	2.742E+7±7.986E+6	8.516E-3±1.685E-3
96-Cm-250	8.133E+1	8.686E+2±3.047E-1	1.989E-1±5.110E-2	2.876E+7±7.388E+6	2.713E-2±6.731E-3
97-Bk-245	1.000E+3	1.077E+3	2.614E+0	3.779E+8	2.614E+0
97-Bk-246	7.001E+2	3.119E+2	1.076E+0	1.556E+8	1.076E+0
97-Bk-247	1.000E+3	8.371E+2	1.921E+0	2.777E+8	1.921E+0
97-Bk-248	8.601E+2	3.946E+2	1.198E+0	1.731E+8	1.198E+0
97-Bk-249	7.110E+2±3.817E+1	1.133E+3±1.012E+2	1.572E+0±7.371E-1	2.273E+8±1.066E+8	5.275E-2±8.215E-3
97-Bk-250	7.805E+2	4.919E+2±1.802E+0	1.168E+0±3.757E-1	1.688E+8±5.431E+7	2.515E-2±5.076E-3
98-Cf-246	1.701E+3	7.221E+2	8.632E-1	1.248E+8	8.632E-1
98-Cf-248	1.700E+3	7.326E+2	5.802E-1	8.387E+7	5.802E-1
98-Cf-249	5.065E+2±2.141E+1	6.959E+2±9.923E+1	7.448E-1±3.097E-1	1.077E+8±4.477E+7	5.289E-2±7.750E-3
98-Cf-250	2.018E+3±2.341E+2	1.190E+4±5.215E+2	4.343E-1±1.285E-1	6.278E+7±1.857E+7	4.043E-2±7.889E-3
98-Cf-251	2.864E+3±1.504E+2	5.187E+2±9.636E+0	5.564E-1±1.493E-1	8.044E+7±2.158E+7	4.026E-2±9.098E-3
98-Cf-252	2.071E+1±1.519E+0	4.462E+1±2.914E+0	1.489E-1±4.148E-2	2.153E+7±5.996E+6	9.618E-3±2.013E-3
98-Cf-253	2.000E+1±1.804E+1	6.578E+2±6.142E+2	8.886E-1±8.297E-1	1.285E+8±1.199E+8	5.024E-2±4.691E-2
98-Cf-254	4.502E+0±1.501E+0	3.720E+1±2.436E-1	1.568E-1±4.055E-2	2.267E+7±5.861E+6	1.248E-2±2.577E-3
99-Es-251	2.001E+2	1.302E+3	1.574E+0	2.276E+8	1.574E+0
99-Es-252	2.001E+2	1.570E+2	4.542E-1	6.566E+7	4.542E-1
99-Es-253	1.839E+2±1.433E+1	3.821E+3±9.280E+2	2.025E+0±4.917E-1	2.927E+8±7.108E+7	7.993E-2±1.941E-2
99-Es-254m	2.501E+2±2.210E+1	1.783E+2±1.466E+1	5.370E-1±1.631E-1	7.763E+7±2.358E+7	2.353E-2±4.150E-3
99-Es-254	2.831E+1±2.501E+0	6.828E+2±5.640E+1	1.012E+0±3.481E-1	1.463E+8±5.032E+7	4.402E-2±7.787E-3
99-Es-255	5.500E+1±1.000E+1	1.386E+3±2.494E+0	2.163E+0±4.486E-1	3.127E+8±6.484E+7	9.195E-2±2.199E-2
100-Fm-255	2.701E+2±3.117E+1	1.164E+2±5.100E-1	3.130E-1±8.892E-2	4.525E+7±1.285E+7	2.368E-2±5.141E-3